

### N7(5M)\_DFT-s-OFDM QPSK Edge 1RB Left Mid CH



### N7(5M)\_DFT-s-OFDM QPSK Edge 1RB Left Mid CH



### N7(5M)\_DFT-s-OFDM BPSK Edge 1RB Left High CH



### N7(5M)\_DFT-s-OFDM BPSK Edge 1RB Left High CH



### N7(5M)\_DFT-s-OFDM QPSK Edge 1RB Left High CH



### N7(5M)\_DFT-s-OFDM QPSK Edge 1RB Left High CH



**Spectrum Analyzer 1**  
Sweep SA

**KEYSIGHT** Input RF: **Legacy DC** Input Z: 50 Ω Span: 40 dB PHO Fast Gate: Off Avg Type: Power (RMS) **1 2 3 4 5 6**  
 R T → Corr: Corr Core Ref: Ref (S) IF Gain: Low AvgHz: 100100 A W W W W W  
 Auto Auto Corr Ref: Int (S) Sig Track: Off Trig: Free Run A N N N N N

1 Spectrum Ref Lvl Offset: 8.00 dB Mkr2: 3.815 GHz  
 Scale/Div 10 dB Rel Level: 30.00 dBm -36.326 dBm  
 Log  
 30.0  
 20.0  
 10.0  
 0.0  
 -10.0  
 -20.0  
 -30.0  
 -40.0  
 -50.0  
 -60.0  
 -70.0  
 -80.0  
 -90.0  
 -100.0

Start 30 MHz Video BW 3.0 MHz\* Stop 200.0 GHz  
 #Res BW 1.0 MHz Sweep 347.7 ms (40001 pts)

5 Marker Table

| Mode | Trace | Scale | X         | Y          | Function | Function Width | Function Value |
|------|-------|-------|-----------|------------|----------|----------------|----------------|
| 1    | N     | f     | 2.500 GHz | -25.67 dBm |          |                |                |
| 2    | N     | f     | 3.815 GHz | -36.33 dBm |          |                |                |
| 3    |       |       |           |            |          |                |                |
| 4    |       |       |           |            |          |                |                |
| 5    |       |       |           |            |          |                |                |
| 6    |       |       |           |            |          |                |                |

The screenshot displays the 'Spectrum Analyzer 1' window. The top control bar shows settings for 'Sweep SA', 'KEYSIGHT' input, 'Input Z: 50.0', 'Att: 40.0 dB', 'PNO Fast', 'Avg Type: Power (RMS)', and a frequency range from 1 to 6 GHz. The main display area shows a spectrum plot with a yellow trace at 25.625 GHz. The plot has a logarithmic scale from 1.00 to 30.00 dBm. A marker 'Mkr1' is placed at 25.625 GHz with a level of -33.507 dBm. The bottom table lists the marker data.

| Mode | Trace | Scale | X          | Y          | Function | Function Width | Function Value |
|------|-------|-------|------------|------------|----------|----------------|----------------|
| 1    | N     | F     | 25.625 GHz | -33.51 dBm |          |                |                |
| 2    |       |       |            |            |          |                |                |
| 3    |       |       |            |            |          |                |                |
| 4    |       |       |            |            |          |                |                |
| 5    |       |       |            |            |          |                |                |
| 6    |       |       |            |            |          |                |                |

Spectrum Analyzer 1  
Sweep SA

**KEYSIGHT** Input: RF  
 R T → Channel: OC  
 Align: Auto

Input Z: 50 Ω  
 Corr: Cal  
 Freq Ref: Int (S)

AttN: 40 dB

PNO Fast  
 Gate: Off  
 F-Span: Low  
 Sig Track: Off

Avg Type: Power (PMS)  
 Aegred: 100100  
 Trig: Free Run

1 2 3 4 5 6  
 A W W W W W  
 A N N N N N

1 Spectrum  
 Scale/Div 10 dB  
 Log  
 10.0  
 9.0  
 8.0  
 7.0  
 6.0  
 5.0  
 4.0  
 3.0  
 2.0  
 1.0  
 0.0  
 -1.0  
 -2.0  
 -3.0  
 -4.0  
 -5.0  
 -6.0  
 -7.0  
 -8.0  
 -9.0  
 -10.0

Start 30 MHz  
 #Res BW 1.0 MHz

Video BW 3.0 MHz\*

Stop 20.0 GHz  
 Sweep 34.7 ms (40001 pts)

5 Marker Table

| Mode | Trace | Scale | X           | Y          | Function | Function Width | Function Value |
|------|-------|-------|-------------|------------|----------|----------------|----------------|
| 1    | N     | 1     | 2.500 0 Hz  | 24.67 dBm  |          |                |                |
| 2    | N     | 1     | 3.823 3 GHz | -36.54 dBm |          |                |                |
| 3    |       |       |             |            |          |                |                |
| 4    |       |       |             |            |          |                |                |
| 5    |       |       |             |            |          |                |                |
| 6    |       |       |             |            |          |                |                |

Oct 12, 2023  
 1:27:39 AM

[illegible]

**Spectrum Analyzer 1**  
 Sweep SA

**KEYSIGHT** Input RF: 30.000 MHz  
 R T → Coupling DC  
 Align Auto

Input Z: 50.0 Ω  
 Corr CCor  
 Freq Ref: Int (S)

Att: 40.0 dB

PNO: Fast Gate: Off  
 3rd Gain: Low  
 Seg Track: Off

Avg Type: Power (RMS)  
 Acq Hold: 100.100  
 Trig: Free Run

1 2 3 4 5 6  
 A W W W W W  
 A N N N N N

**1 Spectrum**  
 Scale/Div 10.0 dB  
 Log  
 30.0  
 20.0  
 10.0  
 0.0  
 -10.0  
 -20.0  
 -30.0  
 -40.0  
 -50.0  
 -60.0  
 -70.0  
 -80.0  
 -90.0  
 -100.0

Ref Lvl Offset: 8.60 dB  
 Ref Level: 30.00 dBm

Mkr2: 3.745 9 GHz  
 -35.500 dBm

Start: 30 MHz  
 #Res: BW 1.0 MHz

Video BW: 3.0 MHz

Stop: 20.00 GHz  
 Sweep: 24.7 ms / 40001 pts

5 Marker Table

| Mode | Trace | Scale | X | Y          | Function | Function Width | Function Value |
|------|-------|-------|---|------------|----------|----------------|----------------|
| 1    | N     | 1     | f | 25.37 dBm  |          |                |                |
| 2    | N     | 1     | f | -35.50 dBm |          |                |                |
| 3    |       |       |   |            |          |                |                |
| 4    |       |       |   |            |          |                |                |
| 5    |       |       |   |            |          |                |                |
| 6    |       |       |   |            |          |                |                |

Oct 12, 2023  
 1:28:47 AM

The screenshot displays a Spectrum Analyzer interface with the following components:

- Top Panel:**
  - Spectrum Analyzer 1:** The main title.
  - KEYSIGHT:** The manufacturer logo.
  - Input:** RF (Radio Frequency).
  - Output:** Analog (Analog).
  - Input Z:** 50.0 Ohms.
  - Core C:** 2.0 Ohms.
  - Input Freq:** 26.68 GHz.
  - Input Span:** 40 dB.
  - Power:** PNO Fast Gate Off.
  - Attenuation:** 100/100 dB.
  - Trigger:** Free Run.
  - Resolution Bandwidth (RBW):** 3 kHz.
  - Video Bandwidth (VBW):** 3.0 MHz.
  - Marker:** Mkr1 at 25.638 GHz.
  - Marker Value:** -33.398 dBm.
- Plot Area:**
  - A horizontal signal trace is visible at approximately -33.4 dBm.
  - The Y-axis represents power in dBm, ranging from -50 to 20.
  - The X-axis represents frequency in GHz, ranging from 25.6 to 25.7.
- Bottom Panel:**
  - Marker Table:** A table showing the measured signal.

| Mode | Trace | Scale | X          | Y          | Function | Function Width | Function Value |
|------|-------|-------|------------|------------|----------|----------------|----------------|
| 1    | N     | F     | 25.638 GHz | -33.40 dBm |          |                |                |
| 2    |       |       |            |            |          |                |                |
| 3    |       |       |            |            |          |                |                |
| 4    |       |       |            |            |          |                |                |
| 5    |       |       |            |            |          |                |                |
| 6    |       |       |            |            |          |                |                |

### N7(25M)\_DFT-s-OFDM QPSK Edge 1RB Left Mid CH




### N7(25M)\_DFT-s-OFDM QPSK Edge 1RB Left Mid CH



### N7(25M)\_DFT-s-OFDM BPSK Edge 1RB Left High CH



### N7(25M)\_DFT-s-OFDM BPSK Edge 1RB Left High CH



### N7(25M)\_DFT-s-OFDM QPSK Edge 1RB Left High CH



### N7(25M)\_DFT-s-OFDM QPSK Edge 1RB Left High CH



N7(50M)\_DFT-s-  
OFDM BPSK Edge 1RB Left Low CH



N7(50M)\_DFT-s-  
OFDM BPSK Edge 1RB Left Low CH




N7(50M)\_DFT-s-  
OFDM QPSK Edge 1RB Left Low CH




N7(50M)\_DFT-s-  
OFDM QPSK Edge 1RB Left Low CH



N7(50M)\_DFT-s-  
OFDM BPSK Edge 1RB Left Mid CH



N7(50M)\_DFT-s-  
OFDM BPSK Edge 1RB Left Mid CH



### N7(50M)\_DFT-s-OFDM QPSK Edge 1RB Left Mid CH



### N7(50M)\_DFT-s-OFDM QPSK Edge 1RB Left Mid CH



### N7(50M)\_DFT-s-OFDM BPSK Edge 1RB Left High CH



### N7(50M)\_DFT-s-OFDM BPSK Edge 1RB Left High CH



### N7(50M)\_DFT-s-OFDM QPSK Edge 1RB Left High CH




### N7(50M)\_DFT-s-OFDM QPSK Edge 1RB Left High CH




## Conducted Band Edge

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------|---------|
| 7       | 15        | 5               | 500500 | 2502.5     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 7       | 15        | 5               | 500500 | 2502.5     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 7       | 15        | 5               | 500500 | 2502.5     | DFT-s-OFDM BPSK | 25@0  | see graph | PASS    |
| 7       | 15        | 5               | 500500 | 2502.5     | DFT-s-OFDM QPSK | 25@0  | see graph | PASS    |
| 7       | 15        | 5               | 513500 | 2567.5     | DFT-s-OFDM BPSK | 1@24  | see graph | PASS    |
| 7       | 15        | 5               | 513500 | 2567.5     | DFT-s-OFDM QPSK | 1@24  | see graph | PASS    |
| 7       | 15        | 5               | 513500 | 2567.5     | DFT-s-OFDM BPSK | 25@0  | see graph | PASS    |
| 7       | 15        | 5               | 513500 | 2567.5     | DFT-s-OFDM QPSK | 25@0  | see graph | PASS    |
| 7       | 15        | 25              | 502500 | 2512.5     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 7       | 15        | 25              | 502500 | 2512.5     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 7       | 15        | 25              | 502500 | 2512.5     | DFT-s-OFDM BPSK | 128@0 | see graph | PASS    |
| 7       | 15        | 25              | 502500 | 2512.5     | DFT-s-OFDM QPSK | 128@0 | see graph | PASS    |
| 7       | 15        | 25              | 511500 | 2557.5     | DFT-s-OFDM BPSK | 1@132 | see graph | PASS    |
| 7       | 15        | 25              | 511500 | 2557.5     | DFT-s-OFDM QPSK | 1@132 | see graph | PASS    |
| 7       | 15        | 25              | 511500 | 2557.5     | DFT-s-OFDM BPSK | 128@0 | see graph | PASS    |
| 7       | 15        | 25              | 511500 | 2557.5     | DFT-s-OFDM QPSK | 128@0 | see graph | PASS    |
| 7       | 15        | 50              | 505000 | 2525.0     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 7       | 15        | 50              | 505000 | 2525.0     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 7       | 15        | 50              | 505000 | 2525.0     | DFT-s-OFDM BPSK | 270@0 | see graph | PASS    |
| 7       | 15        | 50              | 505000 | 2525.0     | DFT-s-OFDM QPSK | 270@0 | see graph | PASS    |
| 7       | 15        | 50              | 509000 | 2545.0     | DFT-s-OFDM BPSK | 1@269 | see graph | PASS    |
| 7       | 15        | 50              | 509000 | 2545.0     | DFT-s-OFDM QPSK | 1@269 | see graph | PASS    |
| 7       | 15        | 50              | 509000 | 2545.0     | DFT-s-OFDM BPSK | 270@0 | see graph | PASS    |
| 7       | 15        | 50              | 509000 | 2545.0     | DFT-s-OFDM QPSK | 270@0 | see graph | PASS    |


### N7(5M)\_DFT-s- OFDM BPSK Edge 1RB Left Low CH




### N7(5M)\_DFT-s- OFDM QPSK Edge 1RB Left Low CH




### N7(5M)\_DFT-s- OFDM BPSK Outer Full Low CH




### N7(5M)\_DFT-s- OFDM QPSK Outer Full Low CH




### N7(5M)\_DFT-s- OFDM BPSK Edge 1RB Right High CH




### N7(5M)\_DFT-s- OFDM QPSK Edge 1RB Right High CH




# N7(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




# N7(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH \_CHP\_PASS




# N7(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




# N7(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH \_CHP\_PASS



# N7(25M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



# N7(25M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH







## N7(25M)\_DFT-s-OFDM BPSK Outer Full Low CH




## N7(25M)\_DFT-s-OFDM QPSK Outer Full Low CH




## N7(25M)\_DFT-s-OFDM BPSK Edge 1RB Right High CH




## N7(25M)\_DFT-s-OFDM QPSK Edge 1RB Right High CH




## N7(25M)\_DFT-s-OFDM BPSK Outer Full High CH



## N7(25M)\_DFT-s-OFDM QPSK Outer Full High CH




## N7(50M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




## N7(50M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH \_CHP\_PASS




## N7(50M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




## N7(50M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH \_CHP\_PASS




## N7(50M)\_DFT-s-OFDM BPSK Outer Full Low CH




## N7(50M)\_DFT-s-OFDM QPSK Outer Full Low CH




# N7(50M)\_DFT-s- OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




# N7(50M)\_DFT-s- OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH \_CHP\_PASS




# N7(50M)\_DFT-s- OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




# N7(50M)\_DFT-s- OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH \_CHP\_PASS



# N7(50M)\_DFT-s- OFDM\_BPSK\_Outer\_Full\_High\_CH



# N7(50M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_High\_CH



## FR1 N38-SCS 15K (ANT1)

### Transmitter Conducted Output Power and EIRP, ( $G_T - L_C$ )=-0.39dB

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation        | RB  | Conducted Power(dBm) | EIRP (dBm) | EIRP (W) |
|---------|-----------|-----------------|--------|------------|-------------------|-----|----------------------|------------|----------|
| 38      | 15        | 5               | 514500 | 2572.5     | DFT-s-OFDM QPSK   | 1@1 | 25.01                | 24.62      | 0.2897   |
| 38      | 15        | 5               | 514500 | 2572.5     | DFT-s-OFDM 16 QAM | 1@1 | 24.29                | 23.9       | 0.2455   |
| 38      | 15        | 5               | 518500 | 2592.5     | DFT-s-OFDM QPSK   | 1@1 | 25.03                | 24.64      | 0.2911   |
| 38      | 15        | 5               | 518500 | 2592.5     | DFT-s-OFDM 16 QAM | 1@1 | 24.25                | 23.86      | 0.2432   |
| 38      | 15        | 5               | 523500 | 2617.5     | DFT-s-OFDM QPSK   | 1@1 | 25.01                | 24.62      | 0.2897   |
| 38      | 15        | 5               | 523500 | 2617.5     | DFT-s-OFDM 16 QAM | 1@1 | 24.14                | 23.75      | 0.2371   |
| 38      | 15        | 10              | 515000 | 2575.0     | DFT-s-OFDM QPSK   | 1@1 | 25.19                | 24.8       | 0.3020   |
| 38      | 15        | 10              | 515000 | 2575.0     | DFT-s-OFDM 16 QAM | 1@1 | 24.33                | 23.94      | 0.2477   |
| 38      | 15        | 10              | 519000 | 2595.0     | DFT-s-OFDM QPSK   | 1@1 | 25.12                | 24.73      | 0.2972   |
| 38      | 15        | 10              | 519000 | 2595.0     | DFT-s-OFDM 16 QAM | 1@1 | 24.18                | 23.79      | 0.2393   |
| 38      | 15        | 10              | 523000 | 2615.0     | DFT-s-OFDM QPSK   | 1@1 | 25.2                 | 24.81      | 0.3027   |
| 38      | 15        | 10              | 523000 | 2615.0     | DFT-s-OFDM 16 QAM | 1@1 | 24.18                | 23.79      | 0.2393   |
| 38      | 15        | 15              | 515500 | 2577.5     | DFT-s-OFDM QPSK   | 1@1 | 25.19                | 24.8       | 0.3020   |
| 38      | 15        | 15              | 515500 | 2577.5     | DFT-s-OFDM 16 QAM | 1@1 | 24.35                | 23.96      | 0.2489   |
| 38      | 15        | 15              | 519000 | 2595.0     | DFT-s-OFDM QPSK   | 1@1 | 25.13                | 24.74      | 0.2979   |
| 38      | 15        | 15              | 519000 | 2595.0     | DFT-s-OFDM 16 QAM | 1@1 | 24.24                | 23.85      | 0.2427   |
| 38      | 15        | 15              | 522500 | 2612.5     | DFT-s-OFDM QPSK   | 1@1 | 25.06                | 24.67      | 0.2931   |
| 38      | 15        | 15              | 522500 | 2612.5     | DFT-s-OFDM 16 QAM | 1@1 | 24.16                | 23.77      | 0.2382   |
| 38      | 15        | 20              | 516000 | 2580.0     | DFT-s-OFDM QPSK   | 1@1 | 25.19                | 24.8       | 0.3020   |
| 38      | 15        | 20              | 516000 | 2580.0     | DFT-s-OFDM 16 QAM | 1@1 | 24.29                | 23.9       | 0.2455   |
| 38      | 15        | 20              | 519000 | 2595.0     | DFT-s-OFDM QPSK   | 1@1 | 25.13                | 24.74      | 0.2979   |
| 38      | 15        | 20              | 519000 | 2595.0     | DFT-s-OFDM 16 QAM | 1@1 | 24.26                | 23.87      | 0.2438   |

|    |    |    |        |        |                         |        |       |       |        |
|----|----|----|--------|--------|-------------------------|--------|-------|-------|--------|
| 38 | 15 | 20 | 522000 | 2610.0 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.07 | 24.68 | 0.2938 |
| 38 | 15 | 20 | 522000 | 2610.0 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.17 | 23.78 | 0.2388 |
| 38 | 15 | 25 | 516500 | 2582.5 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.15 | 24.76 | 0.2992 |
| 38 | 15 | 25 | 516500 | 2582.5 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.23 | 23.84 | 0.2421 |
| 38 | 15 | 25 | 519000 | 2595.0 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.15 | 24.76 | 0.2992 |
| 38 | 15 | 25 | 519000 | 2595.0 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.25 | 23.86 | 0.2432 |
| 38 | 15 | 25 | 521500 | 2607.5 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.07 | 24.68 | 0.2938 |
| 38 | 15 | 25 | 521500 | 2607.5 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.08 | 23.69 | 0.2339 |
| 38 | 15 | 30 | 517000 | 2585.0 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.24 | 24.85 | 0.3055 |
| 38 | 15 | 30 | 517000 | 2585.0 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.33 | 23.94 | 0.2477 |
| 38 | 15 | 30 | 519000 | 2595.0 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.21 | 24.82 | 0.3034 |
| 38 | 15 | 30 | 519000 | 2595.0 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.29 | 23.9  | 0.2455 |
| 38 | 15 | 30 | 521000 | 2605.0 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.11 | 24.72 | 0.2965 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>PI/2 BPSK | 1@214  | 24.5  | 24.11 | 0.2576 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>PI/2 BPSK | 108@54 | 25.18 | 24.79 | 0.3013 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>PI/2 BPSK | 1@1    | 25.09 | 24.7  | 0.2951 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>PI/2 BPSK | 1@214  | 25.03 | 24.64 | 0.2911 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>QPSK      | 108@54 | 25.2  | 24.81 | 0.3027 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.26 | 24.87 | 0.3069 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>QPSK      | 1@214  | 25.13 | 24.74 | 0.2979 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>16 QAM    | 108@54 | 24.23 | 23.84 | 0.2421 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.29 | 23.9  | 0.2455 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>16 QAM    | 1@214  | 24.3  | 23.91 | 0.2460 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>64 QAM    | 108@54 | 22.7  | 22.31 | 0.1702 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>64 QAM    | 1@1    | 22.5  | 22.11 | 0.1626 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>64 QAM    | 1@214  | 22.42 | 22.03 | 0.1596 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>256 QAM   | 108@54 | 20.67 | 20.28 | 0.1067 |

|    |    |    |        |        |                         |        |       |       |        |
|----|----|----|--------|--------|-------------------------|--------|-------|-------|--------|
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>256 QAM   | 1@1    | 20.6  | 20.21 | 0.1050 |
| 38 | 15 | 40 | 518000 | 2590.0 | DFT-s-OFDM<br>256 QAM   | 1@214  | 20.64 | 20.25 | 0.1059 |
| 38 | 15 | 40 | 518000 | 2590.0 | CP-OFDM<br>QPSK         | 108@54 | 23.18 | 22.79 | 0.1901 |
| 38 | 15 | 40 | 518000 | 2590.0 | CP-OFDM<br>QPSK         | 1@1    | 23.18 | 22.79 | 0.1901 |
| 38 | 15 | 40 | 518000 | 2590.0 | CP-OFDM<br>QPSK         | 1@214  | 23.01 | 22.62 | 0.1828 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>PI/2 BPSK | 108@54 | 25.19 | 24.8  | 0.3020 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>PI/2 BPSK | 1@1    | 25.1  | 24.71 | 0.2958 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>PI/2 BPSK | 1@214  | 25.08 | 24.69 | 0.2944 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>QPSK      | 108@54 | 25.21 | 24.82 | 0.3034 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.25 | 24.86 | 0.3062 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>QPSK      | 1@214  | 25.17 | 24.78 | 0.3006 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>16 QAM    | 108@54 | 24.23 | 23.84 | 0.2421 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.29 | 23.9  | 0.2455 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>16 QAM    | 1@214  | 24.29 | 23.9  | 0.2455 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>64 QAM    | 108@54 | 22.72 | 22.33 | 0.1710 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>64 QAM    | 1@1    | 22.47 | 22.08 | 0.1614 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>64 QAM    | 1@214  | 22.44 | 22.05 | 0.1603 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>256 QAM   | 108@54 | 20.7  | 20.31 | 0.1074 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>256 QAM   | 1@1    | 20.49 | 20.1  | 0.1023 |
| 38 | 15 | 40 | 519000 | 2595.0 | DFT-s-OFDM<br>256 QAM   | 1@214  | 20.69 | 20.3  | 0.1072 |
| 38 | 15 | 40 | 519000 | 2595.0 | CP-OFDM<br>QPSK         | 108@54 | 23.18 | 22.79 | 0.1901 |
| 38 | 15 | 40 | 519000 | 2595.0 | CP-OFDM<br>QPSK         | 1@1    | 23.16 | 22.77 | 0.1892 |
| 38 | 15 | 40 | 519000 | 2595.0 | CP-OFDM<br>QPSK         | 1@214  | 23.15 | 22.76 | 0.1888 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>PI/2 BPSK | 108@54 | 25.18 | 24.79 | 0.3013 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>PI/2 BPSK | 1@1    | 25.06 | 24.67 | 0.2931 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>PI/2 BPSK | 1@214  | 25.1  | 24.71 | 0.2958 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>QPSK      | 108@54 | 25.21 | 24.82 | 0.3034 |

|    |    |    |        |        |                       |        |       |       |        |
|----|----|----|--------|--------|-----------------------|--------|-------|-------|--------|
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>QPSK    | 1@1    | 25.21 | 24.82 | 0.3034 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>QPSK    | 1@214  | 25.18 | 24.79 | 0.3013 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>16 QAM  | 108@54 | 24.22 | 23.83 | 0.2415 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>16 QAM  | 1@1    | 24.27 | 23.88 | 0.2443 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>16 QAM  | 1@214  | 24.34 | 23.95 | 0.2483 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>64 QAM  | 108@54 | 22.72 | 22.33 | 0.1710 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>64 QAM  | 1@1    | 22.41 | 22.02 | 0.1592 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>64 QAM  | 1@214  | 22.45 | 22.06 | 0.1607 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>256 QAM | 108@54 | 20.72 | 20.33 | 0.1079 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>256 QAM | 1@1    | 20.43 | 20.04 | 0.1009 |
| 38 | 15 | 40 | 520000 | 2600.0 | DFT-s-OFDM<br>256 QAM | 1@214  | 20.68 | 20.29 | 0.1069 |
| 38 | 15 | 40 | 520000 | 2600.0 | CP-OFDM<br>QPSK       | 108@54 | 23.18 | 22.79 | 0.1901 |
| 38 | 15 | 40 | 520000 | 2600.0 | CP-OFDM<br>QPSK       | 1@1    | 23.1  | 22.71 | 0.1866 |
| 38 | 15 | 40 | 520000 | 2600.0 | CP-OFDM<br>QPSK       | 1@214  | 23.05 | 22.66 | 0.1845 |

## FR1 N41-SCS 15K (ANT1)

### Transmitter Conducted Output Power and EIRP, ( $G_T - L_C$ )=-0.39dB

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation        | RB  | Conducted Power(dBm) | EIRP (dBm) | EIRP (W) |
|---------|-----------|-----------------|--------|------------|-------------------|-----|----------------------|------------|----------|
| 41      | 15        | 5               | 499701 | 2498.505   | DFT-s-OFDM QPSK   | 1@1 | 24.61                | 24.22      | 0.2642   |
| 41      | 15        | 5               | 499701 | 2498.505   | DFT-s-OFDM 16 QAM | 1@1 | 24.32                | 23.93      | 0.2472   |
| 41      | 15        | 5               | 518601 | 2593.005   | DFT-s-OFDM QPSK   | 1@1 | 25.08                | 24.69      | 0.2944   |
| 41      | 15        | 5               | 518601 | 2593.005   | DFT-s-OFDM 16 QAM | 1@1 | 24.78                | 24.39      | 0.2748   |
| 41      | 15        | 5               | 537499 | 2687.495   | DFT-s-OFDM QPSK   | 1@1 | 24.88                | 24.49      | 0.2812   |
| 41      | 15        | 5               | 537499 | 2687.495   | DFT-s-OFDM 16 QAM | 1@1 | 24.59                | 24.2       | 0.2630   |
| 41      | 15        | 10              | 500202 | 2501.01    | DFT-s-OFDM QPSK   | 1@1 | 25.18                | 24.79      | 0.3013   |
| 41      | 15        | 10              | 500202 | 2501.01    | DFT-s-OFDM 16 QAM | 1@1 | 24.16                | 23.77      | 0.2382   |
| 41      | 15        | 10              | 518601 | 2593.005   | DFT-s-OFDM QPSK   | 1@1 | 25.36                | 24.97      | 0.3141   |
| 41      | 15        | 10              | 518601 | 2593.005   | DFT-s-OFDM 16 QAM | 1@1 | 24.35                | 23.96      | 0.2489   |
| 41      | 15        | 10              | 537000 | 2685.0     | DFT-s-OFDM QPSK   | 1@1 | 25.37                | 24.98      | 0.3148   |
| 41      | 15        | 10              | 537000 | 2685.0     | DFT-s-OFDM 16 QAM | 1@1 | 24.35                | 23.96      | 0.2489   |
| 41      | 15        | 15              | 500700 | 2503.5     | DFT-s-OFDM QPSK   | 1@1 | 25.21                | 24.82      | 0.3034   |
| 41      | 15        | 15              | 500700 | 2503.5     | DFT-s-OFDM 16 QAM | 1@1 | 24.19                | 23.8       | 0.2399   |
| 41      | 15        | 15              | 518601 | 2593.005   | DFT-s-OFDM QPSK   | 1@1 | 25.31                | 24.92      | 0.3105   |
| 41      | 15        | 15              | 518601 | 2593.005   | DFT-s-OFDM 16 QAM | 1@1 | 24.33                | 23.94      | 0.2477   |
| 41      | 15        | 15              | 536499 | 2682.495   | DFT-s-OFDM QPSK   | 1@1 | 25.36                | 24.97      | 0.3141   |
| 41      | 15        | 15              | 536499 | 2682.495   | DFT-s-OFDM 16 QAM | 1@1 | 24.27                | 23.88      | 0.2443   |
| 41      | 15        | 20              | 501201 | 2506.005   | DFT-s-OFDM QPSK   | 1@1 | 25.18                | 24.79      | 0.3013   |
| 41      | 15        | 20              | 501201 | 2506.005   | DFT-s-OFDM 16 QAM | 1@1 | 24.2                 | 23.81      | 0.2404   |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK   | 1@1 | 25.4                 | 25.01      | 0.3170   |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM 16 QAM | 1@1 | 24.37                | 23.98      | 0.2500   |



|    |    |    |        |          |                      |     |       |       |        |
|----|----|----|--------|----------|----------------------|-----|-------|-------|--------|
| 41 | 15 | 20 | 535998 | 2679.99  | DFT-s-OFDM<br>QPSK   | 1@1 | 25.32 | 24.93 | 0.3112 |
| 41 | 15 | 20 | 535998 | 2679.99  | DFT-s-OFDM<br>16 QAM | 1@1 | 24.25 | 23.86 | 0.2432 |
| 41 | 15 | 25 | 501702 | 2508.51  | DFT-s-OFDM<br>QPSK   | 1@1 | 25.23 | 24.84 | 0.3048 |
| 41 | 15 | 25 | 501702 | 2508.51  | DFT-s-OFDM<br>16 QAM | 1@1 | 24.16 | 23.77 | 0.2382 |
| 41 | 15 | 25 | 518598 | 2592.99  | DFT-s-OFDM<br>QPSK   | 1@1 | 25.38 | 24.99 | 0.3155 |
| 41 | 15 | 25 | 518598 | 2592.99  | DFT-s-OFDM<br>16 QAM | 1@1 | 24.32 | 23.93 | 0.2472 |
| 41 | 15 | 25 | 535500 | 2677.5   | DFT-s-OFDM<br>QPSK   | 1@1 | 25.37 | 24.98 | 0.3148 |
| 41 | 15 | 25 | 535500 | 2677.5   | DFT-s-OFDM<br>16 QAM | 1@1 | 24.3  | 23.91 | 0.2460 |
| 41 | 15 | 30 | 502200 | 2511.0   | DFT-s-OFDM<br>QPSK   | 1@1 | 25.23 | 24.84 | 0.3048 |
| 41 | 15 | 30 | 502200 | 2511.0   | DFT-s-OFDM<br>16 QAM | 1@1 | 24.2  | 23.81 | 0.2404 |
| 41 | 15 | 30 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK   | 1@1 | 25.37 | 24.98 | 0.3148 |
| 41 | 15 | 30 | 518601 | 2593.005 | DFT-s-OFDM<br>16 QAM | 1@1 | 24.36 | 23.97 | 0.2495 |
| 41 | 15 | 30 | 534999 | 2674.995 | DFT-s-OFDM<br>QPSK   | 1@1 | 25.3  | 24.91 | 0.3097 |
| 41 | 15 | 30 | 534999 | 2674.995 | DFT-s-OFDM<br>16 QAM | 1@1 | 24.26 | 23.87 | 0.2438 |
| 41 | 15 | 35 | 502701 | 2513.505 | DFT-s-OFDM<br>QPSK   | 1@1 | 25.16 | 24.77 | 0.2999 |
| 41 | 15 | 35 | 502701 | 2513.505 | DFT-s-OFDM<br>16 QAM | 1@1 | 24.14 | 23.75 | 0.2371 |
| 41 | 15 | 35 | 518598 | 2592.99  | DFT-s-OFDM<br>QPSK   | 1@1 | 25.29 | 24.9  | 0.3090 |
| 41 | 15 | 35 | 518598 | 2592.99  | DFT-s-OFDM<br>16 QAM | 1@1 | 24.3  | 23.91 | 0.2460 |
| 41 | 15 | 35 | 534498 | 2672.49  | DFT-s-OFDM<br>QPSK   | 1@1 | 25.18 | 24.79 | 0.3013 |
| 41 | 15 | 35 | 534498 | 2672.49  | DFT-s-OFDM<br>16 QAM | 1@1 | 24.23 | 23.84 | 0.2421 |
| 41 | 15 | 40 | 503202 | 2516.01  | DFT-s-OFDM<br>QPSK   | 1@1 | 25.2  | 24.81 | 0.3027 |
| 41 | 15 | 40 | 503202 | 2516.01  | DFT-s-OFDM<br>16 QAM | 1@1 | 24.2  | 23.81 | 0.2404 |
| 41 | 15 | 40 | 518598 | 2593.005 | DFT-s-OFDM<br>QPSK   | 1@1 | 25.34 | 24.95 | 0.3126 |
| 41 | 15 | 40 | 518598 | 2593.005 | DFT-s-OFDM<br>16 QAM | 1@1 | 24.3  | 23.91 | 0.2460 |
| 41 | 15 | 40 | 534000 | 2670.0   | DFT-s-OFDM<br>QPSK   | 1@1 | 25.21 | 24.82 | 0.3034 |
| 41 | 15 | 40 | 534000 | 2670.0   | DFT-s-OFDM<br>16 QAM | 1@1 | 24.26 | 23.87 | 0.2438 |
| 41 | 15 | 45 | 503700 | 2518.5   | DFT-s-OFDM<br>QPSK   | 1@1 | 25.42 | 25.03 | 0.3184 |

|    |    |    |        |          |                         |        |       |       |        |
|----|----|----|--------|----------|-------------------------|--------|-------|-------|--------|
| 41 | 15 | 45 | 503700 | 2518.5   | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.28 | 23.89 | 0.2449 |
| 41 | 15 | 45 | 518598 | 2592.99  | DFT-s-OFDM<br>QPSK      | 1@1    | 25.47 | 25.08 | 0.3221 |
| 41 | 15 | 45 | 518598 | 2592.99  | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.43 | 24.04 | 0.2535 |
| 41 | 15 | 45 | 533499 | 2667.495 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.29 | 24.9  | 0.3090 |
| 41 | 15 | 45 | 533499 | 2667.495 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.33 | 23.94 | 0.2477 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>PI/2 BPSK | 135@67 | 25.02 | 24.63 | 0.2904 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>PI/2 BPSK | 1@1    | 24.87 | 24.48 | 0.2805 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>PI/2 BPSK | 1@268  | 24.97 | 24.58 | 0.2871 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>QPSK      | 135@67 | 25.03 | 24.64 | 0.2911 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.05 | 24.66 | 0.2924 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>QPSK      | 1@268  | 25.2  | 24.81 | 0.3027 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>16 QAM    | 135@67 | 24.1  | 23.71 | 0.2350 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.12 | 23.73 | 0.2360 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>16 QAM    | 1@268  | 24.2  | 23.81 | 0.2404 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>64 QAM    | 135@67 | 22.61 | 22.22 | 0.1667 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>64 QAM    | 1@1    | 22.29 | 21.9  | 0.1549 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>64 QAM    | 1@268  | 22.34 | 21.95 | 0.1567 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>256 QAM   | 135@67 | 20.73 | 20.34 | 0.1081 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>256 QAM   | 1@1    | 20.42 | 20.03 | 0.1007 |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>256 QAM   | 1@268  | 20.53 | 20.14 | 0.1033 |
| 41 | 15 | 50 | 504201 | 2521.005 | CP-OFDM<br>QPSK         | 135@67 | 23.04 | 22.65 | 0.1841 |
| 41 | 15 | 50 | 504201 | 2521.005 | CP-OFDM<br>QPSK         | 1@1    | 23.13 | 22.74 | 0.1879 |
| 41 | 15 | 50 | 504201 | 2521.005 | CP-OFDM<br>QPSK         | 1@268  | 23.34 | 22.95 | 0.1972 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>PI/2 BPSK | 135@67 | 25.11 | 24.72 | 0.2965 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>PI/2 BPSK | 1@1    | 25.03 | 24.64 | 0.2911 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>PI/2 BPSK | 1@268  | 25.04 | 24.65 | 0.2917 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK      | 135@67 | 25.13 | 24.74 | 0.2979 |

|    |    |    |        |          |                         |        |       |       |        |
|----|----|----|--------|----------|-------------------------|--------|-------|-------|--------|
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK      | 1@1    | 25.19 | 24.8  | 0.3020 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK      | 1@268  | 25.38 | 24.99 | 0.3155 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>16 QAM    | 135@67 | 24.18 | 23.79 | 0.2393 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.26 | 23.87 | 0.2438 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>16 QAM    | 1@268  | 24.28 | 23.89 | 0.2449 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>64 QAM    | 135@67 | 22.71 | 22.32 | 0.1706 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>64 QAM    | 1@1    | 22.35 | 21.96 | 0.1570 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>64 QAM    | 1@268  | 22.42 | 22.03 | 0.1596 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>256 QAM   | 135@67 | 20.78 | 20.39 | 0.1094 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>256 QAM   | 1@1    | 20.53 | 20.14 | 0.1033 |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>256 QAM   | 1@268  | 20.69 | 20.3  | 0.1072 |
| 41 | 15 | 50 | 518601 | 2593.005 | CP-OFDM<br>QPSK         | 135@67 | 23.13 | 22.74 | 0.1879 |
| 41 | 15 | 50 | 518601 | 2593.005 | CP-OFDM<br>QPSK         | 1@1    | 23.23 | 22.84 | 0.1923 |
| 41 | 15 | 50 | 518601 | 2593.005 | CP-OFDM<br>QPSK         | 1@268  | 23.3  | 22.91 | 0.1954 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>PI/2 BPSK | 135@67 | 25.08 | 24.69 | 0.2944 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>PI/2 BPSK | 1@1    | 24.92 | 24.53 | 0.2838 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>PI/2 BPSK | 1@268  | 25.04 | 24.65 | 0.2917 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>QPSK      | 135@67 | 25.11 | 24.72 | 0.2965 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>QPSK      | 1@1    | 25.05 | 24.66 | 0.2924 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>QPSK      | 1@268  | 25.41 | 25.02 | 0.3177 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>16 QAM    | 135@67 | 24.16 | 23.77 | 0.2382 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>16 QAM    | 1@1    | 24.18 | 23.79 | 0.2393 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>16 QAM    | 1@268  | 24.26 | 23.87 | 0.2438 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>64 QAM    | 135@67 | 22.7  | 22.31 | 0.1702 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>64 QAM    | 1@1    | 22.23 | 21.84 | 0.1528 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>64 QAM    | 1@268  | 22.38 | 21.99 | 0.1581 |
| 41 | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>256 QAM   | 135@67 | 20.79 | 20.4  | 0.1096 |

|           |    |    |        |         |                       |        |       |       |        |
|-----------|----|----|--------|---------|-----------------------|--------|-------|-------|--------|
| <b>41</b> | 15 | 50 | 532998 | 2664.99 | DFT-s-OFDM<br>256 QAM | 1@1    | 20.48 | 20.09 | 0.1021 |
| <b>41</b> | 15 | 50 | 532998 | 2664.99 | DFT-s-OFDM<br>256 QAM | 1@268  | 20.65 | 20.26 | 0.1062 |
| <b>41</b> | 15 | 50 | 532998 | 2664.99 | CP-OFDM<br>QPSK       | 135@67 | 23.12 | 22.73 | 0.1875 |
| <b>41</b> | 15 | 50 | 532998 | 2664.99 | CP-OFDM<br>QPSK       | 1@1    | 23.08 | 22.69 | 0.1858 |
| <b>41</b> | 15 | 50 | 532998 | 2664.99 | CP-OFDM<br>QPSK       | 1@268  | 23.31 | 22.92 | 0.1959 |


## Frequency Stability

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | Deviation (ppm) | Verdict | Environment |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------------|---------|-------------|
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0052          | PASS    | NV          |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0036          | PASS    | LV          |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0054          | PASS    | HV          |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0053          | PASS    | -30°C       |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0044          | PASS    | -20°C       |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0032          | PASS    | -10°C       |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0070          | PASS    | 0°C         |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0032          | PASS    | 10°C        |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0052          | PASS    | 20°C        |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0035          | PASS    | 30°C        |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0049          | PASS    | 40°C        |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK | 100@0 | 0.0029          | PASS    | 50°C        |


## Peak to Average Ratio

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation           | RB    | Result (dB) | Limit (dB) | Verdict |
|---------|-----------|-----------------|--------|------------|----------------------|-------|-------------|------------|---------|
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM PI/2 BPSK | 100@0 | 3.74        | 13         | PASS    |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM PI/2 BPSK | 1@0   | 3.72        | 13         | PASS    |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK      | 100@0 | 4.8         | 13         | PASS    |
| 41      | 15        | 20              | 518601 | 2593.005   | DFT-s-OFDM QPSK      | 1@0   | 4.78        | 13         | PASS    |

N41(20M)\_DFT-s-OFDM\_PI\_2-BPSK Outer Full Mid CH




N41(20M)\_DFT-s-OFDM\_PI\_2-BPSK Edge 1RB Left Mid CH



N41(20M)\_DFT-s-OFDM QPSK Outer Full Mid CH



N41(20M)\_DFT-s-OFDM QPSK Edge 1RB Left Mid CH




## Occupied Bandwidth

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | OBW (MHz) | 26dB BW (MHz) |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------|---------------|
| 41      | 15        | 5               | 518601 | 2593.01    | CP-OFDM QPSK    | 25@0  | 4.4588    | 4.743         |
| 41      | 15        | 5               | 518601 | 2593.01    | CP-OFDM 16 QAM  | 25@0  | 4.4689    | 4.836         |
| 41      | 15        | 5               | 518601 | 2593.01    | CP-OFDM 64 QAM  | 25@0  | 4.4654    | 4.778         |
| 41      | 15        | 5               | 518601 | 2593.01    | CP-OFDM 256 QAM | 25@0  | 4.4611    | 4.732         |
| 41      | 15        | 10              | 518601 | 2593.01    | CP-OFDM QPSK    | 52@0  | 9.2712    | 9.604         |
| 41      | 15        | 10              | 518601 | 2593.01    | CP-OFDM 16 QAM  | 52@0  | 9.2724    | 9.714         |
| 41      | 15        | 10              | 518601 | 2593.01    | CP-OFDM 64 QAM  | 52@0  | 9.2937    | 9.713         |
| 41      | 15        | 10              | 518601 | 2593.01    | CP-OFDM 256 QAM | 52@0  | 9.2501    | 9.631         |
| 41      | 15        | 15              | 518601 | 2593.01    | CP-OFDM QPSK    | 79@0  | 14.089    | 14.56         |
| 41      | 15        | 15              | 518601 | 2593.01    | CP-OFDM 16 QAM  | 79@0  | 14.067    | 14.69         |
| 41      | 15        | 15              | 518601 | 2593.01    | CP-OFDM 64 QAM  | 79@0  | 14.074    | 14.66         |
| 41      | 15        | 15              | 518601 | 2593.01    | CP-OFDM 256 QAM | 79@0  | 14.053    | 14.66         |
| 41      | 15        | 20              | 518601 | 2593.01    | CP-OFDM QPSK    | 106@0 | 18.88     | 19.71         |
| 41      | 15        | 20              | 518601 | 2593.01    | CP-OFDM 16 QAM  | 106@0 | 18.894    | 19.53         |
| 41      | 15        | 20              | 518601 | 2593.01    | CP-OFDM 64 QAM  | 106@0 | 19.006    | 19.63         |
| 41      | 15        | 20              | 518601 | 2593.01    | CP-OFDM 256 QAM | 106@0 | 18.925    | 19.67         |
| 41      | 15        | 25              | 518598 | 2592.99    | CP-OFDM QPSK    | 133@0 | 23.702    | 24.51         |
| 41      | 15        | 25              | 518598 | 2592.99    | CP-OFDM 16 QAM  | 133@0 | 23.782    | 24.51         |
| 41      | 15        | 25              | 518598 | 2592.99    | CP-OFDM 64 QAM  | 133@0 | 23.722    | 24.49         |
| 41      | 15        | 25              | 518598 | 2592.99    | CP-OFDM 256 QAM | 133@0 | 23.67     | 24.54         |
| 41      | 15        | 30              | 518601 | 2593.01    | CP-OFDM QPSK    | 160@0 | 28.68     | 29.64         |
| 41      | 15        | 30              | 518601 | 2593.01    | CP-OFDM 16 QAM  | 160@0 | 28.52     | 29.49         |
| 41      | 15        | 30              | 518601 | 2593.01    | CP-OFDM 64 QAM  | 160@0 | 28.53     | 29.47         |
| 41      | 15        | 30              | 518601 | 2593.01    | CP-OFDM 256 QAM | 160@0 | 28.665    | 29.57         |
| 41      | 15        | 35              | 518598 | 2592.99    | CP-OFDM QPSK    | 188@0 | 33.583    | 34.7          |

|    |    |    |        |         |                    |       |        |       |
|----|----|----|--------|---------|--------------------|-------|--------|-------|
| 41 | 15 | 35 | 518598 | 2592.99 | CP-OFDM<br>16 QAM  | 188@0 | 33.587 | 34.63 |
| 41 | 15 | 35 | 518598 | 2592.99 | CP-OFDM<br>64 QAM  | 188@0 | 33.443 | 34.71 |
| 41 | 15 | 35 | 518598 | 2592.99 | CP-OFDM<br>256 QAM | 188@0 | 33.523 | 34.67 |
| 41 | 15 | 40 | 518598 | 2593.01 | CP-OFDM<br>QPSK    | 216@0 | 38.443 | 39.83 |
| 41 | 15 | 40 | 518598 | 2593.01 | CP-OFDM<br>16 QAM  | 216@0 | 38.533 | 39.83 |
| 41 | 15 | 40 | 518598 | 2593.01 | CP-OFDM<br>64 QAM  | 216@0 | 38.674 | 39.84 |
| 41 | 15 | 40 | 518598 | 2593.01 | CP-OFDM<br>256 QAM | 216@0 | 38.585 | 39.8  |
| 41 | 15 | 45 | 518601 | 2593.01 | CP-OFDM<br>QPSK    | 242@0 | 43.29  | 44.65 |
| 41 | 15 | 45 | 518601 | 2593.01 | CP-OFDM<br>16 QAM  | 242@0 | 43.249 | 44.56 |
| 41 | 15 | 45 | 518601 | 2593.01 | CP-OFDM<br>64 QAM  | 242@0 | 43.174 | 44.6  |
| 41 | 15 | 45 | 518601 | 2593.01 | CP-OFDM<br>256 QAM | 242@0 | 43.373 | 44.6  |
| 41 | 15 | 50 | 518601 | 2593.01 | CP-OFDM<br>QPSK    | 270@0 | 48.231 | 49.71 |
| 41 | 15 | 50 | 518601 | 2593.01 | CP-OFDM<br>16 QAM  | 270@0 | 48.226 | 49.69 |
| 41 | 15 | 50 | 518601 | 2593.01 | CP-OFDM<br>64 QAM  | 270@0 | 48.179 | 49.71 |
| 41 | 15 | 50 | 518601 | 2593.01 | CP-OFDM<br>256 QAM | 270@0 | 48.078 | 49.97 |




N41(5M)\_CP-  
OFDM QPSK Outer Full Mid CH




N41(5M)\_CP-OFDM\_16  
QAM Outer Full Mid CH




N41(5M)\_CP-OFDM\_64  
QAM Outer Full Mid CH




N41(5M)\_CP-OFDM\_256  
QAM Outer Full Mid CH




N41(10M)\_CP-  
OFDM QPSK Outer Full Mid CH




N41(10M)\_CP-OFDM\_16  
QAM Outer Full Mid CH




N41(10M)\_CP-OFDM\_64  
QAM Outer Full Mid CH




N41(10M)\_CP-OFDM\_256  
QAM Outer Full Mid CH




N41(15M)\_CP-OFDM\_QPSK Outer Full Mid CH




N41(15M)\_CP-OFDM\_16  
QAM Outer Full Mid CH




N41(15M)\_CP-OFDM\_64  
QAM Outer Full Mid CH




N41(15M)\_CP-OFDM\_256  
QAM Outer Full Mid CH




N41(20M)\_CP-  
OFDM QPSK Outer Full Mid CH




N41(20M)\_CP-OFDM\_16  
QAM Outer Full Mid CH




N41(20M)\_CP-OFDM\_64  
QAM Outer Full Mid CH




N41(20M)\_CP-OFDM\_256  
QAM Outer Full Mid CH




N41(25M)\_CP-  
OFDM QPSK Outer Full Mid CH




N41(25M)\_CP-OFDM\_16  
QAM Outer Full Mid CH




N41(25M)\_CP-OFDM\_64  
QAM Outer Full Mid CH




N41(25M)\_CP-OFDM\_256  
QAM Outer Full Mid CH




N41(30M)\_CP-OFDM\_QPSK Outer Full Mid CH




N41(30M)\_CP-OFDM\_16  
QAM Outer Full Mid CH




N41(30M)\_CP-OFDM\_64  
QAM Outer Full Mid CH




N41(30M)\_CP-OFDM\_256  
QAM Outer Full Mid CH




### N41(35M)\_CP-OFDM\_QPSK Outer Full Mid CH




### N41(35M)\_CP-OFDM\_16QAM Outer Full Mid CH




### N41(35M)\_CP-OFDM\_64QAM Outer Full Mid CH




### N41(35M)\_CP-OFDM\_256QAM Outer Full Mid CH




### N41(40M)\_CP-OFDM\_QPSK Outer Full Mid CH




### N41(40M)\_CP-OFDM\_16QAM Outer Full Mid CH




N41(40M)\_CP-OFDM\_64  
QAM Outer Full Mid CH




N41(40M)\_CP-OFDM\_256  
QAM Outer Full Mid CH




N41(45M)\_CP-OFDM\_QPSK Outer Full Mid CH




N41(45M)\_CP-OFDM\_16  
QAM Outer Full Mid CH




N41(45M)\_CP-OFDM\_64  
QAM Outer Full Mid CH




N41(45M)\_CP-OFDM\_256  
QAM Outer Full Mid CH




## N41(50M)\_CP-OFDM\_QPSK Outer Full Mid CH




## N41(50M)\_CP-OFDM\_16QAM Outer Full Mid CH



## N41(50M)\_CP-OFDM\_64QAM Outer Full Mid CH



## N41(50M)\_CP-OFDM\_256QAM Outer Full Mid CH



## Conducted Spurious Emissions

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB  | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|-----------------|-----|-----------|---------|
| 41      | 15        | 5               | 499701 | 2498.505   | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 41      | 15        | 5               | 499701 | 2498.505   | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 499701 | 2498.505   | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 499701 | 2498.505   | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 41      | 15        | 5               | 499701 | 2498.505   | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 499701 | 2498.505   | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 518601 | 2593.005   | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 41      | 15        | 5               | 518601 | 2593.005   | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 518601 | 2593.005   | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 518601 | 2593.005   | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 41      | 15        | 5               | 518601 | 2593.005   | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 518601 | 2593.005   | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 537499 | 2687.495   | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 41      | 15        | 5               | 537499 | 2687.495   | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 537499 | 2687.495   | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 537499 | 2687.495   | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 41      | 15        | 5               | 537499 | 2687.495   | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 5               | 537499 | 2687.495   | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 30              | 502200 | 2511.0     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 41      | 15        | 30              | 502200 | 2511.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 30              | 502200 | 2511.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 41      | 15        | 30              | 502200 | 2511.0     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |



|    |    |    |        |          |                    |     |           |      |
|----|----|----|--------|----------|--------------------|-----|-----------|------|
| 41 | 15 | 30 | 502200 | 2511.0   | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 41 | 15 | 30 | 502200 | 2511.0   | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 41 | 15 | 30 | 518601 | 2593.005 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---  |
| 41 | 15 | 30 | 518601 | 2593.005 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 41 | 15 | 30 | 518601 | 2593.005 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 41 | 15 | 30 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---  |
| 41 | 15 | 30 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 41 | 15 | 30 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 41 | 15 | 30 | 534999 | 2674.995 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---  |
| 41 | 15 | 30 | 534999 | 2674.995 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 41 | 15 | 30 | 534999 | 2674.995 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 41 | 15 | 30 | 534999 | 2674.995 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---  |
| 41 | 15 | 30 | 534999 | 2674.995 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 41 | 15 | 30 | 534999 | 2674.995 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---  |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---  |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 41 | 15 | 50 | 504201 | 2521.005 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---  |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 41 | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---  |

|           |    |    |        |          |                    |     |           |             |
|-----------|----|----|--------|----------|--------------------|-----|-----------|-------------|
| <b>41</b> | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | <b>PASS</b> |
| <b>41</b> | 15 | 50 | 518601 | 2593.005 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | <b>PASS</b> |
| <b>41</b> | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---         |
| <b>41</b> | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>BPSK | 1@0 | see graph | <b>PASS</b> |
| <b>41</b> | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>BPSK | 1@0 | see graph | <b>PASS</b> |
| <b>41</b> | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---         |
| <b>41</b> | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>QPSK | 1@0 | see graph | <b>PASS</b> |
| <b>41</b> | 15 | 50 | 532998 | 2664.99  | DFT-s-OFDM<br>QPSK | 1@0 | see graph | <b>PASS</b> |