




Band13_5MHz_QPSK_RB1_0_CH23205




Band13_10MHz_QPSK_RB1_0_CH23230




Band13_5MHz_QPSK_RB1_0_CH23230




Band66_1.4MHz_QPSK_RB1_0_CH131979



Band13_5MHz_QPSK_RB1_0_CH23255



Band66_1.4MHz_QPSK_RB1_0_CH132322




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band66 1.4MHz_QPSK_RB1_0_CH132665




Band66 3MHz_QPSK_RB1_0_CH132657




Band66 3MHz_QPSK_RB1_0_CH131987




Band66 5MHz_QPSK_RB1_0_CH131997



Band66 3MHz_QPSK_RB1_0_CH132322



Band66 5MHz_QPSK_RB1_0_CH132322




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band66_5MHz_QPSK_RB1_0_CH132647




Band66_10MHz_QPSK_RB1_0_CH132622




Band66_10MHz_QPSK_RB1_0_CH132022




Band66_15MHz_QPSK_RB1_0_CH132047



Band66_10MHz_QPSK_RB1_0_CH132322



Band66_15MHz_QPSK_RB1_0_CH132322




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band66_15MHz_QPSK_RB1_0_CH132597




Band66_20MHz_QPSK_RB1_0_CH132572




Band66_20MHz_QPSK_RB1_0_CH132072




Band71_5MHz_QPSK_RB1_0_CH133147



Band66_20MHz_QPSK_RB1_0_CH132322



Band71_5MHz_QPSK_RB1_0_CH133297




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band71_5MHz_QPSK_RB1_0_CH133447




Band71_10MHz_QPSK_RB1_0_CH133422




Band71_10MHz_QPSK_RB1_0_CH133172




Band71_15MHz_QPSK_RB1_0_CH133197



Band71_10MHz_QPSK_RB1_0_CH133297



Band71_15MHz_QPSK_RB1_0_CH133297




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band71_15MHz_QPSK_RB1_0_CH133397




Band71_20MHz_QPSK_RB1_0_CH133372



Band71_20MHz_QPSK_RB1_0_CH133222



Band71_20MHz_QPSK_RB1_0_CH133297



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Report Number :TERF2405001538E2
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1855 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.280	-58.07	-46.16	-10.98	-0.93	-13.00	-45.07
65.890	-54.04	-45.72	-7.29	-1.03	-13.00	-41.04
83.350	-52.37	-49.36	-1.87	-1.14	-13.00	-39.37
135.730	-59.89	-56.78	-1.64	-1.47	-13.00	-46.89
197.810	-60.45	-62.57	3.90	-1.78	-13.00	-47.45
944.710	-60.89	-60.46	3.39	-3.82	-13.00	-47.89
3710.000	-57.07	-62.01	12.58	-7.64	-13.00	-44.07
5565.000	-54.74	-58.48	13.26	-9.52	-13.00	-41.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1855 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-52.87	-45.52	-6.29	-1.06	-13.00	-39.87
86.260	-53.86	-51.60	-1.10	-1.16	-13.00	-40.86
140.580	-51.35	-48.08	-1.78	-1.49	-13.00	-38.35
204.600	-51.71	-54.11	4.20	-1.80	-13.00	-38.71
264.740	-62.37	-64.45	4.14	-2.06	-13.00	-49.37
996.120	-62.87	-62.88	3.95	-3.94	-13.00	-49.87
3710.000	-57.12	-62.06	12.58	-7.64	-13.00	-44.12
5565.000	-55.69	-59.43	13.26	-9.52	-13.00	-42.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1880 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.430	-56.78	-44.03	-11.88	-0.87	-13.00	-43.78
66.860	-53.57	-45.42	-7.12	-1.03	-13.00	-40.57
83.350	-52.71	-49.70	-1.87	-1.14	-13.00	-39.71
131.850	-56.97	-54.18	-1.33	-1.46	-13.00	-43.97
200.720	-56.56	-58.80	4.03	-1.79	-13.00	-43.56
945.680	-60.23	-59.79	3.38	-3.82	-13.00	-47.23
3760.000	-57.03	-61.77	12.46	-7.72	-13.00	-44.03
5640.000	-55.46	-59.41	13.48	-9.53	-13.00	-42.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1880 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.800	-53.71	-46.03	-6.63	-1.05	-13.00	-40.71
85.290	-54.37	-51.74	-1.48	-1.15	-13.00	-41.37
139.610	-51.91	-48.66	-1.76	-1.49	-13.00	-38.91
195.870	-53.70	-55.64	3.71	-1.77	-13.00	-40.70
262.800	-60.98	-63.09	4.16	-2.05	-13.00	-47.98
986.420	-62.27	-62.23	3.86	-3.90	-13.00	-49.27
3760.000	-57.14	-61.88	12.46	-7.72	-13.00	-44.14
5640.000	-54.85	-58.80	13.48	-9.53	-13.00	-41.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1905 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.31	-46.38	-11.01	-0.92	-13.00	-45.31
69.770	-50.35	-43.00	-6.29	-1.06	-13.00	-37.35
84.320	-51.89	-49.04	-1.70	-1.15	-13.00	-38.89
136.700	-60.47	-57.45	-1.54	-1.48	-13.00	-47.47
205.570	-59.53	-61.98	4.25	-1.80	-13.00	-46.53
944.710	-60.58	-60.15	3.39	-3.82	-13.00	-47.58
3810.000	-57.22	-61.73	12.30	-7.79	-13.00	-44.22
5715.000	-54.46	-58.18	13.27	-9.55	-13.00	-41.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1905 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-53.18	-45.83	-6.29	-1.06	-13.00	-40.18
84.320	-54.54	-51.69	-1.70	-1.15	-13.00	-41.54
145.430	-50.96	-47.58	-1.85	-1.53	-13.00	-37.96
214.300	-55.87	-58.71	4.70	-1.86	-13.00	-42.87
263.770	-61.36	-63.46	4.15	-2.05	-13.00	-48.36
999.030	-63.00	-63.03	3.97	-3.94	-13.00	-50.00
3810.000	-57.07	-61.58	12.30	-7.79	-13.00	-44.07
5715.000	-53.95	-57.67	13.27	-9.55	-13.00	-40.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1717.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.03	-46.10	-11.01	-0.92	-13.00	-45.03
67.830	-53.34	-45.31	-6.99	-1.04	-13.00	-40.34
82.380	-41.68	-38.35	-2.19	-1.14	-13.00	-28.68
130.880	-52.62	-49.68	-1.48	-1.46	-13.00	-39.62
196.840	-60.35	-62.43	3.85	-1.77	-13.00	-47.35
984.480	-61.24	-61.18	3.83	-3.89	-13.00	-48.24
3435.000	-57.73	-62.87	12.53	-7.39	-13.00	-44.73
5152.500	-55.42	-58.70	12.42	-9.14	-13.00	-42.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1717.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.800	-53.61	-45.93	-6.63	-1.05	-13.00	-40.61
86.260	-52.90	-50.64	-1.10	-1.16	-13.00	-39.90
132.820	-49.87	-46.90	-1.50	-1.47	-13.00	-36.87
197.810	-55.32	-57.44	3.90	-1.78	-13.00	-42.32
263.770	-61.21	-63.31	4.15	-2.05	-13.00	-48.21
976.720	-62.46	-62.24	3.67	-3.89	-13.00	-49.46
3435.000	-58.15	-63.29	12.53	-7.39	-13.00	-45.15
5152.500	-55.94	-59.22	12.42	-9.14	-13.00	-42.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1732.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
47.460	-56.57	-43.83	-11.88	-0.86	-13.00	-43.57
66.860	-53.95	-45.80	-7.12	-1.03	-13.00	-40.95
83.350	-53.31	-50.30	-1.87	-1.14	-13.00	-40.31
134.760	-59.89	-56.82	-1.60	-1.47	-13.00	-46.89
207.510	-53.35	-55.91	4.37	-1.81	-13.00	-40.35
949.560	-60.92	-60.42	3.34	-3.84	-13.00	-47.92
3465.000	-57.19	-62.19	12.44	-7.44	-13.00	-44.19
5197.500	-55.79	-59.25	12.69	-9.22	-13.00	-42.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1732.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-52.81	-45.46	-6.29	-1.06	-13.00	-39.81
86.260	-55.17	-52.91	-1.10	-1.16	-13.00	-42.17
139.610	-52.10	-48.85	-1.76	-1.49	-13.00	-39.10
198.780	-56.55	-58.80	4.03	-1.78	-13.00	-43.55
263.770	-61.24	-63.34	4.15	-2.05	-13.00	-48.24
926.280	-62.64	-62.43	3.59	-3.80	-13.00	-49.64
3465.000	-57.68	-62.68	12.44	-7.44	-13.00	-44.68
5197.500	-56.13	-59.59	12.69	-9.22	-13.00	-43.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1747.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.53	-45.60	-11.01	-0.92	-13.00	-44.53
66.860	-52.79	-44.64	-7.12	-1.03	-13.00	-39.79
84.320	-51.88	-49.03	-1.70	-1.15	-13.00	-38.88
141.550	-61.38	-58.02	-1.86	-1.50	-13.00	-48.38
196.840	-56.72	-58.80	3.85	-1.77	-13.00	-43.72
994.180	-61.35	-61.34	3.93	-3.94	-13.00	-48.35
3495.000	-58.06	-62.88	12.32	-7.50	-13.00	-45.06
5242.500	-55.69	-59.49	13.04	-9.24	-13.00	-42.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1747.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-52.64	-45.29	-6.29	-1.06	-13.00	-39.64
87.230	-54.88	-52.68	-1.03	-1.17	-13.00	-41.88
138.640	-52.10	-48.81	-1.81	-1.48	-13.00	-39.10
199.750	-54.65	-56.87	4.01	-1.79	-13.00	-41.65
264.740	-62.25	-64.33	4.14	-2.06	-13.00	-49.25
995.150	-63.01	-63.01	3.94	-3.94	-13.00	-50.01
3495.000	-57.85	-62.67	12.32	-7.50	-13.00	-44.85
5242.500	-56.24	-60.04	13.04	-9.24	-13.00	-43.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :824.7 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.96	-46.03	-11.01	-0.92	-13.00	-44.96
64.920	-53.33	-44.52	-7.79	-1.02	-13.00	-40.33
84.320	-52.42	-49.57	-1.70	-1.15	-13.00	-39.42
137.670	-60.20	-57.08	-1.64	-1.48	-13.00	-47.20
197.810	-57.39	-59.51	3.90	-1.78	-13.00	-44.39
997.090	-60.18	-60.20	3.96	-3.94	-13.00	-47.18
1649.400	-61.60	-66.05	9.50	-5.05	-13.00	-48.60
2474.100	-59.06	-63.32	10.50	-6.24	-13.00	-46.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :824.7 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
70.740	-52.35	-45.23	-6.05	-1.07	-13.00	-39.35
85.290	-54.51	-51.88	-1.48	-1.15	-13.00	-41.51
128.940	-50.36	-47.69	-1.22	-1.45	-13.00	-37.36
199.750	-56.68	-58.90	4.01	-1.79	-13.00	-43.68
263.770	-58.99	-61.09	4.15	-2.05	-13.00	-45.99
927.250	-62.26	-62.04	3.58	-3.80	-13.00	-49.26
1649.400	-61.24	-65.69	9.50	-5.05	-13.00	-48.24
2474.100	-57.91	-62.17	10.50	-6.24	-13.00	-44.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :836.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.70	-45.77	-11.01	-0.92	-13.00	-44.70
64.920	-54.70	-45.89	-7.79	-1.02	-13.00	-41.70
83.350	-54.18	-51.17	-1.87	-1.14	-13.00	-41.18
147.370	-58.22	-54.72	-1.97	-1.53	-13.00	-45.22
200.720	-61.88	-64.12	4.03	-1.79	-13.00	-48.88
948.590	-61.09	-60.61	3.35	-3.83	-13.00	-48.09
1673.000	-61.34	-66.10	9.83	-5.07	-13.00	-48.34
2509.500	-59.60	-63.92	10.61	-6.28	-13.00	-46.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :836.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-52.25	-44.90	-6.29	-1.06	-13.00	-39.25
85.290	-54.40	-51.77	-1.48	-1.15	-13.00	-41.40
140.580	-52.42	-49.15	-1.78	-1.49	-13.00	-39.42
195.870	-58.10	-60.04	3.71	-1.77	-13.00	-45.10
263.770	-60.65	-62.75	4.15	-2.05	-13.00	-47.65
957.320	-62.97	-62.49	3.36	-3.84	-13.00	-49.97
1673.000	-61.31	-66.07	9.83	-5.07	-13.00	-48.31
2509.500	-60.00	-64.32	10.61	-6.28	-13.00	-47.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :848.3 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.60	-45.67	-11.01	-0.92	-13.00	-44.60
65.890	-54.40	-46.08	-7.29	-1.03	-13.00	-41.40
84.320	-52.06	-49.21	-1.70	-1.15	-13.00	-39.06
133.790	-60.04	-57.00	-1.57	-1.47	-13.00	-47.04
199.750	-57.11	-59.33	4.01	-1.79	-13.00	-44.11
996.120	-60.34	-60.35	3.95	-3.94	-13.00	-47.34
1696.600	-61.22	-66.09	9.97	-5.10	-13.00	-48.22
2544.900	-59.10	-63.40	10.65	-6.35	-13.00	-46.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :848.3 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-52.99	-45.64	-6.29	-1.06	-13.00	-39.99
87.230	-55.20	-53.00	-1.03	-1.17	-13.00	-42.20
137.670	-52.19	-49.07	-1.64	-1.48	-13.00	-39.19
197.810	-56.15	-58.27	3.90	-1.78	-13.00	-43.15
257.950	-60.61	-62.77	4.19	-2.03	-13.00	-47.61
995.150	-62.64	-62.64	3.94	-3.94	-13.00	-49.64
1696.600	-59.97	-64.84	9.97	-5.10	-13.00	-46.97
2544.900	-58.93	-63.23	10.65	-6.35	-13.00	-45.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :701.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.64	-45.71	-11.01	-0.92	-13.00	-44.64
65.890	-52.80	-44.48	-7.29	-1.03	-13.00	-39.80
84.320	-53.34	-50.49	-1.70	-1.15	-13.00	-40.34
139.610	-58.35	-55.10	-1.76	-1.49	-13.00	-45.35
203.630	-61.28	-63.64	4.16	-1.80	-13.00	-48.28
997.090	-61.28	-61.30	3.96	-3.94	-13.00	-48.28
1403.000	-60.70	-63.73	7.70	-4.67	-13.00	-47.70
2104.500	-58.98	-63.17	9.91	-5.72	-13.00	-45.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :701.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-51.63	-44.28	-6.29	-1.06	-13.00	-38.63
84.320	-54.41	-51.56	-1.70	-1.15	-13.00	-41.41
137.670	-51.46	-48.34	-1.64	-1.48	-13.00	-38.46
211.390	-54.56	-57.31	4.58	-1.83	-13.00	-41.56
264.740	-62.00	-64.08	4.14	-2.06	-13.00	-49.00
959.260	-63.26	-62.75	3.34	-3.85	-13.00	-50.26
1403.000	-60.40	-63.43	7.70	-4.67	-13.00	-47.40
2104.500	-58.91	-63.10	9.91	-5.72	-13.00	-45.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.10	-46.17	-11.01	-0.92	-13.00	-45.10
65.890	-54.40	-46.08	-7.29	-1.03	-13.00	-41.40
84.320	-53.76	-50.91	-1.70	-1.15	-13.00	-40.76
133.790	-59.42	-56.38	-1.57	-1.47	-13.00	-46.42
197.810	-61.07	-63.19	3.90	-1.78	-13.00	-48.07
949.560	-60.75	-60.25	3.34	-3.84	-13.00	-47.75
1415.000	-61.12	-64.13	7.70	-4.69	-13.00	-48.12
2122.500	-59.03	-63.09	9.83	-5.76	-13.00	-46.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
70.740	-52.56	-45.44	-6.05	-1.07	-13.00	-39.56
84.320	-54.22	-51.37	-1.70	-1.15	-13.00	-41.22
141.550	-51.47	-48.11	-1.86	-1.50	-13.00	-38.47
200.720	-54.98	-57.22	4.03	-1.79	-13.00	-41.98
263.770	-61.47	-63.57	4.15	-2.05	-13.00	-48.47
944.710	-62.68	-62.25	3.39	-3.82	-13.00	-49.68
1415.000	-61.14	-64.15	7.70	-4.69	-13.00	-48.14
2122.500	-58.57	-62.63	9.83	-5.76	-13.00	-45.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :713.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.280	-58.41	-46.50	-10.98	-0.93	-13.00	-45.41
65.890	-52.90	-44.58	-7.29	-1.03	-13.00	-39.90
85.290	-51.80	-49.17	-1.48	-1.15	-13.00	-38.80
142.520	-61.34	-57.94	-1.89	-1.51	-13.00	-48.34
197.810	-60.25	-62.37	3.90	-1.78	-13.00	-47.25
955.380	-61.10	-60.64	3.38	-3.84	-13.00	-48.10
1427.000	-61.55	-64.61	7.77	-4.71	-13.00	-48.55
2140.500	-57.81	-61.78	9.79	-5.81	-13.00	-44.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :713.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.800	-52.16	-44.48	-6.63	-1.05	-13.00	-39.16
86.260	-53.86	-51.60	-1.10	-1.16	-13.00	-40.86
129.910	-50.16	-47.19	-1.51	-1.46	-13.00	-37.16
199.750	-56.60	-58.82	4.01	-1.79	-13.00	-43.60
263.770	-62.07	-64.17	4.15	-2.05	-13.00	-49.07
938.890	-62.41	-62.04	3.45	-3.82	-13.00	-49.41
1427.000	-60.86	-63.92	7.77	-4.71	-13.00	-47.86
2140.500	-58.47	-62.44	9.79	-5.81	-13.00	-45.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :779.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.60	-45.67	-11.01	-0.92	-13.00	-44.60
65.890	-52.75	-44.43	-7.29	-1.03	-13.00	-39.75
84.320	-53.93	-51.08	-1.70	-1.15	-13.00	-40.93
150.280	-58.53	-55.22	-1.78	-1.53	-13.00	-45.53
197.810	-59.23	-61.35	3.90	-1.78	-13.00	-46.23
948.590	-60.99	-60.51	3.35	-3.83	-13.00	-47.99
1559.000	-60.70	-64.86	9.10	-4.94	-40.00	-20.70
2338.500	-58.61	-62.41	9.80	-6.00	-13.00	-45.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :779.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
71.710	-53.38	-46.47	-5.83	-1.08	-13.00	-40.38
89.170	-55.70	-53.76	-0.75	-1.19	-13.00	-42.70
143.490	-51.59	-48.09	-1.98	-1.52	-13.00	-38.59
203.630	-57.08	-59.44	4.16	-1.80	-13.00	-44.08
262.800	-61.73	-63.84	4.16	-2.05	-13.00	-48.73
986.420	-62.64	-62.60	3.86	-3.90	-13.00	-49.64
1559.000	-60.53	-64.69	9.10	-4.94	-40.00	-20.53
2338.500	-59.02	-62.82	9.80	-6.00	-13.00	-46.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.23	-46.30	-11.01	-0.92	-13.00	-45.23
65.890	-53.91	-45.59	-7.29	-1.03	-13.00	-40.91
84.320	-51.74	-48.89	-1.70	-1.15	-13.00	-38.74
142.520	-58.32	-54.92	-1.89	-1.51	-13.00	-45.32
201.690	-59.24	-61.52	4.07	-1.79	-13.00	-46.24
936.950	-60.33	-60.00	3.48	-3.81	-13.00	-47.33
1564.000	-60.94	-65.09	9.10	-4.95	-40.00	-20.94
2346.000	-59.09	-62.89	9.80	-6.00	-13.00	-46.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-52.64	-45.29	-6.29	-1.06	-13.00	-39.64
84.320	-53.75	-50.90	-1.70	-1.15	-13.00	-40.75
138.640	-51.34	-48.05	-1.81	-1.48	-13.00	-38.34
218.180	-55.84	-58.87	4.92	-1.89	-13.00	-42.84
263.770	-61.32	-63.42	4.15	-2.05	-13.00	-48.32
999.030	-63.04	-63.07	3.97	-3.94	-13.00	-50.04
1564.000	-59.97	-64.12	9.10	-4.95	-40.00	-19.97
2346.000	-58.26	-62.06	9.80	-6.00	-13.00	-45.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :784.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.12	-46.19	-11.01	-0.92	-13.00	-45.12
65.890	-52.85	-44.53	-7.29	-1.03	-13.00	-39.85
84.320	-53.50	-50.65	-1.70	-1.15	-13.00	-40.50
143.490	-58.56	-55.06	-1.98	-1.52	-13.00	-45.56
213.330	-59.69	-62.50	4.66	-1.85	-13.00	-46.69
948.590	-60.42	-59.94	3.35	-3.83	-13.00	-47.42
1569.000	-60.86	-65.01	9.10	-4.95	-40.00	-20.86
2353.500	-58.52	-62.35	9.84	-6.01	-13.00	-45.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :784.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-53.47	-46.12	-6.29	-1.06	-13.00	-40.47
83.350	-54.70	-51.69	-1.87	-1.14	-13.00	-41.70
139.610	-52.12	-48.87	-1.76	-1.49	-13.00	-39.12
193.930	-56.73	-58.51	3.53	-1.75	-13.00	-43.73
263.770	-62.09	-64.19	4.15	-2.05	-13.00	-49.09
939.860	-62.30	-61.92	3.44	-3.82	-13.00	-49.30
1569.000	-60.53	-64.68	9.10	-4.95	-40.00	-20.53
2353.500	-58.98	-62.81	9.84	-6.01	-13.00	-45.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1720 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.280	-58.21	-46.30	-10.98	-0.93	-13.00	-45.21
66.860	-52.95	-44.80	-7.12	-1.03	-13.00	-39.95
84.320	-53.23	-50.38	-1.70	-1.15	-13.00	-40.23
129.910	-58.32	-55.35	-1.51	-1.46	-13.00	-45.32
194.900	-61.30	-63.12	3.58	-1.76	-13.00	-48.30
949.560	-60.28	-59.78	3.34	-3.84	-13.00	-47.28
3440.000	-57.26	-62.38	12.52	-7.40	-13.00	-44.26
5160.000	-55.27	-58.58	12.46	-9.15	-13.00	-42.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1720 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-52.80	-45.45	-6.29	-1.06	-13.00	-39.80
84.320	-54.06	-51.21	-1.70	-1.15	-13.00	-41.06
147.370	-50.11	-46.61	-1.97	-1.53	-13.00	-37.11
197.810	-53.68	-55.80	3.90	-1.78	-13.00	-40.68
257.950	-60.52	-62.68	4.19	-2.03	-13.00	-47.52
975.750	-63.21	-62.99	3.67	-3.89	-13.00	-50.21
3440.000	-57.68	-62.80	12.52	-7.40	-13.00	-44.68
5160.000	-56.48	-59.79	12.46	-9.15	-13.00	-43.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.69	-45.76	-11.01	-0.92	-13.00	-44.69
66.860	-53.88	-45.73	-7.12	-1.03	-13.00	-40.88
84.320	-52.08	-49.23	-1.70	-1.15	-13.00	-39.08
133.790	-58.39	-55.35	-1.57	-1.47	-13.00	-45.39
201.690	-56.97	-59.25	4.07	-1.79	-13.00	-43.97
946.650	-59.79	-59.33	3.37	-3.83	-13.00	-46.79
3490.000	-57.09	-61.94	12.34	-7.49	-13.00	-44.09
5235.000	-56.21	-59.95	12.98	-9.24	-13.00	-43.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-51.93	-44.58	-6.29	-1.06	-13.00	-38.93
86.260	-53.50	-51.24	-1.10	-1.16	-13.00	-40.50
146.400	-49.63	-46.11	-1.99	-1.53	-13.00	-36.63
202.660	-52.44	-54.76	4.12	-1.80	-13.00	-39.44
263.770	-58.71	-60.81	4.15	-2.05	-13.00	-45.71
992.240	-62.60	-62.59	3.91	-3.92	-13.00	-49.60
3490.000	-57.81	-62.66	12.34	-7.49	-13.00	-44.81
5235.000	-55.48	-59.22	12.98	-9.24	-13.00	-42.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1770 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.280	-58.08	-46.17	-10.98	-0.93	-13.00	-45.08
65.890	-53.03	-44.71	-7.29	-1.03	-13.00	-40.03
84.320	-51.66	-48.81	-1.70	-1.15	-13.00	-38.66
137.670	-59.86	-56.74	-1.64	-1.48	-13.00	-46.86
195.870	-60.94	-62.88	3.71	-1.77	-13.00	-47.94
947.620	-60.10	-59.63	3.36	-3.83	-13.00	-47.10
3540.000	-57.98	-62.77	12.30	-7.51	-13.00	-44.98
5310.000	-54.53	-58.50	13.20	-9.23	-13.00	-41.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1770 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
70.740	-52.85	-45.73	-6.05	-1.07	-13.00	-39.85
86.260	-54.74	-52.48	-1.10	-1.16	-13.00	-41.74
140.580	-51.65	-48.38	-1.78	-1.49	-13.00	-38.65
199.750	-57.70	-59.92	4.01	-1.79	-13.00	-44.70
263.770	-61.57	-63.67	4.15	-2.05	-13.00	-48.57
969.930	-62.44	-62.09	3.52	-3.87	-13.00	-49.44
3540.000	-56.15	-60.94	12.30	-7.51	-13.00	-43.15
5310.000	-55.47	-59.44	13.20	-9.23	-13.00	-42.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :673 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.74	-45.81	-11.01	-0.92	-13.00	-44.74
65.890	-53.41	-45.09	-7.29	-1.03	-13.00	-40.41
83.350	-52.11	-49.10	-1.87	-1.14	-13.00	-39.11
139.610	-59.94	-56.69	-1.76	-1.49	-13.00	-46.94
198.780	-58.52	-60.77	4.03	-1.78	-13.00	-45.52
982.540	-60.56	-60.45	3.78	-3.89	-13.00	-47.56
1346.000	-61.03	-64.03	7.56	-4.56	-13.00	-48.03
2019.000	-60.65	-65.29	10.22	-5.58	-13.00	-47.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :673 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
70.740	-52.14	-45.02	-6.05	-1.07	-13.00	-39.14
86.260	-54.33	-52.07	-1.10	-1.16	-13.00	-41.33
132.820	-50.42	-47.45	-1.50	-1.47	-13.00	-37.42
194.900	-56.80	-58.62	3.58	-1.76	-13.00	-43.80
256.980	-62.74	-64.92	4.20	-2.02	-13.00	-49.74
985.450	-62.38	-62.34	3.85	-3.89	-13.00	-49.38
1346.000	-60.62	-63.62	7.56	-4.56	-13.00	-47.62
2019.000	-60.64	-65.28	10.22	-5.58	-13.00	-47.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :680.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.12	-46.19	-11.01	-0.92	-13.00	-45.12
65.890	-53.51	-45.19	-7.29	-1.03	-13.00	-40.51
83.350	-37.77	-34.76	-1.87	-1.14	-13.00	-24.77
131.850	-57.94	-55.15	-1.33	-1.46	-13.00	-44.94
197.810	-58.22	-60.34	3.90	-1.78	-13.00	-45.22
976.720	-60.99	-60.77	3.67	-3.89	-13.00	-47.99
1361.000	-61.21	-64.33	7.71	-4.59	-13.00	-48.21
2041.500	-60.91	-65.58	10.30	-5.63	-13.00	-47.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :680.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.800	-52.77	-45.09	-6.63	-1.05	-13.00	-39.77
84.320	-54.03	-51.18	-1.70	-1.15	-13.00	-41.03
143.490	-50.38	-46.88	-1.98	-1.52	-13.00	-37.38
197.810	-53.12	-55.24	3.90	-1.78	-13.00	-40.12
262.800	-61.82	-63.93	4.16	-2.05	-13.00	-48.82
939.860	-63.00	-62.62	3.44	-3.82	-13.00	-50.00
1361.000	-60.54	-63.66	7.71	-4.59	-13.00	-47.54
2041.500	-60.46	-65.13	10.30	-5.63	-13.00	-47.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :688 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.15	-46.22	-11.01	-0.92	-13.00	-45.15
66.860	-53.44	-45.29	-7.12	-1.03	-13.00	-40.44
84.320	-53.05	-50.20	-1.70	-1.15	-13.00	-40.05
139.610	-59.09	-55.84	-1.76	-1.49	-13.00	-46.09
198.780	-60.83	-63.08	4.03	-1.78	-13.00	-47.83
946.650	-60.83	-60.37	3.37	-3.83	-13.00	-47.83
1376.000	-59.66	-62.84	7.80	-4.62	-13.00	-46.66
2064.000	-59.77	-64.26	10.16	-5.67	-13.00	-46.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :688 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-53.19	-45.84	-6.29	-1.06	-13.00	-40.19
82.380	-54.70	-51.37	-2.19	-1.14	-13.00	-41.70
138.640	-49.98	-46.69	-1.81	-1.48	-13.00	-36.98
197.810	-57.50	-59.62	3.90	-1.78	-13.00	-44.50
258.920	-61.43	-63.59	4.19	-2.03	-13.00	-48.43
993.210	-62.59	-62.58	3.92	-3.93	-13.00	-49.59
1376.000	-60.22	-63.40	7.80	-4.62	-13.00	-47.22
2064.000	-58.74	-63.23	10.16	-5.67	-13.00	-45.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :779.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
772.024	-65.36	-65.22	3.33	-3.47	-35.00	-30.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :779.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
770.572	-65.36	-65.21	3.32	-3.47	-35.00	-30.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :779.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
800.896	-65.87	-65.97	3.63	-3.53	-35.00	-30.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :779.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
798.196	-66.24	-66.30	3.59	-3.53	-35.00	-31.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
765.220	-64.95	-64.83	3.35	-3.47	-35.00	-29.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
771.016	-65.70	-65.55	3.32	-3.47	-35.00	-30.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
797.596	-66.50	-66.54	3.57	-3.53	-35.00	-31.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
800.656	-66.47	-66.57	3.63	-3.53	-35.00	-31.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :784.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
772.240	-64.99	-64.86	3.34	-3.47	-35.00	-29.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :784.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
763.204	-65.72	-65.63	3.37	-3.46	-35.00	-30.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :784.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
801.892	-65.89	-65.98	3.62	-3.53	-35.00	-30.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001538E2
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :784.5 MHz
 Note :SIM 2

Test Site :SAC C
 Test Date :2024-06-20
 Temp./Humi. :23.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.468	-66.12	-66.06	3.47	-3.53	-35.00	-31.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 FREQUENCY STABILITY MEASUREMENT

Note: The DC Power is rated 3.7V dc.

Reference Freq.:		LTE B2 Mid Channel		1880.0000	MHz 10M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.255	20	1880.00018	0.0094	+/- 2.5 ppm	
3.7	20	1879.999998	-0.0010		
3.145	20	1880.00016	0.0083		
2.2 (End Point)	20	1880.00017	0.0091		
Freq. ERROR vs. Temp.					
3.7	-30	1880.000000	-0.0001	+/- 2.5 ppm	
3.7	-20	1879.999981	-0.0101		
3.7	-10	1880.000015	0.0077		
3.7	0	1879.999981	-0.0100		
3.7	10	1879.999989	-0.0057		
3.7	20	1879.999993	-0.0038		
3.7	30	1880.000002	0.0011		
3.7	40	1880.000002	0.0011		
3.7	50	1879.999995	-0.0028		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B4 Mid Channel		1732.5000	MHz 10M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.255	20	1732.499993	-0.0038	+/- 2.5 ppm	
3.7	20	1732.499988	-0.0068		
3.145	20	1732.500020	0.0115		
2.2 (End Point)	20	1732.500014	0.0081		
Freq. ERROR vs. Temp.					
3.7	-30	1732.499988	-0.0072	+/- 2.5 ppm	
3.7	-20	1732.500006	0.0035		
3.7	-10	1732.499983	-0.0099		
3.7	0	1732.499997	-0.0016		
3.7	10	1732.499994	-0.0033		
3.7	20	1732.500016	0.0094		
3.7	30	1732.500003	0.0019		
3.7	40	1732.499991	-0.0051		
3.7	50	1732.500002	0.0009		
Reference Freq.:		LTE B5 Mid Channel		836.5000	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.255	20	836.499980	-0.0239	+/- 2.5 ppm	
3.7	20	836.500018	0.0218		
3.145	20	836.500015	0.0183		
2.2 (End Point)	20	836.500010	0.0123		
Freq. ERROR vs. Temp.					
3.7	-30	836.499988	-0.0148	+/- 2.5 ppm	
3.7	-20	836.499984	-0.0194		
3.7	-10	836.499991	-0.0112		
3.7	0	836.499991	-0.0112		
3.7	10	836.500016	0.0194		
3.7	20	836.500011	0.0134		
3.7	30	836.500009	0.0109		
3.7	40	836.500003	0.0037		
3.7	50	836.500003	0.0033		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B12 Mid Channel		707.5000	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.255	20	707.499986	-0.0194	+/- 2.5 ppm	
3.7	20	707.500011	0.0150		
3.145	20	707.500005	0.0072		
2.2 (End Point)	20	707.499993	-0.0099		
Freq. ERROR vs. Temp.					
3.7	-30	707.500012	0.0168	+/- 2.5 ppm	
3.7	-20	707.499996	-0.0051		
3.7	-10	707.500005	0.0066		
3.7	0	707.500000	0.0004		
3.7	10	707.499999	-0.0011		
3.7	20	707.499980	-0.0280		
3.7	30	707.499981	-0.0271		
3.7	40	707.500001	0.0016		
3.7	50	707.500002	0.0034		
Reference Freq.:		LTE B13 Mid Channel		782.0000	MHz 10M QPSK CH 23230
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.255	20	782.000000	-0.0004	+/- 2.5 ppm	
3.7	20	781.999983	-0.0223		
3.145	20	781.999997	-0.0042		
2.2 (End Point)	20	781.999998	-0.0020		
Freq. ERROR vs. Temp.					
3.7	-30	781.999997	-0.0041	+/- 2.5 ppm	
3.7	-20	782.000015	0.0196		
3.7	-10	781.999989	-0.0143		
3.7	0	781.999991	-0.0116		
3.7	10	781.999982	-0.0230		
3.7	20	782.000008	0.0106		
3.7	30	782.000015	0.0191		
3.7	40	781.999992	-0.0106		
3.7	50	782.000002	0.0031		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B66 Mid Channel		1745.0000	MHz 10M QPSK CH 132322
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.255	20	1745.000008	0.0048	+/- 2.5 ppm	
3.7	20	1745.000002	0.0010		
3.145	20	1744.999998	-0.0009		
2.2 (End Point)	20	1745.000006	0.0035		
Freq. ERROR vs. Temp.					
3.7	-30	1745.000010	0.0058	+/- 2.5 ppm	
3.7	-20	1745.000009	0.0052		
3.7	-10	1744.999996	-0.0026		
3.7	0	1745.000007	0.0038		
3.7	10	1745.000012	0.0069		
3.7	20	1745.000019	0.0111		
3.7	30	1744.999994	-0.0036		
3.7	40	1744.999996	-0.0022		
3.7	50	1744.999981	-0.0110		
Reference Freq.:		LTE B71 Mid Channel		680.5000	MHz 10M QPSK CH 133297
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.255	20	680.500018	0.0263	+/- 2.5 ppm	
3.7	20	680.499980	-0.0292		
3.145	20	680.499998	-0.0026		
2.2 (End Point)	20	680.500017	0.0247		
Freq. ERROR vs. Temp.					
3.7	-30	680.499991	-0.0131	+/- 2.5 ppm	
3.7	-20	680.500014	0.0209		
3.7	-10	680.499994	-0.0091		
3.7	0	680.499986	-0.0200		
3.7	10	680.499985	-0.0228		
3.7	20	680.500017	0.0247		
3.7	30	680.500009	0.0129		
3.7	40	680.499988	-0.0179		
3.7	50	680.500019	0.0281		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7 PEAK TO AVERAGE RATIO

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1850.7	18607	6.76	13	1851.5	18615	6.68	13
1880.0	18900	6.50	13	1880.0	18900	6.56	13
1909.3	19193	6.70	13	1908.5	19185	6.65	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1852.5	18625	6.46	13	1855.0	18650	6.61	13
1880.0	18900	6.46	13	1880.0	18900	6.28	13
1907.5	19175	6.66	13	1905.0	19150	6.38	13

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1857.5	18675	6.46	13	1860.0	18700	6.55	13
1880.0	18900	6.33	13	1880.0	18900	6.41	13
1902.5	19125	6.60	13	1900.0	19100	6.66	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1710.7	19957	6.35	13	1711.5	19965	6.31	13
1732.5	20175	6.46	13	1732.5	20175	6.38	13
1754.3	20393	5.98	13	1753.5	20385	6.55	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1712.5	19975	6.70	13	1715.0	20000	6.70	13
1732.5	20175	6.71	13	1732.5	20175	6.21	13
1752.5	20375	6.67	13	1750.0	20350	6.68	13

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1717.5	20025	6.37	13	1720.0	20050	6.45	13
1732.5	20175	6.57	13	1732.5	20175	6.25	13
1747.5	20325	6.40	13	1745.0	20300	6.45	13

LTE BAND 5							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
824.7	20407	6.81	13	825.5	20415	7.04	13
836.5	20525	6.56	13	836.5	20525	6.76	13
848.3	20643	6.41	13	847.5	20635	6.63	13

LTE BAND 5							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
826.5	20425	6.57	13	829.0	20450	6.72	13
836.5	20525	6.51	13	836.5	20525	6.60	13
846.5	20625	6.61	13	844.0	20600	6.79	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
699.7	23017	7.14	13	700.5	23025	6.58	13
707.5	23095	6.34	13	707.5	23095	6.69	13
715.3	23173	7.09	13	714.5	23165	6.82	13

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
701.5	23035	6.27	13	704.0	23060	6.47	13
707.5	23095	6.44	13	707.5	23095	6.12	13
713.5	23155	6.36	13	711.0	23130	6.66	13

LTE BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
779.5	23205	6.67	13	782.0	23230	6.59	13
782.0	23230	6.44	13				
784.5	23255	5.68	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 66							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1710.7	131979	6.32	13	1711.5	131987	6.74	13
1745.0	132322	6.92	13	1745.0	132322	6.73	13
1779.3	132665	6.25	13	1778.5	132657	6.24	13

LTE BAND 66							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1712.5	131997	6.73	13	1715.0	132022	6.68	13
1745.0	132322	6.81	13	1745.0	132322	6.83	13
1777.5	132647	6.47	13	1775.0	132622	6.68	13

LTE BAND 66							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1717.5	132047	6.69	13	1720.0	132072	6.31	13
1745.0	132322	6.41	13	1745.0	132322	6.78	13
1772.5	132597	6.56	13	1770.0	132572	6.40	13

LTE BAND 71							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
665.5	133147	6.78	13	668.0	133172	6.66	13
680.5	133297	6.47	13	680.5	133297	6.20	13
695.5	133447	6.56	13	693.0	133422	6.55	13


LTE BAND 71							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
670.5	133197	6.57	13	673.0	133222	6.49	13
680.5	133297	6.50	13	680.5	133297	6.57	13
690.5	133397	6.34	13	688.0	133372	6.60	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_1.4MHz_64QAM_RB6_0_CH18607




Band2_3MHz_64QAM_RB15_0_CH18615




Band2_1.4MHz_64QAM_RB6_0_CH18900




Band2_3MHz_64QAM_RB15_0_CH18900



Band2_1.4MHz_64QAM_RB6_0_CH19193



Band2_3MHz_64QAM_RB15_0_CH19185




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_5MHz_64QAM_RB25_0_CH18625




Band2_10MHz_64QAM_RB50_0_CH18650




Band2_5MHz_64QAM_RB25_0_CH18900




Band2_10MHz_64QAM_RB50_0_CH18900



Band2_5MHz_64QAM_RB25_0_CH19175



Band2_10MHz_64QAM_RB50_0_CH19150




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_15MHz_64QAM_RB75_0_CH18675




Band2_20MHz_64QAM_RB100_0_CH18700




Band2_15MHz_64QAM_RB75_0_CH18900




Band2_20MHz_64QAM_RB100_0_CH18900



Band2_15MHz_64QAM_RB75_0_CH19125



Band2_20MHz_64QAM_RB100_0_CH19100



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.