








Test Graphs
















































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.181	48.75	-15.71	64.46	38.30	0.04	10.41	QP
2	0.181	32.05	-22.41	54.46	21.60	0.04	10.41	Average
3	0.259	45.50	-15.97	61.47	35.10	0.04	10.36	QP
4	0.259	32.00	-19.47	51.47	21.60	0.04	10.36	Average
5	0.332	43.94	-15.46	59.40	33.60	0.03	10.31	QP
6	0.332	30.64	-18.76	49.40	20.30	0.03	10.31	Average
7 *	0.402	42.48	-15.33	57.81	32.20	0.00	10.28	QP
8	0.402	29.18	-18.63	47.81	18.90	0.00	10.28	Average
9	0.471	40.41	-16.08	56.49	30.19	-0.02	10.24	QP
10	0.471	28.41	-18.08	46.49	18.19	-0.02	10.24	Average
11	0.544	39.46	-16.54	56.00	29.30	-0.04	10.20	QP
12	0.544	29.56	-16.44	46.00	19.40	-0.04	10.20	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.179	49.06	-15.49	64.55	38.60	0.05	10.41	QP
2	0.179	33.06	-21.49	54.55	22.60	0.05	10.41	Average
3	0.247	44.87	-16.99	61.86	34.50	0.00	10.37	QP
4	0.247	31.67	-20.19	51.86	21.30	0.00	10.37	Average
5	0.327	41.77	-17.76	59.53	31.50	-0.05	10.32	QP
6	0.327	30.87	-18.66	49.53	20.60	-0.05	10.32	Average
7	0.406	39.42	-18.31	57.73	29.20	-0.06	10.28	QP
8	0.406	30.82	-16.91	47.73	20.60	-0.06	10.28	Average
9	0.471	39.37	-17.12	56.49	29.20	-0.07	10.24	QP
10	0.471	29.47	-17.02	46.49	19.30	-0.07	10.24	Average
11	0.544	38.93	-17.07	56.00	28.80	-0.07	10.20	QP
12	0.544	29.43	-16.57	46.00	19.30	-0.07	10.20	Average

Note:

1. $\text{Level(dB}\mu\text{V)} = \text{Read Level(dB}\mu\text{V)} + \text{LISN Factor(dB)} + \text{Cable Loss(dB)}$
2. $\text{Over Limit(dB)} = \text{Level(dB}\mu\text{V)} - \text{Limit Line(dB}\mu\text{V)}$



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23℃



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	0	Bluetooth EBR_8-DPSK	00	2402	3Mbps	-	-
Mode 2	2400-2483.5	0	Bluetooth EBR_8-DPSK	39	2441	3Mbps	-	-
Mode 3	2400-2483.5	0	Bluetooth EBR_8-DPSK	78	2480	3Mbps	-	-
Mode 4	2400-2483.5	1	Bluetooth EBR_8-DPSK	00	2402	3Mbps	-	-
Mode 5	2400-2483.5	1	Bluetooth EBR_8-DPSK	39	2441	3Mbps	-	-
Mode 6	2400-2483.5	1	Bluetooth EBR_8-DPSK	78	2480	3Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth EBR_8-DPSK	00	2380.59	54.91	74.00	-19.09	V	PEAK	Pass	Band Edge
1	Bluetooth EBR_8-DPSK	00	4987.00	48.72	74.00	-25.28	H	PEAK	Pass	Harmonic
2	Bluetooth EBR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth EBR_8-DPSK	39	4977.00	47.71	74.00	-26.29	H	PEAK	Pass	Harmonic
3	Bluetooth EBR_8-DPSK	78	2493.51	55.01	74.00	-18.99	V	PEAK	Pass	Band Edge
3	Bluetooth EBR_8-DPSK	78	4984.00	47.95	74.00	-26.05	H	PEAK	Pass	Harmonic
4	Bluetooth EBR_8-DPSK	00	2381.89	55.33	74.00	-18.67	H	PEAK	Pass	Band Edge
4	Bluetooth EBR_8-DPSK	00	4978.00	48.17	74.00	-25.83	H	PEAK	Pass	Harmonic
5	Bluetooth EBR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth EBR_8-DPSK	39	4990.00	48.63	74.00	-25.37	H	PEAK	Pass	Harmonic
6	Bluetooth EBR_8-DPSK	78	2493.16	55.76	74.00	-18.24	V	PEAK	Pass	Band Edge
6	Bluetooth EBR_8-DPSK	78	4978.00	47.48	74.00	-26.52	H	PEAK	Pass	Harmonic





		1																																																																					
Mode		Band Edge																																																																					
		2400-2483.5_Bluetooth EBR_8-DPSK_CH00_2402MHz																																																																					
ANT		0																																																																					
Pol.		Horizontal																																																																					
Peak																																																																							
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2325.34</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>39.07</td><td>32.10</td><td>8.55</td><td>30.94</td><td>6.00</td><td>157</td><td>31 PEAK</td></tr><tr><td>2</td><td>2325.34</td><td>29.99</td><td>54.00</td><td>-24.01</td><td>14.28</td><td>32.10</td><td>8.55</td><td>30.94</td><td>6.00</td><td>157</td><td>31 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2325.34	54.78	74.00	-19.22	39.07	32.10	8.55	30.94	6.00	157	31 PEAK	2	2325.34	29.99	54.00	-24.01	14.28	32.10	8.55	30.94	6.00	157	31 AVERAGE
				Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2325.34	54.78	74.00	-19.22	39.07	32.10	8.55	30.94	6.00	157	31 PEAK																																																												
2	2325.34	29.99	54.00	-24.01	14.28	32.10	8.55	30.94	6.00	157	31 AVERAGE																																																												
																																																																							
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.13</td><td>-----</td><td>88.85</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>157</td><td>31 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.34</td><td>-----</td><td>64.06</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>157</td><td>31 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	105.13	-----	88.85	32.40	8.81	30.93	6.00	157	31 PEAK	2	2402.00	80.34	-----	64.06	32.40	8.81	30.93	6.00	157	31 AVERAGE		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2402.00	105.13	-----	88.85	32.40	8.81	30.93	6.00	157	31 PEAK																																																													
2	2402.00	80.34	-----	64.06	32.40	8.81	30.93	6.00	157	31 AVERAGE																																																													





Mode	1																																																																																																																																									
	Band Edge																																																																																																																																									
	2400-2483.5_Bluetooth EBR_8-DPSK_CH00_2402MHz																																																																																																																																									
ANT	0																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2380.59</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>38.73</td><td>32.36</td><td>8.75</td><td>30.93</td><td>6.00</td><td>300</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>2380.59</td><td>30.12</td><td>54.00</td><td>-23.88</td><td>13.94</td><td>32.36</td><td>8.75</td><td>30.93</td><td>6.00</td><td>300</td><td>49</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2380.59	54.91	74.00	-19.09	38.73	32.36	8.75	30.93	6.00	300	49	PEAK	2	2380.59	30.12	54.00	-23.88	13.94	32.36	8.75	30.93	6.00	300	49	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.02</td><td>-----</td><td>-----</td><td>86.74</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>300</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.23</td><td>-----</td><td>-----</td><td>61.95</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>300</td><td>49</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.02	-----	-----	86.74	32.40	8.81	30.93	6.00	300	49	PEAK	2	2402.00	78.23	-----	-----	61.95	32.40	8.81	30.93	6.00	300	49	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	2380.59	54.91	74.00	-19.09	38.73	32.36	8.75	30.93	6.00	300	49	PEAK																																																																																																																														
2	2380.59	30.12	54.00	-23.88	13.94	32.36	8.75	30.93	6.00	300	49	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	2402.00	103.02	-----	-----	86.74	32.40	8.81	30.93	6.00	300	49	PEAK																																																																																																																														
2	2402.00	78.23	-----	-----	61.95	32.40	8.81	30.93	6.00	300	49	AVERAGE																																																																																																																														



Mode	1																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth EBR_8-DPSK_CH00_2402MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>59.35</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4987.00</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>67.74</td><td>34.08</td><td>12.25</td><td>65.35</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4804.00	40.49	74.00	-33.51	59.35	34.29	12.54	65.69	0.00	--	--	--	PEAK	2	4987.00	48.72	74.00	-25.28	67.74	34.08	12.25	65.35	0.00	--	--	--	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.50</td><td>74.00</td><td>-33.50</td><td>59.36</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4804.00	40.50	74.00	-33.50	59.36	34.29	12.54	65.69	0.00	--	--	--	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																			
1	4804.00	40.49	74.00	-33.51	59.35	34.29	12.54	65.69	0.00	--	--	--	PEAK																																																																																																			
2	4987.00	48.72	74.00	-25.28	67.74	34.08	12.25	65.35	0.00	--	--	--	PEAK																																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																			
1	4804.00	40.50	74.00	-33.50	59.36	34.29	12.54	65.69	0.00	--	--	--	PEAK																																																																																																			





Mode	2																																																																																																																																																					
	Harmonic																																																																																																																																																					
	2400-2483.5_Bluetooth EBR_8-DPSK_CH39_2441MHz																																																																																																																																																					
ANT	0																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.67</td><td>74.00</td><td>-33.33</td><td>59.95</td><td>34.20</td><td>12.06</td><td>65.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4977.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>66.76</td><td>34.14</td><td>12.18</td><td>65.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7323.00</td><td>42.14</td><td>74.00</td><td>-31.86</td><td>56.21</td><td>35.00</td><td>14.99</td><td>64.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.67	74.00	-33.33	59.95	34.20	12.06	65.54	0.00	--	--	PEAK	2	4977.00	47.71	74.00	-26.29	66.76	34.14	12.18	65.37	0.00	--	--	PEAK	3	7323.00	42.14	74.00	-31.86	56.21	35.00	14.99	64.86	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.04</td><td>74.00</td><td>-33.96</td><td>59.32</td><td>34.20</td><td>12.06</td><td>65.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.50</td><td>74.00</td><td>-31.50</td><td>56.57</td><td>35.00</td><td>14.99</td><td>64.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.04	74.00	-33.96	59.32	34.20	12.06	65.54	0.00	--	--	PEAK	2	7323.00	42.50	74.00	-31.50	56.57	35.00	14.99	64.86	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	4882.00	40.67	74.00	-33.33	59.95	34.20	12.06	65.54	0.00	--	--	PEAK																																																																																																																																										
2	4977.00	47.71	74.00	-26.29	66.76	34.14	12.18	65.37	0.00	--	--	PEAK																																																																																																																																										
3	7323.00	42.14	74.00	-31.86	56.21	35.00	14.99	64.86	0.00	--	--	PEAK																																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	4882.00	40.04	74.00	-33.96	59.32	34.20	12.06	65.54	0.00	--	--	PEAK																																																																																																																																										
2	7323.00	42.50	74.00	-31.50	56.57	35.00	14.99	64.86	0.00	--	--	PEAK																																																																																																																																										





Mode	3																																																																				
	Band Edge																																																																				
	2400-2483.5_Bluetooth EBR_8-DPSK_CH78_2480MHz																																																																				
ANT	0																																																																				
Pol.	Horizontal																																																																				
Peak																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.11</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>38.61</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>2496.11</td><td>30.12</td><td>54.00</td><td>-23.88</td><td>13.82</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>100</td><td>0 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2496.11	54.91	74.00	-19.09	38.61	32.40	8.87	30.97	6.00	100	0 PEAK	2	2496.11	30.12	54.00	-23.88	13.82	32.40	8.87	30.97	6.00	100	0 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2496.11	54.91	74.00	-19.09	38.61	32.40	8.87	30.97	6.00	100	0 PEAK																																																										
2	2496.11	30.12	54.00	-23.88	13.82	32.40	8.87	30.97	6.00	100	0 AVERAGE																																																										
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.24</td><td>-----</td><td>77.93</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>69.45</td><td>-----</td><td>53.14</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>0 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	94.24	-----	77.93	32.40	8.88	30.97	6.00	100	0 PEAK	2	2480.00	69.45	-----	53.14	32.40	8.88	30.97	6.00	100	0 AVERAGE			
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2480.00	94.24	-----	77.93	32.40	8.88	30.97	6.00	100	0 PEAK																																																											
2	2480.00	69.45	-----	53.14	32.40	8.88	30.97	6.00	100	0 AVERAGE																																																											





Mode	3																																																																																																																																
	Band Edge																																																																																																																																
	2400-2483.5_Bluetooth EBR_8-DPSK_CH78_2480MHz																																																																																																																																
ANT	0																																																																																																																																
Pol.	Vertical						Fundamental																																																																																																																										
Peak																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.51</td><td>55.01</td><td>74.00</td><td>-18.99</td><td>30.71</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>316</td><td>246 PEAK</td></tr><tr><td>2</td><td>2493.51</td><td>30.22</td><td>54.00</td><td>-23.78</td><td>13.92</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>316</td><td>246 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2493.51	55.01	74.00	-18.99	30.71	32.40	8.87	30.97	6.00	316	246 PEAK	2	2493.51	30.22	54.00	-23.78	13.92	32.40	8.87	30.97	6.00	316	246 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.84</td><td>-----</td><td>-----</td><td>85.53</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>316</td><td>246 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.05</td><td>-----</td><td>-----</td><td>60.74</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>316</td><td>246 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	101.84	-----	-----	85.53	32.40	8.88	30.97	6.00	316	246 PEAK	2	2480.00	77.05	-----	-----	60.74	32.40	8.88	30.97	6.00	316	246 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	2493.51	55.01	74.00	-18.99	30.71	32.40	8.87	30.97	6.00	316	246 PEAK																																																																																																																						
2	2493.51	30.22	54.00	-23.78	13.92	32.40	8.87	30.97	6.00	316	246 AVERAGE																																																																																																																						
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	2480.00	101.84	-----	-----	85.53	32.40	8.88	30.97	6.00	316	246 PEAK																																																																																																																						
2	2480.00	77.05	-----	-----	60.74	32.40	8.88	30.97	6.00	316	246 AVERAGE																																																																																																																						





Mode	3																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_Bluetooth EBR_8-DPSK_CH78_2480MHz																																																																																																																																																									
ANT	0																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																			
Peak Avg																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.76</td><td>74.00</td><td>-33.24</td><td>59.85</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4984.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>66.97</td><td>34.10</td><td>12.23</td><td>65.35</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>43.24</td><td>74.00</td><td>-30.76</td><td>57.42</td><td>35.00</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4960.00	40.76	74.00	-33.24	59.85	34.24	12.07	65.40	0.00	--	--	PEAK	2	4984.00	47.95	74.00	-26.05	66.97	34.10	12.23	65.35	0.00	--	--	PEAK	3	7440.00	43.24	74.00	-30.76	57.42	35.00	15.21	65.19	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>59.23</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>56.80</td><td>35.00</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4960.00	40.14	74.00	-33.86	59.23	34.24	12.07	65.40	0.00	--	--	PEAK	2	7440.00	42.62	74.00	-31.38	56.80	35.00	15.21	65.19	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																															
1	4960.00	40.76	74.00	-33.24	59.85	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																														
2	4984.00	47.95	74.00	-26.05	66.97	34.10	12.23	65.35	0.00	--	--	PEAK																																																																																																																																														
3	7440.00	43.24	74.00	-30.76	57.42	35.00	15.21	65.19	0.00	--	--	PEAK																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																															
1	4960.00	40.14	74.00	-33.86	59.23	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																														
2	7440.00	42.62	74.00	-31.38	56.80	35.00	15.21	65.19	0.00	--	--	PEAK																																																																																																																																														







Mode	4																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_Bluetooth EBR_8-DPSK_CH00_2402MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.89</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>39.14</td><td>32.36</td><td>8.76</td><td>30.93</td><td>6.00</td><td>100 109 PEAK</td></tr><tr><td>2</td><td>2381.89</td><td>30.54</td><td>54.00</td><td>-23.46</td><td>14.35</td><td>32.36</td><td>8.76</td><td>30.93</td><td>6.00</td><td>100 109 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.89	55.33	74.00	-18.67	39.14	32.36	8.76	30.93	6.00	100 109 PEAK	2	2381.89	30.54	54.00	-23.46	14.35	32.36	8.76	30.93	6.00	100 109 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.33</td><td>-----</td><td>90.05</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>100</td><td>109 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.54</td><td>-----</td><td>65.26</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>100</td><td>109 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	106.33	-----	90.05	32.40	8.81	30.93	6.00	100	109 PEAK	2	2402.00	81.54	-----	65.26	32.40	8.81	30.93	6.00	100	109 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2381.89	55.33	74.00	-18.67	39.14	32.36	8.76	30.93	6.00	100 109 PEAK																																																																																																																
2	2381.89	30.54	54.00	-23.46	14.35	32.36	8.76	30.93	6.00	100 109 AVERAGE																																																																																																																
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	2402.00	106.33	-----	90.05	32.40	8.81	30.93	6.00	100	109 PEAK																																																																																																																
2	2402.00	81.54	-----	65.26	32.40	8.81	30.93	6.00	100	109 AVERAGE																																																																																																																



		4																																																																			
Mode		Band Edge																																																																			
		2400-2483.5_Bluetooth EBR_8-DPSK_CH00_2402MHz																																																																			
ANT		1																																																																			
Pol.		Vertical					Fundamental																																																														
Peak																																																																					
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.80</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>38.23</td><td>32.37</td><td>8.76</td><td>30.93</td><td>6.00</td><td>294</td><td>253 PEAK</td></tr><tr><td>2</td><td>2382.80</td><td>29.64</td><td>54.00</td><td>-24.36</td><td>13.44</td><td>32.37</td><td>8.76</td><td>30.93</td><td>6.00</td><td>294</td><td>253 AVERAGE</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2382.80	54.43	74.00	-19.57	38.23	32.37	8.76	30.93	6.00	294	253 PEAK	2	2382.80	29.64	54.00	-24.36	13.44	32.37	8.76	30.93	6.00	294	253 AVERAGE
				Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2382.80	54.43	74.00	-19.57	38.23	32.37	8.76	30.93	6.00	294	253 PEAK																																																										
2	2382.80	29.64	54.00	-24.36	13.44	32.37	8.76	30.93	6.00	294	253 AVERAGE																																																										
																																																																					
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.59</td><td>-----</td><td>-----</td><td>88.31</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>294</td><td>253 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.80</td><td>-----</td><td>-----</td><td>63.52</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>294</td><td>253 AVERAGE</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	104.59	-----	-----	88.31	32.40	8.81	30.93	6.00	294	253 PEAK	2	2402.00	79.80	-----	-----	63.52	32.40	8.81	30.93	6.00	294	253 AVERAGE		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2402.00	104.59	-----	-----	88.31	32.40	8.81	30.93	6.00	294	253 PEAK																																																										
2	2402.00	79.80	-----	-----	63.52	32.40	8.81	30.93	6.00	294	253 AVERAGE																																																										



Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth EBR_8-DPSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak		
Avg		




Mode	5																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_Bluetooth EBR_8-DPSK_CH39_2441MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>59.66</td><td>34.20</td><td>12.06</td><td>65.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>67.64</td><td>34.06</td><td>12.27</td><td>65.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7323.00</td><td>42.72</td><td>74.00</td><td>-31.28</td><td>56.79</td><td>35.80</td><td>14.99</td><td>64.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.38	74.00	-33.62	59.66	34.20	12.06	65.54	0.00	--	--	PEAK	2	4990.00	48.63	74.00	-25.37	67.64	34.06	12.27	65.34	0.00	--	--	PEAK	3	7323.00	42.72	74.00	-31.28	56.79	35.80	14.99	64.86	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>59.10</td><td>34.20</td><td>12.06</td><td>65.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>56.31</td><td>35.80</td><td>14.99</td><td>64.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.82	74.00	-34.18	59.10	34.20	12.06	65.54	0.00	--	--	PEAK	2	7323.00	42.24	74.00	-31.76	56.31	35.80	14.99	64.86	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4882.00	40.38	74.00	-33.62	59.66	34.20	12.06	65.54	0.00	--	--	PEAK																																																																																																																														
2	4990.00	48.63	74.00	-25.37	67.64	34.06	12.27	65.34	0.00	--	--	PEAK																																																																																																																														
3	7323.00	42.72	74.00	-31.28	56.79	35.80	14.99	64.86	0.00	--	--	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4882.00	39.82	74.00	-34.18	59.10	34.20	12.06	65.54	0.00	--	--	PEAK																																																																																																																														
2	7323.00	42.24	74.00	-31.76	56.31	35.80	14.99	64.86	0.00	--	--	PEAK																																																																																																																														







Mode	6																																																																					
	Band Edge																																																																					
	2400-2483.5_Bluetooth EBR_8-DPSK_CH78_2480MHz																																																																					
ANT	1																																																																					
Pol.	Horizontal																																																																					
Peak																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.11</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>30.84</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>2</td><td>2480.11</td><td>30.35</td><td>54.00</td><td>-23.65</td><td>14.05</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>100</td><td>110 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.11	55.14	74.00	-18.86	30.84	32.40	8.87	30.97	6.00	100	110 PEAK	2	2480.11	30.35	54.00	-23.65	14.05	32.40	8.87	30.97	6.00	100	110 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	2480.11	55.14	74.00	-18.86	30.84	32.40	8.87	30.97	6.00	100	110 PEAK																																																											
2	2480.11	30.35	54.00	-23.65	14.05	32.40	8.87	30.97	6.00	100	110 AVERAGE																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.74</td><td>-----</td><td>-----</td><td>90.43</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.95</td><td>-----</td><td>-----</td><td>65.64</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>110 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	106.74	-----	-----	90.43	32.40	8.88	30.97	6.00	100	110 PEAK	2	2480.00	81.95	-----	-----	65.64	32.40	8.88	30.97	6.00	100	110 AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	2480.00	106.74	-----	-----	90.43	32.40	8.88	30.97	6.00	100	110 PEAK																																																											
2	2480.00	81.95	-----	-----	65.64	32.40	8.88	30.97	6.00	100	110 AVERAGE																																																											



		6																																																																
Mode		Band Edge																																																																
		2400-2483.5_Bluetooth EBR_8-DPSK_CH78_2480MHz																																																																
ANT		1																																																																
Pol.		Vertical					Fundamental																																																											
Peak																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.16</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>39.46</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>294 253 PEAK</td></tr><tr><td>2</td><td>2493.16</td><td>30.97</td><td>54.00</td><td>-23.03</td><td>14.67</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>294 253 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.16	55.76	74.00	-18.24	39.46	32.40	8.87	30.97	6.00	294 253 PEAK	2	2493.16	30.97	54.00	-23.03	14.67	32.40	8.87	30.97	6.00	294 253 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2493.16	55.76	74.00	-18.24	39.46	32.40	8.87	30.97	6.00	294 253 PEAK																																																								
2	2493.16	30.97	54.00	-23.03	14.67	32.40	8.87	30.97	6.00	294 253 AVERAGE																																																								
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.19</td><td>-----</td><td>85.88</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>294</td><td>253 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.40</td><td>-----</td><td>61.09</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>294</td><td>253 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.19	-----	85.88	32.40	8.88	30.97	6.00	294	253 PEAK	2	2480.00	77.40	-----	61.09	32.40	8.88	30.97	6.00	294	253 AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2480.00	102.19	-----	85.88	32.40	8.88	30.97	6.00	294	253 PEAK																																																								
2	2480.00	77.40	-----	61.09	32.40	8.88	30.97	6.00	294	253 AVERAGE																																																								



Mode	6																																																																																																																						
	Harmonic																																																																																																																						
	2400-2483.5_Bluetooth EBR_8-DPSK_CH78_2480MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal					Vertical																																																																																																																	
Peak Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 4960.00</td><td>39.91</td><td>74.00</td><td>-34.09</td><td>59.00</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 4978.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>66.52</td><td>34.13</td><td>12.19</td><td>65.36</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3 7440.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>56.59</td><td>35.00</td><td>15.21</td><td>65.19</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4960.00	39.91	74.00	-34.09	59.00	34.24	12.07	65.40	0.00	-- -- PEAK	2 4978.00	47.48	74.00	-26.52	66.52	34.13	12.19	65.36	0.00	-- -- PEAK	3 7440.00	42.41	74.00	-31.59	56.59	35.00	15.21	65.19	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 4960.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>59.87</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 7440.00</td><td>42.50</td><td>74.00</td><td>-31.50</td><td>56.68</td><td>35.00</td><td>15.21</td><td>65.19</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4960.00	40.78	74.00	-33.22	59.87	34.24	12.07	65.40	0.00	-- -- PEAK	2 7440.00	42.50	74.00	-31.50	56.68	35.00	15.21	65.19	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																														
1 4960.00	39.91	74.00	-34.09	59.00	34.24	12.07	65.40	0.00	-- -- PEAK																																																																																																														
2 4978.00	47.48	74.00	-26.52	66.52	34.13	12.19	65.36	0.00	-- -- PEAK																																																																																																														
3 7440.00	42.41	74.00	-31.59	56.59	35.00	15.21	65.19	0.00	-- -- PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																														
1 4960.00	40.78	74.00	-33.22	59.87	34.24	12.07	65.40	0.00	-- -- PEAK																																																																																																														
2 7440.00	42.50	74.00	-31.50	56.68	35.00	15.21	65.19	0.00	-- -- PEAK																																																																																																														
Peak Avg																																																																																																																							

Note: Only the worst case has assessed 18G ~25GHz to test.




Mode																																																																																																																																																																			
	LF																																																																																																																																																																		
	2400-2483.5_Bluetooth EBR_8-DPSK_CH78_2480MHz																																																																																																																																																																		
ANT	1																																																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																																																	
Peak Avg	Horizontal Peak Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for FCC PART 15C and a blue line for the measured signal. Peaks are labeled 1 through 6. <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>29.85</td><td>-10.15</td><td>40.00</td><td>36.66</td><td>24.93</td><td>0.46</td><td>32.20</td><td>Peak</td></tr><tr><td>2</td><td>94.02</td><td>24.35</td><td>-19.15</td><td>43.50</td><td>40.04</td><td>15.30</td><td>1.27</td><td>32.26</td><td>Peak</td></tr><tr><td>3</td><td>375.32</td><td>24.32</td><td>-21.68</td><td>46.00</td><td>33.09</td><td>21.01</td><td>2.61</td><td>32.39</td><td>Peak</td></tr><tr><td>4</td><td>559.62</td><td>30.89</td><td>-15.11</td><td>46.00</td><td>33.60</td><td>26.66</td><td>3.19</td><td>32.56</td><td>Peak</td></tr><tr><td>5</td><td>689.60</td><td>25.83</td><td>-20.17</td><td>46.00</td><td>28.05</td><td>26.80</td><td>3.55</td><td>32.57</td><td>Peak</td></tr><tr><td>6</td><td>855.47</td><td>28.88</td><td>-17.12</td><td>46.00</td><td>27.87</td><td>29.07</td><td>3.94</td><td>32.00</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	30.97	29.85	-10.15	40.00	36.66	24.93	0.46	32.20	Peak	2	94.02	24.35	-19.15	43.50	40.04	15.30	1.27	32.26	Peak	3	375.32	24.32	-21.68	46.00	33.09	21.01	2.61	32.39	Peak	4	559.62	30.89	-15.11	46.00	33.60	26.66	3.19	32.56	Peak	5	689.60	25.83	-20.17	46.00	28.05	26.80	3.55	32.57	Peak	6	855.47	28.88	-17.12	46.00	27.87	29.07	3.94	32.00	Peak	Vertical Peak Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for FCC PART 15C and a blue line for the measured signal. Peaks are labeled 1 through 6. <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>20.51</td><td>-19.49</td><td>40.00</td><td>27.32</td><td>24.93</td><td>0.46</td><td>32.20</td><td>Peak</td></tr><tr><td>2</td><td>218.18</td><td>25.74</td><td>-20.26</td><td>46.00</td><td>40.92</td><td>15.16</td><td>2.00</td><td>32.34</td><td>Peak</td></tr><tr><td>3</td><td>255.04</td><td>27.53</td><td>-18.47</td><td>46.00</td><td>38.53</td><td>19.22</td><td>2.15</td><td>32.37</td><td>Peak</td></tr><tr><td>4</td><td>559.62</td><td>27.99</td><td>-18.01</td><td>46.00</td><td>30.70</td><td>26.66</td><td>3.19</td><td>32.56</td><td>Peak</td></tr><tr><td>5</td><td>712.88</td><td>26.06</td><td>-19.94</td><td>46.00</td><td>27.99</td><td>26.98</td><td>3.61</td><td>32.52</td><td>Peak</td></tr><tr><td>6</td><td>849.65</td><td>29.76</td><td>-16.24</td><td>46.00</td><td>28.80</td><td>29.08</td><td>3.93</td><td>32.05</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	30.97	20.51	-19.49	40.00	27.32	24.93	0.46	32.20	Peak	2	218.18	25.74	-20.26	46.00	40.92	15.16	2.00	32.34	Peak	3	255.04	27.53	-18.47	46.00	38.53	19.22	2.15	32.37	Peak	4	559.62	27.99	-18.01	46.00	30.70	26.66	3.19	32.56	Peak	5	712.88	26.06	-19.94	46.00	27.99	26.98	3.61	32.52	Peak	6	849.65	29.76	-16.24	46.00	28.80	29.08	3.93	32.05	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																											
1	30.97	29.85	-10.15	40.00	36.66	24.93	0.46	32.20	Peak																																																																																																																																																										
2	94.02	24.35	-19.15	43.50	40.04	15.30	1.27	32.26	Peak																																																																																																																																																										
3	375.32	24.32	-21.68	46.00	33.09	21.01	2.61	32.39	Peak																																																																																																																																																										
4	559.62	30.89	-15.11	46.00	33.60	26.66	3.19	32.56	Peak																																																																																																																																																										
5	689.60	25.83	-20.17	46.00	28.05	26.80	3.55	32.57	Peak																																																																																																																																																										
6	855.47	28.88	-17.12	46.00	27.87	29.07	3.94	32.00	Peak																																																																																																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	30.97	20.51	-19.49	40.00	27.32	24.93	0.46	32.20	Peak																																																																																																																																																										
2	218.18	25.74	-20.26	46.00	40.92	15.16	2.00	32.34	Peak																																																																																																																																																										
3	255.04	27.53	-18.47	46.00	38.53	19.22	2.15	32.37	Peak																																																																																																																																																										
4	559.62	27.99	-18.01	46.00	30.70	26.66	3.19	32.56	Peak																																																																																																																																																										
5	712.88	26.06	-19.94	46.00	27.99	26.98	3.61	32.52	Peak																																																																																																																																																										
6	849.65	29.76	-16.24	46.00	28.80	29.08	3.93	32.05	Peak																																																																																																																																																										


Appendix D. Duty Cycle Plots

For Ant.0:

3DH5 on time (One Pulse) Plot on Channel 00



3DH5 on time (Count Pulses) Plot on Channel 00




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

For Ant.1:

3DH5 on time (One Pulse) Plot on Channel 00



3DH5 on time (Count Pulses) Plot on Channel 00



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.