

## Antenna Specification

### Specifications

#### Summary

| ITEM             | SPEC.    |          |
|------------------|----------|----------|
| Model Name       | 2.4GHz   |          |
| Center Frequency | 2402 MHz | 1.56 dBi |
|                  | 2442 MHz | 1.14 dBi |
|                  | 2484 MHz | 1.30dBi  |
| MAX. GAIN        | 1.56 dBi |          |
| Impedance        | 50 Ω     |          |


| ITEM             | SPEC.    |          |
|------------------|----------|----------|
| Model Name       | 5 GHz    |          |
| Center Frequency | 5150 MHz | 1.32 dBi |
|                  | 5300 MHz | 1.57 dBi |
|                  | 5500 MHz | 3.10dBi  |
|                  | 5800 MHz | 2.43dBi  |
| MAX. GAIN        | 3.10 dBi |          |
| Impedance        | 50 Ω     |          |

Manufactory:

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.


No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

Antenna Photo(unit: mm)




2402MHz

3D




2442MHz

3D




2484MHzMHz

3D




5150MHz

3D




5300MHz

3D



5500MHz

3D



5800MHz

3D

