

January 23, 2017

10508- AAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	Х	3.81	67.71	16.84	2.23	80.0	± 9.6 %
		Υ	3.74	67.19	16.66		80.0	r
		Z	3.94	68.03	17.10		80.0	** **
10509- AAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	Х	4.25	70.27	17.50	2.23	80.0	± 9.6 %
		Y	4.06	69.34	17.22		80.0	
		Z	4.42	70.70	17.79		80.0	
10510- AAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.22	67.82	16.96	2.23	80.0	± 9.6 %
		Y	4.15	67.32	16.81		80.0	
		Z	4.36	68.12	17.20		80.0	
10511- AAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.28	67.60	16.91	2.23	80.0	± 9.6 %
	A A A A A A A A A A A A A A A A A A A	Y	4.22	67.14	16.78		80.0	
		Z	4.41	67.87	17,14	- 52	80.0	
10512- AAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.40	71.65	17.90	2.23	80.0	± 9.6 %
		Y	4.13	70.41	17.51		80.0	
40545	LITE TOP (OO FOUL	Z	4.61	72.17	18.23		80.0	
10513- AAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.10	68.06	17.04	2.23	80.0	± 9.6 %
		Y	4.02	67.48	16.87		80.0	
10514-	LTE-TDD (SC-FDMA, 100% RB, 20	Z	4.24	68.38	17.30	0.00	80.0	
AAB	MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	_^	4.13	67.68	16.94	2.23	80.0	± 9.6 %
		Y	4.07	67.17	16.80		80.0	
		Z	4.26	67.98	17.18	CANA	80.0	
10515- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	Х	1.02	64.52	15.94	0.00	150.0	± 9.6 %
		Y	0.99	63.12	14.81		150.0	
10710		Z	1.01	63.77	15.37		150.0	
10516- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	1.11	83.18	23.85	0.00	150.0	± 9.6 %
	7	Y	0.60	69.35	17.07		150.0	
10517-	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11	Z	0.77	75.18	20.14	0.00	150.0	
AAA	Mbps, 99pc duty cycle)	X	0.92	67.78	17.37	0.00	150.0	± 9.6 %
503		Z	0.84	64.92 66.30	15.41 16.38	-	150.0 150.0	
10518- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.59	67.05	16.47	0.00	150.0	± 9.6 %
		Y	4.55	66.74	16.31		150.0	
	37.7	Z	4.61	66.85	16.38		150.0	
10519- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	Х	4.78	67.28	16.58	0.00	150.0	±9.6 %
		Υ	4.73	66.96	16.42	-	150.0	
		Z	4.80	67.09	16.50		150.0	
10520- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	Х	4.64	67.26	16.52	0.00	150.0	± 9.6 %
		Y	4.58	66.92	16.34		150.0	
10521-	IEEE 202 110/h WIE: 5 CU - (OFD) 4 C4	Z	4.65	67.07	16.43	0.00	150.0	1000
AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.57	67.27	16.51	0.00	150.0	± 9.6 %
	***	Y	4.51	66.90	16.32		150.0	
10522-	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36	Z	4.59	67.07	16.42	0.00	150.0	1000
AAA	Mbps, 99pc duty cycle)	X	4.63	67.34	16.59	0.00	150.0	± 9.6 %
		Y	4.58	67.02			150.0	
	1	Z	4.65	67.13	16.49	l	150.0	L



January 23, 2017

10523-	LIEEE 902 11a/b WIELE CUL- (OFDM 40	TV	4.54	07.00	10.15	0.00		
AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.51	67.23	16.45	0.00	150.0	± 9.6 %
		Y	4.46	66.89	16.27		150.0	
		Z	4.52	67.01	16.35		150.0	
10524- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	Х	4.58	67.26	16.56	0.00	150.0	± 9.6 %
700	100 March 100 Ma	Υ	4.52	66.93	16.38		150.0	80%
		Z	4.59	67.06	16.47		150.0	DC-00
10525- AAA	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	Х	4.56	66.33	16.16	0.00	150.0	± 9.6 %
<u> </u>		Υ	4.51	65.99	15.98		150.0	
		Z	4.57	66.11	16.06		150.0	
10526- AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	Х	4.74	66.70	16.30	0.00	150.0	± 9.6 %
		Y	4.67	66.34	16.12		150.0	1204
		Z	4.75	66.49	16.20		150.0	
10527- AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.66	66.68	16.25	0.00	150.0	± 9.6 %
		Y	4.60	66.30	16.06		150.0	
		Z	4.67	66.46	16.15		150.0	
10528- AAA	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	Х	4.68	66.69	16.28	0.00	150.0	± 9.6 %
	100	Υ	4.61	66.31	16.09		150.0	· ·
100 mg		Z	4.69	66.47	16.18		150.0	245
10529- AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	Х	4.68	66.69	16.28	0.00	150.0	± 9.6 %
		Y	4.61	66.31	16.09		150.0	
		Z	4.69	66.47	16.18	3	150.0	
10531- AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	Х	4.67	66.81	16.30	0.00	150.0	± 9.6 %
		Y	4.60	66.40	16.10	-	150.0	£5.
		Z	4.68	66.60	16.20		150.0	
10532- AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	Х	4.53	66.68	16.25	0.00	150.0	± 9.6 %
	W 1242	Y	4.46	66.25	16.03		150.0	
30		Z	4.54	66.45	16.14		150.0	
10533- AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.69	66.74	16.27	0.00	150.0	± 9.6 %
		Y	4.62	66.37	16.08		150.0	
		Z	4.70	66.51	16.17		150.0	
10534- AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	Х	5.19	66.73	16.29	0.00	150.0	± 9.6 %
		Y	5.16	66.41	16.16		150.0	
		Z	5.21	66.56	16.22	ā	150.0	-
10535- AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	5.26	66.90	16.36	0.00	150.0	± 9.6 %
		Y	5.23	66.61	16.25		150.0	
		Z	5.28	66.73	16.29	1.0	150.0	
10536- AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	Х	5.13	66.88	16.33	0.00	150.0	± 9.6 %
		Υ	5.10	66.55	16.20		150.0	-
		Z	5.15	66.69	16.26		150.0	
10537- AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	Х	5.19	66.83	16.31	0.00	150.0	± 9.6 %
		Υ	5.15	66.51	16.18	-	150.0	
10500		Z	5.21	66.66	16.24		150.0	
10538- AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	Х	5.28	66.84	16.36	0.00	150.0	± 9.6 %
		Υ	5.24	66.52	16.23	744	150.0	
105.65		Z	5.30	66.69	16.29		150.0	
10540- AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	Х	5.21	66.86	16.38	0.00	150.0	± 9.6 %
		Y	5.18	00.50	10.00			120
		T 1	5.18	66.56	16.26		150.0	



January 23, 2017

10541-	IEEE 802.11ac WiFi (40MHz, MCS7,	Тх	5.18	66.73	16.31	0.00	150.0	± 9.6 %
AAA	99pc duty cycle)				2000-04-04-05	0.00	100.0	2 3.0 70
		Y	5.15	66.41	16.17		150.0	-200
10542-	IEEE 900 ddcc WEE /40M I - MOOG	Z	5.20	66.56	16.24		150.0	
AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	Х	5.34	66.78	16.34	0.00	150.0	± 9.6 %
6:		Y	5.30	66.48	16.23		150.0	
40540	IEEE 000 44 1185 (400 ft)	Z	5.36	66.62	16.28		150.0	
10543- AAA	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	Х	5.41	66.80	16.37	0.00	150.0	± 9.6 %
		Y	5.37	66.51	16.27		150.0	
10544-	IEEE 802.11ac WiFi (80MHz, MCS0,	Z X	5.43	66.65	16.32		150.0	
AAA	99pc duty cycle)	1	5.50	66.82	16.26	0.00	150.0	± 9.6 %
		Z	5.48	66.51	16.15		150.0	
10545-	IEEE 802.11ac WiFi (80MHz, MCS1.	X	5.51 5.69	66.66 67.21	16.20	0.00	150.0	
AAA	99pc duty cycle)				16.40	0.00	150.0	± 9.6 %
		Y	5.68	66.97	16.32		150.0	
10546-	IEEE 802.11ac WiFi (80MHz, MCS2,	X	5.71	67.08	16.35	0.00	150.0	1000
AAA	99pc duty cycle)	Ŷ	5.57	67.05	16.34	0.00	150.0	± 9.6 %
	-	Z		66.70	16.21	19	150.0	
10547-	IEEE 802.11ac WiFi (80MHz, MCS3,	X	5.59	66.90	16.28	0.00	150.0	
AAA	99pc duty cycle)		5.64	67.08	16.34	0.00	150.0	± 9.6 %
	<del></del>	Y	5.61	66.76	16.23		150.0	
10548-	IEEE 802.11ac WiFi (80MHz, MCS4.	Z	5.66 5.87	66.93 67.95	16.29 16.75	0.00	150.0 150.0	± 9.6 %
AAA	99pc duty cycle)	Y	5.88	67.72	16.67	0.00	150.0	2 3.0 70
		Z	5.93	67.72	16.75			
10550-	IEEE 802.11ac WiFi (80MHz, MCS6,	X	5.59	67.93	16.73	0.00	150.0 150.0	± 9.6 %
AAA	99pc duty cycle)	Ŷ	5.58	66.77	16.25	0.00		£ 9.0 %
		Z	5.61	66.89	16.28		150.0 150.0	
10551-	IEEE 802.11ac WiFi (80MHz, MCS7.	X	5.60	67.10	16.33	0.00	150.0	± 9.6 %
AAA	99pc duty cycle)	Ŷ	5.57	66.77	16.22	0.00	150.0	£ 9.0 %
	E 1 1857 200 2	Z	5.62	66.94	16.27		150.0	
10552- AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.52	66.90	16.25	0.00	150.0	± 9.6 %
-		Y	5.49	66.58	16.13		150.0	
		Z	5.53	66.73	16.18	-	150.0	
10553- AAA	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	Х	5.60	66.93	16.29	0.00	150.0	± 9.6 %
	To 20	Y	5.57	66.60	16.17		150.0	
		Z	5.62	66.77	16.23		150.0	
10554- AAA	IEEE 1602.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	Х	5.90	67.16	16.33	0.00	150.0	± 9.6 %
		Y	5.90	66.88	16.24		150.0	
		Z	5.92	67.02	16.28		150.0	
10555- AAA	IEEE 1602.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	Х	6.03	67.45	16.45	0.00	150.0	± 9.6 %
		Υ	6.03	67.19	16.37		150.0	80.77
10550		Z	6.05	67.32	16.41		150.0	
10556- AAA	IEEE 1602.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	Х	6.05	67.50	16.47	0.00	150.0	± 9.6 %
	2004 Miles	Y	6.05	67.23	16.38	and	150.0	
10557		Z	6.07	67.37	16.43		150.0	
10557- AAA	IEEE 1602.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	6.02	67.42	16.45	0.00	150.0	± 9.6 %
		Y	6.00	67.11	16.34		150.0	- NO. 10 - NO. 0
	222	Z	6.04	67.29	16.40		150.0	



January 23, 2017

	T. Control of the Con	Y	1.26	69.79	18.44		130.0	
AAA	Mbps, 90pc duty cycle)	Х	1.42	73.16	20.32	0.46	130.0	± 9.6 %
10574-	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11	Z	2.62	90.22	25.16		130.0	85
-		Y	1.27	77.24	20.23		130.0	
AAA	Mbps, 90pc duty cycle)	Х	4.26	99.93	28.47	0.46	130.0	± 9.6 %
10573-	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5	Z	1.21	65.32	16.27		130.0	
		Y	1.18	64.45	15.63		130.0	
AAA	Mbps, 90pc duty cycle)	90000	1.20	05.74	10.56	0.46	130.0	± 9.6 %
10572-	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2	X	1.19	65.74	15.90 16.56	0.46	130.0	1000
		Z	1.17	63.91 64.72	15.28		130.0	
AAA_	Mbps, 90pc duty cycle)		0.000,000,000	**************************************	000000000000000000000000000000000000000	0,70		1 3.0 7
10571-	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1	X	1.18	65.07	16.15	0.46	130.0	± 9.6 %
		Z	5.02	67.46 67.53	16.97 17.00		150.0 150.0	7.83 - O.C.
AAA	OFDM, 54 Mbps, 99pc duty cycle)	Y	4.96	200	B008 X0004	- 0.40	MALEURE.	1 3.0 7
10570-	IEEE 802.11g WiFi 2.4 GHz (DSSS-	X	5.00	67.72	17.06	0.46	150.0	± 9.6 %
	* **	Z	4.93	67.63	17.05 17.06		150.0 150.0	-
10565- AAA 10566- AAA 10567- AAA 10569- AAA 10570- AAA	OFDM, 48 Mbps, 99pc duty cycle)	Y	4.93	67.63	47.00	822	the Authorities	
10569-	IEEE 802.11g WiFi 2.4 GHz (DSSS-	X	4.97	67.88	17.14	0.46	150.0	± 9.6 %
		Z	4.91	66.94	16.28		150.0 150.0	
AAA_	OFDM, 36 Mbps, 99pc duty cycle)	Y	4.83	66.77	16.28		450.0	20 20
10568-	IEEE 802.11g WiFi 2.4 GHz (DSSS-	X	4.88	67.07	16.43	0.46	150.0	± 9.6 %
		Z	5.03	67.61	17.02		150.0	
	OFDM, 24 Mbps, 99pc duty cycle)	Y	4.97	67.51	16.97		150.0	
	IEEE 802.11g WiFi 2.4 GHz (DSSS-	X	5.01	67.79	17.09	0.46	150.0	± 9.6 %
40507	IEEE OOG 44 MANEE O 4 OA 4 O	Z	5.00	67.20	16.65		150.0	
		Υ	4.93	67.05	16.56		150.0	-
AAA	OFDM, 18 Mbps, 99pc duty cycle)	^	4.30	07.30	10.70	0.40	150.0	± 9.6 %
10566-	IEEE 802.11g WiFi 2.4 GHz (DSSS-	$\frac{2}{X}$	5.17 4.98	67.35 67.36	16.83 16.70	0.46	150.0 150.0	± 9.6 %
		Y	5.10	67.24	16.77		150.0	
AAA	OFDM, 12 Mbps, 99pc duty cycle)	<b> </b> ,,	15. Yana Ya	900% 500005	88020186668000	sacitia	5-050000540110	/
10565-	IEEE 802.11g WiFi 2.4 GHz (DSSS-	X	5.14	67.51	16.89	0.46	150.0	± 9.6 %
<del>1</del> 9		Z	4.87	66.76 66.88	16.42 16.50	-	150.0 150.0	22
AAA	OFDM, 9 Mbps, 99pc duty cycle)	Y	4.87	66.70	46.40		450.0	
10564-	IEEE 802.11g WiFi 2.4 GHz (DSSS-	Х	4.90	67.03	16.55	0.46	150.0	± 9.6 %
	100	Z	6.45	68.16	16.88		150.0	
,,,,,	cops duty cycle)	Y	6.23	67.50	16.58		150.0	-
	IEEE 1602.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	6.36	68.12	16.84	0.00	150.0	± 9.6 %
10500	IEEE 4000 44 WIEL 44004 III - 140	Z	6.14	67.68	16.69		150.0	
		Y	6.08	67.44	16.60		150.0	
10562- AAA	IEEE 1602.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	6.11	67.78	16.72	0.00	150.0	± 9.6 %
10500	IEEE 4000 44 JUIE (400M) NOO	Z	6.01	67.26	16.48		150.0	
350		Υ	5.97	67.10	16.43		150.0	
AAA	99pc duty cycle)	^	5.90	67.40	10.52	0.00	150.0	± 9.6 %
10561-	IEEE 1602.11ac WiFi (160MHz, MCS7.	X	6.09 5.98	67.30 67.40	16.46 16.52	0.00	150.0 150.0	± 9.6 %
		Y	6.04	67.12 67.30	16.40		150.0	
AAA_	99pc duty cycle)	1000	02/9/81/2004	M4040000000	000000000000000000000000000000000000000			20.07
10560-	IEEE 1602.11ac WiFi (160MHz, MCS6,	$\frac{1}{x}$	6.06	67.45	16.50	0.00	150.0 150.0	± 9.6 %
		Y	6.05	67.27 67.45	16.44 16.50	100	150.0	
AAA	99pc duty cycle)	1,7	0.05	07.07	40			
		8. 8	6.07	67.58	16.54	0.00	150.0	± 9.6 %



January 23, 2017

10575- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 6 Mbps, 90pc duty cycle)	Х	4.67	66.72	16.50	0.46	130.0	± 9.6 %
	v.mspoj sopo datij ojolo)	Y	4.64	66.49	16.40		130.0	
	-	z	4.70	66.60	16.49		130.0	
10576- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 9 Mbps, 90pc duty cycle)	X	4.69	66.90	16.58	0.46	130.0	± 9.6 %
		Y	4.67	66.68	16.48		130.0	
		Z	4.72	66.77	16.56	1	130.0	
10577- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 12 Mbps, 90pc duty cycle)	X	4.90	67.20	16.75	0.46	130.0	± 9.6 %
		Y	4.87	66.97	16.66		130.0	-
		Z	4.94	67.08	16.73		130.0	
10578- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 18 Mbps, 90pc duty cycle)	Х	4.81	67.39	16.88	0.46	130.0	± 9.6 %
		Υ	4.77	67.15	16.79		130.0	
	A40	Z	4.84	67.26	16.85		130.0	
10579- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 24 Mbps, 90pc duty cycle)	Х	4.55	66.60	16.13	0.46	130.0	± 9.6 %
		Υ	4.51	66.29	15.98	6395	130.0	
1050		Z	4.59	66.51	16.13		130.0	
10580- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 36 Mbps, 90pc duty cycle)	X	4.60	66.62	16.15	0.46	130.0	± 9.6 %
- 4		Y	4.56	66.34	16.01		130.0	
10501	1555 000 44 1155 0 4 0 4 5 5 5 5	Z	4.64	66.53	16.15		130.0	
10581- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 48 Mbps, 90pc duty cycle)	X	4.70	67.43	16.82	0.46	130.0	± 9.6 %
_		Y	4.66	67.17	16.71		130.0	
10582-	IEEE 802.11g WiFi 2.4 GHz (DSSS-	Z X	4.73 4.50	67.29 66.34	16.78 15.91	0.46	130.0 130.0	± 9.6 %
AAA	OFDM, 54 Mbps, 90pc duty cycle)	Υ	4.45	66.03	15.75		130.0	
		Z	4.54	66.26	15.92	7790	130.0	
10583- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	Х	4.67	66.72	16.50	0.46	130.0	± 9.6 %
		Y	4.64	66.49	16.40	500	130.0	2 52
	S100035	Z	4.70	66.60	16.49		130.0	
10584- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	Х	4.69	66.90	16.58	0.46	130.0	± 9.6 %
		Y	4.67	66.68	16.48	ac 1000	130.0	
		Z	4.72	66.77	16.56		130.0	
10585- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	Х	4.90	67.20	16.75	0.46	130.0	± 9.6 %
		Υ	4.87	66.97	16.66		130.0	
		Z	4.94	67.08	16.73		130.0	
10586- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	Х	4.81	67.39	16.88	0.46	130.0	± 9.6 %
10000		Y	4.77	67.15	16.79		130.0	
40505		Z	4.84	67.26	16.85		130.0	
10587- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	Х	4.55	66.60	16.13	0.46	130.0	± 9.6 %
		Y	4.51	66.29	15.98		130.0	
40500	VECE 000 44-4- WEST 5 011 40 505	Z	4.59	66.51	16.13		130.0	
10588- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	Х	4.60	66.62	16.15	0.46	130.0	± 9.6 %
		Y	4.56	66.34	16.01	10.5870	130.0	
10589-	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48	Z X	4.64 4.70	66.53 67.43	16.15 16.82	0.46	130.0 130.0	± 9.6 %
AAA	Mbps, 90pc duty cycle)		4.00	07.1-	10 = 1			
9,9,0		Y	4.66	67.17	16.71	-	130.0	
10590-	IEEE 900 44a/b W/Fi 5 OUE (OPD) 1 54	Z	4.73	67.29	16.78	0.10	130.0	
10590- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	Х	4.50	66.34	15.91	0.46	130.0	± 9.6 %
		Y	4.45	66.03	15.75		130.0	
7.1		Z	4.54	66.26	15.92		130.0	



January 23, 2017

10591-	IEEE 802.11n (HT Mixed, 20MHz,	X	4.82	66.78	16.61	0.46	130.0	± 9.6 %
<u>A</u> AA	MCS0, 90pc duty cycle)	8.92	(SIMe Che C	2.0000000000000000000000000000000000000	Si S	(Alternation)		
	54205	Y	4.80	66.58	16.52		130.0	
40500	JEEE 000 44 (UTA)	Z	4.85	66.67	16.59	8000 000000	130.0	
10592- AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	4.98	67.12	16.74	0.46	130.0	± 9.6 %
		Y	4.95	66.91	16.66		130.0	
40500		Z	5.01	67.01	16.72		130.0	
10593- AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	Х	4.90	67.03	16.62	0.46	130.0	± 9.6 %
		Y	4.86	66.79	16.52		130.0	
10594-	IEEE 900 44s /UT Missed 00MUs	Z	4.93	66.92	16.61		130.0	
AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	4.95	67.21	16.78	0.46	130.0	± 9.6 %
		Y	4.92	66.98	16.69		130.0	
10595-	IEEE 802.11n (HT Mixed, 20MHz,	Z	4.99	67.09	16.76	0.40	130.0	
AAA	MCS4, 90pc duty cycle)		4.92	67.15	16.67	0.46	130.0	± 9.6 %
<u></u>	<del>-</del>	Y	4.88	66.92	16.58		130.0	
10596-	IEEE 802.11n (HT Mixed, 20MHz,	X	4.95 4.85	67.04 67.15	16.65	0.10	130.0	
AAA	MCS5, 90pc duty cycle)	1			16.67	0.46	130.0	± 9.6 %
57		Y	4.82	66.90	16.57		130.0	- 10
10597-	IEEE 802.11n (HT Mixed, 20MHz,	Z	4.89	67.04	16.65	0.10	130.0	
AAA	MCS6, 90pc duty cycle)	-   ^	4.80	67.05	16.55	0.46	130.0	± 9.6 %
-	<del>-</del>		4.77	66.78	16.43	-30	130.0	
10598-	IEEE 802.11n (HT Mixed, 20MHz.	Z	4.84 4.79	66.95 67.33	16.54	0.40	130.0	
AAA	MCS7, 90pc duty cycle)	2.2	30,000,000	20022/2000000	16.84	0.46	130.0	± 9.6 %
		Y Z	4.76	67.06	16.74		130.0	
10599-	IEEE 802.11n (HT Mixed, 40MHz,	X	4.82	67.20	16.82	0.40	130.0	
AAA	MCS0, 90pc duty cycle)	25-019	5.48	67.30	16.78	0.46	130.0	± 9.6 %
		Y	5.48	67.14	16.76		130.0	
10600-	IEEE 802,11n (HT Mixed, 40MHz,	Z	5.52 5.60	67.21	16.78	0.40	130.0	
AAA	MCS1, 90pc duty cycle)	ACCORD.	10040000000	67.66	16.93	0.46	130.0	± 9.6 %
		Y	5.64	67.62	16.96		130.0	
10601-	IEEE 802,11n (HT Mixed, 40MHz.	Z	5.67 5.50	67.67	16.98	- 0.10	130.0	
AAA	MCS2, 90pc duty cycle)			67.45	16.84	0.46	130.0	± 9.6 %
		Y	5.51	67.31	16.83		130.0	
10602- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.55 5.58	67.40 67.44	16.87 16.75	0.46	130.0 130.0	± 9.6 %
		Y	5.62	67.38	16.77		130.0	
		Ż	5.63	67.39	16.77	-	130.0	35 31
10603- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	5.68	67.79	17.06	0.46	130.0	± 9.6 %
		Y	5.69	67.68	17.07		130.0	
		Z	5.73	67.74	17.08	E 2	130.0	
10604- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	5.48	67.26	16.78	0.46	130.0	± 9.6 %
		Y	5.52	67.21	16.82		130.0	, ,
10057		Z	5.52	67.17	16.79		130.0	
10605- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	5.58	67.54	16.92	0.46	130.0	± 9.6 %
		Υ	5.62	67.48	16.94		130.0	
40000		Z	5.63	67.51	16.95		130.0	
10606- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	5.34	66.94	16.48	0.46	130.0	± 9.6 %
020		Y	5.32	66.68	16.40	-	130.0	
		Z	5.40	66.92	16.52		130.0	82



January 23, 2017

10607-	IEEE 802.11ac WiFi (20MHz, MCS0,	X	4.66	66.13	16.25	0.46	130.0	± 9.6 %
AAA	90pc duty cycle)	107530				0.10		2 0.0 70
		Υ	4.64	65.89	16.14		130.0	
10608-	IEEE 000 44 WEE (COMMIT MOO)	Z	4.69	65.99	16.22		130.0	
AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	4.85	66.54	16.42	0.46	130.0	± 9.6 %
		Y	4.81	66.28	16.31		130.0	
10609-	IFFE 000 44 MEET (00ML) 11000	Z	4.88	66.41	16.39		130.0	
AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	Х	4.74	66.39	16.25	0.46	130.0	± 9.6 %
***	<del></del>	Y	4.70	66.10	16.12		130.0	
10610-	IEEE 802.11ac WiFi (20MHz, MCS3,	Z	4.77	66.26	16.22	0.10	130.0	
AAA	90pc duty cycle)	Ŷ	4.79	66.56	16.42	0.46	130.0	± 9.6 %
305 and		Z	4.75 4.82	66.28	16.30		130.0	
10611-	IEEE 802.11ac WiFi (20MHz, MCS4,	X	4.82	66.42 66.35	16.39 16.26	0.40	130.0	
AAA	90pc duty cycle)	Ŷ		ALEMONEOUS S		0.46	130.0	± 9.6 %
-		Z	4.66	66.06	16.14		130.0	
10612-	IEEE 802.11ac WiFi (20MHz, MCS5,	1 X	4.74	66.22 66.49	16.23 16.29	0.46	130.0	1000
AAA	90pc duty cycle)	Ŷ				0.46	130.0	± 9.6 %
-		Z	4.67	66.20	16.17		130.0	
10613-	IEEE 802.11ac WiFi (20MHz, MCS6,	X	4.75 4.72	66.37 66.38	16.28	0.40	130.0	
AAA	90pc duty cycle)	Ŷ			16.18	0.46	130.0	± 9.6 %
_9	<del> </del>	Z	4.67 4.75	66.06 66.27	16.03 16.16	-	130.0	10 100
10614- AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	4.67	66.61	16.45	0.46	130.0 130.0	± 9.6 %
		Y	4.62	66.30	16.31		130.0	**-
		Ż	4.70	66.47	16.41		130.0	
10615- AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	4.70	66.15	16.02	0.46	130.0	± 9.6 %
	10 To 10 Ho	Y	4.65	65.85	15.88		130.0	
	2000	Z	4.73	66.03	16.00		130.0	
10616- AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	Х	5.31	66.60	16.42	0.46	130.0	± 9.6 %
	00054 00054 12 12 12	Y	5.30	66.37	16.36		130.0	
		Z	5.34	66.50	16.41		130.0	, ,
10617- AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	Х	5.37	66.74	16.46	0.46	130.0	± 9.6 %
		Y	5.37	66.57	16.43		130.0	
		Z	5.41	66.65	16.46		130.0	
10618- AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	5.26	66.78	16.50	0.46	130.0	± 9.6 %
		Y	5.25	66.57	16.45	m(0)	130.0	12.0
40040	1555 000 (4 1105 (401 N) 1155 1	Z	5.29	66.68	16.49		130.0	
10619- AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	×	5.27	66.57	16.33	0.46	130.0	± 9.6 %
		Y	5.26	66.34	16.26		130.0	
10000	IEEE 000 // UP= 1111	Z	5.31	66.49	16.33		130.0	
10620- AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	X	5.37	66.62	16.40	0.46	130.0	± 9.6 %
		Y	5.35	66.38	16.33		130.0	
10621-	IEEE 000 ddag Will (4014) - 1400	_ Z	5.41	66.54	16.40	0.15	130.0	
AAA	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	Х	5.37	66.77	16.60	0.46	130.0	± 9.6 %
***		Y	5.36	66.57	16.56		130.0	
10622-	IEEE 902 4400 WIE: /401415 14000	Z	5.40	66.66	16.58	0.10	130.0	. 0 5 6/
AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	Х	5.38	66.91	16.66	0.46	130.0	± 9.6 %
		Y	5.38	66.73	16.63		130.0	
		Z	5.41	66.82	16.65	Į.	130.0	



January 23, 2017

		1 Y	6.18	67.16	16.54		130.0	j
AAA	90pc duty cycle)	Y	71,550,000		12200	0.40		I 3.0 %
10638-	IEEE 1602.11ac WiFi (160MHz, MCS2,	X	6.16	67.34	16.57	0.46	130.0	± 9.6 %
		Z	6.19 6.20	67.20 67.30	16.59 16.62		130.0	
AAA	90pc duty cycle)	Y	100000100	7/4440/45/47/500		V.10		2 0.0 70
10637-	IEEE 1602.11ac WiFi (160MHz, MCS1,	X	6.15	67.36	16.60	0.46	130.0	± 9.6 %
		Z	6.02	66.92	16.40 16.45		130.0	-
AAA	90pc duty cycle)	Y	6.02	66.79	1510-1510-2015	0.40		I 9.0 %
10636-	IEEE 1602.11ac WiFi (160MHz, MCS0,	X	6.00	67.00	16.44	0.46	130.0 130.0	± 9.6 %
		Z	5.53 5.60	65.93 66.17	15.76 15.88		130.0	2010
AAA	90pc duty cycle)			201 2017 2010	-0.78.00000	0.40	780000200861	± 9.6 %
10635-	IEEE 802.11ac WiFi (80MHz, MCS9,	Z	5.72 5.55	66.86 66.23	16.50 15.86	0.46	130.0	1000
		Y	5.67	66.70	16.44		130.0	
10634- AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	X	5.69	66.96	16.51	0.46	130.0	± 9.6 %
		Z	5.73	66.82	16.42		130.0	
AAA	90pc duty cycle)	Υ	5.68	66.64	16.35		130.0	1000 00
10633-	IEEE 802.11ac WiFi (80MHz, MCS7,	Х	5.70	66.92	16.42	0.46	130.0	± 9.6 %
		Ż	5.84	67.18	16.77		130.0	-
AAA	90pc duty cycle)	Y	5.83	67.16	16.80		130.0	1000
10632-	IEEE 802.11ac WiFi (80MHz, MCS6,	Х	5.80	67.26	16.78	0.46	130.0	± 9.6 %
		Z	6.11	68.10	17.13		130.0	-
AAA	90pc duty cycle)	Y	6.04	67.89	17.15		130.0	
10631-	IEEE 802.11ac WiFi (80MHz, MCS5,	Х	6.05	68.13	17.19	0.46	130.0	± 9.6 %
		ż	6.23	68.33	17.13		130.0	
AAA	90pc duty cycle)	Y	6.16	68.09	17.03		130.0	
10630-	IEEE 802.11ac WiFi (80MHz, MCS4,	X	6.12	68.20	17.02	0.46	130.0	± 9.6 %
		Z	5.76	66.76	16.35		130.0	ill to
, vor	Sopo daty cycle)	Ÿ	5.70	66.53	16.25		130.0	
10629- AAA	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	X	5.71	66.80	16.32	0.46	130.0	± 9.6 %
		Z	5.67	66.66	16.23		130.0	
AAA	90pc duty cycle)	Y	5.62	66.47	16.23	- A17	130.0	<del> </del>
10628-	IEEE 802.11ac WiFi (80MHz, MCS2,	Х	5.63	66.73	16.30	0.46	130.0	± 9.6 %
		Z	5.87	67.11	16.60		130.0	
7///	sope daily cycle)	Υ	5.86	67.05	16.59		130.0	
10627- AAA	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	X	5.83	67.17	16.58	0.46	130.0	± 9.6 %
		Z	5.62	66.55	16.36		130.0	
777	sope duty cycle)	Y	5.60	66.42	16.32		130.0	
10626- AAA	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	Х	5.59	66.64	16.36	0.46	130.0	± 9.6 %
		Z	5.88	67.59	17.02		130.0	
***	90pc duty cycle)	Y	5.78	67.33	16.91	-	130.0	
10625- AAA	IEEE 802.11ac WiFi (40MHz, MCS9,	X	5.81	67.58	16.98	0.46	130.0	± 9.6 %
		Z	5.48	66.54	16.45		130.0	
AAA	90pc duty cycle)	Y	5.44	66.42	16.40		130.0	
10624-	IEEE 802.11ac WiFi (40MHz, MCS8,	Х	5.44	66.62	16.45	0.46	130.0	± 9.6 %
		Z	5.29	66.33	16.29		130.0	
	90pc duty cycle)	Y	5.24	66.20	16.22		130.0	
AAA					.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		A84-3900-A9-000A	

Certificate No: EX3-3617\_Jan17

Page 37 of 38