

TEST SETUP PHOTOS

Report Number: 14040863-EP1V1

TABLE OF CONTENTS

1. SCOPE	2
2. A2650 SETUP PHOTOS	3
2.1. 2.4GHz & 5GHz TECHNOLOGIES	3
2.1.1. BT/BLE/HDR/DTS/UNII RADIATED RF MEASUREMENT SETUP	4
2.2. NFC TECHNOLOGY	6
2.2.1. RADIATED RF MEASUREMENT SETUP.....	7
2.3. WPT RADIATED AND AC LINE SETUP.....	8
2.4. WWAN TECHNOLOGIES	9
2.5. UWB TECHNOLOGIES SETUP.....	10
2.5.1. RADIATED RF MEASUREMENT SETUP.....	11
2.6. CBSD SETUP PHOTO.....	14
2.7. RF EXPOSURE SETUP PHOTO	15
2.7.1. RF Exposure	15
2.8. DYNAMIC FREQUENCY SELECTION MEASUREMENT SETUP	21

1. SCOPE


The purpose of this document is to show test setup diagrams and photos for the following reports;

Reports
14040863


2. A2650 SETUP PHOTOS

2.1. 2.4GHz & 5GHz TECHNOLOGIES


ANTENNA PORT AND AC LINE CONDUCTED SETUP




RF ANTENNA PORT CONDUCTED




AC LINE CONDUCTED (FRONT)







AC LINE CONDUCTED (BACK)




**AC LINE CONDUCTED WITH HOST
(FRONT)**




AC LINE CONDUCTED WITH HOST (BACK)


2.1.1. BT/BLE/HDR/DTS/UNII RADIATED RF MEASUREMENT SETUP**FCC BELOW 30MHz (FRONT)****FCC BELOW 30MHz (BACK)****FCC BELOW 1GHz (FRONT)****FCC BELOW 1GHz (BACK)**



ABOVE 1GHz X-Axis Front




ABOVE 1GHz X-Axis



ABOVE 1GHz Y-Axis Front



ABOVE 1GHz Y-Axis Back




ABOVE 1GHz Z-Axis Front




ABOVE 1GHz Z-Axis Back

2.2. NFC TECHNOLOGY

FREQ TOLERANCE AND AC LINE CONDUCTED SETUP




AC LINE CONDUCTED (FRONT)




AC LINE CONDUCTED (BACK)


2.2.1. RADIATED RF MEASUREMENT SETUP




FCC BELOW 30MHz (FRONT)



FCC BELOW 30MHz (BACK)




FCC BELOW 1GHz (FRONT)




FCC BELOW 1GHz (BACK)

2.3. WPT RADIATED AND AC LINE SETUP



BELOW 30 MHz (FRONT)




BELOW 30 MHz (BACK)




BELOW 1GHz (FRONT)



BELOW 1GHz (BACK)









AC LINE CONDUCTED (FRONT)




AC LINE CONDUCTED (BACK)


2.4. WWAN TECHNOLOGIES




2.5. UWB TECHNOLOGIES SETUP




AC LINE CONDUCTED (FRONT)



AC LINE CONDUCTED (BACK)



AC LINE WITH LAPTOP (FRONT)




AC LINE WITH LAPTOP (BACK)


2.5.1. RADIATED RF MEASUREMENT SETUP




BELOW 30 MHz (FRONT)





BELOW 30 MHz (BACK)




BELOW 0.96 GHz (FRONT)




BELOW 0.96 GHz (BACK)


**ABOVE 1GHz X-Axis Front****ABOVE 1GHz X-Axis Back****ABOVE 1GHz Y-Axis Front****ABOVE 1GHz Y-Axis Back****ABOVE 1GHz Z-Axis Front****ABOVE 1GHz Z-Axis Back**




Fundamental 6 – 9 GHz (FRONT)



Fundamental 6 – 9 GHz (BACK)




0.96 – 18 GHz (FRONT)



0.96 – 18 GHz (BACK)




18 - 40 GHz (FRONT)




18 – 40 GHz (BACK)







2.6. CBSD SETUP PHOTO














2.7. RF EXPOSURE SETUP PHOTO





2.7.1. RF Exposure




CONFIGURATION 1 Operating Mode**E-Field****S1, RF Exposure Setup Photo****S2, RF Exposure Setup Photo****S3, RF Exposure Setup Photo****S4, RF Exposure Setup Photo****Top****Bottom,**

H-Field**S1, RF Exposure Setup Photo****S2, RF Exposure Setup Photo****S3, RF Exposure Setup Photo****S4, RF Exposure Setup Photo****Top****Bottom**

CONFIGURATION 2 Operating Mode with 2mm gap**E- Field****S1, RF Exposure Setup Photo****S2, RF Exposure Setup Photo****S3, RF Exposure Setup Photo****S4, RF Exposure Setup Photo****Top, With 2mm Gap****Bottom, With 2mm Gap**

H- Field**S1, RF Exposure Setup Photo****S2, RF Exposure Setup Photo****S3, RF Exposure Setup Photo****S4, RF Exposure Setup Photo****Top, With 2mm Gap****Bottom, With 2mm Gap**

H- FIELD (WORST CASE)**Top****Probe side X****Probe side Y****Probe side Z**

Model	Probe (EHP200)
X/Y/Z	8.5 cm

2.8. DYNAMIC FREQUENCY SELECTION MEASUREMENT SETUP

DFS FRONT PHOTO (EUT)



DFS BACK PHOTO (EUT)




DFS FULL SETUP PHOTO (CLIENT MODE SETUP)



DFS FULL SETUP PHOTO (CLIENT-TO-CLIENT COMMUNICATIONS MODE SETUP)



DFS FULL SETUP PHOTO (PEER TO PEER MODE SETUP / EUT)



DFS FULL SETUP PHOTO (PEER TO PEER MODE SETUP / PEER DEVICE)



END OF REPORT