


Page: 81 / 95 Rev.: 01

Test Mode	IEEE 802.11b Mid CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Horizontal	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4874.000	37.83	3.56	41.39	74.00	-32.61	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 82 / 95 Rev.: 01

Test Mode	IEEE 802.11b High CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Vertical	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4924.000	36.95	3.89	40.84	74.00	-33.16	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 83 / 95 Rev.: 01

Test Mode	IEEE 802.11b High CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Horizontal	Test Engineer	Jerry Chuang
D 4 4	D 1 1 4		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4924.000	38.41	3.89	42.30	74.00	-31.70	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 84 / 95 Report No.: T180802D07-A-RP2 Rev.: 01

Test Mode	IEEE 802.11g Low CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Vertical	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4824.000	37.44	3.23	40.67	74.00	-33.33	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 85 / 95 Rev.: 01

Test Mode	IEEE 802.11g Low CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Horizontal	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4824.000	38.89	3.23	42.12	74.00	-31.88	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 86 / 95 Rev.: 01

Test Mode	IEEE 802.11g Mid CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Vertical	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4874.000	36.51	3.56	40.07	74.00	-33.93	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 87 / 95 Rev.: 01

Test Mode	IEEE 802.11g Mid CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Horizontal	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4874.000	37.51	3.56	41.07	74.00	-32.93	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 88 / 95 Rev.: 01

Test Mode	IEEE 802.11g High CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Vertical	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4924.000	36.75	3.89	40.64	74.00	-33.36	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 89 / 95 Report No.: T180802D07-A-RP2 Rev.: 01

Test Mode	IEEE 802.11g High CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Test Item Harmonic		August 30, 2018
Polarize	Horizontal	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4924.000	39.26	3.89	43.15	74.00	-30.85	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 90 / 95 Report No.: T180802D07-A-RP2 Rev.: 01

Test Mode	IEEE 802.11n 20 Low CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Vertical	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4824.000	36.10	3.23	39.33	74.00	-34.67	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 91 / 95 Rev.: 01

Test Mode	IEEE 802.11n 20 Low CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Horizontal	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4824.000	37.21	3.23	40.44	74.00	-33.56	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 92 / 95 Rev.: 01

Test Mode	IEEE 802.11n 20 Mid CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Vertical	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4874.000	36.49	3.56	40.05	74.00	-33.95	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 93 / 95 Rev.: 01

Test Mode	IEEE 802.11n 20 Mid CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Horizontal	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4874.000	36.85	3.56	40.41	74.00	-33.59	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 94 / 95 Rev.: 01

Test Mode	IEEE 802.11n 20 High CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Vertical	Test Engineer	Jerry Chuang
Detector	Peak and Average		




Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
4924.000	37.92	3.89	41.81	74.00	-32.19	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit



Page: 95 / 95 Rev.: 01

Test Mode	IEEE 802.11n 20 High CH	Temp/Hum	24(°C)/ 39%RH
Test Item	Harmonic	Test Date	August 30, 2018
Polarize	Horizontal	Test Engineer	Jerry Chuang
Detector	Peak and Average		



Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
7389.000	42.19	10.46	52.65	74.00	-21.35	peak
N/A						

- 1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.
- 2. For above 1GHz, the EUT peak value was under average limit, therefore the Average value compliance with the average limit