



1080p Wire-Free Battery Camera

V1.0





Blue Indicator Light

Blue light Live view

Flashing blue Motion detection

In the box



Astro Battery Camera



Rechargeable 6000mAh Battery Pack



Solar Panel + Mounting arm



7 Anchors



7 Mounting Screws




User Manual

Charge the battery

Charge the included battery.

Fully charge the battery by plugging it into a USB port using a Micro USB cable.


It takes about 6-8 hours for the battery to fully charge. When only one blue LED is lit, that indicates the battery is fully charged.



Set up your Astro

1. Remove the battery cover.

Twist the battery cover counterclockwise to unlock, and then remove it from your Astro.




2. Insert a MicroSD card.

Insert a MicroSD card (4GB - 32GB) into the the card slot with the label facing the battery compartment. You can eject the card by pressing it into the slot with your fingernail.



3. Insert the battery.

Insert the fully charged battery into the bottom of your Astro until it clicks into place. $\,$



4. Set up your device in the Aiwit app.

Before You Start

Download and install Aiwit App.
Scan the QR code below or search for Aiwit on the Apple App Store or Google Play. Download and install the app.

2. Create an Aiwit account.





Set up your Astro in the Aiwit app.

To pair your Astro, follow the steps below and in-app instructions.


- 1. Open Aiwit App and log in to your account.
- 2. To add your camera, select the + icon.
- 3. Select Add via Scanning and then select Battery Camera.
- 4. Press and hold the **Setup Button** until the red light is flashing.
- 5. Enter your 2.4GHz Wi-Fi network and the Wi-Fi password, then tap Next (5GHz is not supported).
- 6. Use your Astro camera to scan the QR Code shown on the app, then select **Confirm** once the Wi-Fi setup has finished.



4 inches (10 cm)

5. Attach the battery cover.

Find the Open lock symbol located behind your Astro. Align the symbol with the line on the battery cover. Push the cover on and turn clockwise until it locks.



6. Give it a try!

After setup, tap the Live View in the Aiwit $\,$ app to see live video from your Astro.

Install your Astro

Choose any location.

Place the Astro anywhere, inside or outside your home. It can be mounted on a wall, ceiling, or placed on a tabletop. Put it in an area where you wish to view.



Mounted on a ceiling




Mounted on a wall



Table or shelf

Install the Astro on a ceiling:

Using the axis to rotate the stand, position the base above the camera. Ensure the base is directly positioned above your Astro.






Install the Astro on a wall:

The base is hinged, so rotate the base behind the Astro prior to wall installation.




Once you have chosen a wall or a ceiling for your Astro, Mark drill holes and use a bit to drill holes in your wall or ceiling. Insert anchors and secure your Astro with mounting screws.



Place the Astro on a flat surface:

Flip the base under the Astro, so it can stand upright. Use the flipped base as a stand for table or shelf placement. Installation is complete. Your Astro is now ready to use!



Need help setting up?

If you experience some issues during the app setup, try these steps:

Check your WiFi password.

The most common issue during setup is incorrect Wi-Fi passwords. Passwords are case sensitive. Please double-check your password.

Reboot the router/modem.

If you have entered the correct password, but still experiencing issues, try unplugging the power to your router/modem. Wait for 30 seconds, then plug the power back and turn it back on. Proceed to setup again in the Aiwit app.

Frequently asked questions

How to RESET network settings

Press and hold the Setup Button until red light is flashing. Follow the in-app instructions to finish your Wi-Fi setup.

How to share the device with my family

Open the Aiwit app. From the home page, tap the Share icon. Tap Share via Email or Share via QR Code. You can share the device with up to 8 users.

Share via Email:

The new user has to download the Aiwit app and create an account with the same email address which the device owner has shared with. Log in to the account and you'll see the shared device.

Share via QR Code:

- 1. Open the Aiwit App on a new user's smartphone.
- 2. From the home page, tap +.
- 3. Tap QR Code Sharing, then scan the QR code the device owner generated before.
- 4. You will see Share successful, then tap Confirm.

How many users can view the video at the same time?

Up to 3 users may view the video feed, but only 1 user can use the direct intercom. Both iOS and Android are compatible

Is 5GHz Wi-Fi supported?

No. Only 2.4GHz Wi-Fi is supported.

Why is my Wi-Fi signal poor on my device?

Your device may be too far away from your wireless router or you may have some obstructions in between that reduce signal strength. You might try repositioning your router or getting a signal extender/repeater for your wireless router.

How to adjust Motion Detection Sensitivity

- $1. \ \mbox{From the home page, tap the settings icon.}$
- 2. Tap motion.

Motion Detection Sensitivity

- High: Records and notifies you about every motion. Shortest battery life.
- Medium: Records and notifies you about motion less often. Standard battery life.
- Low: Records and notifies you about motion even less often. Maximum battery life.

How to enable Notifications on my phone

To do this, you need to give permission for the Aiwit app to access to your microphone and enable notifications. Follow these steps to enable notifications.

- 1. Open Settings. Go to Aiwit app permissions and select Notifications.
- 2. Make sure all switches are on.

What size MicroSD card should I use?

This device is compatible with 4GB, 8GB, 16GB and 32GB capacity microSD cards. We recommend only purchasing name brand microSD cards through official resellers.

Install your Solar Panel


Please complete the battery camera setup in the App prior to installing the solar panel.

1. Choose the installation location

Pick an unshaded spot for best sun exposure. The solar panel should be installed where it will receive several hours of direct sun daily.

2. Mark your spot

Place the solar panel mounting arm mark where you plan to install, and mark the screw hole positions lightly with a pencil.




3. Drill the holes

Optional: You may opt to use a drill bit to drill the holes where you have previously marked.

- For mounting surfaces that are brick, concrete, or stucco, please use the plastic anchors. You may need to use a hammer to install the anchors.
- For mounting surfaces that are wood or vinyl, you can omit the anchors, and use the screws directly.

4. Install the mounting arm


Use a screwdriver to secure the mounting arm to the wall, tighten securely.



5. Attach the solar panel

Attach the solar panel onto the mounting arm, ensure that it is installed correctly.

Note: You may adjust the angle of the solar panel for better sun coverage. Simply loosen the adjustment screw on the mounting arm, adjust to desired angle, and re-tighten the screw.



6. Plug the cable

Lastly, plug the solar panel charging cable into the Astro. Let's start charging!

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1)this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body