

# **FCC Test Report**

Report No.: AGC00429210405FE03

FCC ID : 2AGA9-WD-SK12

**APPLICATION PURPOSE** : Original Equipment

**PRODUCT DESIGNATION**: Portable wireless speaker

**BRAND NAME** : Compucessory

**MODEL NAME** : WD-SK12, CCS15163, CCS15164

**APPLICANT**: HUIZHOU WEIDE ELECTRONICS CO., LTD

**DATE OF ISSUE** : Jun. 15, 2021


**STANDARD(S)** : FCC Part 15.247

REPORT VERSION : V1.0

Attestation of Global Comptance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the codecated restroy/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test result presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





## REPORT REVISE RECORD

| Report Version | Revise Time | Issued Date   | Valid Version | Notes           |
|----------------|-------------|---------------|---------------|-----------------|
| V1.0           | ® /         | Jun. 15, 2021 | Valid         | Initial Release |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter appropriate of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issued of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



# **TABLE OF CONTENTS**

| 1. VERIFICATION OF CONFORMITY                         | 5  |
|---|----|
| 2. GENERAL INFORMATION                                | 6  |
| 2.1. PRODUCT DESCRIPTION                              | 6  |
| 2.2. TABLE OF CARRIER FREQUENCYS                      | 6  |
| 2.3. RECEIVER INPUT BANDWIDTH                         | 7  |
| 2.4. EXAMPLE OF A HOPPING SEQUENCY IN DATA MODE       | 7  |
| 2.5. EQUALLY AVERAGE USE OF FREQUENCIES AND BEHAVIOUR | 7  |
| 2.6. RELATED SUBMITTAL(S) / GRANT (S)                 | 8  |
| 2.7. TEST METHODOLOGY                                 |    |
| 2.8. SPECIAL ACCESSORIES                              | 8  |
| 2.9. EQUIPMENT MODIFICATIONS                          | 8  |
| 2.10. ANTENNA REQUIREMENT                             |    |
| 3. MEASUREMENT UNCERTAINTY                            | g  |
| 4. DESCRIPTION OF TEST MODES                          | 10 |
| 5. SYSTEM TEST CONFIGURATION                          | 11 |
| 5.1. CONFIGURATION OF EUT SYSTEM                      | 11 |
| 5.2. EQUIPMENT USED IN TESTED SYSTEM                  |    |
| 5.3. SUMMARY OF TEST RESULTS                          |    |
| 6. TEST FACILITY                                      | 12 |
| 7. PEAK OUTPUT POWER                                  | 13 |
| 7.1. MEASUREMENT PROCEDURE                            | 13 |
| 7.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)     | 13 |
| 7.3. LIMITS AND MEASUREMENT RESULT                    | 14 |
| 8. 20DB BANDWIDTH                                     |    |
| 8.1. MEASUREMENT PROCEDURE                            |    |
| 8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)     |    |
| 8.3. LIMITS AND MEASUREMENT RESULTS                   | 19 |
| 9. CONDUCTED SPURIOUS EMISSION                        |    |
| 9.1. MEASUREMENT PROCEDURE                            | 23 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| 9.3. MEASUREMENT EQUIPMENT USED                             | . 23<br>. 37<br>. 39<br>. 40 |
|---|------------------------------|
| 10. RADIATED EMISSION                                       | . <b>37</b><br>. 39<br>. 40  |
|   | . 37<br>. 39<br>. 40         |
|   | . 39<br>. 40<br>. 40         |
| 10.1. MEASUREMENT PROCEDURE                                 | . 40<br>. 40                 |
| 10.2. TEST SETUP  | . 40                         |
| 10.3. LIMITS AND MEASUREMENT RESULT                         |                              |
| 10.4. TEST RESULT   |                              |
| 11. NUMBER OF HOPPING FREQUENCY                             |                              |
| 11.1. MEASUREMENT PROCEDURE                                 | . 50                         |
| 11.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)           | . 50                         |
| 11.3. MEASUREMENT EQUIPMENT USED                            | . 50                         |
| 11.4. LIMITS AND MEASUREMENT RESULT                         | . 50                         |
| 12. TIME OF OCCUPANCY (DWELL TIME)                          | . 51                         |
| 12.1. MEASUREMENT PROCEDURE                                 | . 51                         |
| 12.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)           | . 51                         |
| 12.3. MEASUREMENT EQUIPMENT USED                            | . 51                         |
| 12.4. LIMITS AND MEASUREMENT RESULT                         |                              |
| 13. FREQUENCY SEPARATION                                    |                              |
| 13.1. MEASUREMENT PROCEDURE                                 | . 55                         |
| 13.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)           | . 55                         |
| 13.3. MEASUREMENT EQUIPMENT USED                            | . 55                         |
| 13.4. LIMITS AND MEASUREMENT RESULT                         |                              |
| 14. LINE CONDUCTED EMISSION TEST                            | . 56                         |
| 14.1. LIMITS OF LINE CONDUCTED EMISSION TEST                | . 56                         |
| 14.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST         | . 56                         |
| 14.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST | . 57                         |
| 14.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST       |                              |
| 14.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST           |                              |
| APPENDIX A: PHOTOGRAPHS OF TEST SETUP                       |                              |
| APPENDIX B: PHOTOGRAPHS OF EUT                              | . 62                         |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

he test results



# 1. VERIFICATION OF CONFORMITY

| HUIZHOU WEIDE ELECTRONICS CO., LTD                                      |
|---|
| Jimadi Industrial Area, Boluo County, Huizhou, Guangdong, China. 516100 |
| HUIZHOU WEIDE ELECTRONICS CO., LTD                                      |
| Jimadi Industrial Area, Boluo County, Huizhou, Guangdong, China. 516100 |
| HUIZHOU WEIDE ELECTRONICS CO., LTD                                      |
| Jimadi Industrial Area, Boluo County, Huizhou, Guangdong, China. 516100 |
| Portable wireless speaker   |
| Compucessory  |
| WD-SK12   |
| CCS15163, CCS15164  |
| All the same except for the model name.                                 |
| Apr. 30, 2021 to Jun. 15, 2021  |
| No any deviation from the test method                                   |
| Normal  |
| Pass  |
| AGCRT-US-BR/RF  |
|   |

#### We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with radiated emission limits of FCC PART 15.247.

| Prepared By | Eddy · Liu                          |               |
|-------------|-------------------------------------|---------------|
| No No       | Eddy Liu<br>(Project Engineer)      | Jun. 15, 2021 |
| Reviewed By | Max Zhang                           | Pac Pac       |
|             | Max Zhang<br>(Reviewer)             | Jun. 15, 2021 |
| Approved By | Formesticis                         |               |
|             | Forrest Lei<br>(Authorized Officer) | Jun. 15, 2021 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stamped by the stamp? is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written appropriate of presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issue further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00429210405FE03

Page 6 of 69

## 2. GENERAL INFORMATION

## 2.1. PRODUCT DESCRIPTION

The EUT is designed as "Portable wireless speaker". It is designed by way of utilizing the GFSK and  $\pi$  /4-DQPSK technology to achieve the system operation.

A major technical description of EUT is described as following

| Operation Frequency           | 2.402 GHz to 2.480 GHz   |
|-------------------------------|--|
| RF Output Power               | -0.657dBm (Max)  |
| Bluetooth Version             | V5.0   |
| Modulation                    | BR ⊠GFSK, EDR ⊠π /4-DQPSK, □8DPSK<br>BLE □GFSK 1Mbps □GFSK 2Mbps |
| Number of channels            | 79   |
| Hardware Version              | 1.0  |
| Software Version              | 2.6.2  |
| Antenna Designation           | PCB Antenna (Comply with requirements of the FCC part 15.203)    |
| Antenna Gain                  | 1.2dBi   |
| Power Supply                  | DC 3.7V by battery or DC 5V by adapter                           |
| Note: The EUT doesn't support | 8DPSK and BLE.   |

## 2.2. TABLE OF CARRIER FREQUENCYS

| Frequency Band | Channel Number | Frequency |
|----------------|----------------|-----------|
| - C            | 0              | 2402 MHz  |
|                | C 1            | 2403 MHz  |
|                | 10° 40°        |           |
| 30 60          | 38             | 2440 MHz  |
| 2402~2480MHz   | 39             | 2441 MHz  |
|                | 40             | 2442 MHz  |
| 30° 20         | · : C          | - 60 : 6  |
|                | 77             | 2479 MHz  |
|                | 78             | 2480 MHz  |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter perhorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



#### 2.3. RECEIVER INPUT BANDWIDTH

The input bandwidth of the receiver is 1.3MHz, in every connection one Bluetooth device is the master and the other one is slave. The master determines the hopping sequence. The slave follows this sequence. Both devices shift between RX and TX time slot according to the clock of the master. Additionally, the type of connection (e.g. single of multi slot packet) is set up at the beginning of the connection. The master adapts its hopping frequency and its TX/RX timing according to the packet type of the connection. Also, the slave of the connection will use these settings. Repeating of a packet has no influence on the hopping sequence. The hopping sequence generated by the master of the connection will be followed in any case. That means, a repeated packet will not be send on the same frequency, it is send on the next frequency of the hopping sequence.

#### 2.4. EXAMPLE OF A HOPPING SEQUENCY IN DATA MODE

Example of a hopping sequence in data mode:

40, 21, 44, 23, 04, 15, 66, 56, 19, 78, 07, 28, 69, 55,

36, 45, 05, 13, 43, 74, 57, 35, 67, 76, 02, 34, 54, 63,

42, 11, 30, 06, 64, 25, 75, 48, 17, 33, 58, 01, 29, 14,

51, 72, 03, 31, 50, 61, 77, 18, 10, 47, 12, 68, 08, 49,

20, 00, 73, 09, 16, 60, 71, 41, 24, 53, 38, 26, 46, 37,

65, 32, 70, 52, 27, 59, 22, 62, 39

#### 2.5. EQUALLY AVERAGE USE OF FREQUENCIES AND BEHAVIOUR

The generation of the hopping sequence in connection mode depends essentially on two input values:

- 1. LAP/UAP of the master of the connection.
- 2. Internal master clock.


The LAP (lower address part) are the 24 LSB's of the 48 BD\_ADDRESS. The BD\_ADDRESS is an unambiguous number of every Bluetooth unit. The UAP (upper address part) are the 24MSB's of the 48BD\_ADDRESS

The internal clock of a Bluetooth unit is derived from a free running clock which is never adjusted and is never turned off. For behavior action with other units only offset is used. It has no relation to the time of the day. Its resolution is at least half the RX/TX slot length of 312.5us. The clock has a cycle of about one day(23h30). In most case it is implemented as 28 bits counter. For the deriving of the hopping sequence the entire. LAP (24 bits),4LSB's(4bits) (Input 1) and the 27MSB's of the clock (Input 2) are used. With this input values different mathematical procedures (permutations, additions, XOR-operations) are performed to generate the Sequence. This will be done at the beginning of every new transmission.

Regarding short transmissions the Bluetooth system has the following behavior:

The first connection between the two devices is established, a hopping sequence was generated. For Transmitting the wanted data the complete hopping sequence was not used. The connection ended.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





The second connection will be established. A new hopping sequence is generated. Due to the fact the Bluetooth clock has a different value, because the period between the two transmission is longer (and it Cannot be shorter) than the minimum resolution of the clock(312.5us). The hopping sequence will always differ from the first one.

## 2.6. RELATED SUBMITTAL(S) / GRANT (S)

This submittal(s) (test report) is intended for **FCC ID**: **2AGA9-WD-SK12** filing to comply with the FCC PART 15.247 requirements.

#### 2.7. TEST METHODOLOGY

Both conducted and radiated testing was performed according to the procedures in ANSI C63.10 (2013). Radiated testing was performed at an antenna to EUT distance 3 meters.

#### 2.8. SPECIAL ACCESSORIES

Refer to section 5.2.

#### 2.9. EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

#### 2.10. ANTENNA REQUIREMENT

This intentional radiator is designed with a permanently attached antenna of an antenna to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

For more information of the antenna, please refer to the APPENDIX B: PHOTOGRAPHS OF EUT.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the content of Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC00429210405FE03

Page 9 of 69

# 3. MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement y ±U, where expended uncertainty U is based on a standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%.

| Item  | Measurement Uncertainty    |
|---|----------------------------|
| Uncertainty of Conducted Emission for AC Port | $U_c = \pm 3.1 \text{ dB}$ |
| Uncertainty of Radiated Emission below 1GHz   | $U_c = \pm 4.0 \text{ dB}$ |
| Uncertainty of Radiated Emission above 1GHz   | $U_c = \pm 4.8 \text{ dB}$ |
| Uncertainty of total RF power, conducted      | $U_c = \pm 0.8 \text{ dB}$ |
| Uncertainty of RF power density, conducted    | $U_c = \pm 2.6 \text{ dB}$ |
| Uncertainty of spurious emissions, conducted  | U <sub>c</sub> = ±2 %      |
| Uncertainty of Occupied Channel Bandwidth     | U <sub>c</sub> = ±2 %      |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written application of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.




## 4. DESCRIPTION OF TEST MODES

| NO. | TEST MODE DESCRIPTION    |
|-----|--------------------------|
| 1   | Low channel GFSK         |
| 2   | Middle channel GFSK      |
| 3   | High channel GFSK        |
| 4   | Low channel π/4-DQPSK    |
| 5   | Middle channel π/4-DQPSK |
| 6   | High channel π/4-DQPSK   |
| 0 7 | Hopping mode GFSK        |
| 8   | Hopping mode π/4-DQPSK   |

#### Note:

- 1. Only the result of the worst case was recorded in the report, if no other cases.
- 2. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
- 3. For Conducted Test method, a temporary antenna connector is provided by the manufacture.

## Software Setting



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bellicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC00429210405FE03

Page 11 of 69


# 5. SYSTEM TEST CONFIGURATION

# **5.1. CONFIGURATION OF EUT SYSTEM**

Radiated Emission Configure:



Conducted Emission Configure:



#### **5.2. EQUIPMENT USED IN TESTED SYSTEM**

| Item | Equipment                 | Model No.      | ID or Specification | Remark |
|------|---------------------------|----------------|---------------------|--------|
| 1    | Portable wireless speaker | WD-SK12        | 2AGA9-WD-SK12       | EUT    |
| 2    | Control Box               | USB-TTL        | N/A                 | AE     |
| 3    | Adapter                   | KT05W050100USU | N/A                 | AE     |

#### **5.3. SUMMARY OF TEST RESULTS**

| FCC RULES          | DESCRIPTION OF TEST         | RESULT    |
|--------------------|-----------------------------|-----------|
| 15.247 (b)(1)      | Peak Output Power           | Compliant |
| 15.247 (a)(1)      | 20 dB Bandwidth             | Compliant |
| 15.247 (d)         | Conducted Spurious Emission | Compliant |
| 15.209             | Radiated Emission           | Compliant |
| 15.247 (a)(1)(iii) | Number of Hopping Frequency | Compliant |
| 15.247 (a)(1)(iii) | Time of Occupancy           | Compliant |
| 15.247 (a)(1)      | Frequency Separation        | Compliant |
| 15.207             | Conducted Emission          | Compliant |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00429210405FE03

Page 12 of 69

## 6. TEST FACILITY

| Test Site                         | Attestation of Global Compliance (Shenzhen) Co., Ltd   |  |
|-----------------------------------|--|--|
| Location                          | 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China |  |
| Designation Number                | CN1259   |  |
| FCC Test Firm Registration Number | 975832   |  |
| A2LA Cert. No.                    | 5054.02  |  |
| Description                       | Attestation of Global Compliance (Shenzhen) Co., Ltd is accredited by A2LA   |  |


# TEST EQUIPMENT OF CONDUCTED EMISSION TEST

| Equipment     | Manufacturer | Model            | S/N    | Cal. Date    | Cal. Due      |
|---------------|--------------|------------------|--------|--------------|---------------|
| TEST RECEIVER | R&S          | ESPI             | 101206 | May 15, 2020 | May 14, 2021  |
| TEST RECEIVER | R&S          | ESPI             | 101206 | May 11, 2021 | May 10, 2022  |
| LISN          | R&S          | ESH2-Z5          | 100086 | Jul. 03,2020 | Jul. 02, 2021 |
| Test software | R&S          | ES-K1(Ver.V1.71) | N/A    | N/A          | N/A           |

## TEST EQUIPMENT OF RADIATED EMISSION TEST

| Equipment                            | Manufacturer   | Model                | S/N        | Cal. Date     | Cal. Due      |
|--------------------------------------|----------------|----------------------|------------|---------------|---------------|
| TEST<br>RECEIVER                     | R&S            | ESCI                 | 10096      | May 15, 2020  | May 14, 2021  |
| TEST<br>RECEIVER                     | R&S            | ESCI                 | 10096      | May 15,2021   | May 14,2022   |
| EXA Signal<br>Analyzer               | Aglient        | N9010A               | MY53470504 | Dec. 07, 2020 | Dec. 06, 2021 |
| 2.4GHz Filter                        | EM Electronics | 2400-2500MHz         | N/A        | Mar. 23, 2020 | Mar. 22, 2022 |
| Attenuator                           | ZHINAN         | E-002                | N/A        | Sep. 03, 2020 | Sep. 02, 2022 |
| Horn antenna                         | SCHWARZBECK    | BBHA 9170            | #768       | Sep. 21, 2019 | Sep. 20, 2021 |
| Active loop<br>antenna<br>(9K-30MHz) | ZHINAN         | ZN30900C             | 18051      | May 22, 2020  | May 21, 2022  |
| Double-Ridged<br>Waveguide Horn      | ETS LINDGREN   | 3117                 | 00034609   | Apr. 23, 2021 | Apr. 22, 2023 |
| Broadband<br>Preamplifier            | ETS LINDGREN   | 3117PA               | 00225134   | Sep. 03, 2020 | Sep. 02, 2022 |
| ANTENNA                              | SCHWARZBECK    | VULB9168             | 494        | Jan. 08, 2021 | Jan. 07, 2023 |
| Test software                        | Tonscend       | JS32-RE<br>(Ver.2.5) | N/A        | N/A           | N/A           |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





## 7. PEAK OUTPUT POWER

#### 7.1. MEASUREMENT PROCEDURE


For peak power test:

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. Span: Approximately five times the 20 dB bandwidth, centered on a hopping channel.
- 3. RBW > 20 dB bandwidth of the emission being measured.
- 4. VBW ≥RBW.
- 5. Sweep: Auto.
- 6. Detector function: Peak.
- 7. Trace: Max hold.

Allow trace to stabilize. Use the marker-to-peak function to set the marker to the peak of the emission. The indicated level is the peak output power, after any corrections for external attenuators and cables.

## 7.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

#### **PEAK POWER TEST SETUP**



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exporization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.



# 7.3. LIMITS AND MEASUREMENT RESULT

| Test Data of Conducted Output Power |                       |                     |                 |              |
|-------------------------------------|-----------------------|---------------------|-----------------|--------------|
| Test Mode                           | Test Channel<br>(MHz) | Peak Power<br>(dBm) | Limits<br>(dBm) | Pass or Fail |
| 4.C                                 | 2402                  | -1.479              | <b>≨</b> 21 ⊚   | Pass         |
| GFSK                                | 2441                  | -1.413              | <b>≨21</b>      | Pass         |
|                                     | 2480                  | -1.297              | <b>≨21</b>      | Pass         |
| © 8                                 | 2402                  | -0.845              | <b>≨21</b>      | Pass         |
| π /4-DQPSK                          | 2441                  | -0.710              | <b>≨21</b>      | Pass         |
|                                     | 2480                  | -0.657              | <b>≤</b> 21     | Pass         |

## **Test Graphs of Conducted Output Power**



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the coefficient report is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written perhorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Test\_Graph\_BR\_ANT1\_2441\_1Mbps\_Peak Power



Compliance Any report having not been signed by authorized approver, or having been altered without authorization, or naving not been signed by authorized approver, or having been altered without authorization, or naving not been signed by according to the test results of the report is not permitted without the written authorization of AGC. The test results are the insulated by AGC should be submitted to AGC within 15day after the issuance of the test report. The test results Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.








Test\_Graph\_EDR\_ANT1\_2441\_2Mbps\_Peak Power

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






## 8. 20DB BANDWIDTH

#### **8.1. MEASUREMENT PROCEDURE**

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2, Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 3. Set Span = approximately 2 to 5 times the 20 dB bandwidth, centered on a hoping channel
  The nominal IF filter bandwidth (3 dB RBW) shall be in the range of 1% to 5% of the OBW and video
  bandwidth (VBW) shall be approximately three times RBW; Sweep = auto; Detector function = peak
- 4. Set SPA Trace 1 Max hold, then View.

# 8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Feat (Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of ACC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



## 8.3. LIMITS AND MEASUREMENT RESULTS

| Test Data of Occupied Bandwidth and -20dB Bandwidth |                       |                                 |                          |        |              |
|---|-----------------------|---------------------------------|--------------------------|--------|--------------|
| Test Mode   | Test Channel<br>(MHz) | 99% Occupied<br>Bandwidth (MHz) | -20dB<br>Bandwidth (MHz) | Limits | Pass or Fail |
| -0  | 2402                  | 0.843                           | 0.947                    | N/A    | Pass         |
| GFSK  | 2441                  | 0.842                           | 0.946                    | N/A    | Pass         |
|   | 2480                  | 0.845                           | 0.947                    | N/A    | Pass         |
| π /4-DQPSK  | 2402                  | 1.174                           | 1.307                    | N/A    | Pass         |
|   | 2441                  | 1.176                           | 1.308                    | N/A    | Pass         |
|   | 2480                  | 1.178                           | 1.310                    | N/A    | Pass         |

## Test Graphs of Occupied Bandwidth and -20 Bandwidth




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Fest Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written appropriation of AGC g/Inspection The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15d he test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance at the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pestua/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

x dB

Test\_Graph\_EDR\_ANT1\_2441\_2Mbps\_OBW


-20.00 dB

1.308 MHz

x dB Bandwidth

the test report.





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the presented in the report apply only to the tested sample. a/Inspection The test results Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00429210405FE03

Page 23 of 69

## 9. CONDUCTED SPURIOUS EMISSION

# 9.1. MEASUREMENT PROCEDURE

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. Set the EUT Work on the top, the Middle and the bottom operation frequency individually.
- 3. Set the Span = wide enough to capture the peak level of the in-band emission and all spurious emissions from the lowest frequency generated in the EUT up through the 10th harmonic.
  RBW = 100 kHz; VBW= 300 kHz; Sweep = auto; Detector function = peak.
- 4. Set SPA Trace 1 Max hold, then View.

# 9.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

The same as described in section 8.2

## 9.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6

#### 9.4. LIMITS AND MEASUREMENT RESULT

| LIMITS AND MEASUREMENT RESULT   |  |          |  |  |
|---|--|----------|--|--|
| Applicable Limite   | Measurement Result   |          |  |  |
| Applicable Limits   | Test Data  | Criteria |  |  |
| n any 100 kHz Bandwidth Outside the frequency band in which the spread spectrum ntentional radiator is operating, the radio frequency   | At least -20dBc than the limit Specified on the BOTTOM Channel | PASS     |  |  |
| power that is produce by the intentional radiator shall be at least 20 dB below that in 100KHz bandwidth within the band that contains the highest level of the desired power.  In addition, radiation emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in§15.209(a)) | At least -20dBc than the limit<br>Specified on the TOP Channel | PASS     |  |  |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exhorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc—cert.com.




# Test Graphs of Spurious Emissions in Non-Restricted Frequency Bands



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Test\_Graph\_BR\_ANT1\_2402\_1Mbps\_Lower Band Emissions











Test\_Graph\_BR\_ANT1\_2441\_1Mbps\_Reference Level

Compliance Bedicated Festing/Inspection Any report having not been signed by authorized approver, or having been altered without authorization, or naving not been signed by authorized approver, or having been altered without authorization, or naving not been signed by according to the test results of the report is not permitted without the written authorization of AGC. The test results are the insulated by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.










Compliance Bedicated Festing/Inspection Any report having not been signed by authorized approver, or having been altered without authorization, or naving not been signed by authorized approver, or having been altered without authorization, or naving not been signed by according to the test results of the report is not permitted without the written authorization of AGC. The test results are the insulated by AGC should be submitted to AGC within 15day after the issuance of the test report. The test results Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.








Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

The test results











Compliance Bedicated Festing/Inspection Any report having not been signed by authorized approver, or having been attered without authorized united to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results the tested cample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/










Test\_Graph\_EDR\_ANT1\_2402\_2Mbps\_Higher Band Emissions

Compliance Bedicated Festing/Inspection Any report having not been signed by authorized approver, or having been attered without authorized united to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results the tested cample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the The test results Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.








Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.












Compliance Bedicated Festing/Inspection Any report having not been signed by authorized approver, or having been attered without authorized united to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results the tested cample. Any objections to report issued by AGC should be submitted to AGC within 15day 2 after the issuance of the test report. Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the The test results Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.










Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pest no/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




# Test Graphs of Band Edge Emissions in Non-Restricted Frequency Bands




2.500000000 GHz Stop 2.50000 GHz 4.000 ms (30000 pts) Start 2.47500 GHz #Res BW 100 kHz CF Step #VBW 300 kHz Freq Offset Test\_Graph\_BR\_ANT1\_2480\_1Mbps\_Higher Band Edge Emissions

Compliance Sest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the g/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter action of AGE The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15d the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.







Test\_Graph\_BR\_HOP\_ANT1\_NA\_1Mbps\_Higher Band Edge Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






| National Start | Sta

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day Safter the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Test\_Graph\_EDR\_HOP\_ANT1\_NA\_2Mbps\_Lower Band Edge Emissions



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written each orization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





## 10. RADIATED EMISSION

#### 10.1. MEASUREMENT PROCEDURE

- 1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emission, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. For emissions above 1GHz, use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- 7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
- 8.If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
- 9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
- 10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pestud/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00429210405FE03

Page 38 of 69

# The following table is the setting of spectrum analyzer and receiver.

| Spectrum Parameter    | Setting   |
|-----------------------|---|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP                               |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP                               |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP                            |
| Start ~Stop Frequency | 1GHz~26.5GHz<br>1MHz/3MHz for Peak, 1MHz/3MHz for Average |


| Receiver Parameter    | Setting                        |
|-----------------------|--------------------------------|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP    |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP    |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




# 10.2. TEST SETUP


## Radiated Emission Test-Setup Frequency Below 30MHz



## RADIATED EMISSION TEST SETUP 30MHz-1000MHz



# RADIATED EMISSION TEST SETUP ABOVE 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the coefficient of stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00429210405FE03

Page 40 of 69

### 10.3. LIMITS AND MEASUREMENT RESULT

15.209 Limit in the below table has to be followed

| Frequencies<br>(MHz) | Field Strength (microvolts/meter) | Measurement Distance (meters) |
|----------------------|-----------------------------------|-------------------------------|
| 0.009~0.490          | 2400/F(kHz)                       | 300                           |
| 0.490~1.705          | 24000/F(kHz)                      | 30                            |
| 1.705~30.0           | 30                                | 30                            |
| 30~88                | 100                               | 3                             |
| 88~216               | 150                               | 3                             |
| 216~960              | 200                               | 3                             |
| Above 960            | 500                               | 3                             |

Note: All modes were tested for restricted band radiated emission, the test records reported below are the worst result compared to other modes.

# 10.4. TEST RESULT

#### Radiated emission below 30MHz


The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Past not/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



# Radiated emission from 30MHz to 1000MHz

| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 6                    | Antenna           | Horizontal     |




| No. | Mk. | Freq.    | Reading<br>Level | Correct<br>Factor | Measure-<br>ment | Limit  | Over   |          |
|-----|-----|----------|------------------|-------------------|------------------|--------|--------|----------|
|     |     | MHz      | dBuV             | dB                | dBuV/m           | dBuV/m | dB     | Detector |
| 1   |     | 60.0700  | 6.82             | 19.85             | 26.67            | 40.00  | -13.33 | peak     |
| 2   | ,   | 141.5500 | 8.01             | 21.07             | 29.08            | 43.50  | -14.42 | peak     |
| 3   | 2   | 235.6400 | 10.47            | 18.35             | 28.82            | 46.00  | -17.18 | peak     |
| 4   | ,   | 340.4000 | 10.03            | 22.89             | 32.92            | 46.00  | -13.08 | peak     |
| 5   | ,   | 384.0500 | 9.09             | 24.42             | 33.51            | 46.00  | -12.49 | peak     |
| 6   | * ( | 633.3400 | 7.81             | 27.35             | 35.16            | 46.00  | -10.84 | peak     |

**RESULT: PASS** 

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 6                    | Antenna           | Vertical       |




| No. | Mk. | Freq.    | Reading<br>Level | Correct<br>Factor | Measure-<br>ment | Limit  | Over   |          |
|-----|-----|----------|------------------|-------------------|------------------|--------|--------|----------|
| )   |     | MHz      | dBuV             | dB                | dBuV/m           | dBuV/m | dB     | Detector |
| 1   |     | 59.1000  | 6.51             | 19.32             | 25.83            | 40.00  | -14.17 | peak     |
| 2   |     | 141.5500 | 7.22             | 21.07             | 28.29            | 43.50  | -15.21 | peak     |
| 3   |     | 236.6100 | 10.52            | 18.42             | 28.94            | 46.00  | -17.06 | peak     |
| 4   | ,   | 366.5900 | 8.37             | 23.81             | 32.18            | 46.00  | -13.82 | peak     |
| 5   |     | 630.4300 | 8.33             | 27.32             | 35.65            | 46.00  | -10.35 | peak     |
| 6   | *   | 880.6900 | 7.76             | 31.45             | 39.21            | 46.00  | -6.79  | peak     |

Note: 1. Factor=Antenna Factor + Cable loss, Over=Measurement-Limit.

2. All test modes had been pre-tested. The mode 6 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



/Inspection
The test results
the test report.



Radiated emission above 1GHz

| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 4                    | Antenna           | Horizontal     |


| Meter Reading     | Factor                                     | Emission Level  | Limits   | Margin   | Value Type   |
|-------------------|--|---|--|--|--|
| (dBµV)            | (dB)                                       | (dBµV/m)  | (dBµV/m)   | (dB)   | value Type   |
| 44.82             | 0.08                                       | 44.9  | 74   | -29.1  | peak   |
| 37.54             | 0.08                                       | 37.62   | 54   | -16.38   | AVG  |
| 40.63             | 2.21                                       | 42.84   | 74   | -31.16   | peak   |
| 32.62             | 2.21                                       | 34.83   | 54   | -19.17   | AVG  |
|                   |  |   |  |  |  |
|                   |  | © (®  |  |  |  |
|                   | <0°  | - C   | <u> </u>   |  |  |
| na Factor + Cable | e Loss - Pre-                              | amplifier.  |  | (6)  |  |
|                   | (dBµV)<br>44.82<br>37.54<br>40.63<br>32.62 | (dBµV) (dB)<br>44.82 0.08<br>37.54 0.08<br>40.63 2.21<br>32.62 2.21 | (dBμV)     (dB)     (dBμV/m)       44.82     0.08     44.9       37.54     0.08     37.62       40.63     2.21     42.84 | (dBμV)     (dB)     (dBμV/m)     (dBμV/m)       44.82     0.08     44.9     74       37.54     0.08     37.62     54       40.63     2.21     42.84     74       32.62     2.21     34.83     54 | (dBμV)     (dB)     (dBμV/m)     (dBμV/m)     (dBμV/m)       44.82     0.08     44.9     74     -29.1       37.54     0.08     37.62     54     -16.38       40.63     2.21     42.84     74     -31.16       32.62     2.21     34.83     54     -19.17 |

| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 4                    | Antenna           | Vertical       |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Tene |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBµV)        | (dB)   | (dBµV/m)       | (dBµV/m) | (dB)   | Value Type |
| 4804.000  | 43.95         | 0.08   | 44.03          | 74       | -29.97 | peak       |
| 4804.000  | 36.64         | 0.08   | 36.72          | 54       | -17.28 | AVG        |
| 7206.000  | 40.78         | 2.21   | 42.99          | 74       | -31.01 | peak       |
| 7206.000  | 31.43         | 2.21   | 33.64          | 54       | -20.36 | AVG        |
|           |               |        | @              |          |        |            |
| (8)       |               |        |                | 3        |        |            |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pearl Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issued by AGC by agc@agc-cert.com.

Factor = Antenna Factor + Cable Loss - Pre-amplifier.





| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 5                    | Antenna           | Horizontal     |

| Frequency     | Meter Reading     | Factor      | Emission Level | Limits   | Margin | Value Type |
|---------------|-------------------|-------------|----------------|----------|--------|------------|
| (MHz)         | (dBµV)            | (dB)        | (dBµV/m)       | (dBµV/m) | (dB)   | value Type |
| 4882.000      | 45.72             | 0.14        | 45.86          | 74       | -28.14 | peak       |
| 4882.000      | 38.43             | 0.14        | 38.57          | 54       | -15.43 | AVG        |
| 7323.000      | 41.49             | 2.36        | 43.85          | 74       | -30.15 | peak       |
| 7323.000      | 34.26             | 2.36        | 36.62          | 54       | -17.38 | AVG        |
|               |                   | 10          | 4 20           | ***      |        |            |
| temark:       | 0                 |             |                | 60       |        | ®          |
| actor = Anten | na Factor + Cable | Loss – Pre- | amplifier.     |          |        | - C        |

| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 5                    | Antenna           | Vertical       |

| Meter Reading | Factor                            | Emission Level  | Limits  | Margin  | Value Time  |
|---------------|-----------------------------------|---|---|---|---|
| (dBµV)        | (dB)                              | (dBµV/m)  | (dBµV/m)  | (dB)  | Value Type  |
| 45.89         | 0.14                              | 46.03   | 74  | -27.97  | peak  |
| 37.53         | 0.14                              | 37.67   | 54  | -16.33  | AVG   |
| 40.41         | 2.36                              | 42.77   | 74  | -31.23  | peak  |
| 33.33         | 2.36                              | 35.69   | 54  | -18.31  | AVG   |
|               | · ·                               |   | - 60  |   | ®   |
| 0             |                                   | 8   |   | 100   | - 0   |
|               | (dBµV)<br>45.89<br>37.53<br>40.41 | (dBµV) (dB)<br>45.89 0.14<br>37.53 0.14<br>40.41 2.36 | (dBμV)     (dB)     (dBμV/m)       45.89     0.14     46.03       37.53     0.14     37.67       40.41     2.36     42.77 | (dBμV)     (dB)     (dBμV/m)     (dBμV/m)       45.89     0.14     46.03     74       37.53     0.14     37.67     54       40.41     2.36     42.77     74 | (dBμV)     (dB)     (dBμV/m)     (dBμV/m)     (dBμV/m)       45.89     0.14     46.03     74     -27.97       37.53     0.14     37.67     54     -16.33       40.41     2.36     42.77     74     -31.23 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 6                    | Antenna           | Horizontal     |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBµV)        | (dB)   | (dBµV/m)       | (dBµV/m) | (dB)   | Value Type |
| 4960.000  | 46.45         | 0.22   | 46.67          | 74       | -27.33 | peak       |
| 4960.000  | 38.36         | 0.22   | 38.58          | 54       | -15.42 | AVG        |
| 7440.000  | 41.58         | 2.64   | 44.22          | 74       | -29.78 | peak       |
| 7440.000  | 32.62         | 2.64   | 35.26          | 54       | -18.74 | AVG        |
|           | ®             |        |                |          | ®      |            |
| 100       | - 0           | ®      |                |          | - 6    | @          |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 6                    | Antenna           | Vertical       |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBµV)        | (dB)   | (dBµV/m)       | (dBµV/m) | (dB)   | value Type |
| 4960.000  | 46.59         | 0.22   | 46.81          | 74       | -27.19 | peak       |
| 4960.000  | 38.54         | 0.22   | 38.76          | 54       | -15.24 | AVG        |
| 7440.000  | 40.27         | 2.64   | 42.91          | 74       | -31.09 | peak       |
| 7440.000  | 31.36         | 2.64   | 34             | 54       | -20    | AVG        |
|           |               |        |                | @        |        |            |
|           | (a)           |        |                | G        | 3      |            |
| Remark:   | <u> </u>      |        |                |          | 8      |            |

### **RESULT: PASS**

### Note:

The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Factor = Antenna Factor + Cable loss - Amplifier gain, Margin=Level-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

All test modes had been tested. The  $\pi$  /4-DQPSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.


Factor = Antenna Factor + Cable Loss – Pre-amplifier.




# Test result for band edge emission at restricted bands

| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 4                    | Antenna           | Horizontal     |

### Test Graph for Peak Measurement



Test Graph for Average Measurement



**RESULT: PASS** 

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter perhorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 4                    | Antenna           | Vertical       |

Test Graph for Peak Measurement



Test Graph for Average Measurement



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 6                    | Antenna           | Horizontal     |

Test Graph for Peak Measurement



Test Graph for Average Measurement



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




| EUT         | Portable wireless speaker | Model Name        | WD-SK12        |
|-------------|---------------------------|-------------------|----------------|
| Temperature | 25°C                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                    | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 6                    | Antenna           | Vertical       |

Test Graph for Peak Measurement



Test Graph for Average Measurement



Note: The factor had been edited in the "Input Correction" of the Spectrum Analyzer. The  $\pi$  /4-DQPSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



# 11. NUMBER OF HOPPING FREQUENCY

#### 11.1. MEASUREMENT PROCEDURE

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

- 1. Span: The frequency band of operation. Depending on the number of channels the device supports, it may be necessary to divide the frequency range of operation across multiple spans, to allow the individual channels to be clearly seen.
- 2. RBW: To identify clearly the individual channels, set the RBW to less than 30% of the channel spacing or the 20 dB bandwidth, whichever is smaller.
- 3. VBW RBW. Sweep: Auto. Detector function: Peak. Trace: Max hold.
- 4. Allow the trace to stabilize.

# 11.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)

Same as described in section 8.2


#### 11.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6

#### 11.4. LIMITS AND MEASUREMENT RESULT

| Test Data of Number of Hopping Frequency                  |    |      |      |  |  |
|---|----|------|------|--|--|
| Test Mode Number of Hopping Frequency Limits Pass or Fail |    |      |      |  |  |
| GFSK Hopping  | 79 | >=15 | Pass |  |  |

## **Test Graphs of Number of Hopping Frequency**



Note: The GFSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Period/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00429210405FE03

Page 51 of 69

# 12. TIME OF OCCUPANCY (DWELL TIME)

### 12.1. MEASUREMENT PROCEDURE

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

- 1. Span: Zero span, centered on a hopping channel.
- 2. RBW shall be ≤channel spacing and where possible RBW should be set >> 1 / T, where T is the expected dwell time per channel.
- 3. Sweep: As necessary to capture the entire dwell time per hopping channel; where possible use a video trigger and trigger delay so that the transmitted signal starts a little to the right of the start of the plot. The trigger level might need slight adjustment to prevent triggering when the system hops on an adjacent channel; a second plot might be needed with a longer sweep time to show two successive hops on a channel.
- 4. Detector function: Peak. Trace: Max hold.
- 5. Use the marker-delta function to determine the transmit time per hop.
- 6. Repeat the measurement using a longer sweep time to determine the number of hops over the period specified in the requirements. The sweep time shall be equal to, or less than, the period specified in the requirements. Determine the number of hops over the sweep time and calculate the total number of hops in the period specified in the requirements, using the following equation:

(Number of hops in the period specified in the requirements) = (number of hops on spectrum analyzer)  $\times$  (period specified in the requirements / analyzer sweep time)

7. The average time of occupancy is calculated from the transmit time per hop multiplied by the number of hops in the period specified in the requirements.

# 12.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)

Same as described in section 8.2

# 12.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6

#### 12.4. LIMITS AND MEASUREMENT RESULT


| Test Data of Dwell Time |                                  |  |                 |               |              |  |
|-------------------------|----------------------------------|--|-----------------|---------------|--------------|--|
| Channel                 | Time of<br>Pulse for<br>DH5 (ms) | Number of hops in the period specified in the requirements | Sweep Time (ms) | Limit<br>(ms) | Pass or Fail |  |
| 2402                    | 2.878                            | 30*4   | 345.360         | 400           | Pass         |  |
| 2441                    | 2.878                            | 29*4   | 333.848         | 400           | Pass         |  |
| 2480                    | 2.878                            | 30*4   | 345.360         | 400           | Pass         |  |

Note: The GFSK modulation is the worst case and recorded in the report.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restrou/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



# **Test Graphs of Dwell Time**



Test\_Graph\_BR\_HOP\_ANT1\_NA\_1Mbps\_2402\_Number of Busrt





Test\_Graph\_BR\_HOP\_ANT1\_NA\_1Mbps\_2402\_Time per Burst

Compliance Bestu Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the ad/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written actionization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15d Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/










Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exchorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.









Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exchorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



# 13. FREQUENCY SEPARATION

### 13.1. MEASUREMENT PROCEDURE

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

- 1. Span: Wide enough to capture the peaks of two adjacent channels.
- 2. RBW: Start with the RBW set to approximately 30% of the channel spacing; adjust as necessary to best identify the center of each individual channel.
- 3. Video (or average) bandwidth (VBW) ≥ RBW.
- 4. Sweep: Auto. e) Detector function: Peak. f) Trace: Max hold. g) Allow the trace to stabilize.

Use the marker-delta function to determine the separation between the peaks of the adjacent channels.

## 13.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)

Same as described in section 6.2


#### 13.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6.3

# 13.4. LIMITS AND MEASUREMENT RESULT

| Test Data of Frequency Separation |                          |                 |              |  |  |  |
|-----------------------------------|--------------------------|-----------------|--------------|--|--|--|
| Test Mode                         | Channel Separation (MHz) | Limits          | Pass or Fail |  |  |  |
| GFSK Hopping                      | 0.977                    | >= 2/3 -20dB BW | Pass         |  |  |  |

### **Test Graphs of Number of Hopping Frequency**



Note: The GFSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restroc/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.