

FCC ID: 2AJ9T-10602

RF EXPOSURE EVALUATION

According to FCC 1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) Radiation as specified in §1.1307(b)

Limits for Maximum Permissible Exposure (MPE)

Frequency	Electric Field	Magnetic Power		Average		
Range(MHz)	Strength(V/m)	Field	Density(mW/cm ²)	Time		
		Strength(A/m)				
	(A) Limits for Occupational/Control Exposures					
300-1500			F/300	6		
1500-			5	6		
100000						
(B) Limits for General Population/Uncontrol Exposures						
300-1500			F/1500	6		
1500-			1	30		
100000						

11.1 Friis transmission formula: Pd= (Pout*G)\ (4*pi*R²)

Where

Pd= Power density in mW/cm²

Pout=output power to antenna in mW

G= Numeric gain of the antenna relative to isotropic antenna

Pi=3.1416

R= distance between observation point and center of the radiator in cm

Pd the limit of MPE, 1mW/cm², If we know the maximum gain of the nd total power input to the antenna, through the calculation, we will know the distance where the MPE limit is reached.

RF Exposure Information: The radiated output power of this device meets the limits of FCC/IC radio frequency exposure limits. This device should be operated with a minimum separation distance of 20cm (8 inches) between the equipment and a person's body.



11.2 Measurement Result

BT TestMode:2DH5 Transmit Power Max: -3.57dBm Antenna gain: 4.01dBi

Measured power (dBm)	Tune-up power (dBm)	Max tune-up power (dBm)	Antenna Gain Numeric	Evaluation result (mW/cm2)	Power density Limits (mW/cm2)
-3.57	-4 to -3	-3	2.52	0.00022	1

BLE TestMode:BLE_1M Transmit Power Max: -2.10dBm Antenna gain: 4.01dBi

Measured power (dBm)	Tune-up power (dBm)	Max tune-up power (dBm)	Antenna Gain Numeric	Evaluation result (mW/cm2)	Power density Limits (mW/cm2)
-2.10	-3 to -2	-2	2.52	0.00031	1

Wifi 2.4G TestMode:11B Transmit Power Max: 17.69dBm Antenna gain: 4.01dBi

Measured power (dBm)	Tune-up power (dBm)	Max tune-up power (dBm)	Antenna Gain Numeric	Evaluation result (mW/cm2)	Power density Limits (mW/cm2)
17.69	17 to 18	18	2.52	0.02945	1

MAX RF EXPOSURE EVALUATION

Wifi 2.4G	BLE	Summation of Evaluation result (mW/cm2)	Power density Limits (mW/cm2)
0.02945	0.00031	0.02976	<1

*** End of Report ***

深圳信测标准技术服务股份有限公司地址:广东省深圳市南山区马家龙工业区69栋 网址:Http://www.emtek.com.cn邮箱:cs.rep@emtek.com.cn

EMTEK (Shenzhen) Co., Ltd. Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China Http://www.emtek.com.cn E-mail: cs.rep@emtek.com.cn