

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

1 GSM 850

1.1 GSM 850 MCH

Test result

Project Number: Certification

Test Time: 2023-01-31_10.47.13

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: TX

RSE Test case_CE FCC_PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
98.125	-72.73	-13.73	-13.0	59.73	231.90	Horizontal	Vertical	Pass
836.596	-55.28	2.54	-13.0	42.28	1.10	Horizontal	Vertical	Pass
881.447	-56.51	-0.18	-13.0	43.51	130.70	Horizontal	Vertical	Pass
1672.832	-45.17	-0.93	-13.0	32.17	154.30	Horizontal	Vertical	Pass
2509.623	-45.87	4.06	-13.0	32.87	220.60	Horizontal	Vertical	Pass
8053.487	-32.47	25.49	-13.0	19.47	244.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-31_10.53.52

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: TX

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
60.790	-69.87	-16.35	-13.0	56.87	205.10	Vertical	Vertical	Pass
836.596	-54.79	2.54	-13.0	41.79	175.30	Vertical	Vertical	Pass
881.447	-56.08	-0.18	-13.0	43.08	274.30	Vertical	Vertical	Pass
1673.332	-44.57	-0.94	-13.0	31.57	148.40	Vertical	Vertical	Pass
2509.623	-45.76	4.06	-13.0	32.76	189.70	Vertical	Vertical	Pass
9304.174	-32.16	29.32	-13.0	19.16	76.60	Vertical	Vertical	Pass

2 GPRS 850

2.1 GPRS 850 MCH

Test result

Project Number: Certification

Test Time: 2023-01-31_10.34.38

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: TX

RSE Test case_CCE_FCC_PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC8&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
363.839	-66.95	-10.86	-13.0	53.95	110.70	Horizontal	Vertical	Pass
833.444	-54.89	2.39	-13.0	41.89	360.00	Horizontal	Vertical	Pass
881.447	-57.73	-0.18	-13.0	44.73	139.00	Horizontal	Vertical	Pass
1672.832	-43.53	-0.93	-13.0	30.53	141.00	Horizontal	Vertical	Pass
2509.623	-45.06	4.06	-13.0	32.06	226.90	Horizontal	Vertical	Pass
9228.443	-31.70	27.90	-13.0	18.70	318.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-31_11.02.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E23010013-01#05

Model: N.A

Name: Certification

Temp.(oC): 21

Project Template: MS Project Template.ini

Hum.: 51%

Manufacture: N.A

Test Engineer: LS

Model Name: N.A

Test Standard: FCC


Templ.(oC): 21

Work Addition: TX

Hum: 51%

Work Additon: TX

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.244	-69.83	-16.26	-13.0	56.83	171.60	Vertical	Vertical	Pass
834.171	-55.32	2.42	-13.0	42.32	32.00	Vertical	Vertical	Pass
881.447	-56.16	-0.18	-13.0	43.16	13.40	Vertical	Vertical	Pass
1672.832	-44.94	-0.93	-13.0	31.94	199.80	Vertical	Vertical	Pass
2509.623	-47.45	4.06	-13.0	34.45	162.50	Vertical	Vertical	Pass
9295.176	-31.99	29.26	-13.0	18.99	122.00	Vertical	Vertical	Pass

3 EGPRS 850

3.1 EGPRS 850 MCH

Test result

Project Number: Certification

Test Time: 2023-01-31_10.38.35

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: TX

RSE Test case_CE_FCC_PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.641	-73.85	-13.88	-13.0	60.85	322.40	Horizontal	Vertical	Pass
832.717	-55.74	2.35	-13.0	42.74	11.60	Horizontal	Vertical	Pass
891.145	-56.46	-0.06	-13.0	43.46	358.20	Horizontal	Vertical	Pass
1672.832	-43.89	-0.93	-13.0	30.89	141.00	Horizontal	Vertical	Pass
2509.623	-45.88	4.06	-13.0	32.88	215.40	Horizontal	Vertical	Pass
9264.434	-31.24	28.46	-13.0	18.24	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-31_11.06.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E23010013-01#05

Model: N.A

Name: Certification

Temp.(oC): 21

Project Template: MS Project Template.ini

Hum.: 51%

Manufacture: N.A

Test Engineer: LS

Model Name: N.A

Test Standard: FCC


Templ.(oC): 21

Work Addition: TX

Hum: 51%

Work Additon: TX

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
60.790	-69.77	-16.35	-13.0	56.77	154.30	Vertical	Vertical	Pass
838.050	-55.54	2.61	-13.0	42.54	238.40	Vertical	Vertical	Pass
881.447	-54.32	-0.18	-13.0	41.32	256.60	Vertical	Vertical	Pass
1672.832	-44.14	-0.93	-13.0	31.14	151.80	Vertical	Vertical	Pass
2509.623	-46.69	4.06	-13.0	33.69	310.00	Vertical	Vertical	Pass
9232.942	-31.79	27.94	-13.0	18.79	100.00	Vertical	Vertical	Pass

4 GSM 1900

4.1 GSM 1900 MCH

Test result

Project Number: Certification

Test Time: 2023-01-31_11.26.05

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: TX

RSE Test case_CE_FCC_FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
103.459	-74.17	-14.88	-13.0	61.17	341.30	Horizontal	Vertical	Pass
355.596	-68.71	-10.66	-13.0	55.71	294.40	Horizontal	Vertical	Pass
983.757	-55.55	1.90	-13.0	42.55	166.40	Horizontal	Vertical	Pass
1879.780	-28.18	3.71	-13.0	15.18	120.00	Horizontal	Vertical	Pass
1955.261	-51.83	0.97	-13.0	38.83	75.40	Horizontal	Vertical	Pass
6823.044	-35.01	19.13	-13.0	22.01	197.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-28_14.00.36

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: RX

RSE Test case_CE_FCC_PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
11162.959	-39.97	30.81	-13.0	26.97	244.90	Horizontal	Vertical	Pass
13082.479	-37.00	34.29	-13.0	24.00	300.40	Horizontal	Vertical	Pass
14171.207	-32.56	39.99	-13.0	19.56	0.00	Horizontal	Vertical	Pass
14720.070	-31.99	39.04	-13.0	18.99	210.00	Horizontal	Vertical	Pass
18220.195	-22.47	47.07	-13.0	9.47	332.00	Horizontal	Vertical	Pass
18802.049	-22.45	47.82	-13.0	9.45	253.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-31_11.21.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E23010013-01#05

Model: N.A

Name: Certification

Temp.(oC): 21

Project Template: MS Project Template.ini

Hum.: 51%

Manufacture: N.A

Test Engineer: LS

Model Name: N.A

Test Standard: FCC


Templ.(oC): 21

Work Addition: TX

Hum: 51%

Work Additon: TX

RSE Test case_CE_FCC_PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.244	-69.91	-16.25	-13.0	56.91	170.10	Vertical	Vertical	Pass
371.840	-67.74	-10.89	-13.0	54.74	51.00	Vertical	Vertical	Pass
958.058	-55.78	1.37	-13.0	42.78	192.00	Vertical	Vertical	Pass
1879.780	-28.27	3.71	-13.0	15.27	210.20	Vertical	Vertical	Pass
1960.260	-52.28	0.88	-13.0	39.28	106.00	Vertical	Vertical	Pass
3758.810	-37.93	11.54	-13.0	24.93	348.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-28_13.58.30

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A

Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: RX

RSE Test case_CE_FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
9906.273	-42.99	29.94	-13.0	29.99	354.90	Vertical	Vertical	Pass
11156.961	-39.76	30.81	-13.0	26.76	0.20	Vertical	Vertical	Pass
13103.474	-37.34	34.46	-13.0	24.34	71.10	Vertical	Vertical	Pass
14159.210	-32.44	39.74	-13.0	19.44	71.10	Vertical	Vertical	Pass
14774.056	-32.12	39.63	-13.0	19.12	313.10	Vertical	Vertical	Pass
18232.192	-21.12	47.09	-13.0	8.12	71.10	Vertical	Vertical	Pass

5 GPRS 1900

5.1 GPRS 1900 MCH

Test result

Project Number: Certification

Test Time: 2023-01-31_11.29.05

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: TX

RSE Test case_CCE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
98.125	-73.77	-13.71	-13.0	60.77	192.00	Horizontal	Vertical	Pass
198.010	-73.33	-14.78	-13.0	60.33	121.70	Horizontal	Vertical	Pass
1879.780	-31.89	3.71	-13.0	18.89	158.10	Horizontal	Vertical	Pass
1953.762	-52.00	0.99	-13.0	39.00	325.20	Horizontal	Vertical	Pass
3759.810	-42.54	11.55	-13.0	29.54	216.10	Horizontal	Vertical	Pass
6533.117	-35.29	18.07	-13.0	22.29	168.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-28_14.02.32

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Addition: RX

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
10092.227	-42.91	29.10	-13.0	29.91	67.10	Horizontal	Vertical	Pass
11234.941	-40.19	31.40	-13.0	27.19	359.00	Horizontal	Vertical	Pass
12809.548	-37.28	32.67	-13.0	24.28	284.70	Horizontal	Vertical	Pass
14183.204	-32.98	40.24	-13.0	19.98	359.80	Horizontal	Vertical	Pass
14750.062	-32.02	39.82	-13.0	19.02	75.70	Horizontal	Vertical	Pass
18190.202	-22.33	47.04	-13.0	9.33	86.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-31_11.19.02

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: TX

RSE Test case_CE_FCC_PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
60.790	-69.46	-16.33	-13.0	56.46	40.60	Vertical	Vertical	Pass
976.241	-55.26	1.69	-13.0	42.26	17.20	Vertical	Vertical	Pass
1879.780	-27.47	3.71	-13.0	14.47	199.30	Vertical	Vertical	Pass
1964.759	-52.28	0.81	-13.0	39.28	202.30	Vertical	Vertical	Pass
3759.810	-38.35	11.55	-13.0	25.35	338.60	Vertical	Vertical	Pass
6726.068	-35.53	18.70	-13.0	22.53	138.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-28_13.56.04

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: RX

RSE Test case_CE_FCC_PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
10953.012	-41.68	30.40	-13.0	28.68	150.80	Vertical	Vertical	Pass
12467.633	-37.40	32.82	-13.0	24.40	322.10	Vertical	Vertical	Pass
14186.203	-31.98	40.31	-13.0	18.98	211.20	Vertical	Vertical	Pass
14753.062	-32.71	39.83	-13.0	19.71	85.30	Vertical	Vertical	Pass
18193.202	-22.39	47.04	-13.0	9.39	70.80	Vertical	Vertical	Pass
18895.026	-22.20	47.94	-13.0	9.20	77.20	Vertical	Vertical	Pass

6 EGPRS 1900

6.1 EGPRS 1900 MCH

Test result

Project Number: Certification

Test Time: 2023-01-31_11.31.46

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Additon: TX

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
98.368	-73.84	-13.76	-13.0	60.84	6.50	Horizontal	Vertical	Pass
1433.892	-51.47	-0.11	-13.0	38.47	354.70	Horizontal	Vertical	Pass
1879.780	-28.88	3.71	-13.0	15.88	127.80	Horizontal	Vertical	Pass
1941.265	-52.26	1.17	-13.0	39.26	354.70	Horizontal	Vertical	Pass
3617.846	-44.00	12.06	-13.0	31.00	292.40	Horizontal	Vertical	Pass
6931.017	-34.14	19.22	-13.0	21.14	202.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-28_14.04.36

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21

Hum.: 51%

Test Engineer: LS

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-E23010013-01#05

Name: Certification

Project Template: MS Project Template.ini

Manufacture: N.A


Model Name: N.A

Templ.(oC): 21

Hum: 51%

Work Addition: RX

RSE Test case_CE_FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
10110.222	-42.37	29.15	-13.0	29.37	315.70	Horizontal	Vertical	Pass
11204.949	-40.03	30.93	-13.0	27.03	181.30	Horizontal	Vertical	Pass
14195.201	-32.60	40.11	-13.0	19.60	258.00	Horizontal	Vertical	Pass
14762.059	-31.02	39.86	-13.0	18.02	164.50	Horizontal	Vertical	Pass
18208.198	-22.76	47.06	-13.0	9.76	55.50	Horizontal	Vertical	Pass
18889.028	-21.78	47.94	-13.0	8.78	118.00	Horizontal	Vertical	Pass


Test result

Project Number: Certification

Test Time: 2023-01-31_11.15.31

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E23010013-01#05
Model:	N.A	Name:	Certification
Temp.(oC):	21	Project Template:	MS Project Template.ini
Hum.:	51%	Manufacture:	N.A
Test Engineer:	LS	Model Name:	N.A
Test Standard:	FCC	Templ.(oC):	21
Work Addition:	TX	Hum:	51%
		Work Addition:	TX

RSE Test case_CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
61.275	-70.38	-16.27	-13.0	57.38	143.00	Vertical	Vertical	Pass
996.363	-54.62	2.20	-13.0	41.62	11.90	Vertical	Vertical	Pass
1879.780	-27.95	3.71	-13.0	14.95	206.50	Vertical	Vertical	Pass
1960.260	-51.55	0.88	-13.0	38.55	0.60	Vertical	Vertical	Pass
3759.810	-38.20	11.55	-13.0	25.20	327.70	Vertical	Vertical	Pass
6780.055	-35.31	19.21	-13.0	22.31	359.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-01-28_13.49.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E23010013-01#05

Model: N.A

Name: Certification

Temp.(oC): 21

Project Template: MS Project Template.ini

Hum.: 51%

Manufacture: N.A

Test Engineer: LS

Model Name: N.A

Test Standard: FCC


Templ.(oC): 21

Work Addition: TX

Hum: 51%

Work Addition: RX

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
9906.273	-43.00	29.94	-13.0	30.00	70.60	Vertical	Vertical	Pass
11240.940	-39.92	31.49	-13.0	26.92	100.00	Vertical	Vertical	Pass
13223.444	-37.30	33.93	-13.0	24.30	103.00	Vertical	Vertical	Pass
14186.203	-31.32	40.31	-13.0	18.32	192.70	Vertical	Vertical	Pass
18157.211	-22.28	46.99	-13.0	9.28	131.30	Vertical	Vertical	Pass
18871.032	-21.53	47.91	-13.0	8.53	267.90	Vertical	Vertical	Pass