


## A1633 and A1688 LCD and Touch Screen removed cm 1






























## A1633 and A1688 Flex assembly with headphone jack, 9 Lightning connector, microphone and primary cellular antenna feed - Back 3 cm 20-330 16 THS INCH

20-330 0 8 Li-ion Battery 3.82V == 6.55Whr APN: 616-00034 WARNING Authorized Service Provider Only Potential for fire or burning. Do not disassemble, puncture, crush, heat, or burn. 3 O Li-ion cm 1 20-330 INCH 16 THS

A1633 and A1688 Battery - Front A1633 and A1688 Battery - Back 20-330 8 美国草菜公司 恒电池/二次程度允许 제집행: 전재리튬이온전지) 执行标准: GB/T XXXXX-XXXX 종로/정리: 3.82V===1715mAh 製地質:是州市世景電池有限公司 对조拉塔: Huizhou Desay Battery Co., Ltd. 对조국: 중국 中国制造/Assembled in China 是号/型號/空號號: 616-00034 ER: 080-333-4000 XICPX/XX/ 3 O CH 12 6 cm 1 20-330 INCH 16 THS





A1633 and A1688 MLB - without shield - Front 9 2 3 Cellular Radio module 2 cm 1 20-330 16 THS INCH

