

Important Safety Instructions

General Safety

General Sarety

I. Resea use this humdline strictly occording to the instructions in
I. Resea use this humdline strictly occording to the instructions in
I. Resea use the law of the control of the control
I. Research of the control of the control
I. Research of th

Operational Safety

Do not add essential oils, water treatment solutions, or water filters to the water tank, as this may damage the humidifier and cause leaks.

Electrical Safety

LINCURLUI SOTETY


1. The input viotage of the humidifier is 100-240V-50/60Hz 1.0.A. Please ensure that the viotage meets the requirements before use.

2. If the humidifier is domoged or malfunctions during operation, please contact customer service or a qualified electricitor for repor





Product Name	MistFree Smart Humidifier
Model No.	HC-03
Adapter Input	100-240V~50/60Hz 1.0A
Adapter Output/Humidifier Input	12.0V m 1.0A
Humidifier Power	12W
Size of the Humidifier	333.0X178.8X178.8mm




Introduction



Installation and Usage









Provirtec Smart Thermo-Hygrometer Binding



Display/Control Panel



When the humidifier is working, the buttons in the working process will be fully lit, while the buttons not in the working state will not be

O on/off

Press turns the humidifier on or off. Each time it is turned on, it will remember previous settings for the operation mode, lighting, and UV stotus. If the water tank is opened or if the water tank is empty during operation, the humidifier will continue to work for 10 minutes before shutting down.

Long press SS serters network connecting mode.

☐ Humidification Level Settings

Press: press repeatedly to cycle through humidification level settings: 1-2-5. Long press: activates filter drying mode, which defaults to 30 minutes. Short press to stop the drying process.

Auto Mode
Press: press outo mode button to activate smart humidity, maintoining indoor humidity within the target ronge. Default humidity is 45-65%, within can be adjusted via the app.

Sleep Mode

Press: turn on or off sleep mode. When activated, it switches to level setting 1 (adjustable). After 3 seconds, the screen and ambient light will turn off. Any button press will reactivate the lights, which will turn off offer 3 seconds and return to sleep mode. When deactivated, the lights will turn on.

UV UV Light

Press: turns the UV light on/off. The UV light will automotically turn off when the water tank is opened.





Press: cycles through designated colors. Long press: turns off the light.

Auto-shutoff Timer

Press: sets the shutoff time, timing duration in the 0-12H cycle, every time you press increase IH. In other modes, a short press will display the current timing time. ⊕ Filter Reset

. When the filter needs replacement, the red filter light will illuminate. Long press for 3 seconds until the buzzer beeps once to reset the filter life to 100%.

ong press ilter life to		econas	unui u	rie buzze	Deeps	once	to reset	une
isplay l	ons							

Icons	Description	Light Status
888.	1. Display: humidity, humidification level settings, firming time orbient light settings. 2. Examples of display format: Humidity-000%-100% Timing time: 00H-12H Humiditication level settings: 001-002 or A (Auto mode) Ambient Light: 000-007-000.	1. White light: Defoult display of humidity. 2. Displays the humidit y 1 level and ambient light setting when adjusting settings returns to humidity display after 35. 3. Displays timer duration when setting then returns



Cleaning & Storage Instructions Water Tank Cleaning





Use a clean brush or cloth to gently wipe the inner walls of the water tank to remove any accumulated dirt.







App Installation

 Download the Prodigytec app from App Store (IOS device) or Google Play (Android device). App Store

FAQ

ree Smart Humidi	fier". reen instructions to add the Humidifier.	The humidifier	Check for foreign objects in the intake or outlet and remove them.	
d. Add humidifier to unlock more functions. FAQ		makes a loud noise.	The high-level humidification setting may make louder noise, please lower the humidif operation level.	
Problems	Possible Solution		The filter has been used for a long time. Please clean or replace the filter in time and press and hold \ominus for 3 seconds to recharge the filter.	
	This humidifier uses evaporative mist-free technology to prevent dampness around the humidifier. The humidification process will	Lights up in red.		
	not produce visible mist, so please use it with confidence.	The water in wat tank consumes	The humidifier uses more water in cold or dry environments. This is normal based on ambient temperature and humidity.	
The air does not	Please increase the humidification level or increase the set humidity range.	quickly.		
seem to be numid.		Odor occurs when	Clean the water tank and filter before use.	
	Clean the humidifier before using it again.	the humidifier is working.	Check if the adapter is burned out; if so, stop	
	Check if the power adapter is properly plugged		using and contact customer service.	
Humidifier won't	into the socket and ensure it is not loose.		Please check whether the humidifier is placed	
turn on or frequently powers off.	Check for any damage to the adapter; if damaged, stop using the humidifier and contact customer service.	Humidifier leaks.	on a flat surface. If not, the humidifier may leak from the side.	
powers on.			Please check whether the water tank is	
	Please replace the socket and try to turn on the humidifier again.		damaged. If so, please stop using the humidi- fier until a new water tank is replaced.	
	-9-		-14-	

The intake might be too close to the wall, or the intake or outlet could be blocked.

The humidifier shuts down after beeping.	The water tank is empty. Refill the tank before turning the humidifier back on.
	Only 2.4GHz WiFi is supported when adding the humidifier. Do not use 5GHz WiFi or dual-band WiFi.
Unable to add the humidifier in the app.	The WiFi password is incorrect, please enter the correct password.
	The current network status is poor. Please add the humidifier again when the network status is good.
Unable to use the app to control the humidifier.	Please add the humidifier again according to the on-screen instructions in the app. If you still can't use the app to control the humidifier after adding it again, please contact custom- er service.
Other problems	If none of the above solutions resolve the problem, please contact customer service.

(U) Insi device may not couse normul interference, and.
(2) This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

netp.

To maintain compliance with FCC's RF Exposure guidelines, this equipment should be installed and operated with minimum 20cm against the relation of the property of the

12-month warranty for the product.
60-day money-back guarantee for quality issues.
Note: Domages caused by the disregard of this user manual are not subject to warranty.

Note: This equipment has been tested and found to comply with the limits for a class 18 diplied whice, pursuant to Part 18 of the FCC against harmful referenced in a reliable intention.

This exaginest generates, uses and con radiote radio frequency and control of the properties of the reliable intention. This exaginest generate, uses and con radiote radio frequency and control of the reliable intention o

Contact Us

At Province, we value your experience. If you have any questions obout our product, please contact us through our store or ago. Our dedicated team will respond promptly to provide you with the support you need. Thank you for choosing Provinter, and we look forward to serving you.

材质: 250G双铜版纸

折好尺寸: 105*150mm

装订方式: 风琴折页

印刷风格:黑白印刷