




APPENDIX REPORT




Project No.	SHT2009040902EW	Radio Specification	Bluetooth EDR
Test sample No.	YPHT 20090409001	Model No.	CRESCENT
Start test date	2020/9/21	Finish date	2020/9/21
Temperature	25°C	Humidity	50%
Test Engineer	Jiongsheng.Feng	Auditor	Xiaodong Zheo

Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	20 dB Bandwidth	PASS
C	99% Occupied Bandwidth	PASS
D	Carrier Frequencies Separation	PASS
E	Hopping Channel Number	PASS
F	Dwell Time	PASS
G	Duty Cycle Correction Factor (DCCF)	PASS
H	Band edge and Spurious Emissions(coducted)	PASS

Appendix A: Peak Output Power

Modulation type	Channel	Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
GFSK	00	4.39	4.37	≤ 30.00	Pass
	39	7.13	7.10		
	78	7.05	7.02		
$\pi/4$ DQPSK	00	3.79	3.39	≤ 21.00	Pass
	39	3.75	3.36		
	78	3.99	3.62		
8DPSK	00	4.16	3.60	≤ 21.00	Pass
	39	4.08	3.54		
	78	4.40	3.85		

Modulation Type:		GFSK
CH00		
CH39		
CH78		

Modulation Type:		$\pi/4$ DQPSK
CH00		
CH39		
CH78		

Modulation Type: 8DPSK	
CH00	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 2 MHz Att 30 dB SWT 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 1 Freq Sweep M1[1] 4.16 dBm 2.40195000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.402 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 21.SEP.2020 14:11:59
CH39	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 2 MHz Att 30 dB SWT 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 1 Freq Sweep M1[1] 4.08 dBm 2.44093510 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.441 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 21.SEP.2020 14:21:31
CH78	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 2 MHz Att 30 dB SWT 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 1 Freq Sweep M1[1] 4.40 dBm 2.47994010 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.48 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 21.SEP.2020 14:24:02

Appendix B : 20 dB Bandwidth

Modulation type	Channel	20 dB Bandwidth (kHz)	Limit (kHz)	Result
GFSK	00	942.50	-	Pass
	39	942.50		
	78	942.50		
$\pi/4$ DQPSK	00	1362.50	-	Pass
	39	1362.50		
	78	1365.00		
8DPSK	00	1342.50	-	Pass
	39	1342.50		
	78	1340.00		

Modulation Type:

GFSK


CH00	MultiView Spectrum Ref Level 20.00 dBm Offset 30 dB SWI 419 μs (~8.3 ms) VBW 30 kHz Mode Auto FFT Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 2.40150250 GHz -22.04 dBm M2[1] 2.40202750 GHz -1.73 dBm CF 2.402 GHz 1001 pts 250.0 kHz/ Span 2.5 MHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.4015025 GHz</td><td>-22.04 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4020275 GHz</td><td>-1.73 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>942.5 kHz</td><td>-0.41 dB</td><td></td><td></td></tr></table> Date: 21.SEP.2020 13:40:20	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4015025 GHz	-22.04 dBm			M2	1		2.4020275 GHz	-1.73 dBm			D3	M1	1	942.5 kHz	-0.41 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.4015025 GHz	-22.04 dBm																									
M2	1		2.4020275 GHz	-1.73 dBm																									
D3	M1	1	942.5 kHz	-0.41 dB																									
CH39	MultiView Spectrum Ref Level 20.00 dBm Offset 30 dB SWI 419 μs (~8.3 ms) VBW 30 kHz Mode Auto FFT Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 2.44050750 GHz -19.04 dBm M2[1] 2.44103250 GHz 1.03 dBm CF 2.441 GHz 1001 pts 250.0 kHz/ Span 2.5 MHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.4405075 GHz</td><td>-19.04 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4410325 GHz</td><td>1.03 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>942.5 kHz</td><td>-0.74 dB</td><td></td><td></td></tr></table> Date: 21.SEP.2020 13:54:09	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4405075 GHz	-19.04 dBm			M2	1		2.4410325 GHz	1.03 dBm			D3	M1	1	942.5 kHz	-0.74 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.4405075 GHz	-19.04 dBm																									
M2	1		2.4410325 GHz	1.03 dBm																									
D3	M1	1	942.5 kHz	-0.74 dB																									
CH78	MultiView Spectrum Ref Level 20.00 dBm Offset 30 dB SWI 419 μs (~8.3 ms) VBW 30 kHz Mode Auto FFT Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 2.47951000 GHz -19.66 dBm M2[1] 2.48003500 GHz 0.83 dBm CF 2.48 GHz 1001 pts 250.0 kHz/ Span 2.5 MHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.47951 GHz</td><td>-19.66 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.480035 GHz</td><td>0.83 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>942.5 kHz</td><td>0.39 dB</td><td></td><td></td></tr></table> Date: 21.SEP.2020 13:58:38	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.47951 GHz	-19.66 dBm			M2	1		2.480035 GHz	0.83 dBm			D3	M1	1	942.5 kHz	0.39 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.47951 GHz	-19.66 dBm																									
M2	1		2.480035 GHz	0.83 dBm																									
D3	M1	1	942.5 kHz	0.39 dB																									

Appendix report page: 8 of 41


Modulation Type:

8DPSK


CH00



CH39






CH78




Appendix C: 99% Occupied Bandwidth

Modulation type	Channel	99% Occupied Bandwidth (MHz)	Limit (MHz)	Result
GFSK	00	0.92	-	Pass
	39	0.92		
	78	0.92		
$\pi/4$ DQPSK	00	1.21	-	Pass
	39	1.21		
	78	1.21		
8DPSK	00	1.21	-	Pass
	39	1.21		
	78	1.21		

Modulation Type:		GFSK																											
CH00	MultiView Spectrum Ref Level 20.00 dBm Offset 30 dB SWI 140 µs (~7.1 ms) RBW 30 kHz VBW 100 kHz Mode Auto FFT Count 300/300 1 Occupied Bandwidth 1.86 dBm 2.4021299 GHz CF 2.402 GHz 1001 pts 250.0 kHz/ Span 2.5 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.4021299 GHz</td><td>1.86 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>2.40151299 GHz</td><td>-10.04 dBm</td><td>Occ BW</td><td>921.578421578 kHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>2.40253457 GHz</td><td>-15.54 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 13:40:28	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4021299 GHz	1.86 dBm			T1	1		2.40151299 GHz	-10.04 dBm	Occ BW	921.578421578 kHz	T2	1		2.40253457 GHz	-15.54 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.4021299 GHz	1.86 dBm																									
T1	1		2.40151299 GHz	-10.04 dBm	Occ BW	921.578421578 kHz																							
T2	1		2.40253457 GHz	-15.54 dBm																									
CH39	MultiView Spectrum Ref Level 20.00 dBm Offset 30 dB SWI 140 µs (~7.1 ms) RBW 30 kHz VBW 100 kHz Mode Auto FFT Count 300/300 1 Occupied Bandwidth 4.17 dBm 2.44103250 GHz CF 2.441 GHz 1001 pts 250.0 kHz/ Span 2.5 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.4410325 GHz</td><td>4.17 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>2.44051548 GHz</td><td>-13.43 dBm</td><td>Occ BW</td><td>924.075924076 kHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>2.44143956 GHz</td><td>-12.84 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 13:54:17	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4410325 GHz	4.17 dBm			T1	1		2.44051548 GHz	-13.43 dBm	Occ BW	924.075924076 kHz	T2	1		2.44143956 GHz	-12.84 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.4410325 GHz	4.17 dBm																									
T1	1		2.44051548 GHz	-13.43 dBm	Occ BW	924.075924076 kHz																							
T2	1		2.44143956 GHz	-12.84 dBm																									
CH78	MultiView Spectrum Ref Level 20.00 dBm Offset 30 dB SWI 140 µs (~7.1 ms) RBW 30 kHz VBW 100 kHz Mode Auto FFT Count 300/300 1 Occupied Bandwidth 4.52 dBm 2.48013740 GHz CF 2.48 GHz 1001 pts 250.0 kHz/ Span 2.5 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.4801374 GHz</td><td>4.52 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>2.47952048 GHz</td><td>-13.24 dBm</td><td>Occ BW</td><td>924.075924076 kHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>2.48044456 GHz</td><td>-12.96 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 13:56:46	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4801374 GHz	4.52 dBm			T1	1		2.47952048 GHz	-13.24 dBm	Occ BW	924.075924076 kHz	T2	1		2.48044456 GHz	-12.96 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.4801374 GHz	4.52 dBm																									
T1	1		2.47952048 GHz	-13.24 dBm	Occ BW	924.075924076 kHz																							
T2	1		2.48044456 GHz	-12.96 dBm																									

Modulation Type:		$\pi/4$ DQPSK																												
CH00	MultiView Spectrum Ref Level 20.00 dBm Offset 30 dB SWI 140 μs (~7.1 ms) RBW 30 kHz VBW 100 kHz Mode Auto FFT Count 500/500 1 Occupied Bandwidth M1[1] -1.93 dBm 2.40189010 GHz  CF 2.402 GHz 1001 pts 250.0 kHz/ Span 2.5 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.4018901 GHz</td><td>-1.93 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>2.40136813 GHz</td><td>-10.41 dBm</td><td>Occ BW</td><td>1.208791209 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>2.40257692 GHz</td><td>-16.79 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 13:58:12		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4018901 GHz	-1.93 dBm			T1	1		2.40136813 GHz	-10.41 dBm	Occ BW	1.208791209 MHz	T2	1		2.40257692 GHz	-16.79 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.4018901 GHz	-1.93 dBm																										
T1	1		2.40136813 GHz	-10.41 dBm	Occ BW	1.208791209 MHz																								
T2	1		2.40257692 GHz	-16.79 dBm																										
CH39	MultiView Spectrum Ref Level 20.00 dBm Offset 30 dB SWI 140 μs (~7.1 ms) RBW 30 kHz VBW 100 kHz Mode Auto FFT Count 500/500 1 Occupied Bandwidth M1[1] -1.86 dBm 2.44089260 GHz  CF 2.441 GHz 1001 pts 250.0 kHz/ Span 2.5 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.4408926 GHz</td><td>-1.86 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>2.44037313 GHz</td><td>-15.99 dBm</td><td>Occ BW</td><td>1.208791209 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>2.44158192 GHz</td><td>-16.61 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 14:06:34		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4408926 GHz	-1.86 dBm			T1	1		2.44037313 GHz	-15.99 dBm	Occ BW	1.208791209 MHz	T2	1		2.44158192 GHz	-16.61 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.4408926 GHz	-1.86 dBm																										
T1	1		2.44037313 GHz	-15.99 dBm	Occ BW	1.208791209 MHz																								
T2	1		2.44158192 GHz	-16.61 dBm																										
CH78	MultiView Spectrum Ref Level 20.00 dBm Offset 30 dB SWI 140 μs (~7.1 ms) RBW 30 kHz VBW 100 kHz Mode Auto FFT Count 500/500 1 Occupied Bandwidth M1[1] -1.82 dBm 2.47989760 GHz  CF 2.48 GHz 1001 pts 250.0 kHz/ Span 2.5 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.4798976 GHz</td><td>-1.82 dBm</td><td></td><td></td></tr><tr><td>T1</td><td>1</td><td></td><td>2.47937362 GHz</td><td>-16.18 dBm</td><td>Occ BW</td><td>1.211288711 MHz</td></tr><tr><td>T2</td><td>1</td><td></td><td>2.48058691 GHz</td><td>-16.60 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 14:08:15		Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4798976 GHz	-1.82 dBm			T1	1		2.47937362 GHz	-16.18 dBm	Occ BW	1.211288711 MHz	T2	1		2.48058691 GHz	-16.60 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																								
M1	1		2.4798976 GHz	-1.82 dBm																										
T1	1		2.47937362 GHz	-16.18 dBm	Occ BW	1.211288711 MHz																								
T2	1		2.48058691 GHz	-16.60 dBm																										



Appendix D: Carrier Frequencies Separation

Modulation type	Channel	Carrier Frequencies Separation (MHz)	Limit (kHz) *	Result
GFSK	39	1.00	≥942.50	Pass
π/4DQPSK	39	1.00	≥910.00	Pass
8DPSK	39	1.00	≥895.00	Pass



Note:

*: GFSK limit = The maximum 20 dB Bandwidth for GFSK modulation on the appendix B.


π/4DQPSK limit = 2/3 * The maximum 20 dB Bandwidth for π/4DQPSK modulation on the appendix B.

8DPSK limit = 2/3 * The maximum 20 dB Bandwidth for 8DPSK modulation on the appendix B

GFSK

 $\pi/4$ DQPSK



8DPSK




Appendix E: Hopping Channel Number

Modulation type	Channel number	Limit	Result
GFSK	79	≥15.00	Pass
π/4DQPSK	79		
8DPSK	79		

GFSK

 $\pi/4$ DQPSK




8DPSK









Appendix F: Dwell Time




Modulation type	Packet	Burst Width [ms]	Total Hops[hop*ch]	Dwell time (Second)	Limit (Second)	Result
GFSK	DH1	0.38	319	0.12	≤ 0.40	Pass
	DH3	1.64	160	0.26		
	DH5	2.89	109	0.32		
$\pi/4$ DQPSK	2DH1	0.39	318	0.12	≤ 0.40	Pass
	2DH3	1.64	176	0.29		
	2DH5	2.89	116	0.34		
8DPSK	3DH1	0.39	316	0.12	≤ 0.40	Pass
	3DH3	1.64	176	0.29		
	3DH5	2.89	111	0.32		




Appendix report page: 19 of 41

DH3 Burst number	 The screenshot shows a spectrum analyzer interface with the title 'Spectrum'. The y-axis represents power in dBm, ranging from -50 to 10. The x-axis represents frequency in GHz, centered at 2.441 GHz. A red horizontal line indicates a threshold at -27.19 dBm. The plot shows a dense, noisy signal across the entire frequency range. The status bar at the bottom indicates 'CF 2.441 GHz', '30001 pts', and '3.16 s'. The date and time are 'Date: 21.SEP.2000 14:50:14'.
DH5 Burst width	 The screenshot shows a spectrum analyzer interface with the title 'Spectrum'. The y-axis represents power in dBm, ranging from -50 to 10. The x-axis represents frequency in GHz, centered at 2.441 GHz. A red horizontal line indicates a threshold at -27.19 dBm. The plot shows a dense, noisy signal across the entire frequency range. The status bar at the bottom indicates 'CF 2.441 GHz', '8001 pts', and '1.0 ms'. The date and time are 'Date: 21.SEP.2000 14:28:35'.
DH5 Burst number	 The screenshot shows a spectrum analyzer interface with the title 'Spectrum'. The y-axis represents power in dBm, ranging from -50 to 10. The x-axis represents frequency in GHz, centered at 2.441 GHz. A red horizontal line indicates a threshold at -27.19 dBm. The plot shows a dense, noisy signal across the entire frequency range. The status bar at the bottom indicates 'CF 2.441 GHz', '30001 pts', and '3.16 s'. The date and time are 'Date: 21.SEP.2000 14:28:10'.

Modulation Type: $\pi/4$ DQPSK	
2DH1 Burst width	
2DH1 Burst number	
2DH3 Burst width	


2DH3 Burst number	
2DH5 Burst width	
2DH5 Burst number	

Modulation Type: 8DPSK	
3DH1 Burst width	
3DH1 Burst number	
3DH3 Burst width	




3DH3 Burst number	
3DH5 Burst width	
3DH5 Burst number	

Appendix G: Duty Cycle Correction Factor (DCCF)


DCCF Calculate Formula					
$DCCF = 20 * \text{Log}(\text{duty cycle}) = 20 * \text{Log}(T_{\text{on time}} / T_{\text{period}})$					
Modulation type	Test Frequency (MHz)	$T_{\text{on time}}$ for single burst [ms]	T_{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.88	100	3.00	-21.27
$\pi/4$ DQPSK	2441	2.88	100	2.00	-24.79
8DPSK	2441	2.88	100	3.00	-21.27



Appendix H: Band edge and Spurious Emissions (conducted)


Test Item:	Band edge	Modulation type:	GFSK																																										
CH00 No hopping mode	 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.402105 GHz</td><td>4.33 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-54.12 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-62.76 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-64.52 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399965 GHz</td><td>-55.76 dBm</td><td></td><td></td></tr></table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.402105 GHz	4.33 dBm			M2	1		2.4 GHz	-54.12 dBm			M3	1		2.39 GHz	-62.76 dBm			M4	1		2.31 GHz	-64.52 dBm			M5	1		2.399965 GHz	-55.76 dBm				
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.402105 GHz	4.33 dBm																																									
M2	1		2.4 GHz	-54.12 dBm																																									
M3	1		2.39 GHz	-62.76 dBm																																									
M4	1		2.31 GHz	-64.52 dBm																																									
M5	1		2.399965 GHz	-55.76 dBm																																									
CH00 Hopping mode	 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.402105 GHz</td><td>6.99 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-55.26 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-62.49 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-64.16 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.39835 GHz</td><td>-54.75 dBm</td><td></td><td></td></tr></table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.402105 GHz	6.99 dBm			M2	1		2.4 GHz	-55.26 dBm			M3	1		2.39 GHz	-62.49 dBm			M4	1		2.31 GHz	-64.16 dBm			M5	1		2.39835 GHz	-54.75 dBm				
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.402105 GHz	6.99 dBm																																									
M2	1		2.4 GHz	-55.26 dBm																																									
M3	1		2.39 GHz	-62.49 dBm																																									
M4	1		2.31 GHz	-64.16 dBm																																									
M5	1		2.39835 GHz	-54.75 dBm																																									
CH78 No hopping mode	 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.480143 GHz</td><td>6.94 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-57.69 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-62.79 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.487658 GHz</td><td>-55.35 dBm</td><td></td><td></td></tr></table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.480143 GHz	6.94 dBm			M2	1		2.4835 GHz	-57.69 dBm			M3	1		2.5 GHz	-62.79 dBm			M4	1		2.487658 GHz	-55.35 dBm											
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.480143 GHz	6.94 dBm																																									
M2	1		2.4835 GHz	-57.69 dBm																																									
M3	1		2.5 GHz	-62.79 dBm																																									
M4	1		2.487658 GHz	-55.35 dBm																																									

CH78
Hopping mode



Test Item:	Band edge	Modulation type:	$\pi/4$ DQPSK																																										
CH00 No hopping mode	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SW 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 Frequency Sweep M1[1] 1.09 dBm 2.4021050 GHz M2[1] -56.28 dBm 2.4000000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.402105 GHz</td><td>1.09 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-56.28 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-63.68 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-62.36 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399965 GHz</td><td>-55.69 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 13:59:35			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.402105 GHz	1.09 dBm			M2	1		2.4 GHz	-56.28 dBm			M3	1		2.39 GHz	-63.68 dBm			M4	1		2.31 GHz	-62.36 dBm			M5	1		2.399965 GHz	-55.69 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.402105 GHz	1.09 dBm																																									
M2	1		2.4 GHz	-56.28 dBm																																									
M3	1		2.39 GHz	-63.68 dBm																																									
M4	1		2.31 GHz	-62.36 dBm																																									
M5	1		2.399965 GHz	-55.69 dBm																																									
CH00 Hopping mode	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SW 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 Frequency Sweep M1[1] 1.24 dBm 2.4049530 GHz M2[1] -56.71 dBm 2.4000000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.404953 GHz</td><td>1.24 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-56.71 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-61.54 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.48 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399585 GHz</td><td>-58.43 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 14:33:33			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.404953 GHz	1.24 dBm			M2	1		2.4 GHz	-56.71 dBm			M3	1		2.39 GHz	-61.54 dBm			M4	1		2.31 GHz	-63.48 dBm			M5	1		2.399585 GHz	-58.43 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.404953 GHz	1.24 dBm																																									
M2	1		2.4 GHz	-56.71 dBm																																									
M3	1		2.39 GHz	-61.54 dBm																																									
M4	1		2.31 GHz	-63.48 dBm																																									
M5	1		2.399585 GHz	-58.43 dBm																																									
CH78 No hopping mode	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SW 1.02 ms VBW 300 kHz Mode Auto Sweep Count 500/500 Frequency Sweep M1[1] 1.29 dBm 2.4799670 GHz M2[1] -60.55 dBm 2.4835000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.478 GHz 1001 pts 2.2 MHz/ 2.5 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.479967 GHz</td><td>1.29 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-60.55 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-63.16 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.487636 GHz</td><td>-59.68 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 14:08:38			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.479967 GHz	1.29 dBm			M2	1		2.4835 GHz	-60.55 dBm			M3	1		2.5 GHz	-63.16 dBm			M4	1		2.487636 GHz	-59.68 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.479967 GHz	1.29 dBm																																									
M2	1		2.4835 GHz	-60.55 dBm																																									
M3	1		2.5 GHz	-63.16 dBm																																									
M4	1		2.487636 GHz	-59.68 dBm																																									


CH78
Hopping mode






Date: 21-SEP-2020 14:34:53




Test Item:	Band edge	Modulation type:	8DPSK																																										
CH00 No hopping mode	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 Frequency Sweep M1[1] 1.27 dBm 2.4021050 GHz M2[1] -55.94 dBm 2.4000000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.402105 GHz</td><td>1.27 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-55.94 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-63.30 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-64.32 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399965 GHz</td><td>-55.90 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 14:12:13			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.402105 GHz	1.27 dBm			M2	1		2.4 GHz	-55.94 dBm			M3	1		2.39 GHz	-63.30 dBm			M4	1		2.31 GHz	-64.32 dBm			M5	1		2.399965 GHz	-55.90 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.402105 GHz	1.27 dBm																																									
M2	1		2.4 GHz	-55.94 dBm																																									
M3	1		2.39 GHz	-63.30 dBm																																									
M4	1		2.31 GHz	-64.32 dBm																																									
M5	1		2.399965 GHz	-55.90 dBm																																									
CH00 Hopping mode	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 Frequency Sweep M1[1] 1.33 dBm 2.4040980 GHz M2[1] -56.48 dBm 2.4000000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.404098 GHz</td><td>1.33 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-56.48 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-60.91 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.12 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399965 GHz</td><td>-57.86 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 14:43:32			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.404098 GHz	1.33 dBm			M2	1		2.4 GHz	-56.48 dBm			M3	1		2.39 GHz	-60.91 dBm			M4	1		2.31 GHz	-63.12 dBm			M5	1		2.399965 GHz	-57.86 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.404098 GHz	1.33 dBm																																									
M2	1		2.4 GHz	-56.48 dBm																																									
M3	1		2.39 GHz	-60.91 dBm																																									
M4	1		2.31 GHz	-63.12 dBm																																									
M5	1		2.399965 GHz	-57.86 dBm																																									
CH78 No hopping mode	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.02 ms VBW 300 kHz Mode Auto Sweep Count 500/500 Frequency Sweep M1[1] 1.59 dBm 2.4801430 GHz M2[1] -60.57 dBm 2.4835000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.478 GHz 1001 pts 2.2 MHz/ 2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.480143 GHz</td><td>1.59 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-60.57 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-63.11 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.487614 GHz</td><td>-60.08 dBm</td><td></td><td></td></tr></table> Date: 21.SEP.2020 14:24:37			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.480143 GHz	1.59 dBm			M2	1		2.4835 GHz	-60.57 dBm			M3	1		2.5 GHz	-63.11 dBm			M4	1		2.487614 GHz	-60.08 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.480143 GHz	1.59 dBm																																									
M2	1		2.4835 GHz	-60.57 dBm																																									
M3	1		2.5 GHz	-63.11 dBm																																									
M4	1		2.487614 GHz	-60.08 dBm																																									




CH78
Hoppig mode







Date: 21-SEP-2020 14:45:14




Test Item:	Spurious Emission	Modulation type:	GFSK
CH00 Reference level			
CH00 30MHz~1000MHz			
CH00 1GHz~26GHz			




CH39 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] 7.19 dBm 2.441200 GHz CF 2.441 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 21.SEP.2020 13:55:28
CH39 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.90 dBm 470.1870 MHz M1 -12.810 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 21.SEP.2020 13:55:44
CH39 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -52.60 dBm 25.955000 GHz M1 -12.810 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 21.SEP.2020 13:56:00




CH78 Reference level	 21.SEP.2020 13:57:16
CH78 30MHz~1000MHz	 21.SEP.2020 13:57:32
CH78 1GHz~26GHz	 21.SEP.2020 13:57:48




Test Item:	Spurious Emission	Modulation type:	$\pi/4$ DQPSK
CH00 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] 1.23 dBm 2.4019700 GHz CF 2.402 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 21.SEP.2020 13:58:42		
CH00 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -59.93 dBm 546.2980 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 21.SEP.2020 13:58:58		
CH00 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -51.64 dBm 25.999167 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 21.SEP.2020 14:00:14		



CH78 Reference level	 The spectrum plot shows a single sharp peak at 2.4799700 GHz with a magnitude of 1.43 dBm. The y-axis ranges from -80 dBm to 20 dBm, and the x-axis ranges from 2.46 GHz to 2.49 GHz. The plot is titled 'Spectrum' and includes parameters: Ref Level 30.00 dBm, Offset 1.00 dB, RBW 100 kHz, Mode Auto Sweep, Count 100/100, and Span 30.0 MHz. Date: 21.SEP.2020 14:08:44
CH78 30MHz~1000MHz	 The spectrum plot shows a noisy baseline across the 30 MHz to 1000 MHz range. A red horizontal line is drawn at -18.570 dBm. The y-axis ranges from -80 dBm to 10 dBm, and the x-axis ranges from 30.0 MHz to 1.0 GHz. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 1.00 dB, RBW 100 kHz, Mode Auto Sweep, Count 10/10, and Span 97.0 MHz. Date: 21.SEP.2020 14:10:00
CH78 1GHz~26GHz	 The spectrum plot shows a noisy baseline across the 1 GHz to 26 GHz range. A red horizontal line is drawn at -18.570 dBm. The y-axis ranges from -80 dBm to 10 dBm, and the x-axis ranges from 1.0 GHz to 26.0 GHz. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 1.00 dB, RBW 100 kHz, Mode Auto Sweep, Count 10/10, and Span 2.5 GHz. Date: 21.SEP.2020 14:10:17

Test Item:	Spurious Emission	Modulation type:	8DPSK
CH00 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] 1.44 dBm 2.4021200 GHz CF 2.402 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 21.SEP.2020 14:12:20		
CH00 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.49 dBm 984.5940 MHz M1 -18.500 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 21.SEP.2020 14:12:36		
CH00 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -50.98 dBm 25.996333 GHz M1 -18.500 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 21.SEP.2020 14:12:52		

CH39 Reference level	 The spectrum plot shows a single sharp peak at 2.441 GHz. The y-axis represents power in dBm, ranging from -60 to 20. The x-axis represents frequency in MHz, with a span of 30.0 MHz. The peak is labeled with a count of 100/100 and a value of 1.51 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 30.00 dBm, Offset 1.00 dB, RBW 100 kHz, Mode Auto Sweep, Count 100/100, Att 30 dB, SWF 1.04 ms, VBW 300 kHz. The date is 21.SEP.2020 14:22:37.
CH39 30MHz~1000MHz	 The spectrum plot shows a wide range of frequencies from 30.0 MHz to 1.0 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in MHz, with a span of 97.0 MHz. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 1.00 dB, RBW 100 kHz, Mode Auto Sweep, Count 10/10, Att 30 dB, SWF 30.1 ms, VBW 300 kHz. The date is 21.SEP.2020 14:22:53.
CH39 1GHz~26GHz	 The spectrum plot shows a wide range of frequencies from 1.0 GHz to 26.0 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in GHz, with a span of 2.5 GHz. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 1.00 dB, RBW 100 kHz, Mode Auto Sweep, Count 10/10, Att 30 dB, SWF 250 ms, VBW 300 kHz. The date is 21.SEP.2020 14:23:09.

CH78 Reference level	 21.SEP.2020 14:24:44
CH78 30MHz~1000MHz	 21.SEP.2020 14:25:00
CH78 1GHz~26GHz	 21.SEP.2020 14:25:17

-----End of Report-----