

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 553 of 855

						138	5320.040	5250 to 5350	Pass
					-30	120	5320.020	5250 to 5350	Pass
					-20	120	5319.980	5250 to 5350	Pass
					-10	120	5320.020	5250 to 5350	Pass
					0	120	5320.000	5250 to 5350	Pass
					10	120	5320.000	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.000	5250 to 5350	Pass
		5500	/	/	20	102	5500.060	5470 to 5725	Pass
						120	5500.080	5470 to 5725	Pass
						138	5499.980	5470 to 5725	Pass
					-30	120	5500.040	5470 to 5725	Pass
					-20	120	5499.980	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass
					10	120	5500.000	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5500.000	5470 to 5725	Pass
					50	120	5500.000	5470 to 5725	Pass
		5580	/	/	20	102	5579.980	5470 to 5725	Pass
						120	5580.020	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5580.020	5470 to 5725	Pass
					-20	120	5579.980	5470 to 5725	Pass
					-10	120	5580.040	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5579.980	5470 to 5725	Pass
					30	120	5580.060	5470 to 5725	Pass
					40	120	5580.000	5470 to 5725	Pass
					50	120	5580.060	5470 to 5725	Pass
		5700	/	/	20	102	5700.040	5470 to 5725	Pass
						120	5700.000	5470 to 5725	Pass
						138	5700.020	5470 to 5725	Pass
					-30	120	5700.000	5470 to 5725	Pass
					-20	120	5699.980	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.020	5470 to 5725	Pass
					10	120	5700.000	5470 to 5725	Pass
					30	120	5700.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 554 of 855

					40	120	5700.000	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
					20	102	5744.960	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5744.960	5725 to 5850	Pass
					-20	120	5745.040	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
					20	102	5785.000	5725 to 5850	Pass
						120	5785.040	5725 to 5850	Pass
						138	5785.020	5725 to 5850	Pass
					-30	120	5785.040	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5785.000	5725 to 5850	Pass
					10	120	5785.000	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.000	5725 to 5850	Pass
					20	102	5825.000	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5824.960	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5824.940	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.040	5725 to 5850	Pass
					30	120	5825.000	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5825.040	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	102	5190.080	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.080	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 555 of 855

					-10	120	5190.120	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.080	5150 to 5250	Pass
		5230	/	/	20	102	5230.080	5150 to 5250	Pass
						120	5230.080	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.080	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5270	/	/	20	102	5270.040	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.080	5250 to 5350	Pass
					-20	120	5270.120	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.120	5250 to 5350	Pass
					40	120	5270.080	5250 to 5350	Pass
					50	120	5270.080	5250 to 5350	Pass
		5310	/	/	20	102	5310.040	5250 to 5350	Pass
						120	5310.080	5250 to 5350	Pass
						138	5310.080	5250 to 5350	Pass
					-30	120	5310.040	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.120	5250 to 5350	Pass
					10	120	5310.080	5250 to 5350	Pass
					30	120	5310.040	5250 to 5350	Pass
					40	120	5310.160	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 556 of 855

						120	5510.120	5470 to 5725	Pass
						138	5510.040	5470 to 5725	Pass
					-30	120	5510.080	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.080	5470 to 5725	Pass
					0	120	5510.080	5470 to 5725	Pass
					10	120	5510.040	5470 to 5725	Pass
					30	120	5510.080	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass
					50	120	5510.040	5470 to 5725	Pass
		5550	/	/	20	102	5550.040	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
					-30	120	5550.080	5470 to 5725	Pass
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.120	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.120	5470 to 5725	Pass
					30	120	5550.080	5470 to 5725	Pass
					40	120	5550.080	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
		5670	/	/	20	102	5670.080	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.040	5470 to 5725	Pass
					-30	120	5670.040	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.080	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.080	5470 to 5725	Pass
					40	120	5670.040	5470 to 5725	Pass
					50	120	5670.040	5470 to 5725	Pass
		5755	/	/	20	102	5755.040	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.080	5725 to 5850	Pass
					-20	120	5755.040	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.040	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 557 of 855

					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.040	5725 to 5850	Pass
					50	120	5755.040	5725 to 5850	Pass
					20	102	5795.040	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
					-30	120	5795.080	5725 to 5850	Pass
					-20	120	5795.040	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
					20	102	5180.020	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						138	5179.960	5150 to 5250	Pass
802.11ac (VHT20)	MIMO	5180	/	/	-30	120	5179.980	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5179.960	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5179.960	5150 to 5250	Pass
					40	120	5179.960	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	/	/	20	102	5199.980	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass
						138	5200.000	5150 to 5250	Pass
					-30	120	5199.960	5150 to 5250	Pass
					-20	120	5200.000	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.020	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
		5240	/	/	20	102	5239.980	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5239.980	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 558 of 855

					-20	120	5239.980	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.040	5150 to 5250	Pass
					40	120	5239.980	5150 to 5250	Pass
					50	120	5240.040	5150 to 5250	Pass
		5260	/	/	20	102	5260.020	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass
						138	5260.000	5250 to 5350	Pass
					-30	120	5259.980	5250 to 5350	Pass
					-20	120	5259.960	5250 to 5350	Pass
					-10	120	5260.000	5250 to 5350	Pass
					0	120	5259.960	5250 to 5350	Pass
					10	120	5259.980	5250 to 5350	Pass
					30	120	5259.920	5250 to 5350	Pass
					40	120	5260.000	5250 to 5350	Pass
					50	120	5259.960	5250 to 5350	Pass
		5300	/	/	20	102	5300.020	5250 to 5350	Pass
						120	5300.020	5250 to 5350	Pass
						138	5300.000	5250 to 5350	Pass
					-30	120	5299.980	5250 to 5350	Pass
					-20	120	5300.040	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5299.980	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
		5320	/	/	20	102	5319.980	5250 to 5350	Pass
						120	5320.040	5250 to 5350	Pass
						138	5319.980	5250 to 5350	Pass
					-30	120	5320.020	5250 to 5350	Pass
					-20	120	5320.040	5250 to 5350	Pass
					-10	120	5319.940	5250 to 5350	Pass
					0	120	5320.020	5250 to 5350	Pass
					10	120	5320.000	5250 to 5350	Pass
					30	120	5319.980	5250 to 5350	Pass
					40	120	5319.980	5250 to 5350	Pass
					50	120	5320.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 559 of 855

		5500	/	/	20	102	5500.040	5470 to 5725	Pass
						120	5499.980	5470 to 5725	Pass
						138	5499.980	5470 to 5725	Pass
					-30	120	5499.940	5470 to 5725	Pass
					-20	120	5499.980	5470 to 5725	Pass
					-10	120	5499.960	5470 to 5725	Pass
					0	120	5499.960	5470 to 5725	Pass
					10	120	5499.980	5470 to 5725	Pass
					30	120	5500.000	5470 to 5725	Pass
					40	120	5500.000	5470 to 5725	Pass
					50	120	5500.000	5470 to 5725	Pass
		5580	/	/	20	102	5580.040	5470 to 5725	Pass
						120	5579.960	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5580.020	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5580.060	5470 to 5725	Pass
					30	120	5579.960	5470 to 5725	Pass
					40	120	5580.000	5470 to 5725	Pass
					50	120	5579.980	5470 to 5725	Pass
		5700	/	/	20	102	5700.000	5470 to 5725	Pass
						120	5700.000	5470 to 5725	Pass
						138	5700.000	5470 to 5725	Pass
					-30	120	5700.040	5470 to 5725	Pass
					-20	120	5700.000	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.020	5470 to 5725	Pass
					10	120	5700.020	5470 to 5725	Pass
					30	120	5699.960	5470 to 5725	Pass
					40	120	5699.940	5470 to 5725	Pass
					50	120	5700.000	5470 to 5725	Pass
		5745	/	/	20	102	5745.020	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.000	5725 to 5850	Pass
					-30	120	5744.960	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5744.960	5725 to 5850	Pass
					0	120	5744.940	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 560 of 855

		5785	/	/	10	120	5745.000	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5744.980	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
					20	102	5784.980	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					-30	120	5785.040	5725 to 5850	Pass
					-20	120	5785.020	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5784.980	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5784.960	5725 to 5850	Pass
					40	120	5784.980	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5824.980	5725 to 5850	Pass
						120	5824.980	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5824.980	5725 to 5850	Pass
					-20	120	5825.020	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5824.940	5725 to 5850	Pass
					10	120	5824.980	5725 to 5850	Pass
					30	120	5825.020	5725 to 5850	Pass
					40	120	5824.960	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.080	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	/	/	20	102	5230.080	5150 to 5250	Pass
						120	5230.080	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen CSTC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 561 of 855

					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.080	5150 to 5250	Pass
					10	120	5230.120	5150 to 5250	Pass
					30	120	5230.040	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5270	/	/	20	102	5270.040	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.120	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.120	5250 to 5350	Pass
					10	120	5270.080	5250 to 5350	Pass
					30	120	5270.120	5250 to 5350	Pass
					40	120	5270.080	5250 to 5350	Pass
					50	120	5270.080	5250 to 5350	Pass
		5310	/	/	20	102	5310.120	5250 to 5350	Pass
						120	5310.080	5250 to 5350	Pass
						138	5310.040	5250 to 5350	Pass
					-30	120	5310.080	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.080	5250 to 5350	Pass
					0	120	5310.080	5250 to 5350	Pass
					10	120	5310.080	5250 to 5350	Pass
					30	120	5310.120	5250 to 5350	Pass
					40	120	5310.080	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.080	5470 to 5725	Pass
						120	5510.080	5470 to 5725	Pass
						138	5510.080	5470 to 5725	Pass
					-30	120	5510.080	5470 to 5725	Pass
					-20	120	5510.080	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.040	5470 to 5725	Pass
					10	120	5510.080	5470 to 5725	Pass
					30	120	5510.080	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 562 of 855

				50	120	5510.080	5470 to 5725	Pass
					102	5550.080	5470 to 5725	Pass
				20	120	5550.040	5470 to 5725	Pass
					138	5550.080	5470 to 5725	Pass
				-30	120	5550.080	5470 to 5725	Pass
				-20	120	5550.120	5470 to 5725	Pass
				-10	120	5550.080	5470 to 5725	Pass
				0	120	5550.120	5470 to 5725	Pass
				10	120	5550.040	5470 to 5725	Pass
				30	120	5550.120	5470 to 5725	Pass
				40	120	5550.080	5470 to 5725	Pass
				50	120	5550.040	5470 to 5725	Pass
					102	5670.080	5470 to 5725	Pass
				20	120	5670.080	5470 to 5725	Pass
					138	5670.040	5470 to 5725	Pass
				-30	120	5670.080	5470 to 5725	Pass
				-20	120	5670.080	5470 to 5725	Pass
				-10	120	5670.080	5470 to 5725	Pass
				0	120	5670.040	5470 to 5725	Pass
				10	120	5670.080	5470 to 5725	Pass
				30	120	5670.000	5470 to 5725	Pass
				40	120	5670.040	5470 to 5725	Pass
				50	120	5670.080	5470 to 5725	Pass
					102	5755.040	5725 to 5850	Pass
				20	120	5755.080	5725 to 5850	Pass
					138	5755.080	5725 to 5850	Pass
				-30	120	5755.080	5725 to 5850	Pass
				-20	120	5755.040	5725 to 5850	Pass
				-10	120	5755.080	5725 to 5850	Pass
				0	120	5755.080	5725 to 5850	Pass
				10	120	5755.040	5725 to 5850	Pass
				30	120	5755.080	5725 to 5850	Pass
				40	120	5755.080	5725 to 5850	Pass
				50	120	5755.040	5725 to 5850	Pass
					102	5795.040	5725 to 5850	Pass
				20	120	5795.040	5725 to 5850	Pass
					138	5795.040	5725 to 5850	Pass
				-30	120	5795.040	5725 to 5850	Pass
				-20	120	5795.080	5725 to 5850	Pass
				-10	120	5795.080	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 563 of 855

					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.000	5725 to 5850	Pass
					30	120	5795.080	5725 to 5850	Pass
					40	120	5795.080	5725 to 5850	Pass
					50	120	5795.080	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.150	5150 to 5250	Pass
		5290	/	/	20	102	5290.150	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.150	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5290.150	5250 to 5350	Pass
					10	120	5290.075	5250 to 5350	Pass
					30	120	5290.150	5250 to 5350	Pass
					40	120	5290.075	5250 to 5350	Pass
					50	120	5290.150	5250 to 5350	Pass
		5530	/	/	20	102	5530.075	5470 to 5725	Pass
						120	5530.150	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.150	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.150	5470 to 5725	Pass
					30	120	5530.075	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	/	/	20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 564 of 855

802.11ax (HEW20)	MIMO					138	5610.075	5470 to 5725	Pass
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.150	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.075	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5775	/	/	20	102	5775.075	5725 to 5850	Pass
						120	5775.075	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass
					-30	120	5775.075	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.075	5725 to 5850	Pass
					10	120	5775.075	5725 to 5850	Pass
					30	120	5775.075	5725 to 5850	Pass
					40	120	5775.075	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
		5180	SU	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5180.040	5150 to 5250	Pass
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5180.080	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5180.020	5150 to 5250	Pass
					40	120	5180.040	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	SU	/	20	102	5200.020	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass
						138	5200.000	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
					-20	120	5200.000	5150 to 5250	Pass
					-10	120	5200.060	5150 to 5250	Pass
					0	120	5200.040	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 565 of 855

					40	120	5200.040	5150 to 5250	Pass
					50	120	5200.040	5150 to 5250	Pass
		5240	SU	/	20	102	5240.020	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.020	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
		5260	SU	/	20	102	5260.040	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
					-30	120	5260.080	5250 to 5350	Pass
					-20	120	5260.040	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.020	5250 to 5350	Pass
					10	120	5260.040	5250 to 5350	Pass
					30	120	5260.080	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass
					50	120	5260.080	5250 to 5350	Pass
		5300	SU	/	20	102	5300.040	5250 to 5350	Pass
						120	5300.060	5250 to 5350	Pass
						138	5300.040	5250 to 5350	Pass
					-30	120	5300.060	5250 to 5350	Pass
					-20	120	5299.980	5250 to 5350	Pass
					-10	120	5300.020	5250 to 5350	Pass
					0	120	5300.040	5250 to 5350	Pass
					10	120	5300.060	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
					50	120	5300.060	5250 to 5350	Pass
		5320	SU	/	20	102	5320.040	5250 to 5350	Pass
						120	5320.020	5250 to 5350	Pass
						138	5320.080	5250 to 5350	Pass
					-30	120	5320.060	5250 to 5350	Pass
					-20	120	5320.040	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 566 of 855

					-10	120	5320.060	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.020	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	SU	/	20	102	5500.020	5470 to 5725	Pass
						120	5500.060	5470 to 5725	Pass
						138	5500.040	5470 to 5725	Pass
					-30	120	5500.080	5470 to 5725	Pass
					-20	120	5500.040	5470 to 5725	Pass
					-10	120	5500.080	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5500.040	5470 to 5725	Pass
					30	120	5500.040	5470 to 5725	Pass
					40	120	5500.060	5470 to 5725	Pass
					50	120	5500.020	5470 to 5725	Pass
		5580	SU	/	20	102	5580.020	5470 to 5725	Pass
						120	5580.040	5470 to 5725	Pass
						138	5580.040	5470 to 5725	Pass
					-30	120	5580.020	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5580.040	5470 to 5725	Pass
					0	120	5580.080	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5580.040	5470 to 5725	Pass
					50	120	5580.020	5470 to 5725	Pass
		5700	SU	/	20	102	5700.020	5470 to 5725	Pass
						120	5700.020	5470 to 5725	Pass
						138	5700.020	5470 to 5725	Pass
					-30	120	5700.020	5470 to 5725	Pass
					-20	120	5699.980	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.000	5470 to 5725	Pass
					10	120	5699.980	5470 to 5725	Pass
					30	120	5700.080	5470 to 5725	Pass
					40	120	5700.000	5470 to 5725	Pass
					50	120	5699.980	5470 to 5725	Pass
		5745	SU	/	20	102	5745.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 567 of 855

						120	5745.080	5725 to 5850	Pass
						138	5745.040	5725 to 5850	Pass
					-30	120	5745.060	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.040	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5745.020	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5745.040	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	SU	/	20	102	5785.040	5725 to 5850	Pass
						120	5785.020	5725 to 5850	Pass
						138	5785.060	5725 to 5850	Pass
					-30	120	5785.080	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5785.080	5725 to 5850	Pass
					10	120	5785.060	5725 to 5850	Pass
					30	120	5785.040	5725 to 5850	Pass
					40	120	5785.060	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
		5825	SU	/	20	102	5825.020	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5825.020	5725 to 5850	Pass
					-30	120	5825.080	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.020	5725 to 5850	Pass
					0	120	5825.020	5725 to 5850	Pass
					10	120	5825.040	5725 to 5850	Pass
					30	120	5825.020	5725 to 5850	Pass
					40	120	5825.040	5725 to 5850	Pass
					50	120	5825.020	5725 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.080	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.080	5150 to 5250	Pass
					-20	120	5190.080	5150 to 5250	Pass
					-10	120	5190.080	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 568 of 855

					30	120	5190.000	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
	5230	SU	/	20	102	5230.040	5150 to 5250	Pass	
					120	5230.040	5150 to 5250	Pass	
					138	5230.040	5150 to 5250	Pass	
				-30	120	5230.080	5150 to 5250	Pass	
					120	5230.080	5150 to 5250	Pass	
					120	5230.040	5150 to 5250	Pass	
				0	120	5230.080	5150 to 5250	Pass	
					120	5230.040	5150 to 5250	Pass	
					120	5230.000	5150 to 5250	Pass	
				40	120	5230.040	5150 to 5250	Pass	
					120	5230.040	5150 to 5250	Pass	
					120	5230.040	5150 to 5250	Pass	
				50	120	5230.040	5150 to 5250	Pass	
					102	5270.080	5250 to 5350	Pass	
					120	5270.080	5250 to 5350	Pass	
					138	5270.080	5250 to 5350	Pass	
	5270	SU	/	-30	120	5270.120	5250 to 5350	Pass	
					120	5270.120	5250 to 5350	Pass	
					120	5270.080	5250 to 5350	Pass	
				0	120	5270.040	5250 to 5350	Pass	
					120	5270.080	5250 to 5350	Pass	
					120	5270.080	5250 to 5350	Pass	
				10	120	5270.080	5250 to 5350	Pass	
					120	5270.080	5250 to 5350	Pass	
					120	5270.080	5250 to 5350	Pass	
				40	120	5270.080	5250 to 5350	Pass	
					120	5270.080	5250 to 5350	Pass	
					120	5270.080	5250 to 5350	Pass	
				50	120	5270.080	5250 to 5350	Pass	
					102	5310.080	5250 to 5350	Pass	
					120	5310.040	5250 to 5350	Pass	
					138	5310.080	5250 to 5350	Pass	
	5310	SU	/	-30	120	5310.120	5250 to 5350	Pass	
					120	5310.080	5250 to 5350	Pass	
					120	5310.120	5250 to 5350	Pass	
				0	120	5310.080	5250 to 5350	Pass	
					120	5310.080	5250 to 5350	Pass	
					120	5310.080	5250 to 5350	Pass	
				10	120	5310.080	5250 to 5350	Pass	
					120	5310.120	5250 to 5350	Pass	
					120	5310.040	5250 to 5350	Pass	
				40	120	5310.040	5250 to 5350	Pass	
					120	5310.080	5250 to 5350	Pass	
					120	5310.080	5250 to 5350	Pass	
				50	102	5510.120	5470 to 5725	Pass	
					120	5510.040	5470 to 5725	Pass	
					138	5510.080	5470 to 5725	Pass	
	5510	SU	/	-30	120	5510.040	5470 to 5725	Pass	
					120	5510.040	5470 to 5725	Pass	
					120	5510.040	5470 to 5725	Pass	
				-30	120	5510.040	5470 to 5725	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 569 of 855

					-20	120	5510.080	5470 to 5725	Pass
					-10	120	5510.000	5470 to 5725	Pass
					0	120	5510.080	5470 to 5725	Pass
					10	120	5510.080	5470 to 5725	Pass
					30	120	5510.120	5470 to 5725	Pass
					40	120	5510.080	5470 to 5725	Pass
					50	120	5510.080	5470 to 5725	Pass
		5550	SU	/	20	102	5550.080	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.040	5470 to 5725	Pass
					-30	120	5550.120	5470 to 5725	Pass
					-20	120	5550.040	5470 to 5725	Pass
					-10	120	5550.040	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.080	5470 to 5725	Pass
					30	120	5550.080	5470 to 5725	Pass
					40	120	5550.080	5470 to 5725	Pass
					50	120	5550.120	5470 to 5725	Pass
		5670	SU	/	20	102	5670.040	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.040	5470 to 5725	Pass
					-30	120	5670.080	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.040	5470 to 5725	Pass
					0	120	5670.080	5470 to 5725	Pass
					10	120	5670.000	5470 to 5725	Pass
					30	120	5670.040	5470 to 5725	Pass
					40	120	5670.080	5470 to 5725	Pass
		5755	SU	/	20	102	5755.080	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.080	5725 to 5850	Pass
					-10	120	5755.040	5725 to 5850	Pass
					0	120	5755.120	5725 to 5850	Pass
					10	120	5755.000	5725 to 5850	Pass
					30	120	5755.080	5725 to 5850	Pass
					40	120	5755.080	5725 to 5850	Pass
					50	120	5755.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 570 of 855

		5795	SU	/	20	102	5795.120	5725 to 5850	Pass	
						120	5795.080	5725 to 5850	Pass	
						138	5795.040	5725 to 5850	Pass	
					-30	120	5795.040	5725 to 5850	Pass	
						-20	120	5795.080	5725 to 5850	Pass
							-10	120	5795.080	5725 to 5850
					0			120	5795.080	5725 to 5850
						10		120	5795.080	5725 to 5850
							30	120	5795.040	5725 to 5850
					40			120	5795.080	5725 to 5850
						50		120	5795.040	5725 to 5850
							802.11ax (HEW80)	MIMO	5210	SU
120	5210.150	5150 to 5250	Pass							
138	5210.150	5150 to 5250	Pass							
-30	120	5210.150	5150 to 5250	Pass						
	-20	120	5210.150	5150 to 5250	Pass					
		-10	120	5210.150	5150 to 5250	Pass				
0			120	5210.150	5150 to 5250	Pass				
	10		120	5210.150	5150 to 5250	Pass				
		30	120	5210.150	5150 to 5250	Pass				
40			120	5210.150	5150 to 5250	Pass				
	50		120	5210.150	5150 to 5250	Pass				
		5290	SU	/	20	102				
120						5290.150			5250 to 5350	Pass
138	5290.150					5250 to 5350			Pass	
-30	120				5290.150	5250 to 5350			Pass	
	-20				120	5290.150			5250 to 5350	Pass
					-10	120			5290.150	5250 to 5350
0						120			5290.150	5250 to 5350
	10					120			5290.150	5250 to 5350
					30	120			5290.150	5250 to 5350
40						120			5290.150	5250 to 5350
	50					120			5290.150	5250 to 5350
					5530	SU			/	20
120		5530.150	5470 to 5725	Pass						
138	5530.150	5470 to 5725	Pass							
-30	120	5530.150	5470 to 5725	Pass						
	-20	120	5530.150	5470 to 5725						Pass
		-10	120	5530.150						5470 to 5725
0			120	5530.150						5470 to 5725



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 571 of 855

					10	120	5530.150	5470 to 5725	Pass
					30	120	5530.150	5470 to 5725	Pass
					40	120	5530.150	5470 to 5725	Pass
					50	120	5530.150	5470 to 5725	Pass
		5610	SU	/	20	102	5610.150	5470 to 5725	Pass
						120	5610.150	5470 to 5725	Pass
						138	5610.150	5470 to 5725	Pass
					-30	120	5610.150	5470 to 5725	Pass
					-20	120	5610.150	5470 to 5725	Pass
					-10	120	5610.150	5470 to 5725	Pass
					0	120	5610.150	5470 to 5725	Pass
					10	120	5610.150	5470 to 5725	Pass
					30	120	5610.150	5470 to 5725	Pass
					40	120	5610.150	5470 to 5725	Pass
					50	120	5610.150	5470 to 5725	Pass
		5775	SU	/	20	102	5775.150	5725 to 5850	Pass
						120	5775.150	5725 to 5850	Pass
						138	5775.150	5725 to 5850	Pass
					-30	120	5775.150	5725 to 5850	Pass
					-20	120	5775.150	5725 to 5850	Pass
					-10	120	5775.150	5725 to 5850	Pass
					0	120	5775.150	5725 to 5850	Pass
					10	120	5775.150	5725 to 5850	Pass
					30	120	5775.150	5725 to 5850	Pass
					40	120	5775.150	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6.DFS

6.1 Test Result

Rader



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505



Page: 573 of 855

Channel move time & close transmission time:

5290MHz:



5530MHz:



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 575 of 855

Non-occupancy period:

5290MHz:




Unless otherwise agreed in writing this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized use of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity
or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Center EEC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgsc.china@sgs.com

5530MHz:




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 577 of 855

DC



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

11 Appendix – WiFi 6E

1. Duty Cycle

1.1 Test Result

1.1.1 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11ax (HEW20)	MIMO	5955	RU242	Left	1.015	1.652	61.44	2.12	0.35
			6175	RU242	Left	1.015	1.652	61.44	2.12	0.32
			6415	RU242	Left	1.016	1.653	61.46	2.11	0.37
	802.11ax (HEW40)	MIMO	5965	RU484	Left	0.534	1.162	45.96	3.38	0.39
			6165	RU484	Left	0.536	1.163	46.09	3.36	0.39
			6405	RU484	Left	0.536	1.217	44.04	3.56	2.40
	802.11ax (HEW80)	MIMO	5985	RU996	Left	0.288	0.915	31.48	5.02	0.06
			6145	RU996	Left	0.289	0.916	31.55	5.01	0.31
			6385	RU996	Left	0.289	0.925	31.24	5.05	0.60

1.1.2 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11ax (HEW20)	MIMO	6435	RU242	Left	1.016	1.670	60.84	2.16	1.35
			6475	RU242	Left	1.016	1.652	61.50	2.11	0.36
			6515	RU242	Left	1.015	1.652	61.44	2.12	0.37
	802.11ax (HEW40)	MIMO	6445	RU484	Left	0.534	1.163	45.92	3.38	0.44
			6485	RU484	Left	0.534	1.172	45.56	3.41	1.08
	802.11ax (HEW80)	MIMO	6465	RU996	Left	0.288	0.916	31.44	5.03	12.00

1.1.3 Ant1

Ant1										
ENV	Mode	TX	Frequency	RU	RU	T_on	Period	Duty Cycle	Duty Cycle	Max. DC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 579 of 855

		Type	(MHz)		Pos	(ms)	(ms)	(%)	Correction Factor (dB)	Variation (%)
NTNV	802.11ax (HEW20)	MIMO	6535	RU242	Left	1.014	1.652	61.38	2.12	0.37
			6695	RU242	Left	1.015	1.652	61.44	2.12	0.34
			6855	RU242	Left	1.015	1.661	61.11	2.14	1.03
	802.11ax (HEW40)	MIMO	6565	RU484	Left	0.534	1.181	45.22	3.45	1.05
			6685	RU484	Left	0.535	1.164	45.96	3.38	0.37
			6845	RU484	Left	0.536	1.163	46.09	3.36	0.39
	802.11ax (HEW80)	MIMO	6625	RU996	Left	0.289	0.934	30.94	5.09	1.24
			6705	RU996	Left	0.289	0.961	30.07	5.22	2.08
			6785	RU996	Left	0.289	0.925	31.24	5.05	0.62



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

1.1.4 Ant1


Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11ax (HEW20)	MIMO	6895	RU242	Left	1.015	1.660	61.14	2.14	1.02
			6995	RU242	Left	1.016	1.662	61.13	2.14	10.02
			7115	RU242	Left	1.015	1.652	61.44	2.12	0.36
	802.11ax (HEW40)	MIMO	6925	RU484	Left	0.535	1.172	45.65	3.41	0.71
			7005	RU484	Left	0.534	1.163	45.92	3.38	0.37
			7085	RU484	Left	0.534	1.199	44.54	3.51	1.77
	802.11ax (HEW80)	MIMO	6945	RU996	Left	0.289	0.934	30.94	5.09	0.63
			7025	RU996	Left	0.289	0.934	30.94	5.09	0.61

1.2 Test Graph


1.2.1 Ant1




802.11ax(HEW20)_MCH_6175MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW40)_MCH_6165MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW80)_LCH_5985MHz_RU996_Left_Ant1_NTNV



802.11ax(HEW80)_MCH_6145MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_RU996_Left_Ant1_NTNV




1.2.2 Ant1



802.11ax(HEW20)_LCH_6435MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_MCH_6475MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_HCH_6515MHz_RU242_Left_Ant1_NTNV







802.11ax(HEW40)_LCH_6445MHz_RU484_Left_Ant1_NTNV





802.11ax(HEW40)_MCH_6485MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW80)_LCH_6465MHz_RU996_Left_Ant1_NTNV




1.2.3 Ant1



802.11ax(HEW20)_HCH_6855MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_6565MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW40)_MCH_6685MHz_RU484_Left_Ant1_NTNV







802.11ax(HEW40)_HCH_6845MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW80)_LCH_6625MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW80)_MCH_6705MHz_RU996_Left_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com




1.2.4 Ant1



802.11ax(HEW20)_MCH_6995MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_HCH_7115MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_6925MHz_RU484_Left_Ant1_NTNV







802.11ax(HEW40)_MCH_7005MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW40)_HCH_7085MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW80)_LCH_6945MHz_RU996_Left_Ant1_NTNV



802.11ax(HEW80)_HCH_7025MHz_RU996_Left_Ant1_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	RU242	Left	1	19.535	<=320	Pass
			6175	RU242	Left	1	19.416	<=320	Pass
			6415	RU242	Left	1	19.514	<=320	Pass
	802.11ax (HEW40)	MIMO	5965	RU484	Left	1	37.619	<=320	Pass
			6165	RU484	Left	1	37.571	<=320	Pass
			6405	RU484	Left	1	37.697	<=320	Pass
	802.11ax (HEW80)	MIMO	5985	RU996	Left	1	77.121	<=320	Pass
			6145	RU996	Left	1	76.998	<=320	Pass
			6385	RU996	Left	1	77.073	<=320	Pass

2.1.2 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	RU242	Left	1	22.713	/	Pass
			6175	RU242	Left	1	23.979	/	Pass
			6415	RU242	Left	1	23.522	/	Pass
	802.11ax (HEW40)	MIMO	5965	RU484	Left	1	39.363	/	Pass
			6165	RU484	Left	1	39.565	/	Pass
			6405	RU484	Left	1	39.343	/	Pass
	802.11ax (HEW80)	MIMO	5985	RU996	Left	1	80.106	/	Pass
			6145	RU996	Left	1	80.143	/	Pass
			6385	RU996	Left	1	79.961	/	Pass

2.1.3 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	6435	RU242	Left	1	19.475	<=320	Pass
			6475	RU242	Left	1	19.586	<=320	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 598 of 855

			6515	RU242	Left	1	19.553	<=320	Pass
	802.11ax (HEW40)	MIMO	6445	RU484	Left	1	37.676	<=320	Pass
			6485	RU484	Left	1	37.511	<=320	Pass
	802.11ax (HEW80)	MIMO	6465	RU996	Left	1	76.989	<=320	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Shenzhen, China, CSTC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2.1.4 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	6435	RU242	Left	1	24.849	/	Pass
			6475	RU242	Left	1	25.281	/	Pass
			6515	RU242	Left	1	22.662	/	Pass
	802.11ax (HEW40)	MIMO	6445	RU484	Left	1	39.506	/	Pass
			6485	RU484	Left	1	39.338	/	Pass
	802.11ax (HEW80)	MIMO	6465	RU996	Left	1	80.095	/	Pass

2.1.5 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	RU242	Left	1	19.381	<=320	Pass
			6695	RU242	Left	1	19.611	<=320	Pass
			6855	RU242	Left	1	19.497	<=320	Pass
	802.11ax (HEW40)	MIMO	6565	RU484	Left	1	37.676	<=320	Pass
			6685	RU484	Left	1	37.560	<=320	Pass
			6845	RU484	Left	1	37.638	<=320	Pass
	802.11ax (HEW80)	MIMO	6625	RU996	Left	1	77.202	<=320	Pass
			6705	RU996	Left	1	77.071	<=320	Pass
			6785	RU996	Left	1	77.019	<=320	Pass

2.1.6 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	RU242	Left	1	23.090	/	Pass
			6695	RU242	Left	1	23.416	/	Pass
			6855	RU242	Left	1	25.036	/	Pass
	802.11ax (HEW40)	MIMO	6565	RU484	Left	1	39.430	/	Pass
			6685	RU484	Left	1	39.421	/	Pass
			6845	RU484	Left	1	39.483	/	Pass
	802.11ax (HEW80)	MIMO	6625	RU996	Left	1	80.084	/	Pass
			6705	RU996	Left	1	80.222	/	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200470505

Page: 600 of 855

			6785	RU996	Left	1	80.171	/	Pass
--	--	--	------	-------	------	---	--------	---	------

2.1.7 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	6895	RU242	Left	1	19.476	<=320	Pass
			6995	RU242	Left	1	19.441	<=320	Pass
			7115	RU242	Left	1	19.367	<=320	Pass
	802.11ax (HEW40)	MIMO	6925	RU484	Left	1	37.674	<=320	Pass
			7005	RU484	Left	1	37.654	<=320	Pass
			7085	RU484	Left	1	37.617	<=320	Pass
	802.11ax (HEW80)	MIMO	6945	RU996	Left	1	77.110	<=320	Pass
			7025	RU996	Left	1	76.900	<=320	Pass

2.1.8 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	MIMO	6895	RU242	Left	1	23.682	/	Pass
			6995	RU242	Left	1	22.791	/	Pass
			7115	RU242	Left	1	21.993	/	Pass
	802.11ax (HEW40)	MIMO	6925	RU484	Left	1	39.403	/	Pass
			7005	RU484	Left	1	39.479	/	Pass
			7085	RU484	Left	1	39.639	/	Pass
	802.11ax (HEW80)	MIMO	6945	RU996	Left	1	79.913	/	Pass
			7025	RU996	Left	1	80.105	/	Pass





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


2.2 Test Graph

2.2.1 OBW






802.11ax(HEW20)_HCH_6415MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_RU484_Left_Ant1_NTNV






802.11ax(HEW40)_MCH_6165MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_RU484_Left_Ant1_NTNV






802.11ax(HEW80)_LCH_5985MHz_RU996_Left_Ant1_NTNV



802.11ax(HEW80)_MCH_6145MHz_RU996_Left_Ant1_NTNV



802.11ax(HEW80)_HCH_6385MHz_RU996_Left_Ant1_NTNV

