

Page: 1 of 101

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: HTC Corporation

No. 88, Section 3, Zhongxing Rd. Xindian Dist., New Taipei

City 231, Taiwan

Manufacturer: HTC Corporation

No. 88, Section 3, Zhongxing Rd. Xindian Dist., New Taipei

City 231, Taiwan

Product Name: Headset

Brand Name: VIVE

Model No.: 2QBB100

Model Difference: N/A

Report Number: TERF2306001461E2

FCC ID NM82QBB100

IC: 4115A-2QBB100

Date of EUT Received: June 13, 2023

Date of Test: June 13, 2023 \sim July 7, 2023

Issue Date: August 9, 2023

Alm Hsiel

Approved By

Arno Hsieh

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.407, ISED RSS-247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 2 of 101

Revision History					
Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2306001461E2	00	Add DFS Master function	July 24, 2023	Yuri Tsai	
TERF2306001461E2	01	Add note at section1.2	July 31, 2023	Yuri Tsai	*
TERF2306001461E2	02	Add note at section1.2	August 1, 2023	Yuri Tsai	*
TERF2306001461E2	03	Revise typo	August 9, 2023	Yuri Tsai	*

Note:

1 . The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 3 of 101

Contents

1	GENERAL INFORMATION	4
2	1.1 Product Description	5 7 8 8 8
3	MEASUREMENT UNCERTAINTY	9
4	TPC AND DFS MEASUREMENT	10
5	4.1 TPC Requirements	10
_		
6	TEST SETUP	
7	TEST EQUIPMENT USED:	17
8	DESCRIPTION OF EUT:	18
9	RADAR TYPE WAVEFORM CALIBRATION AT DFS DETECTION THESHOLD	19
10	CHANNEL CLOSING TRANSMISSION AND CHANNEL MOVE TIME MEASUREMENT (RADAR TYPE 0)	22
11	DUTY CYCLE	24
12	NON-OCCUPANCY PERIOD MEASUREMENT	25
13	UNII DETECTION BANDWIDTH MEASUREMENT	26
	13.1 Test Result	26
14	CHANNEL AVAILABILITY CHECK MEASUREMENT	29
15	IN SERVICE MONITORING	30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 4 of 101

1 GENERAL INFORMATION

1.1 Product Description

Product Name:	Headset
Brand Name:	VIVE
Model No.:	2QBB100
Model Difference:	N/A
Hardware Version:	N/A
DFS Firmware Version:	1.3.0.037.0
EUT Series No.:	N/A
Power Supply:	Battery Cradle 5V 3A, 9V 1.57A, 12V 1.5A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 5 of 101

FCC WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Modulation Technology
a/	5180~5240	4	OFDMA
n_HT/ ac_VHT/	5260~5320	4	OFDM
ac_vni/ ax_HE	5500~5720	12	OFDM
20M	5745-5825	5	OFDM
n_HT	5190~5230	2	OFDM
ac_VHT/	5270~5310	2	OFDM
ax_HE 40M	5510~5710	6	OFDM
40101	5755-5795	2	OFDMA
	5210	1	OFDMA
ac_VHT/	5290	1	OFDM
ax_HE 80M	5530~5690	3	OFDM
	5775	1	OFDMA
ac_VHT/ ax HE	5250	1	OFDMA
160M	5570	1	OFDMA

Note: The above channels and bandwidth are for DFS Slave only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 6 of 101

IC WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Modulation Technology
	5180~5240	4	OFDMA
a/	5260~5320	4	OFDM
n_HT/	5500~5700	11	OFDM
ac_VHT/ ax_HE	5720 (U-NII 2C)	1	OFDM
20M	5720 (U-NII 3)	1	OFDMA
	5745-5825	5	OFDM
	5190~5230	2	OFDM
n UT	5270~5310	2	OFDM
n_HT ac_VHT/	5510~5670	5	OFDM
ax_HE	5710 (U-NII 2C)	1	OFDMA
40M	5710 (U-NII 3)	1	OFDMA
	5755-5795	2	OFDMA
	5210	1	OFDMA
	5290	1	OFDM
ac_VHT/	5530~5610	2	OFDM
ax_HE 80M	5690 (U-NII 2C)	1	OFDM
	5690 (U-NII 3)	1	OFDMA
	5775	1	OFDMA
ac_VHT/	5250	1	OFDMA
ax_HE 160M	5570	1	OFDMA

Note: The above channels and bandwidth are for DFS Slave only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 7 of 101

FCC/IC WLAN 5GHz:

The device support DFS Bands of channels and bandwidth as following:

Wi-Fi	Channel	Modulation Technology
00 V/UT/	CH58 / 5290 MHz	
ac_VHT/ ax_HE	CH106 / 5530 MHz	OFDM/OFDMA
80M	CH138 / 5690 MHz	

Note: Device AP mode only Support 80MHz Bandwidth.

1.3 Antenna Designation

Antenna Type	Freq. (MHz)	Peak Antenna Gain (dBi)	Direction Gain(dBi)
	5150~5250	2.56	5.33
Dinala	5250~5350	2.56	5.33
Dipole	5470~5725	2.83	4.34
	5725~5850	2.68	4.30
	5150~5250	2.08	5.33
Dinolo	5250~5350	2.08	5.33
Dipole	5470~5725	-0.48	4.34
	5725~5850	-0.36	4.30

Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the lowest gain as worst case scenarios.
- 2. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测验之样只有含,同既此样只属风风风干。大规华工概太八司隶而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 8 of 101

1.4 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02 RSS-247 issue 2 Feb. 2017

1.5 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 2		
		SAC 3		
	No 424 West Keep Dood Now Toingi	Conduction 1		
	No.134, Wu Kung Road, New Taipei	Conducted 1	T\\/0027	
	Industrial Park, Wuku District, New	Conducted 2	TW0027	TW3702
	Taipei City, Taiwan.	Conducted 3		
		Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C	TW0028	
(TAF code 3702)		SAC C		
		SAC D		
		SAC G		
	No 2 Kaii 4at Dd. Cuiahan Diatriat	Conducted A		
	No.2, Keji 1st Rd., Guishan District,	Conducted B		
	Taoyuan City, Taiwan 333	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G	1	1

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.6 Special Accessories

There are no special accessories used while test was conducted.

1.7 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 9 of 101

2 SUMMARY OF TEST RESULT

FCC and ISED Rules	Description Of Test	Result
§15.407(h) FCC KDB 905462 D02 IC RSS-247 issue 1 §6.3	TPC and DFS Measurement	Compliant

3 MEASUREMENT UNCERTAINTY

Test Items		Incertair	nty
TPC and DFS Measurement	+/-	1.04	Hz
Temperature	+/-	0.7	°C
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 10 of 101

4 TPC AND DFS MEASUREMENT

4.1 TPC Requirements

According to Part 15.407 (h)(1) Transmit power control (TPC). U-NII devices operating in the 5.25-5.35 GHz band and the 5.47-5.725 GHz band shall employ a TPC mechanism. The U-NII device is required to have the capability to operate at least 6 dB below the mean EIRP value of 30 dBm. A TPC mechanism is not required for systems with an e.i.r.p. of less than 500 mW.

Result:

N/A, TPC is not required.

4.2 DFS: Standard Applicable

According to §15.407(h)(2) and FCC KDB 905462 D02, Radar Detection Function of Dynamic Frequency Selection (DFS).

Radar Detection Function of Dynamic Frequency Selection (DFS). U-NII devices operating with any part of its 26 dB emission bandwidth in the 5.25-5.35 GHz and 5.47-5.725 GHz bands shall employ a DFS radar detection mechanism to detect the presence of radar systems and to avoid co-channel operation with radar systems. Operators shall only use equipment with a DFS mechanism that is turned on when operating in these bands. The device must sense for radar signals at 100 percent of its emission bandwidth. The minimum DFS detection threshold for devices with a maximum e.i.r.p. of 200 mW to 1 W is -64 dBm. For devices that operate with less than 200 mW e.i.r.p. and a power spectral density of less than 10 dBm in a 1 MHz band, the minimum detection threshold is -62 dBm. The detection threshold is the received power averaged over 1 microsecond referenced to a 0 dBi antenna. For the initial channel setting, the manufacturers shall be permitted to provide for either random channel selection or manual channel selection.

- (i) Operational Modes. The DFS requirement applies to the following operational modes:
 - (a) The requirement for channel availability check time applies in the master operational mode.
 - (b) The requirement for channel move time applies in both the master and slave operational modes.
- (ii) Channel Availability Check Time. A U-NII device shall check if there is a radar system already operating on the channel before it can initiate a transmission on a channel and when it has to move to a new channel. The U-NII device may start using the channel if no radar signal with a power level greater than the interference threshold values listed in paragraph (h)(2) of this section, is detected within 60 seconds.
- (iii) Channel Move Time. After a radar's presence is detected, all transmissions shall cease on the operating channel within 10 seconds. Transmissions during this period shall consist of normal traffic for a maximum of 200 ms after detection of the radar signal. In addition, intermittent management and control signals can be sent during the remaining time to facilitate vacating the operating channel.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 11 of 101

Non-occupancy Period. A channel that has been flagged as containing a radar system,

either by a channel availability check or in-service monitoring, is subject to a non-occupancy period of at least 30 minutes. The non-occupancy period starts at the time when the radar system is detected.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 12 of 101

5 APPLICABLE STANDARDS

Table 1: Applicability of DFS requirements prior to use of a channel

Dominosout	Operational Mode			
Requirement	Master	Client(without radar detection)	Client(with radar detection)	
Non-occupancy Period	Yes	Not required	Yes	
DFS Detection Threshold	Yes	Not required	Yes	
Channel Availability Check Time	Yes	Not required	Not required	
U-NII Detection Band- width	Yes	Not required	Yes	

Table 2: Applicability of DFS requirements during normal operation

	Operational Mode		
Requirement	Master Device or Client with Radar Detection	Client Without Radar Detection	
DFS Detection Threshold	Yes	Not required	
Cannel Closing Transmission time	Yes	Yes	
Channel Move time	Yes	Yes	
U-NII Detection Bandwidth	Yes	Not required	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 13 of 101

Additional requirements for devices with multiple bandwidth mode	Master Device or Client with Radar Detection	Client Without Radar Detection
U-NII Detection Bandwidth and Statistical Perfor- mance Check	All BW modes must be tested	Not required
Channel Move Time and Channel Closing Trans- mission Time	Test using widest BW mode available	Test using the widest BW mode available for the link
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.

Table 3: Interference Threshold values, Master or Client incorporating In-Service Monitoring

Maximum Transmit Power	Value (See Notes 1, 2, and 3)
EIRP ≥ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz	-62 dBm
EIRP < 200 milliwatt that do not meet the power spectral density requirement	-64 dBm

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | 台灣檢驗科技股份有限公司



Page: 14 of 101

Table 4: DFS Response requirement values

Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds See Note 1.
Channel Closing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period. See Notes 1 and 2.
U-NII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 15 of 101

Table 5: Radar Test Waveforms Short Pulse Radar

Radar	Pulse	PRI	Number of Pulses	Minimum	Minimum
Type	Width	(µsec)		Percentage of	Number
	(µsec)			Successful	of
				Detection	Trials
0	1	1428	18	See Note 1	See Note
					1
1	1	Test A: 15 unique	((1))	60%	30
		PRI values	360		
		randomly selected	Roundun		
		from the list of 23	[19·10°]		
		PRI values in	$\left(\overline{\text{PRI}_{\mu \text{sec}}} \right)$		
		Table 5a	((µsec /)		
		Test B: 15 unique			
		PRI values			
		randomly selected			
		within the range			
		of 518-3066 µsec,			
		with a minimum			
		increment of 1			
		μsec, excluding			
		PRI values			
		selected in Test A			
2	1-5	150-230	23-29	60%	30
3	6-10	200-500	16-18	60%	30
4	11-20	200-500	12-16	60%	30
Aggregate	(Radar Types	1-4)		80%	120

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.

Long Pulse Radar

	Radar Type	Pulse Width (µsec)	Chirp Width (MHz)	PRI (µsec)	Number of Pulses per Burst	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
ľ	5	50-100	5-20	1000- 2000	1-3	8-20	80%	30

Frequency Hopping Radar

-	- ,							
	Radar	Pulse	PRI	Pulses	Hopping	Hopping	Minimum	Minimum
	Type	Width	(µsec)	per	Rate	Sequence	Percentage of	Number of
		(µsec)		Hop	(kHz)	Length	Successful	Trials
						(msec)	Detection	
	6	1	333	9	0.333	300	70%	30

The applicant of this given application confirms that information regarding the parameters of the detected Radar Waveforms is not available to the end user.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. |



Page: 16 of 101

Setup for Master with injection at the Master



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.sgs.com.tw



Page: 17 of 101

TEST EQUIPMENT USED:

	Conducted Emission Test Site: Conducted A										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
Signal Generator	Keysight	N5182B	MY59101143	02/22/2023	02/21/2024						
Test Software	SGS Taiwan	Dynamic Frequency Selection Test	Ver. 22.01.24	N.C.R	N.C.R						
EMI Test Receiver	Anritsu	N9038A	MY52260216	11/28/2022	11/27/2023						
Attenuator	KEYSIGHT	11716C	8494B TH60075458+8496B TH60075263	11/16/2022	11/15/2023						
Splitter	RF-LAMBDA	RFLT2W1G18G	18112200217	11/16/2022	11/15/2023						
Splitter	RF-LAMBDA	RFLT2W1G18G	21032900017	11/16/2022	11/15/2023						
Notebook	Lenovo	L430	P0000195	N/A	N/A						
Client	Intel	AX211NGW	22.150.0.3	N/A	N/A						
Notebook	Нр	HQ-TRE.71025	P0003870	N/A	N/A						

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 18 of 101

DESCRIPTION OF EUT:

EUT is a Master device with radar detection and DFS capability.

Timing plots are required with calculations demonstrating a minimum channel loading of approximately 17% or greater.

The rated output power of the master unit is ≥23dBm(EIRP).therefore the required interference threshold level is -64dBm.after correction for antenna gain and procedural adjustments, the required conducted threshold at the antenna port is -64dBm.

The rated output power of the master unit is <23 dBm(EIRP).therefore the required interference threshold level is -62dBm.after correction for antenna gain and procedural adjustments, the required threshold at the antenna port is -62dBm.

DFS Detection Threshold (dBm) = -64 + G (dBi), for conducted test.

DFS Detection Threshold (dBm)	Minimum of Peak Antenna	Threshold for test (dBm)
	Gain (dBi)	
-64	-0.48	-64.48

While calibrate the path on antenna port of DFS test equipment (master), measurements equipments (spectrum) is ensured to be 50 Ohms, and therefore verification on antenna gain measurement can be ignored.

The EUT uses one transmitter/receiver chains and one receive only chain, each connected to an antenna to perform radiated tests.

The Slave device associated with the EUT during these tests does not have radar detection capability.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 19 of 101

RADAR TYPE WAVEFORM CALIBRATION AT DFS DETECTION THESHOLD







#VBW 3.0 MHz




HE80_5290MHz_Radar_Type 1-B




HE80_5290MHz_Radar_Type 2



HE80_5290MHz_Radar_Type 3



HE80_5290MHz_Radar_Type 4




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd.




Page: 20 of 101












HE80_5530MHz_Radar_Type 0




HE80_5530MHz_Radar_Type 1-A



HE80_5530MHz_Radar_Type 1-B



HE80_5530MHz_Radar_Type 2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488


SGS Taiwan Ltd.





Page: 21 of 101











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 22 of 101

10 CHANNEL CLOSING TRANSMISSION AND CHANNEL MOVE TIME MEAS-**UREMENT (RADAR TYPE 0)**

	Channel Shutdown Result											
Detecti	on Threshold Leve	el (dBm)	-64.48									
Modulation Mode	Freq. (MHz)	Radar Test Signal	Channel Closing Transmission Time(ms) 200ms~10sec Channel Move 7		Time(s)							
HE80	5290	Type 0	20	20		0.852						
HE80	5530	Type 0	18		0.852							
	Limit		60	ms	10	sec						
	Result			Com	plied							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留功天。本報告未經本公司書面許可,不可部份複製。

This documents is absenced by the Charge and its documents is a state of the comments in the comments is a state of the comments is a state of the comments in the comments is a state of the comments in the comm

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

Menwhow.orgs.com@moup




Page: 23 of 101


HE80_5290MHz_Channel Close Time




HE80_5290MHz_Channel Move Time



HE80_5530MHz_Channel Close Time



HE80_5530MHz_Channel Move Time



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This documentsisebsonately the Charpeayltau New which the New York N




Duty Cycle:

Report No.: TERF2306001461E2


Page: 24 of 101

HE80 5290MHz



★The Channel Loading must be more than 17%

HE80 5530MHz



Duty Cycle: **★The Channel Loading must be more than 17%**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This doc**ulmiessis its equise by take Chrepesyltaus/grown/sqs.com.tw/Terms-and-Conditions** and for electronic format This doculminesticiblesousis by subject the presultable who in the General Conditions and for electronic format documents is subject to Tutified and Conditions (in the Conditions) and for electronic format documents) subject to Tutified and Conditions (in the Conditions) which is the Condition of India and Jurisdiction and Jurisdiction and Jurisdiction and Jurisdiction and Jurisdictions and for electronic format documents in the Conditions of India and Jurisdiction and Jurisdiction and Jurisdictions and for electronic format documents and the India and India




Page: 25 of 101

12 NON-OCCUPANCY PERIOD MEASUREMENT

To verify whether channel is unavailable to be operated in 30 minutes. 1.8 ks = 1800 s = 1800 s/min / 60 = 30 minute

HE80_5290MHz

| State | Specific | Specific



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 26 of 101

13 UNII DETECTION BANDWIDTH MEASUREMENT

13.1 **Test Result**

HE80_5290MHz

EUT operating 5290 **EUT 99% Bandwidth(MHz)** 76.386

Frequency(MHz)

Type 0 Detction BW(MHz) **Radar Type** 80

Test Result	:	Pass		*	FH:	5330		FL:	5250		
D. P. E.		DFS	S Detect	ion Tri	als (1=D	etectior	n, 0= No	Detecti	on)		
Radio Frequency (MHz)	1	2	3	4	5	6	7	8	9	10	Detection Rate (%)
5250	1	1	1	1	1	1	1	1	1	1	100
5255	1	1	1	1	1	1	1	1	1	1	100
5260	1	1	1	1	1	1	1	1	1	1	100
5265	1	1	1	1	1	1	1	1	1	1	100
5270	1	1	1	1	1	1	1	1	1	1	100
5275	1	1	1	1	1	1	1	1	1	1	100
5280	1	1	1	1	1	1	1	1	1	1	100
5285	1	1	1	1	1	1	1	1	1	1	100
5290	1	1	1	1	1	1	1	1	1	1	100
5295	1	1	1	1	1	1	1	1	1	1	100
5300	1	1	1	1	1	1	1	1	1	1	100
5305	1	1	1	1	1	1	1	1	1	1	100
5310	1	1	1	1	1	1	1	1	1	1	100
5315	1	1	1	1	1	1	1	1	1	1	100
5320	1	1	1	1	1	1	1	1	1	1	100
5325	1	1	1	1	1	1	1	1	1	1	100
5330	1	1	1	1	1	1	1	1	1	1	100
5315	1	1	1	1	1	1	1	1	1	1	100
5320	1	1	1	1	1	1	1	1	1	1	100
5325	1	1	1	1	1	1	1	1	1	1	100
5330	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 27 of 101

HE80 5530MHz

EUT operating : 5530 EUT 99% Bandwidth(MHz) : 76.557 Frequency(MHz)

Radar Type : Type 0 Detction BW(MHz) : 80

Test Result	:	Pass		*	FH:	5570		FL:	5490		
Radio Frequency	L=Detec	tion, 0=	No Det	ection)						
	1	2	3	4	5	6	7	8	9	10	Detection Rate (%)
5490	1	1	1	1	1	1	1	1	1	1	100
5495	1	1	1	1	1	1	1	1	1	1	100
5500	1	1	1	1	1	1	1	1	1	1	100
5505	1	1	1	1	1	1	1	1	1	1	100
5510	1	1	1	1	1	1	1	1	1	1	100
5515	1	1	1	1	1	1	1	1	1	1	100
5520	1	1	1	1	1	1	1	1	1	1	100
5525	1	1	1	1	1	1	1	1	1	1	100
5530	1	1	1	1	1	1	1	1	1	1	100
5535	1	1	1	1	1	1	1	1	1	1	100
5540	1	1	1	1	1	1	1	1	1	1	100
5545	1	1	1	1	1	1	1	1	1	1	100
5550	1	1	1	1	1	1	1	1	1	1	100
5555	1	1	1	1	1	1	1	1	1	1	100
5560	1	1	1	1	1	1	1	1	1	1	100
5565	1	1	1	1	1	1	1	1	1	1	100
5570	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 28 of 101









Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488


SGS Taiwan Ltd.



Page: 29 of 101

14 CHANNEL AVAILABILITY CHECK MEASUREMENT






HE80_5290MHz_Radar Type 0_01



HE80_5290MHz_Radar Type 0_02




HE80_5530MHz_Radar Intial Time



HE80_5530MHz_Radar Type 0_01



HE80_5530MHz_Radar Type 0_02



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 30 of 101

15 IN SERVICE MONITORING

HE80 5290MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	1	00	60	Pass
2	30	ģ	90	60	Pass
3	30	93	.33	60	Pass
4	30	1	00	60	Pass
Aggregate (Radar Types 1-4)	120	95.8325		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10 Low Edge:10 High Edge:10	80 100 90	90	80	Pass
Frequency Hopping Radar Type	Minimum Number of Trials	Detec	tion(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	1	00	70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 31 of 101

Radar Type1 for 5290MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Freqency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
	(101112)	Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5290	5	1672.2	598	Α	Yes
2	5290	16	1222.5	818	Α	Yes
3	5290	2	1858.7	538	Α	Yes
4	5290	13	1319.3	758	Α	Yes
5	5290	4	1730.1	578	Α	Yes
6	5290	15	1253.1	798	Α	Yes
7	5290	11	1392.8	718	Α	Yes
8	5290	20	1113.6	898	Α	Yes
9	5290	3	1792.1	558	Α	Yes
10	5290	10	1432.7	698	Α	Yes
11	5290	19	1139	878	Α	Yes
12	5290	23	326.2	3066	Α	Yes
13	5290	7	1567.4	638	Α	Yes
14	5290	18	1165.5	858	Α	Yes
15	5290	9	1474.9	678	Α	Yes
16	5290	-	373.4	2678	В	Yes
17	5290	-	537.6	1860	В	Yes
18	5290	-	375.4	2664	В	Yes
19	5290	-	1689.2	592	В	Yes
20	5290	-	480.5	2081	В	Yes
21	5290	-	549.5	1820	В	Yes
22	5290	-	720.5	1388	В	Yes
23	5290	-	718.4	1392	В	Yes
24	5290	-	1025.6	975	В	Yes
25	5290	-	1402.5	713	В	Yes
26	5290	-	517.9	1931	В	Yes
27	5290	-	607.2	1647	В	Yes
28	5290	-	670.2	1492	В	Yes
29	5290	-	465.8	2147	В	Yes
30	5290	-	362.2	2761	В	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The defined treteril. Any folded to this document is advised tractification and the contractive treteril t prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 32 of 101

Radar Type2 for 5290MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Freqency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection	
		(23-29)	(μs)	(μs)	(Yes/No)	
1	5290	24	2	151	No	
2	5290	25	2.5	169	Yes	
3	5290	27	3.5	220	Yes	
4	5290	23	1.1	184	Yes	
5	5290	25	2.2	199	Yes	
6	5290	29	4.8	160	Yes	
7	5290	23	1	200	Yes	
8	5290	25	2.3	197	Yes	
9	5290	24	1.9	212	Yes	
10	5290	27	3.6	174	Yes	
11	5290	25	2.3	214	Yes	
12	5290	26	3.1	186	Yes	
13	5290	23	1.3	164	Yes	
14	5290	25	2.6	172	Yes	
15	5290	24	2.1	196	Yes	
16	5290	23	1.4	203	Yes	
17	5290	29	4.9	188	No	
18	5290	24	1.9	168	Yes	
19	5290	26	2.9	195	Yes	
20	5290	25	2.2	225	Yes	
21	5290	23	1.5	162	Yes	
22	5290	23	1	165	Yes	
23	5290	28	4.4	190	Yes	
24	5290	26	2.8	177	No	
25	5290	29	4.7	153	Yes	
26	5290	29	4.9	204	Yes	
27	5290	28	4.4	152	Yes	
28	5290	26	3.2	178	Yes	
29	5290	28	4.4	208	Yes	
30	5290	26	2.8	216	Yes	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 33 of 101

Radar Type3 for 5290MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
		(16-18)	(μs)	(μs)	(Yes/No)
1	5290	16	7	480	Yes
2	5290	17	7.5	260	Yes
3	5290	17	8.5	292	Yes
4	5290	16	6.1	497	Yes
5	5290	16	7.2	456	Yes
6	5290	18	9.8	345	Yes
7	5290	16	6	404	Yes
8	5290	17	7.3	379	Yes
9	5290	16	6.9	447	No
10	5290	17	8.6	470	Yes
11	5290	16	7.3	475	Yes
12	5290	17	8.1	293	No
13	5290	16	6.3	483	Yes
14	5290	17	7.6	239	Yes
15	5290	16	7.1	339	Yes
16	5290	16	6.4	271	Yes
17	5290	18	9.9	265	Yes
18	5290	16	6.9	298	Yes
19	5290	17	7.9	243	Yes
20	5290	16	7.2	473	Yes
21	5290	16	6.5	207	Yes
22	5290	16	6	370	Yes
23	5290	18	9.4	273	Yes
24	5290	17	7.8	313	Yes
25	5290	18	9.7	261	Yes
26	5290	18	9.9	421	Yes
27	5290	18	9.4	412	Yes
28	5290	17	8.2	340	Yes
29	5290	18	9.4	227	Yes
30	5290	17	7.8	308	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 34 of 101

Radar Type4 for 5290MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Freqency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection	
		(12-16)	(μs)	(μs)	(Yes/No)	
1	5290	13	13.3	480	Yes	
2	5290	13	14.3	260	Yes	
3	5290	15	16.6	292	Yes	
4	5290	12	11.3	497	Yes	
5	5290	13	13.8	456	Yes	
6	5290	16	19.6	345	Yes	
7	5290	12	11	404	Yes	
8	5290	13	14.1	379	Yes	
9	5290	13	13.1	447	Yes	
10	5290	15	16.8	470	Yes	
11	5290	13	13.9	475	Yes	
12	5290	14	15.8	293	Yes	
13	5290	12	11.7	483	Yes	
14	5290	14	14.6	239	Yes	
15	5290	13	13.5	339	Yes	
16	5290	12	11.9	271	Yes	
17	5290	16	19.7	265	Yes	
18	5290	13	13.1	298	Yes	
19	5290	14	15.3	243	Yes	
20	5290	13	13.7	473	Yes	
21	5290	12	12.1	207	Yes	
22	5290	12	11.1	370	Yes	
23	5290	16	18.7	273	Yes	
24	5290	14	15	313	Yes	
25	5290	16	19.3	261	Yes	
26	5290	16	19.6	421	Yes	
27	5290	16	18.5	412	Yes	
28	5290	14	16	340	Yes	
29	5290	16	18.6	227	Yes	
30	5290	14	15	308	Yes	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The defined treteril. Any folded to this document is advised tractification and the contractive treteril t prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



20

Report No.: TERF2306001461E2

Page: 35 of 101

E0008411

Radar Type5_Trial1 for 5290MHz							
Data Sheet fo	r FCC Radar	Туре 5					
Trial Number:		1		VSG F	5290		
Number of Bursts in Trial:		11		Successful Detection:		Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1.5)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	1	63	9			547116	
2	2	68.5	9	1739.5		809884	
3	2	81.2	9	928.8		1074731	
4	1	51.7	9			250394	
5	1	65.4	9			514772	
6	3	97.5	9	1303.5	1878.5	776318	
7	1	50	9			1042544	
8	2	67	9	1510		217466	
9	1	61.6	9			482104	
10	2	82	9	1819		745192	
11	1	66.1	9			1010527	
12							
13							
14							
15							
16							
17							
18							
19							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司



Page: 36 of 101

Radar Type5 Trial2 for 5290MHz

Data Sheet for	r FCC Radar		<u> </u>	101 3290IVITZ		
Trial Number:		2		VSG F	5290	
Number of Bursts in Trial:		12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	$(\mu \text{ sec})$
1	2	76.5	10	1828.5		169546
2	1	54.3	10			412083
3	2	70.2	10	1355.8		653433
4	1	64.2	10			896506
5	1	55.1	10			139951
6	3	98	10	1208	1323	381263
7	1	61.6	10			624320
8	2	73.9	10	1703.1		865130
9	1	65.3	10			110169
10	1	56.4	10			352320
11	1	50.8	10			594411
12	3	92.4	10	1231.6	1404.6	834342
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 37 of 101

Radar Type5 Trial3 for 5290MHz

Data Sheet fo	r FCC Radar		pco_maio	101 3290IVITZ			
Trial Number:		3		VSG F	VSG Freqency(MHz):		
Number of Bu	rsts in Trial:		16	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	$(\mu \text{ sec})$	
1	2	72.1	14	1817.9		60099	
2	3	95.8	14	982.2	1032.2	241129	
3	3	97.7	14	1371.3	1005.3	421556	
4	3	91.6	14	1192.4	1154.4	602599	
5	2	77.7	14	1647.3		37764	
6	3	92.3	14	1572.7	1216.7	218585	
7	2	72.5	14	1899.5		400069	
8	1	52.3	14			582770	
9	3	95.2	14	1512.8	1421.8	15436	
10	2	76.8	14	1882.2		196404	
11	3	89.3	14	1447.7	1762.7	376657	
12	2	73.3	14	1612.7		558869	
13	2	76.6	14	1655.4		740220	
14	3	95.5	14	1538.5	1013.5	173979	
15	3	99.5	14	1416.5	1282.5	354668	
16	1	53.3	14			537875	
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 38 of 101

Radar Type5 Trial4 for 5290MHz

Data Sheet fo	Data Sheet for FCC Radar Type 5								
Trial Number:		4		VSG F	VSG Freqency(MHz): 5290				
Number of Bursts in Trial:			8	Succes	sful Detection:	Yes			
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval			
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)			
1	2	70.2	5	1226.8		1439017			
2	3	98.9	5	969.1	961.1	304510			
3	2	82.8	5	1850.2		667663			
4	3	88.9	5	1145.1	1033.1	1029958			
5	2	78.7	5	1432.3		1394069			
6	1	64.4	5			260083			
7	3	89.8	5	1840.2	1645.2	622120			
8	3	89.6	5	1078.4	1503.4	985288			
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 39 of 101

Radar Type5 Trial5 for 5290MHz

Data Sheet for	r FCC Radar		poo_maio	101 32901011 12			
Trial Number:		5		VSG F	VSG Freqency(MHz):		
Number of Bu	rsts in Trial:	12		Successful Detection:		No	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	1	65.9	9			899539	
2	1	63.5	9			143493	
3	1	53.9	9			385577	
4	1	63.5	9			627660	
5	1	53.5	9			870411	
6	3	86.3	9	1250.7	1782.7	113367	
7	3	97	9	1305	1083	354956	
8	2	69.9	9	1594.1		597278	
9	1	62.1	9			839861	
10	2	76.1	9	1463.9		83754	
11	1	59.1	9			325883	
12	1	55.9	9			567967	
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 40 of 101

Radar Type5 Trial6 for 5290MHz

Data Sheet fo	r FCC Radar		peo_maio	101 32301011 12			
Trial Number:		6		VSG F	VSG Freqency(MHz): 5290		
Number of Bu	rsts in Trial:		20	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	$(\mu \mathrm{sec})$	
1	2	67.8	20	1392.2		484823	
2	1	55.9	20			32403	
3	2	72.3	20	1694.7		177065	
4	2	74.8	20	1862.2		321415	
5	3	89.2	20	1320.8	1130.8	466161	
6	2	79.6	20	1703.4		14468	
7	2	70.9	20	1899.1		159020	
8	3	99.7	20	1520.3	1551.3	303006	
9	1	65	20			449657	
10	3	96.9	20	1271.1	1668.1	592441	
11	3	87.6	20	1877.4	966.4	141022	
12	1	59.6	20			287016	
13	3	98.5	20	1505.5	1622.5	430018	
14	1	58.2	20			576799	
15	1	53.6	20			123915	
16	1	66.5	20			269080	
17	2	73.7	20	1895.3		412886	
18	1	62	20			559019	
19	1	63.7	20			106045	
20	1	57.7	20			251008	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 41 of 101

Radar Type5 Trial7 for 5290MHz

Data Sheet fo	Data Sheet for FCC Radar Type 5								
Trial Number:		7		VSG F	VSG Freqency(MHz): 5290				
Number of Bursts in Trial:			8	Succes	sful Detection:	Yes			
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval			
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)			
1	1	56	5			992593			
2	1	58	5			1355642			
3	2	75.6	5	1711.4		220355			
4	1	64.2	5			584108			
5	3	88.3	5	1053.7	1593.7	946066			
6	1	59	5			1311341			
7	3	98.8	5	1549.2	1259.2	175617			
8	1	58.9	5			539295			
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 42 of 101

Radar Type5 Trial8 for 5290MHz

Data Sheet fo	r FCC Radar		poo_maio	101 32901011 12			
Trial Number:		8		VSG F	VSG Freqency(MHz): 5290		
Number of Bu	rsts in Trial:		12	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	2	79.8	10	1724.2		600616	
2	2	69.3	10	1006.7		842500	
3	1	61.2	10			87385	
4	1	50.5	10			329397	
5	3	86.4	10	990.6	1864.6	569972	
6	3	93.6	10	1643.4	1701.4	810942	
7	3	85.6	10	1212.4	1808.4	57380	
8	1	64.3	10			299844	
9	2	76.5	10	1907.5		540904	
10	1	57.9	10			784136	
11	3	99.7	10	1299.3	1339.3	27645	
12	3	99.1	10	962.9	1615.9	269205	
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 43 of 101

Radar Type5 Trial9 for 5290MHz

Data Sheet fo	r FCC Radar		pco_maio	101 3290IVITZ			
Trial Number:		9		VSG F	VSG Freqency(MHz):		
Number of Bu	rsts in Trial:		11	Succes	sful Detection:	No	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(<i>μ</i> sec)	
1	3	93.5	8	929.5	1727.5	557466	
2	3	90.1	8	1252.9	1185.9	820873	
3	2	74.6	8	967.4		1086260	
4	2	69.1	8	1044.9		261754	
5	2	76	8	1698		525100	
6	3	94.3	8	980.7	1743.7	788308	
7	1	65	8			1054412	
8	3	95.3	8	1111.7	997.7	228796	
9	2	82.6	8	1916.4		492623	
10	2	80.5	8	1295.5		756709	
11	3	96.3	8	1399.7	1161.7	1019573	
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 44 of 101

Radar Type5_Trial10 for 5290MHz

Data Sheet fo	r FCC Radar		<u> </u>	101 020011112			
Trial Number:		10		VSG F	VSG Freqency(MHz): 5290		
Number of Bu	rsts in Trial:	16		Successful Detection:		Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	$(\mu \text{ sec})$	$(\mu \text{ sec})$	(μ sec)	
1	1	50.1	15			135328	
2	1	62.4	15			316921	
3	1	51.3	15			498292	
4	3	100	15	1866	1233	676623	
5	1	59.7	15			112895	
6	2	80.3	15	1438.7		293869	
7	1	58	15			475758	
8	3	86.5	15	1143.5	944.5	655204	
9	2	80.2	15	1382.8		90316	
10	2	80.8	15	1735.2		271474	
11	1	61.9	15			453690	
12	2	69.9	15	1438.1		634099	
13	3	95.7	15	1728.3	1122.3	67903	
14	3	85.7	15	1479.3	1242.3	248632	
15	3	87	15	1871	1557	429388	
16	2	73.3	15	1426.7		611188	
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 45 of 101

Radar Type5 Trial11 for 5290MHz

Data Sheet for	r FCC Radar		<u> </u>	101 32301VII 12	<u>-</u>	
Trial Number:		11		VSG F	reqency(MHz):	5294
Number of Bu	rsts in Trial:	12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.9	10			61073
2	2	72.7	10	1685.3		302598
3	3	89.4	10	1185.6	1376.6	544152
4	3	90	10	1458	912	785806
5	1	65.8	10			31261
6	1	62.3	10			273307
7	1	64.6	10			515771
8	1	64.2	10			757953
9	1	65.9	10			1434
10	3	83.5	10	1613.5	1256.5	242834
11	1	56.5	10			485573
12	3	88.3	10	1492.7	1833.7	725245
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 46 of 101

Radar Type5 Trial12 for 5290MHz

Data Sheet for	r FCC Radar		<u> </u>	101 32301011 12	<u>-</u>		
Trial Number:		12		VSG F	VSG Freqency(MHz): 5295.2		
Number of Bu	rsts in Trial:		14	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	$(\mu \text{ sec})$	
1	3	94.1	13	1020.9	1649.9	828603	
2	3	94	13	1173	1180	182667	
3	1	53.4	13			390823	
4	2	76.4	13	1139.6		597189	
5	3	99.3	13	1512.7	1019.7	803019	
6	2	73.1	13	1531.9		157255	
7	1	61.1	13			365226	
8	3	88.2	13	1076.8	1000.8	571078	
9	3	85	13	950	1142	778579	
10	3	93.6	13	1036.4	1549.4	131685	
11	2	75.8	13	1774.2		338945	
12	3	84	13	1721	1450	544822	
13	2	68.4	13	1763.6		753166	
14	2	71.4	13	1131.6		106356	
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 47 of 101

Radar Type5_Trial13 for 5290MHz

Data Sheet for FCC Radar Type 5								
Trial Number:		13	13		VSG Freqency(MHz):			
Number of Bu	ırsts in Trial:		9	Successful Detection:		Yes		
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval		
	(1-3)	(μ sec)	(MHz)	$(\mu \text{ sec})$	(μ sec)	(μ sec)		
1	2	69.5	6	1326.5		488221		
2	2	68.2	6	1914.8		810424		
3	2	81.5	6	987.5		1133906		
4	2	70.2	6	1303.8		125895		
5	2	78.9	6	1134.1		448609		
6	3	83.4	6	1542.6	1814.6	770182		
7	3	89	6	1089	1822	1092855		
8	2	71	6	970		86119		
9	1	60	6			409098		
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响起力操具负责,同时此模具做足列的手。木型生工概念人同事面实可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 48 of 101

Radar Type5_Trial14 for 5290MHz

Data Sheet fo	r FCC Radar		<u>-</u>	101 0200111112			
Trial Number:		14		VSG F	VSG Freqency(MHz): 5294.4		
Number of Bu	rsts in Trial:	13		Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
, ,	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	2	72.6	11	1791.4		505879	
2	3	93.2	11	1681.8	1741.8	727468	
3	3	90.6	11	1008.4	931.4	32042	
4	2	80.5	11	1441.5		255248	
5	3	87.8	11	1156.2	1541.2	477748	
6	3	97.8	11	1896.2	1379.2	699913	
7	3	87.2	11	1591.8	1268.8	4570	
8	3	84.1	11	1646.9	1074.9	227397	
9	2	76.3	11	1145.7		450859	
10	2	73.8	11	1388.2		673953	
11	2	69.8	11	1741.2		896808	
12	3	92.5	11	1540.5	957.5	200010	
13	3	86.2	11	934.8	1668.8	423002	
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 49 of 101

Radar Type5 Trial15 for 5290MHz

Data Sheet for	r FCC Radar			101 5290101112			
Trial Number:		15		VSG F	VSG Freqency(MHz):		
Number of Bu	rsts in Trial:		11	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	2	77.3	9	1365.7		764507	
2	3	85.5	9	930.5	1914.5	1026463	
3	2	70.6	9	1606.4		204272	
4	2	72.6	9	1180.4		468403	
5	2	74.6	9	1915.4		731388	
6	3	98.9	9	1605.1	1531.1	994550	
7	3	88.3	9	1689.7	1017.7	171579	
8	1	61.4	9			436246	
9	3	96.9	9	1138.1	1345.1	699000	
10	1	55.4	9			964595	
11	2	71.5	9	1512.5		139207	
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 50 of 101

Radar Type5_Trial16 for 5290MHz

Data Sheet for FCC Radar Type 5								
Trial Number:		16		VSG Freqency(MHz):		5292.4		
Number of Bu	ırsts in Trial:		9	Succes	sful Detection:	Yes		
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval		
	(1-3)	(μ sec)	(MHz)	$(\mu \text{ sec})$	(μ sec)	(μ sec)		
1	3	94.4	6	1533.6	1250.6	492232		
2	3	92.8	6	1532.2	1501.2	814314		
3	3	96.4	6	1093.6	1223.6	1136998		
4	2	82.7	6	1558.3		130564		
5	3	95.8	6	1176.2	1745.2	452528		
6	1	54.5	6			776429		
7	2	73.1	6	1912.9		1098089		
8	3	99.4	6	1067.6	1542.6	90715		
9	2	73	6	1803		413433		
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 51 of 101

Radar Type5_Trial17 for 5290MHz

Data Sheet fo	r FCC Radar		<u>-</u>	101 020011112		
Trial Number:		17		VSG F	reqency(MHz):	5298
Number of Bu	rsts in Trial:		20	Succes	sful Detection:	Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	84	20	981	1021	330156
2	2	80.9	20	1660.1		474595
3	2	83.3	20	1349.7		22926
4	1	58.7	20			168177
5	3	92.7	20	1314.3	1313.3	311945
6	2	73.3	20	933.7		457601
7	3	90.4	20	1367.6	1889.6	5060
8	3	97.9	20	1448.1	1041.1	149696
9	1	59.5	20			295360
10	3	99.6	20	1898.4	1185.4	437809
11	1	60.1	20			586068
12	3	98.7	20	1754.3	1063.3	131732
13	2	79	20	1146		276847
14	3	83.4	20	1790.6	1836.6	419894
15	3	90.9	20	1610.1	1672.1	564556
16	3	96	20	1445	1551	113901
17	3	99.6	20	1367.4	1210.4	258222
18	1	56.3	20			404749
19	1	58.8	20			549571
20	3	90.1	20	1723.9	1050.9	96145

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 52 of 101

Radar Type5 Trial18 for 5290MHz

Data Sheet for	r FCC Radar		<u> </u>	101 32301011 12	<u>-</u>		
Trial Number:		18		VSG F	VSG Freqency(MHz): 5293.2		
Number of Bursts in Trial:			11	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(<i>μ</i> sec)	
1	2	82.8	8	1593.2		439352	
2	3	98.7	8	1723.3	1869.3	701769	
3	2	75.7	8	1590.3		966712	
4	3	87.7	8	1400.3	1696.3	142905	
5	2	69	8	1495		407058	
6	3	86.1	8	1385.9	931.9	670396	
7	3	95	8	1485	1074	933653	
8	1	51.4	8			110807	
9	1	54.4	8			374973	
10	3	88.3	8	1021.7	1086.7	637820	
11	2	71.7	8	1109.3		902032	
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 53 of 101

Radar Type5_Trial19 for 5290MHz

Data Sheet fo	r FCC Radar		<u></u>	101 020011112			
Trial Number:		19		VSG Freqency(MHz): 5294.8			
Number of Bu	rsts in Trial:	14		Successful Detection:		Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(<i>μ</i> sec)	
1	1	50.7	12			61447	
2	2	70.5	12	1627.5		268475	
3	2	69.4	12	1722.6		475296	
4	1	52.1	12			684076	
5	3	96.5	12	1482.5	1792.5	35721	
6	1	52.2	12			243509	
7	1	61.8	12			451070	
8	2	80	12	1415		656965	
9	1	51.2	12			10304	
10	1	58.5	12			217915	
11	3	90.4	12	1643.6	1177.6	424006	
12	1	51.8	12			633126	
13	3	97.4	12	1229.6	1565.6	837093	
14	3	95.3	12	1812.7	1618.7	191356	
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 54 of 101

Radar Type5 Trial20 for 5290MHz

Data Sheet for	r FCC Radar		<u> </u>	101 32301011 12	<u>-</u>		
Trial Number:		20		VSG F	VSG Freqency(MHz):		
Number of Bu	rsts in Trial:		11	Successful Detection:		Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	2	72.9	9	1382.1		508123	
2	1	65.3	9			773405	
3	1	59.4	9			1037862	
4	1	55.4	9			212248	
5	3	86.8	9	1707.2	1437.2	475069	
6	3	96.2	9	1208.8	1146.8	738945	
7	3	98.3	9	1572.7	1865.7	1001791	
8	1	64.2	9			179675	
9	1	59.2	9			443751	
10	3	90.3	9	1441.7	926.7	706246	
11	3	85.3	9	1574.7	1594.7	969720	
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 55 of 101

Radar Type5 Trial21 for 5290MHz

Data Sheet for	r FCC Radar	Type 5					
Trial Number:		21		VSG F	VSG Freqency(MHz): 5287.2		
Number of Bu	rsts in Trial:		9	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	1	55.2	7			179939	
2	3	95.6	7	1379.4	1416.4	501977	
3	3	89.8	7	1339.2	1816.2	823882	
4	1	56.5	7			1149144	
5	2	78.4	7	1624.6		139946	
6	3	89	7	1818	1728	461987	
7	3	93.5	7	1001.5	1894.5	784366	
8	2	71.2	7	1231.8		1108027	
9	2	77.8	7	1238.2		100223	
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20	_						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 56 of 101

Radar Type5 Trial22 for 5290MHz

Data Sheet for	r FCC Radar			101 5290101112			
Trial Number:		22		VSG F	VSG Freqency(MHz):		
Number of Bu	rsts in Trial:		8	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	1	59.4	5			476226	
2	2	78.1	5	1052.9		838980	
3	1	59.5	5			1203455	
4	2	81.2	5	1182.8		68054	
5	3	94.5	5	1269.5	1397.5	430668	
6	3	93.8	5	1298.2	951.2	793857	
7	3	87.7	5	1366.3	1073.3	1156502	
8	2	76.4	5	1282.6		23331	
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 57 of 101

Radar Type5 Trial23 for 5290MHz

Data Sheet for	r FCC Radar		<u> </u>	101 32301011 12	<u>-</u>	
Trial Number:		23		VSG F	reqency(MHz):	5282.8
Number of Bu	rsts in Trial:		19	Succes	sful Detection:	No
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(<i>μ</i> sec)
1	1	57.5	18			162625
2	2	81.6	18	1005.4		314791
3	3	92.4	18	1467.6	1148.6	466333
4	3	96.8	18	1762.2	1816.2	617318
5	2	78.3	18	1807.7		143267
6	3	92.5	18	1254.5	1042.5	295390
7	3	96.2	18	1222.8	1085.8	447612
8	2	70.7	18	1236.3		601014
9	3	85.6	18	1856.4	1510.4	124334
10	3	96	18	1588	1799	276292
11	2	67.6	18	1018.4		429782
12	3	92.2	18	1513.8	1393.8	580750
13	2	73.5	18	1539.5		105842
14	3	86.5	18	1768.5	1037.5	257878
15	1	61.3	18			411647
16	2	79.2	18	1275.8		562965
17	2	66.8	18	1650.2		87167
18	3	91.3	18	1869.7	1411.7	238690
19	1	56.6	18			393096
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 58 of 101

Radar Type5 Trial24 for 5290MHz

Data Sheet fo	Data Sheet for FCC Radar Type 5								
Trial Number:		24		VSG F	VSG Freqency(MHz): 5285.2				
Number of Bursts in Trial:			13	Succes	sful Detection:	Yes			
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval			
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)			
1	2	72.1	12	1824.9		796692			
2	2	73.4	12	1699.6		99997			
3	2	72.9	12	975.1		323365			
4	2	69.6	12	1878.4		546064			
5	3	97	12	1264	1114	768225			
6	2	80.7	12	1863.3		72555			
7	2	69.6	12	1755.4		295575			
8	3	85.9	12	1841.1	1893.1	517465			
9	3	94.8	12	1508.2	1742.2	740402			
10	1	55.8	12			45145			
11	2	78.2	12	1712.8		268143			
12	1	61	12			491910			
13	3	93	12	1634	1225	712989			
14									
15									
16									
17									
18									
19									
20									

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 59 of 101

Radar Type5_Trial25 for 5290MHz

Data Sheet for	r FCC Radar		<u>-</u>	101 020011112		
Trial Number:		25		VSG Freqency(MHz):		5282.4
Number of Bu	rsts in Trial:		19	Succes	sful Detection:	Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.5	19			12048
2	2	71.8	19	1068.2		164691
3	1	56.6	19			317446
4	2	77.7	19	1529.3		469582
5	3	98	19	1158	1264	620682
6	3	88.6	19	919.4	985.4	145479
7	2	76.9	19	1175.1		298273
8	1	53.1	19			451684
9	3	93.6	19	1598.4	1416.4	601095
10	3	85.8	19	1484.2	1610.2	126613
11	3	92.8	19	1392.2	1099.2	278636
12	3	93	19	1222	1282	431006
13	2	75.8	19	1210.2		584184
14	2	79.1	19	1769.9		108144
15	1	54.2	19			261327
16	2	72.9	19	936.1		413162
17	2	66.8	19	1532.2		565482
18	2	80.4	19	1502.6		89385
19	1	64.3	19			242495
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 60 of 101

Radar Type5_Trial26 for 5290MHz

Data Sheet for	r FCC Radar		<u> </u>	101 020011112		
Trial Number:		26		VSG Freqency(MHz): 5282		
Number of Bu	rsts in Trial:		20	Succes	sful Detection:	Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	$(\mu \text{ sec})$	(μ sec)	(μ sec)
1	1	53.2	20			375578
2	3	87.1	20	1072.9	1894.9	518120
3	1	65.6	20			67169
4	1	52.9	20			212503
5	3	84.7	20	1238.3	1327.3	356089
6	1	61.9	20			502761
7	3	95.5	20	1563.5	943.5	49076
8	1	66	20			194378
9	1	58.7	20			339492
10	1	56.5	20			484688
11	1	51.4	20			31430
12	1	64.9	20			176580
13	1	57.3	20			321724
14	3	84.9	20	1669.1	1101.1	464232
15	2	74.7	20	1675.3		13512
16	3	83.6	20	1492.4	1386.4	157823
17	1	51.6	20			304049
18	2	79.8	20	1158.2		448262
19	3	83.6	20	1842.4	1516.4	590730
20	2	81.3	20	1178.7		140480

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 61 of 101

Radar Type5_Trial27 for 5290MHz

Data Sheet fo	r FCC Radar		_	101 020011112		
Trial Number:		27		VSG F	reqency(MHz):	5282.8
Number of Bu	rsts in Trial:	18		Succes	Yes	
Burst Pu	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	$(\mu \text{ sec})$	(μ sec)	(μ sec)
1	2	78.3	18	1217.7		317420
2	1	64.4	18			479183
3	1	53.5	18			640692
4	2	78.5	18	1326.5		136408
5	3	87.7	18	1110.3	1602.3	296498
6	2	80.1	18	1121.9		458335
7	2	76.6	18	1468.4		619127
8	2	71.1	18	1077.9		116618
9	1	51.5	18			277995
10	1	65.3	18			439735
11	1	63	18			600944
12	2	77.9	18	1724.1		96628
13	2	75.4	18	1194.6		257841
14	1	63.8	18			419502
15	1	57.8	18			580860
16	1	55.8	18			76985
17	3	92.9	18	1237.1	1050.1	237611
18	2	68.9	18	1044.1		398883
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 62 of 101

Radar Type5_Trial28 for 5290MHz

Data Sheet fo	r FCC Radar		_	101 020011112		
Trial Number:		28		VSG F	reqency(MHz):	5284.8
Number of Bu	rsts in Trial:	15		Succes	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	$(\mu \text{ sec})$	$(\mu \text{ sec})$	(μ sec)
1	2	72	13	1704		671598
2	1	65.7	13			68604
3	1	52.5	13			262348
4	2	72.5	13	1769.5		454797
5	2	68.1	13	1871.9		647764
6	3	96.7	13	1675.3	1605.3	44581
7	3	92.2	13	1325.8	990.8	237652
8	2	70.8	13	1340.2		431398
9	3	85.5	13	1093.5	1444.5	623691
10	1	58.1	13			20917
11	1	51.1	13			214554
12	3	95.5	13	1447.5	1377.5	406902
13	1	52.5	13			602013
14	3	93.1	13	1750.9	1794.9	792014
15	2	83.3	13	1034.7		190445
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 63 of 101

Radar Type5_Trial29 for 5290MHz

Data Sheet fo	r FCC Radar		_	101 020011112				
Trial Number:		29		VSG F	VSG Freqency(MHz): 5282.8			
Number of Bu	rsts in Trial:	18		Succes	Successful Detection:			
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval		
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(<i>μ</i> sec)		
1	3	99.2	18	1552.8	1871.8	318533		
2	3	86.1	18	1322.9	1563.9	479389		
3	3	88.9	18	1830.1	1466.1	639681		
4	3	83.6	18	1266.4	1729.4	138256		
5	3	87.1	18	1502.9	1100.9	298961		
6	1	65.3	18			461840		
7	1	54.5	18			623392		
8	3	85.4	18	1622.6	1452.6	118634		
9	2	74.3	18	1547.7		279705		
10	1	64.5	18			441498		
11	3	93.4	18	1099.6	1752.6	599951		
12	3	93.5	18	1646.5	1419.5	98828		
13	2	73.5	18	1688.5		259805		
14	3	89.5	18	1525.5	943.5	420061		
15	3	93.5	18	1564.5	1427.5	580484		
16	2	77.1	18	1648.9		79143		
17	2	68.8	18	1084.2		240171		
18	3	90.7	18	1390.3	1047.3	400250		
19								
20								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 64 of 101

Radar Type5 Trial30 for 5290MHz

Data Sheet for	Data Sheet for FCC Radar Type 5							
Trial Number:		30		VSG F	reqency(MHz):	5285.2		
Number of Bu	rsts in Trial:	13		Succes	Successful Detection:			
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval		
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)		
1	2	82.8	12	1674.2		778757		
2	1	57.8	12			82422		
3	2	67.9	12	1312.1		305651		
4	2	78.7	12	1852.3		528376		
5	1	55.7	12			753383		
6	3	96.3	12	1140.7	1655.7	54759		
7	1	56.8	12			278494		
8	3	86.3	12	919.7	1773.7	500553		
9	2	66.8	12	1816.2		723702		
10	3	94.7	12	1321.3	1756.3	27305		
11	2	68.5	12	1362.5		250449		
12	2	70	12	1800		473621		
13	1	56.1	12			697800		
14								
15								
16								
17								
18								
19								
20								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 65 of 101

Radar Type6 for 5290MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 66 of 101

HE80 5530MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	g	90	60	Pass
2	30	1	00	60	Pass
3	30	1	00	60	Pass
4	30	1	00	60	Pass
Aggregate (Radar Types 1-4)	120	97	7.5	80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10 Low Edge:10 High Edge:10	100 60 100	86.6666667	80	Pass
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	1	00	70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 67 of 101

Radar Type1 for 5530MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Freqency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
	(1411 12)	Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5530	5	1672.2	598	Α	Yes
2	5530	16	1222.5	818	Α	Yes
3	5530	2	1858.7	538	Α	Yes
4	5530	13	1319.3	758	Α	Yes
5	5530	4	1730.1	578	Α	Yes
6	5530	15	1253.1	798	Α	Yes
7	5530	11	1392.8	718	Α	No
8	5530	20	1113.6	898	Α	Yes
9	5530	3	1792.1	558	Α	Yes
10	5530	10	1432.7	698	Α	Yes
11	5530	19	1139	878	Α	Yes
12	5530	23	326.2	3066	Α	Yes
13	5530	7	1567.4	638	Α	Yes
14	5530	18	1165.5	858	Α	Yes
15	5530	9	1474.9	678	Α	Yes
16	5530	-	373.4	2678	В	Yes
17	5530	-	537.6	1860	В	Yes
18	5530	-	375.4	2664	В	Yes
19	5530	-	1689.2	592	В	Yes
20	5530	-	480.5	2081	В	Yes
21	5530	-	549.5	1820	В	Yes
22	5530	-	720.5	1388	В	Yes
23	5530	-	718.4	1392	В	Yes
24	5530	-	1025.6	975	В	Yes
25	5530	-	1402.5	713	В	No
26	5530	-	517.9	1931	В	Yes
27	5530	-	607.2	1647	В	No
28	5530	-	670.2	1492	В	Yes
29	5530	-	465.8	2147	В	Yes
30	5530	-	362.2	2761	В	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 68 of 101

Radar Type2 for 5530MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Freqency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
		(23-29)	(μs)	(μs)	(Yes/No)
1	5530	24	2	151	Yes
2	5530	25	2.5	169	Yes
3	5530	27	3.5	220	Yes
4	5530	23	1.1	184	Yes
5	5530	25	2.2	199	Yes
6	5530	29	4.8	160	Yes
7	5530	23	1	200	Yes
8	5530	25	2.3	197	Yes
9	5530	24	1.9	212	Yes
10	5530	27	3.6	174	Yes
11	5530	25	2.3	214	Yes
12	5530	26	3.1	186	Yes
13	5530	23	1.3	164	Yes
14	5530	25	2.6	172	Yes
15	5530	24	2.1	196	Yes
16	5530	23	1.4	203	Yes
17	5530	29	4.9	188	Yes
18	5530	24	1.9	168	Yes
19	5530	26	2.9	195	Yes
20	5530	25	2.2	225	Yes
21	5530	23	1.5	162	Yes
22	5530	23	1	165	Yes
23	5530	28	4.4	190	Yes
24	5530	26	2.8	177	Yes
25	5530	29	4.7	153	Yes
26	5530	29	4.9	204	Yes
27	5530	28	4.4	152	Yes
28	5530	26	3.2	178	Yes
29	5530	28	4.4	208	Yes
30	5530	26	2.8	216	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 69 of 101

Radar Type3 for 5530MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Freqency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
		(10-10)	(μs)	(μs)	(Yes/No)
1	5530	16	7	480	Yes
2	5530	17	7.5	260	Yes
3	5530	17	8.5	292	Yes
4	5530	16	6.1	497	Yes
5	5530	16	7.2	456	Yes
6	5530	18	9.8	345	Yes
7	5530	16	6	404	Yes
8	5530	17	7.3	379	Yes
9	5530	16	6.9	447	Yes
10	5530	17	8.6	470	Yes
11	5530	16	7.3	475	Yes
12	5530	17	8.1	293	Yes
13	5530	16	6.3	483	Yes
14	5530	17	7.6	239	Yes
15	5530	16	7.1	339	Yes
16	5530	16	6.4	271	Yes
17	5530	18	9.9	265	Yes
18	5530	16	6.9	298	Yes
19	5530	17	7.9	243	Yes
20	5530	16	7.2	473	Yes
21	5530	16	6.5	207	Yes
22	5530	16	6	370	Yes
23	5530	18	9.4	273	Yes
24	5530	17	7.8	313	Yes
25	5530	18	9.7	261	Yes
26	5530	18	9.9	421	Yes
27	5530	18	9.4	412	Yes
28	5530	17	8.2	340	Yes
29	5530	18	9.4	227	Yes
30	5530	17	7.8	308	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 70 of 101

Radar Type4 for 5530MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Freqency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
		(12-10)	(μs)	(μs)	(Yes/No)
1	5530	13	13.3	480	Yes
2	5530	13	14.3	260	Yes
3	5530	15	16.6	292	Yes
4	5530	12	11.3	497	Yes
5	5530	13	13.8	456	Yes
6	5530	16	19.6	345	Yes
7	5530	12	11	404	Yes
8	5530	13	14.1	379	Yes
9	5530	13	13.1	447	Yes
10	5530	15	16.8	470	Yes
11	5530	13	13.9	475	Yes
12	5530	14	15.8	293	Yes
13	5530	12	11.7	483	Yes
14	5530	14	14.6	239	Yes
15	5530	13	13.5	339	Yes
16	5530	12	11.9	271	Yes
17	5530	16	19.7	265	Yes
18	5530	13	13.1	298	Yes
19	5530	14	15.3	243	Yes
20	5530	13	13.7	473	Yes
21	5530	12	12.1	207	Yes
22	5530	12	11.1	370	Yes
23	5530	16	18.7	273	Yes
24	5530	14	15	313	Yes
25	5530	16	19.3	261	Yes
26	5530	16	19.6	421	Yes
27	5530	16	18.5	412	Yes
28	5530	14	16	340	Yes
29	5530	16	18.6	227	Yes
30	5530	14	15	308	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 71 of 101

		Radar Ty	/pe5_Trial1	for 5530MHz			
Data Sheet fo	or FCC Radar	Type 5					
Trial Number	:	1	1		VSG Freqency(MHz): 5530		
Number of Bu	ırsts in Trial:		11	Succes	sful Detection:	Yes	
Burst Pulses p (8-20) Burst	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1.5)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	1	63	9			547116	
2	2	68.5	9	1739.5		809884	
3	2	81.2	9	928.8		1074731	
4	1	51.7	9			250394	
5	1	65.4	9			514772	
6	3	97.5	9	1303.5	1878.5	776318	
7	1	50	9			1042544	
8	2	67	9	1510		217466	
9	1	61.6	9			482104	
10	2	82	9	1819		745192	
11	1	66.1	9			1010527	
12							
13							
14							
15							
16							
17							
18							
19							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

20



Page: 72 of 101

Radar Type5 Trial2 for 5530MHz

Data Sheet for	r FCC Radar		<u> </u>	101 33301111112		
Trial Number:		2		VSG F	reqency(MHz):	5530
Number of Bu	rsts in Trial:		12	Succes	sful Detection:	Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.5	10	1828.5		169546
2	1	54.3	10			412083
3	2	70.2	10	1355.8		653433
4	1	64.2	10			896506
5	1	55.1	10			139951
6	3	98	10	1208	1323	381263
7	1	61.6	10			624320
8	2	73.9	10	1703.1		865130
9	1	65.3	10			110169
10	1	56.4	10			352320
11	1	50.8	10			594411
12	3	92.4	10	1231.6	1404.6	834342
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 73 of 101

Radar Type5 Trial3 for 5530MHz

Data Sheet for	r FCC Radar		<u> </u>	101 33301111112		
Trial Number:		3		VSG Freqency(MHz):		5530
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	72.1	14	1817.9		60099
2	3	95.8	14	982.2	1032.2	241129
3	3	97.7	14	1371.3	1005.3	421556
4	3	91.6	14	1192.4	1154.4	602599
5	2	77.7	14	1647.3		37764
6	3	92.3	14	1572.7	1216.7	218585
7	2	72.5	14	1899.5		400069
8	1	52.3	14			582770
9	3	95.2	14	1512.8	1421.8	15436
10	2	76.8	14	1882.2		196404
11	3	89.3	14	1447.7	1762.7	376657
12	2	73.3	14	1612.7		558869
13	2	76.6	14	1655.4		740220
14	3	95.5	14	1538.5	1013.5	173979
15	3	99.5	14	1416.5	1282.5	354668
16	1	53.3	14			537875
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 74 of 101

Radar Type5 Trial4 for 5530MHz

Data Sheet for FCC Radar Type 5								
Trial Number:		4		VSG F	VSG Freqency(MHz): 5530			
Number of Bu	rsts in Trial:	8		Succes	sful Detection:	Yes		
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval		
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)		
1	2	70.2	5	1226.8		1439017		
2	3	98.9	5	969.1	961.1	304510		
3	2	82.8	5	1850.2		667663		
4	3	88.9	5	1145.1	1033.1	1029958		
5	2	78.7	5	1432.3		1394069		
6	1	64.4	5			260083		
7	3	89.8	5	1840.2	1645.2	622120		
8	3	89.6	5	1078.4	1503.4	985288		
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 75 of 101

Radar Type5 Trial5 for 5530MHz

Data Sheet for	r FCC Radar		poo_maio	101 33301011 12		
Trial Number:		5		VSG Freqency(MHz): 5530		
Number of Bu	rsts in Trial:	12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65.9	9			899539
2	1	63.5	9			143493
3	1	53.9	9			385577
4	1	63.5	9			627660
5	1	53.5	9			870411
6	3	86.3	9	1250.7	1782.7	113367
7	3	97	9	1305	1083	354956
8	2	69.9	9	1594.1		597278
9	1	62.1	9			839861
10	2	76.1	9	1463.9		83754
11	1	59.1	9			325883
12	1	55.9	9			567967
13						
14						
15						
16						
17						
18						
19						
20						_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 76 of 101

Radar Type5 Trial6 for 5530MHz

Data Sheet for FCC Radar Type 5								
Trial Number:		6		VSG F	VSG Freqency(MHz): 5530			
Number of Bu	rsts in Trial:	20		Successful Detection:		Yes		
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval		
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	$(\mu \mathrm{sec})$		
1	2	67.8	20	1392.2		484823		
2	1	55.9	20			32403		
3	2	72.3	20	1694.7		177065		
4	2	74.8	20	1862.2		321415		
5	3	89.2	20	1320.8	1130.8	466161		
6	2	79.6	20	1703.4		14468		
7	2	70.9	20	1899.1		159020		
8	3	99.7	20	1520.3	1551.3	303006		
9	1	65	20			449657		
10	3	96.9	20	1271.1	1668.1	592441		
11	3	87.6	20	1877.4	966.4	141022		
12	1	59.6	20			287016		
13	3	98.5	20	1505.5	1622.5	430018		
14	1	58.2	20			576799		
15	1	53.6	20			123915		
16	1	66.5	20			269080		
17	2	73.7	20	1895.3		412886		
18	1	62	20			559019		
19	1	63.7	20			106045		
20	1	57.7	20			251008		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 77 of 101

Radar Type5 Trial7 for 5530MHz

Data Sheet fo	r FCC Radar		<u>pco_man</u>	101 33301111112			
Trial Number:		7		VSG F	VSG Freqency(MHz): 5		
Number of Bu	rsts in Trial:		8	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(<i>μ</i> sec)	
1	1	56	5			992593	
2	1	58	5			1355642	
3	2	75.6	5	1711.4		220355	
4	1	64.2	5			584108	
5	3	88.3	5	1053.7	1593.7	946066	
6	1	59	5			1311341	
7	3	98.8	5	1549.2	1259.2	175617	
8	1	58.9	5			539295	
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 78 of 101

Radar Type5 Trial8 for 5530MHz

Data Sheet fo	r FCC Radar		peo_maio	101 33301111112			
Trial Number:		8		VSG F	VSG Freqency(MHz):		
Number of Bursts in Trial:			12	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(<i>μ</i> sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	2	79.8	10	1724.2		600616	
2	2	69.3	10	1006.7		842500	
3	1	61.2	10			87385	
4	1	50.5	10			329397	
5	3	86.4	10	990.6	1864.6	569972	
6	3	93.6	10	1643.4	1701.4	810942	
7	3	85.6	10	1212.4	1808.4	57380	
8	1	64.3	10			299844	
9	2	76.5	10	1907.5		540904	
10	1	57.9	10			784136	
11	3	99.7	10	1299.3	1339.3	27645	
12	3	99.1	10	962.9	1615.9	269205	
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 79 of 101

Radar Type5 Trial9 for 5530MHz

Data Sheet for	r FCC Radar		pec_maic	101 33301111112		
Trial Number:		9		VSG Freqency(MHz):		5530
Number of Bu	rsts in Trial:		11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.5	8	929.5	1727.5	557466
2	3	90.1	8	1252.9	1185.9	820873
3	2	74.6	8	967.4		1086260
4	2	69.1	8	1044.9		261754
5	2	76	8	1698		525100
6	3	94.3	8	980.7	1743.7	788308
7	1	65	8			1054412
8	3	95.3	8	1111.7	997.7	228796
9	2	82.6	8	1916.4		492623
10	2	80.5	8	1295.5		756709
11	3	96.3	8	1399.7	1161.7	1019573
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 80 of 101

Radar Type5 Trial10 for 5530MHz

Data Sheet for	r FCC Radar		<u> </u>	101 33301011 12	<u>-</u>	
Trial Number:		10		VSG F	reqency(MHz):	5530
Number of Bu	rsts in Trial:	16		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(<i>μ</i> sec)
1	1	50.1	15			135328
2	1	62.4	15			316921
3	1	51.3	15			498292
4	3	100	15	1866	1233	676623
5	1	59.7	15			112895
6	2	80.3	15	1438.7		293869
7	1	58	15			475758
8	3	86.5	15	1143.5	944.5	655204
9	2	80.2	15	1382.8		90316
10	2	80.8	15	1735.2		271474
11	1	61.9	15			453690
12	2	69.9	15	1438.1		634099
13	3	95.7	15	1728.3	1122.3	67903
14	3	85.7	15	1479.3	1242.3	248632
15	3	87	15	1871	1557	429388
16	2	73.3	15	1426.7		611188
17						_
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 81 of 101

Radar Type5 Trial11 for 5530MHz

Data Sheet for		· .				
Trial Number:		11		VSG F	reqency(MHz):	5534
Number of Bu	rsts in Trial:		12	Succes	sful Detection:	No
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	$(\mu \text{ sec})$
1	1	54.9	10			61073
2	2	72.7	10	1685.3		302598
3	3	89.4	10	1185.6	1376.6	544152
4	3	90	10	1458	912	785806
5	1	65.8	10			31261
6	1	62.3	10			273307
7	1	64.6	10			515771
8	1	64.2	10			757953
9	1	65.9	10			1434
10	3	83.5	10	1613.5	1256.5	242834
11	1	56.5	10			485573
12	3	88.3	10	1492.7	1833.7	725245
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 82 of 101

Radar Type5 Trial12 for 5530MHz

Data Sheet fo	r FCC Radar		<u> </u>	101 33301011 12	-		
Trial Number:		12		VSG F	VSG Freqency(MHz): 5535.2		
Number of Bu	rsts in Trial:	14		Successful Detection:		Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	3	94.1	13	1020.9	1649.9	828603	
2	3	94	13	1173	1180	182667	
3	1	53.4	13			390823	
4	2	76.4	13	1139.6		597189	
5	3	99.3	13	1512.7	1019.7	803019	
6	2	73.1	13	1531.9		157255	
7	1	61.1	13			365226	
8	3	88.2	13	1076.8	1000.8	571078	
9	3	85	13	950	1142	778579	
10	3	93.6	13	1036.4	1549.4	131685	
11	2	75.8	13	1774.2		338945	
12	3	84	13	1721	1450	544822	
13	2	68.4	13	1763.6		753166	
14	2	71.4	13	1131.6		106356	
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 83 of 101

Radar Type5_Trial13 for 5530MHz

Data Sheet for	r FCC Radar		<u> </u>	101 0000111112		
Trial Number:		13		VSG F	reqency(MHz):	5532.4
Number of Bu	rsts in Trial:	9		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69.5	6	1326.5		488221
2	2	68.2	6	1914.8		810424
3	2	81.5	6	987.5		1133906
4	2	70.2	6	1303.8		125895
5	2	78.9	6	1134.1		448609
6	3	83.4	6	1542.6	1814.6	770182
7	3	89	6	1089	1822	1092855
8	2	71	6	970		86119
9	1	60	6			409098
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 84 of 101

Radar Type5_Trial14 for 5530MHz

Data Sheet for	r FCC Radar		<u> </u>	101 0000111112			
Trial Number:		14		VSG F	VSG Freqency(MHz): 5534.4		
Number of Bu	rsts in Trial:	13		Successful Detection:		No	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
(3 2)	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	2	72.6	11	1791.4		505879	
2	3	93.2	11	1681.8	1741.8	727468	
3	3	90.6	11	1008.4	931.4	32042	
4	2	80.5	11	1441.5		255248	
5	3	87.8	11	1156.2	1541.2	477748	
6	3	97.8	11	1896.2	1379.2	699913	
7	3	87.2	11	1591.8	1268.8	4570	
8	3	84.1	11	1646.9	1074.9	227397	
9	2	76.3	11	1145.7		450859	
10	2	73.8	11	1388.2		673953	
11	2	69.8	11	1741.2		896808	
12	3	92.5	11	1540.5	957.5	200010	
13	3	86.2	11	934.8	1668.8	423002	
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 85 of 101

Radar Type5_Trial15 for 5530MHz

Data Sheet fo	r FCC Radar		<u> </u>	101 0000111112			
Trial Number:		15		VSG F	VSG Freqency(MHz): 5533.6		
Number of Bu	rsts in Trial:		11	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	$(\mu \text{ sec})$	(μ sec)	(μ sec)	
1	2	77.3	9	1365.7		764507	
2	3	85.5	9	930.5	1914.5	1026463	
3	2	70.6	9	1606.4		204272	
4	2	72.6	9	1180.4		468403	
5	2	74.6	9	1915.4		731388	
6	3	98.9	9	1605.1	1531.1	994550	
7	3	88.3	9	1689.7	1017.7	171579	
8	1	61.4	9			436246	
9	3	96.9	9	1138.1	1345.1	699000	
10	1	55.4	9			964595	
11	2	71.5	9	1512.5		139207	
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 86 of 101

Radar Type5 Trial16 for 5530MHz

Data Sheet for	r FCC Radar	Type 5					
Trial Number:		16		VSG F	VSG Frequency(MHz): 5532.4		
Number of Bursts in Trial:			9	Succes	sful Detection:	No	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	$(\mu \text{ sec})$	
1	3	94.4	6	1533.6	1250.6	492232	
2	3	92.8	6	1532.2	1501.2	814314	
3	3	96.4	6	1093.6	1223.6	1136998	
4	2	82.7	6	1558.3		130564	
5	3	95.8	6	1176.2	1745.2	452528	
6	1	54.5	6			776429	
7	2	73.1	6	1912.9		1098089	
8	3	99.4	6	1067.6	1542.6	90715	
9	2	73	6	1803		413433	
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 87 of 101

Radar Type5 Trial17 for 5530MHz

Data Sheet fo	r FCC Radar		<u> </u>	101 33301011 12	<u>-</u>		
Trial Number:		17		VSG F	VSG Freqency(MHz): 5538		
Number of Bu	rsts in Trial:	20		Succes	No		
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	$(\mu \text{ sec})$	
1	3	84	20	981	1021	330156	
2	2	80.9	20	1660.1		474595	
3	2	83.3	20	1349.7		22926	
4	1	58.7	20			168177	
5	3	92.7	20	1314.3	1313.3	311945	
6	2	73.3	20	933.7		457601	
7	3	90.4	20	1367.6	1889.6	5060	
8	3	97.9	20	1448.1	1041.1	149696	
9	1	59.5	20			295360	
10	3	99.6	20	1898.4	1185.4	437809	
11	1	60.1	20			586068	
12	3	98.7	20	1754.3	1063.3	131732	
13	2	79	20	1146		276847	
14	3	83.4	20	1790.6	1836.6	419894	
15	3	90.9	20	1610.1	1672.1	564556	
16	3	96	20	1445	1551	113901	
17	3	99.6	20	1367.4	1210.4	258222	
18	1	56.3	20			404749	
19	1	58.8	20			549571	
20	3	90.1	20	1723.9	1050.9	96145	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 88 of 101

Radar Type5 Trial18 for 5530MHz

Data Sheet for	r FCC Radar		<u> </u>	101 33301011 12	<u>-</u>		
Trial Number:		18		VSG F	VSG Freqency(MHz): 5533.2		
Number of Bursts in Trial:			11	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(<i>μ</i> sec)	
1	2	82.8	8	1593.2		439352	
2	3	98.7	8	1723.3	1869.3	701769	
3	2	75.7	8	1590.3		966712	
4	3	87.7	8	1400.3	1696.3	142905	
5	2	69	8	1495		407058	
6	3	86.1	8	1385.9	931.9	670396	
7	3	95	8	1485	1074	933653	
8	1	51.4	8			110807	
9	1	54.4	8			374973	
10	3	88.3	8	1021.7	1086.7	637820	
11	2	71.7	8	1109.3		902032	
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 89 of 101

Radar Type5_Trial19 for 5530MHz

Data Sheet fo	r FCC Radar		<u> </u>	101 0000111112			
Trial Number:		19		VSG F	VSG Freqency(MHz):		
Number of Bu	rsts in Trial:		14	Successful Detection:		Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	$(\mu \text{ sec})$	(μ sec)	(μ sec)	
1	1	50.7	12			61447	
2	2	70.5	12	1627.5		268475	
3	2	69.4	12	1722.6		475296	
4	1	52.1	12			684076	
5	3	96.5	12	1482.5	1792.5	35721	
6	1	52.2	12			243509	
7	1	61.8	12			451070	
8	2	80	12	1415		656965	
9	1	51.2	12			10304	
10	1	58.5	12			217915	
11	3	90.4	12	1643.6	1177.6	424006	
12	1	51.8	12			633126	
13	3	97.4	12	1229.6	1565.6	837093	
14	3	95.3	12	1812.7	1618.7	191356	
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 90 of 101

Radar Type5 Trial20 for 5530MHz

Data Sheet fo	r FCC Radar		<u> </u>	101 33301011 12	-		
Trial Number:		20		VSG F	VSG Freqency(MHz): 5533.6		
Number of Bursts in Trial:			11	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	$(\mu \mathrm{sec})$	
1	2	72.9	9	1382.1		508123	
2	1	65.3	9			773405	
3	1	59.4	9			1037862	
4	1	55.4	9			212248	
5	3	86.8	9	1707.2	1437.2	475069	
6	3	96.2	9	1208.8	1146.8	738945	
7	3	98.3	9	1572.7	1865.7	1001791	
8	1	64.2	9			179675	
9	1	59.2	9			443751	
10	3	90.3	9	1441.7	926.7	706246	
11	3	85.3	9	1574.7	1594.7	969720	
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 91 of 101

Radar Type5 Trial21 for 5530MHz

Data Sheet for	r FCC Radar		<u> </u>	101 33301011 12	-		
Trial Number:		21		VSG F	VSG Freqency(MHz): 5527.2		
Number of Bursts in Trial:			9	Successful Detection:		Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	1	55.2	7			179939	
2	3	95.6	7	1379.4	1416.4	501977	
3	3	89.8	7	1339.2	1816.2	823882	
4	1	56.5	7			1149144	
5	2	78.4	7	1624.6		139946	
6	3	89	7	1818	1728	461987	
7	3	93.5	7	1001.5	1894.5	784366	
8	2	71.2	7	1231.8		1108027	
9	2	77.8	7	1238.2		100223	
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 92 of 101

Radar Type5_Trial22 for 5530MHz

Data Sheet for FCC Radar Type 5							
Trial Number:		22		VSG F	VSG Freqency(MHz):		
Number of Bu	rsts in Trial:		8	Successful Detection:		Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	$(\mu \text{ sec})$	(μ sec)	(μ sec)	
1	1	59.4	5			476226	
2	2	78.1	5	1052.9		838980	
3	1	59.5	5			1203455	
4	2	81.2	5	1182.8		68054	
5	3	94.5	5	1269.5	1397.5	430668	
6	3	93.8	5	1298.2	951.2	793857	
7	3	87.7	5	1366.3	1073.3	1156502	
8	2	76.4	5	1282.6		23331	
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 93 of 101

Radar Type5 Trial23 for 5530MHz

Data Sheet fo	r FCC Radar		<u> </u>	101 33301011 12	<u>-</u>		
Trial Number:		23		VSG F	VSG Freqency(MHz): 5522.8		
Number of Bu	rsts in Trial:		19	Succes	sful Detection:	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	1	57.5	18			162625	
2	2	81.6	18	1005.4		314791	
3	3	92.4	18	1467.6	1148.6	466333	
4	3	96.8	18	1762.2	1816.2	617318	
5	2	78.3	18	1807.7		143267	
6	3	92.5	18	1254.5	1042.5	295390	
7	3	96.2	18	1222.8	1085.8	447612	
8	2	70.7	18	1236.3		601014	
9	3	85.6	18	1856.4	1510.4	124334	
10	3	96	18	1588	1799	276292	
11	2	67.6	18	1018.4		429782	
12	3	92.2	18	1513.8	1393.8	580750	
13	2	73.5	18	1539.5		105842	
14	3	86.5	18	1768.5	1037.5	257878	
15	1	61.3	18			411647	
16	2	79.2	18	1275.8		562965	
17	2	66.8	18	1650.2		87167	
18	3	91.3	18	1869.7	1411.7	238690	
19	1	56.6	18			393096	
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 94 of 101

Radar Type5 Trial24 for 5530MHz

Data Sheet for	r FCC Radar		<u> </u>	101 33301011 12	<u>-</u>	
Trial Number:		24		VSG F	reqency(MHz):	5525.2
Number of Bu	rsts in Trial:		13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(<i>μ</i> sec)
1	2	72.1	12	1824.9		796692
2	2	73.4	12	1699.6		99997
3	2	72.9	12	975.1		323365
4	2	69.6	12	1878.4		546064
5	3	97	12	1264	1114	768225
6	2	80.7	12	1863.3		72555
7	2	69.6	12	1755.4		295575
8	3	85.9	12	1841.1	1893.1	517465
9	3	94.8	12	1508.2	1742.2	740402
10	1	55.8	12			45145
11	2	78.2	12	1712.8		268143
12	1	61	12			491910
13	3	93	12	1634	1225	712989
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 95 of 101

Radar Type5 Trial25 for 5530MHz

Data Sheet for	r FCC Radar		<u>_</u>	101 3330101112		
Trial Number:		25		VSG F	reqency(MHz):	5522.4
Number of Bu	rsts in Trial:		19	Succes	sful Detection:	Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.5	19			12048
2	2	71.8	19	1068.2		164691
3	1	56.6	19			317446
4	2	77.7	19	1529.3		469582
5	3	98	19	1158	1264	620682
6	3	88.6	19	919.4	985.4	145479
7	2	76.9	19	1175.1		298273
8	1	53.1	19			451684
9	3	93.6	19	1598.4	1416.4	601095
10	3	85.8	19	1484.2	1610.2	126613
11	3	92.8	19	1392.2	1099.2	278636
12	3	93	19	1222	1282	431006
13	2	75.8	19	1210.2		584184
14	2	79.1	19	1769.9		108144
15	1	54.2	19			261327
16	2	72.9	19	936.1		413162
17	2	66.8	19	1532.2		565482
18	2	80.4	19	1502.6		89385
19	1	64.3	19			242495
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 96 of 101

Radar Type5 Trial26 for 5530MHz

Data Sheet for	r FCC Radar		<u> </u>	101 33301011 12	<u>-</u>	
Trial Number:		26		VSG F	reqency(MHz):	5522
Number of Bu	rsts in Trial:		20	Succes	sful Detection:	Yes
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.2	20			375578
2	3	87.1	20	1072.9	1894.9	518120
3	1	65.6	20			67169
4	1	52.9	20			212503
5	3	84.7	20	1238.3	1327.3	356089
6	1	61.9	20			502761
7	3	95.5	20	1563.5	943.5	49076
8	1	66	20			194378
9	1	58.7	20			339492
10	1	56.5	20			484688
11	1	51.4	20			31430
12	1	64.9	20			176580
13	1	57.3	20			321724
14	3	84.9	20	1669.1	1101.1	464232
15	2	74.7	20	1675.3		13512
16	3	83.6	20	1492.4	1386.4	157823
17	1	51.6	20			304049
18	2	79.8	20	1158.2		448262
19	3	83.6	20	1842.4	1516.4	590730
20	2	81.3	20	1178.7		140480

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 97 of 101

Radar Type5 Trial27 for 5530MHz

Data Sheet for FCC Radar Type 5							
Trial Number:		27		VSG Freqency(MHz): 5522.			
Number of Bursts in Trial:		18		Succes	Yes		
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)	
1	2	78.3	18	1217.7		317420	
2	1	64.4	18			479183	
3	1	53.5	18			640692	
4	2	78.5	18	1326.5		136408	
5	3	87.7	18	1110.3	1602.3	296498	
6	2	80.1	18	1121.9		458335	
7	2	76.6	18	1468.4		619127	
8	2	71.1	18	1077.9		116618	
9	1	51.5	18			277995	
10	1	65.3	18			439735	
11	1	63	18			600944	
12	2	77.9	18	1724.1		96628	
13	2	75.4	18	1194.6		257841	
14	1	63.8	18			419502	
15	1	57.8	18			580860	
16	1	55.8	18			76985	
17	3	92.9	18	1237.1	1050.1	237611	
18	2	68.9	18	1044.1		398883	
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 98 of 101

Radar Type5_Trial28 for 5530MHz

Data Sheet for FCC Radar Type 5							
Trial Number:		28		VSG F	5524.8		
Number of Bursts in Trial:		15		Succes	Yes		
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval	
		(μ sec)	(MHz)	$(\mu \text{ sec})$	(μ sec)	(μ sec)	
1	2	72	13	1704		671598	
2	1	65.7	13			68604	
3	1	52.5	13			262348	
4	2	72.5	13	1769.5		454797	
5	2	68.1	13	1871.9		647764	
6	3	96.7	13	1675.3	1605.3	44581	
7	3	92.2	13	1325.8	990.8	237652	
8	2	70.8	13	1340.2		431398	
9	3	85.5	13	1093.5	1444.5	623691	
10	1	58.1	13			20917	
11	1	51.1	13			214554	
12	3	95.5	13	1447.5	1377.5	406902	
13	1	52.5	13			602013	
14	3	93.1	13	1750.9	1794.9	792014	
15	2	83.3	13	1034.7		190445	
16							
17							
18							
19							
20							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 99 of 101

Radar Type5 Trial29 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Freqency(MHz): 5522.8		
Number of Bursts in Trial:		18		Succes	Yes	
Burst (8-20)	Number Pulses per Burst	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
	(1-3)	(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99.2	18	1552.8	1871.8	318533
2	3	86.1	18	1322.9	1563.9	479389
3	3	88.9	18	1830.1	1466.1	639681
4	3	83.6	18	1266.4	1729.4	138256
5	3	87.1	18	1502.9	1100.9	298961
6	1	65.3	18			461840
7	1	54.5	18			623392
8	3	85.4	18	1622.6	1452.6	118634
9	2	74.3	18	1547.7		279705
10	1	64.5	18			441498
11	3	93.4	18	1099.6	1752.6	599951
12	3	93.5	18	1646.5	1419.5	98828
13	2	73.5	18	1688.5		259805
14	3	89.5	18	1525.5	943.5	420061
15	3	93.5	18	1564.5	1427.5	580484
16	2	77.1	18	1648.9		79143
17	2	68.8	18	1084.2		240171
18	3	90.7	18	1390.3	1047.3	400250
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 100 of 101

Radar Type5_Trial30 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG F	5525.2	
Number of Bursts in Trial:		13		Succes	Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	$(\mu \text{ sec})$	(μ sec)	(<i>μ</i> sec)
1	2	82.8	12	1674.2		778757
2	1	57.8	12			82422
3	2	67.9	12	1312.1		305651
4	2	78.7	12	1852.3		528376
5	1	55.7	12			753383
6	3	96.3	12	1140.7	1655.7	54759
7	1	56.8	12			278494
8	3	86.3	12	919.7	1773.7	500553
9	2	66.8	12	1816.2		723702
10	3	94.7	12	1321.3	1756.3	27305
11	2	68.5	12	1362.5		250449
12	2	70	12	1800		473621
13	1	56.1	12			697800
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 101 of 101

Radar Type6 for 5530MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

~End of Report~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有铅明,此数华红用摄影测过之样只有景,同时此样只属是例如子。太极华工概太公司惠面药可,不可如公指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.