



Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.40	10.45	47.85	74.00	-26.15	peak
2	11059.000	35.00	14.96	49.96	74.00	-24.04	peak
3	11411.000	33.79	16.41	50.20	74.00	-23.80	peak
4	12225.000	32.98	17.75	50.73	74.00	-23.27	peak
5	13820.000	29.40	21.43	50.83	74.00	-23.17	peak
6	17956.000	25.03	25.82	50.85	74.00	-23.15	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.41	10.38	46.79	74.00	-27.21	peak
2	11048.000	34.39	14.91	49.30	74.00	-24.70	peak
3	11697.000	32.92	17.13	50.05	74.00	-23.95	peak
4	12665.000	32.16	18.04	50.20	74.00	-23.80	peak
5	13556.000	28.80	20.78	49.58	74.00	-24.42	peak
6	17989.000	23.69	26.04	49.73	74.00	-24.27	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	36.38	10.54	46.92	74.00	-27.08	peak
2	11268.000	33.18	15.83	49.01	74.00	-24.99	peak
3	11796.000	32.12	17.32	49.44	74.00	-24.56	peak
4	12555.000	31.86	17.90	49.76	74.00	-24.24	peak
5	13875.000	28.89	21.57	50.46	74.00	-23.54	peak
6	17703.000	26.40	24.09	50.49	74.00	-23.51	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.28	10.54	47.82	74.00	-26.18	peak
2	11059.000	34.58	14.96	49.54	74.00	-24.46	peak
3	11862.000	33.07	17.45	50.52	74.00	-23.48	peak
4	12687.000	32.63	18.05	50.68	74.00	-23.32	peak
5	13600.000	29.69	20.89	50.58	74.00	-23.42	peak
6	17956.000	24.55	25.82	50.37	74.00	-23.63	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.84	9.90	47.74	74.00	-26.26	peak
2	10916.000	35.09	14.39	49.48	74.00	-24.52	peak
3	11884.000	32.56	17.48	50.04	74.00	-23.96	peak
4	12709.000	31.70	18.09	49.79	74.00	-24.21	peak
5	13534.000	28.94	20.73	49.67	74.00	-24.33	peak
6	17923.000	24.21	25.60	49.81	74.00	-24.19	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.06	10.28	47.34	74.00	-26.66	peak
2	11081.000	34.36	15.05	49.41	74.00	-24.59	peak
3	11400.000	33.44	16.36	49.80	74.00	-24.20	peak
4	12599.000	31.65	17.95	49.60	74.00	-24.40	peak
5	13490.000	29.17	20.60	49.77	74.00	-24.23	peak
6	17989.000	24.08	26.04	50.12	74.00	-23.88	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.21	10.21	47.42	74.00	-26.58	peak
2	10201.000	36.51	12.19	48.70	74.00	-25.30	peak
3	11785.000	32.59	17.30	49.89	74.00	-24.11	peak
4	12643.000	31.65	18.01	49.66	74.00	-24.34	peak
5	13974.000	27.85	21.82	49.67	74.00	-24.33	peak
6	17879.000	24.41	25.29	49.70	74.00	-24.30	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	37.53	10.51	48.04	74.00	-25.96	peak
2	11048.000	34.83	14.91	49.74	74.00	-24.26	peak
3	11818.000	32.80	17.36	50.16	74.00	-23.84	peak
4	12632.000	32.20	17.99	50.19	74.00	-23.81	peak
5	13589.000	29.80	20.86	50.66	74.00	-23.34	peak
6	17956.000	23.19	25.82	49.01	74.00	-24.99	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	37.83	10.58	48.41	74.00	-25.59	peak
2	9970.000	36.45	11.70	48.15	74.00	-25.85	peak
3	11356.000	33.99	16.19	50.18	74.00	-23.82	peak
4	12654.000	32.79	18.01	50.80	74.00	-23.20	peak
5	13809.000	28.75	21.41	50.16	74.00	-23.84	peak
6	17989.000	24.45	26.04	50.49	74.00	-23.51	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10179.000	36.37	12.14	48.51	74.00	-25.49	peak
2	11059.000	34.77	14.96	49.73	74.00	-24.27	peak
3	11466.000	33.10	16.63	49.73	74.00	-24.27	peak
4	12610.000	32.25	17.97	50.22	74.00	-23.78	peak
5	14018.000	28.18	21.80	49.98	74.00	-24.02	peak
6	17945.000	24.18	25.75	49.93	74.00	-24.07	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.90	10.41	48.31	74.00	-25.69	peak
2	10344.000	35.99	12.49	48.48	74.00	-25.52	peak
3	11785.000	32.81	17.30	50.11	74.00	-23.89	peak
4	12170.000	31.92	17.75	49.67	74.00	-24.33	peak
5	13853.000	28.03	21.52	49.55	74.00	-24.45	peak
6	17989.000	23.80	26.04	49.84	74.00	-24.16	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.59	10.55	47.14	74.00	-26.86	peak
2	11400.000	32.73	16.36	49.09	74.00	-24.91	peak
3	12676.000	31.96	18.05	50.01	74.00	-23.99	peak
4	13105.000	31.25	18.91	50.16	74.00	-23.84	peak
5	13930.000	28.79	21.71	50.50	74.00	-23.50	peak
6	17956.000	24.28	25.82	50.10	74.00	-23.90	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10322.000	36.14	12.45	48.59	74.00	-25.41	peak
2	11081.000	34.59	15.05	49.64	74.00	-24.36	peak
3	11664.000	32.95	17.08	50.03	74.00	-23.97	peak
4	12676.000	31.96	18.05	50.01	74.00	-23.99	peak
5	13446.000	29.61	20.41	50.02	74.00	-23.98	peak
6	18000.000	23.63	26.12	49.75	74.00	-24.25	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.14	10.53	47.67	74.00	-26.33	peak
2	11081.000	34.41	15.05	49.46	74.00	-24.54	peak
3	11785.000	32.83	17.30	50.13	74.00	-23.87	peak
4	12687.000	32.03	18.05	50.08	74.00	-23.92	peak
5	13853.000	28.54	21.52	50.06	74.00	-23.94	peak
6	18000.000	23.44	26.12	49.56	74.00	-24.44	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10212.000	35.37	12.21	47.58	74.00	-26.42	peak
2	11048.000	34.58	14.91	49.49	74.00	-24.51	peak
3	11851.000	32.68	17.43	50.11	74.00	-23.89	peak
4	12676.000	32.16	18.05	50.21	74.00	-23.79	peak
5	13875.000	28.45	21.57	50.02	74.00	-23.98	peak
6	17593.000	26.62	23.34	49.96	74.00	-24.04	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.87	10.51	47.38	74.00	-26.62	peak
2	10443.000	36.31	12.70	49.01	74.00	-24.99	peak
3	11708.000	33.06	17.16	50.22	74.00	-23.78	peak
4	12676.000	32.86	18.05	50.91	74.00	-23.09	peak
5	13435.000	30.01	20.35	50.36	74.00	-23.64	peak
6	17703.000	26.41	24.09	50.50	74.00	-23.50	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.92	10.54	47.46	74.00	-26.54	peak
2	10234.000	36.75	12.26	49.01	74.00	-24.99	peak
3	11323.000	33.81	16.05	49.86	74.00	-24.14	peak
4	12170.000	31.86	17.75	49.61	74.00	-24.39	peak
5	13358.000	30.33	20.02	50.35	74.00	-23.65	peak
6	17989.000	23.59	26.04	49.63	74.00	-24.37	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.76	10.53	48.29	74.00	-25.71	peak
2	10333.000	36.41	12.47	48.88	74.00	-25.12	peak
3	11741.000	32.92	17.22	50.14	74.00	-23.86	peak
4	12676.000	31.80	18.05	49.85	74.00	-24.15	peak
5	13358.000	30.14	20.02	50.16	74.00	-23.84	peak
6	17956.000	24.04	25.82	49.86	74.00	-24.14	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.28	10.48	48.76	74.00	-25.24	peak
2	11411.000	33.60	16.41	50.01	74.00	-23.99	peak
3	12665.000	32.03	18.04	50.07	74.00	-23.93	peak
4	13512.000	29.85	20.68	50.53	74.00	-23.47	peak
5	13864.000	28.61	21.53	50.14	74.00	-23.86	peak
6	17956.000	24.27	25.82	50.09	74.00	-23.91	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.04	10.48	47.52	74.00	-26.48	peak
2	10289.000	35.79	12.38	48.17	74.00	-25.83	peak
3	11257.000	33.22	15.78	49.00	74.00	-25.00	peak
4	12687.000	31.66	18.05	49.71	74.00	-24.29	peak
5	13919.000	28.81	21.68	50.49	74.00	-23.51	peak
6	18000.000	24.18	26.12	50.30	74.00	-23.70	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.53	10.54	47.07	74.00	-26.93	peak
2	11290.000	34.14	15.90	50.04	74.00	-23.96	peak
3	11708.000	33.40	17.16	50.56	74.00	-23.44	peak
4	12555.000	32.47	17.90	50.37	74.00	-23.63	peak
5	13864.000	29.22	21.53	50.75	74.00	-23.25	peak
6	17956.000	24.42	25.82	50.24	74.00	-23.76	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.35	10.53	47.88	74.00	-26.12	peak
2	11059.000	34.81	14.96	49.77	74.00	-24.23	peak
3	11796.000	33.52	17.32	50.84	74.00	-23.16	peak
4	12610.000	32.62	17.97	50.59	74.00	-23.41	peak
5	13974.000	29.16	21.82	50.98	74.00	-23.02	peak
6	18000.000	24.52	26.12	50.64	74.00	-23.36	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.48	10.48	47.96	74.00	-26.04	peak
2	11147.000	34.42	15.32	49.74	74.00	-24.26	peak
3	11851.000	33.40	17.43	50.83	74.00	-23.17	peak
4	12610.000	32.65	17.97	50.62	74.00	-23.38	peak
5	13996.000	28.78	21.87	50.65	74.00	-23.35	peak
6	17692.000	26.62	24.01	50.63	74.00	-23.37	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	36.91	10.13	47.04	74.00	-26.96	peak
2	9574.000	37.11	10.81	47.92	74.00	-26.08	peak
3	11334.000	33.33	16.09	49.42	74.00	-24.58	peak
4	12302.000	32.31	17.78	50.09	74.00	-23.91	peak
5	13468.000	29.79	20.50	50.29	74.00	-23.71	peak
6	17780.000	25.23	24.61	49.84	74.00	-24.16	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10157.000	35.99	12.10	48.09	74.00	-25.91	peak
2	11070.000	34.60	15.01	49.61	74.00	-24.39	peak
3	11851.000	32.34	17.43	49.77	74.00	-24.23	peak
4	12687.000	31.82	18.05	49.87	74.00	-24.13	peak
5	13875.000	28.67	21.57	50.24	74.00	-23.76	peak
6	18000.000	24.55	26.12	50.67	74.00	-23.33	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.69	10.54	47.23	74.00	-26.77	peak
2	10421.000	35.41	12.66	48.07	74.00	-25.93	peak
3	11400.000	33.75	16.36	50.11	74.00	-23.89	peak
4	12665.000	32.29	18.04	50.33	74.00	-23.67	peak
5	13875.000	29.03	21.57	50.60	74.00	-23.40	peak
6	17978.000	24.49	25.97	50.46	74.00	-23.54	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	36.77	10.54	47.31	74.00	-26.69	peak
2	11048.000	34.86	14.91	49.77	74.00	-24.23	peak
3	11851.000	33.55	17.43	50.98	74.00	-23.02	peak
4	12225.000	32.76	17.75	50.51	74.00	-23.49	peak
5	13457.000	29.96	20.46	50.42	74.00	-23.58	peak
6	17989.000	24.23	26.04	50.27	74.00	-23.73	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.47	10.54	48.01	74.00	-25.99	peak
2	11059.000	34.48	14.96	49.44	74.00	-24.56	peak
3	11895.000	32.42	17.51	49.93	74.00	-24.07	peak
4	12709.000	32.09	18.09	50.18	74.00	-23.82	peak
5	13567.000	29.32	20.80	50.12	74.00	-23.88	peak
6	17967.000	24.31	25.89	50.20	74.00	-23.80	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	37.28	10.45	47.73	74.00	-26.27	peak
2	11070.000	34.67	15.01	49.68	74.00	-24.32	peak
3	11763.000	32.96	17.26	50.22	74.00	-23.78	peak
4	12577.000	32.34	17.93	50.27	74.00	-23.73	peak
5	13919.000	29.17	21.68	50.85	74.00	-23.15	peak
6	17945.000	24.59	25.75	50.34	74.00	-23.66	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.62	10.48	47.10	74.00	-26.90	peak
2	10300.000	36.27	12.40	48.67	74.00	-25.33	peak
3	11455.000	33.74	16.58	50.32	74.00	-23.68	peak
4	12159.000	32.28	17.73	50.01	74.00	-23.99	peak
5	13402.000	30.55	20.20	50.75	74.00	-23.25	peak
6	17989.000	24.38	26.04	50.42	74.00	-23.58	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.47	10.45	46.92	74.00	-27.08	peak
2	10157.000	36.33	12.10	48.43	74.00	-25.57	peak
3	11455.000	32.50	16.58	49.08	74.00	-24.92	peak
4	12247.000	32.11	17.77	49.88	74.00	-24.12	peak
5	13919.000	28.77	21.68	50.45	74.00	-23.55	peak
6	17967.000	24.31	25.89	50.20	74.00	-23.80	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	36.77	10.81	47.58	74.00	-26.42	peak
2	11048.000	34.53	14.91	49.44	74.00	-24.56	peak
3	11796.000	32.96	17.32	50.28	74.00	-23.72	peak
4	12170.000	31.92	17.75	49.67	74.00	-24.33	peak
5	14018.000	28.46	21.80	50.26	74.00	-23.74	peak
6	17978.000	24.70	25.97	50.67	74.00	-23.33	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.11	10.49	47.60	74.00	-26.40	peak
2	10223.000	35.85	12.24	48.09	74.00	-25.91	peak
3	11323.000	33.88	16.05	49.93	74.00	-24.07	peak
4	12291.000	32.51	17.78	50.29	74.00	-23.71	peak
5	13567.000	29.66	20.80	50.46	74.00	-23.54	peak
6	17978.000	24.67	25.97	50.64	74.00	-23.36	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.78	10.51	47.29	74.00	-26.71	peak
2	10168.000	36.07	12.13	48.20	74.00	-25.80	peak
3	11279.000	33.34	15.86	49.20	74.00	-24.80	peak
4	11785.000	33.15	17.30	50.45	74.00	-23.55	peak
5	13644.000	29.81	20.99	50.80	74.00	-23.20	peak
6	18000.000	24.47	26.12	50.59	74.00	-23.41	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.06	10.54	47.60	74.00	-26.40	peak
2	11147.000	34.39	15.32	49.71	74.00	-24.29	peak
3	11400.000	33.48	16.36	49.84	74.00	-24.16	peak
4	13116.000	31.44	18.96	50.40	74.00	-23.60	peak
5	13457.000	29.71	20.46	50.17	74.00	-23.83	peak
6	18000.000	24.18	26.12	50.30	74.00	-23.70	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.15	10.51	47.66	74.00	-26.34	peak
2	11059.000	34.75	14.96	49.71	74.00	-24.29	peak
3	12181.000	33.21	17.75	50.96	74.00	-23.04	peak
4	12643.000	32.62	18.01	50.63	74.00	-23.37	peak
5	13875.000	28.68	21.57	50.25	74.00	-23.75	peak
6	18000.000	23.86	26.12	49.98	74.00	-24.02	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.28	10.38	47.66	74.00	-26.34	peak
2	11048.000	34.46	14.91	49.37	74.00	-24.63	peak
3	11389.000	33.43	16.31	49.74	74.00	-24.26	peak
4	12577.000	31.72	17.93	49.65	74.00	-24.35	peak
5	13864.000	29.39	21.53	50.92	74.00	-23.08	peak
6	17978.000	24.85	25.97	50.82	74.00	-23.18	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.90	10.54	47.44	74.00	-26.56	peak
2	10201.000	35.96	12.19	48.15	74.00	-25.85	peak
3	11290.000	34.41	15.90	50.31	74.00	-23.69	peak
4	12555.000	31.94	17.90	49.84	74.00	-24.16	peak
5	13523.000	29.29	20.70	49.99	74.00	-24.01	peak
6	17978.000	24.47	25.97	50.44	74.00	-23.56	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.94	10.49	47.43	74.00	-26.57	peak
2	10300.000	35.90	12.40	48.30	74.00	-25.70	peak
3	11422.000	33.60	16.46	50.06	74.00	-23.94	peak
4	12269.000	33.17	17.77	50.94	74.00	-23.06	peak
5	13105.000	31.81	18.91	50.72	74.00	-23.28	peak
6	17967.000	23.37	25.89	49.26	74.00	-24.74	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.09	10.49	47.58	74.00	-26.42	peak
2	10234.000	35.61	12.26	47.87	74.00	-26.13	peak
3	11774.000	32.24	17.28	49.52	74.00	-24.48	peak
4	12665.000	31.68	18.04	49.72	74.00	-24.28	peak
5	14018.000	28.33	21.80	50.13	74.00	-23.87	peak
6	17934.000	24.86	25.67	50.53	74.00	-23.47	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.00	10.49	48.49	74.00	-25.51	peak
2	10366.000	36.47	12.54	49.01	74.00	-24.99	peak
3	11323.000	32.99	16.05	49.04	74.00	-24.96	peak
4	12632.000	31.55	17.99	49.54	74.00	-24.46	peak
5	13919.000	28.57	21.68	50.25	74.00	-23.75	peak
6	17934.000	24.27	25.67	49.94	74.00	-24.06	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.87	10.53	47.40	74.00	-26.60	peak
2	11697.000	32.63	17.13	49.76	74.00	-24.24	peak
3	12181.000	32.54	17.75	50.29	74.00	-23.71	peak
4	13556.000	29.65	20.78	50.43	74.00	-23.57	peak
5	14227.000	29.31	20.93	50.24	74.00	-23.76	peak
6	17989.000	24.14	26.04	50.18	74.00	-23.82	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.01	10.55	47.56	74.00	-26.44	peak
2	10575.000	35.15	13.10	48.25	74.00	-25.75	peak
3	11400.000	33.55	16.36	49.91	74.00	-24.09	peak
4	12324.000	31.85	17.79	49.64	74.00	-24.36	peak
5	13864.000	29.09	21.53	50.62	74.00	-23.38	peak
6	18000.000	24.32	26.12	50.44	74.00	-23.56	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.19	10.46	46.65	74.00	-27.35	peak
2	10201.000	35.88	12.19	48.07	74.00	-25.93	peak
3	11400.000	33.29	16.36	49.65	74.00	-24.35	peak
4	13006.000	31.71	18.47	50.18	74.00	-23.82	peak
5	13622.000	29.67	20.95	50.62	74.00	-23.38	peak
6	17989.000	24.14	26.04	50.18	74.00	-23.82	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.65	10.54	47.19	74.00	-26.81	peak
2	10905.000	35.36	14.36	49.72	74.00	-24.28	peak
3	11719.000	32.57	17.18	49.75	74.00	-24.25	peak
4	12247.000	32.25	17.77	50.02	74.00	-23.98	peak
5	13897.000	28.67	21.62	50.29	74.00	-23.71	peak
6	17956.000	24.61	25.82	50.43	74.00	-23.57	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8859.000	38.21	9.36	47.57	74.00	-26.43	peak
2	10168.000	35.05	12.13	47.18	74.00	-26.82	peak
3	11037.000	34.49	14.87	49.36	74.00	-24.64	peak
4	12676.000	32.23	18.05	50.28	74.00	-23.72	peak
5	13600.000	29.32	20.89	50.21	74.00	-23.79	peak
6	17989.000	23.65	26.04	49.69	74.00	-24.31	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.13	10.54	47.67	74.00	-26.33	peak
2	11059.000	34.17	14.96	49.13	74.00	-24.87	peak
3	11422.000	33.73	16.46	50.19	74.00	-23.81	peak
4	12654.000	32.01	18.01	50.02	74.00	-23.98	peak
5	13919.000	29.05	21.68	50.73	74.00	-23.27	peak
6	17956.000	24.71	25.82	50.53	74.00	-23.47	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.74	10.51	47.25	74.00	-26.75	peak
2	10289.000	36.04	12.38	48.42	74.00	-25.58	peak
3	11796.000	32.45	17.32	49.77	74.00	-24.23	peak
4	12731.000	31.96	18.12	50.08	74.00	-23.92	peak
5	13369.000	30.17	20.06	50.23	74.00	-23.77	peak
6	17934.000	24.27	25.67	49.94	74.00	-24.06	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.20	10.55	47.75	74.00	-26.25	peak
2	10421.000	35.83	12.66	48.49	74.00	-25.51	peak
3	11323.000	33.82	16.05	49.87	74.00	-24.13	peak
4	12621.000	32.75	17.98	50.73	74.00	-23.27	peak
5	13611.000	29.04	20.92	49.96	74.00	-24.04	peak
6	17956.000	24.63	25.82	50.45	74.00	-23.55	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.59	10.47	47.06	74.00	-26.94	peak
2	10443.000	35.54	12.70	48.24	74.00	-25.76	peak
3	11334.000	33.53	16.09	49.62	74.00	-24.38	peak
4	12687.000	31.96	18.05	50.01	74.00	-23.99	peak
5	13512.000	28.72	20.68	49.40	74.00	-24.60	peak
6	17934.000	24.04	25.67	49.71	74.00	-24.29	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.98	10.51	48.49	74.00	-25.51	peak
2	10333.000	35.85	12.47	48.32	74.00	-25.68	peak
3	11675.000	32.18	17.10	49.28	74.00	-24.72	peak
4	12610.000	31.42	17.97	49.39	74.00	-24.61	peak
5	13908.000	28.12	21.66	49.78	74.00	-24.22	peak
6	17945.000	23.74	25.75	49.49	74.00	-24.51	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.40	10.51	47.91	74.00	-26.09	peak
2	11070.000	33.77	15.01	48.78	74.00	-25.22	peak
3	11763.000	32.26	17.26	49.52	74.00	-24.48	peak
4	12643.000	32.30	18.01	50.31	74.00	-23.69	peak
5	13963.000	28.61	21.78	50.39	74.00	-23.61	peak
6	17956.000	25.07	25.82	50.89	74.00	-23.11	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.29	10.55	47.84	74.00	-26.16	peak
2	11070.000	34.33	15.01	49.34	74.00	-24.66	peak
3	11884.000	32.70	17.48	50.18	74.00	-23.82	peak
4	12643.000	32.13	18.01	50.14	74.00	-23.86	peak
5	13974.000	28.61	21.82	50.43	74.00	-23.57	peak
6	17989.000	24.31	26.04	50.35	74.00	-23.65	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.71	10.54	48.25	74.00	-25.75	peak
2	10311.000	36.21	12.42	48.63	74.00	-25.37	peak
3	11048.000	35.02	14.91	49.93	74.00	-24.07	peak
4	12687.000	32.11	18.05	50.16	74.00	-23.84	peak
5	13919.000	28.83	21.68	50.51	74.00	-23.49	peak
6	18000.000	24.15	26.12	50.27	74.00	-23.73	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.72	10.39	48.11	74.00	-25.89	peak
2	11312.000	33.84	16.00	49.84	74.00	-24.16	peak
3	11796.000	32.42	17.32	49.74	74.00	-24.26	peak
4	12588.000	31.87	17.94	49.81	74.00	-24.19	peak
5	13974.000	28.16	21.82	49.98	74.00	-24.02	peak
6	17989.000	23.91	26.04	49.95	74.00	-24.05	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.00	10.21	47.21	74.00	-26.79	peak
2	10905.000	34.83	14.36	49.19	74.00	-24.81	peak
3	11510.000	33.68	16.79	50.47	74.00	-23.53	peak
4	12698.000	32.21	18.08	50.29	74.00	-23.71	peak
5	13611.000	29.96	20.92	50.88	74.00	-23.12	peak
6	17978.000	24.66	25.97	50.63	74.00	-23.37	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	37.54	10.42	47.96	74.00	-26.04	peak
2	10443.000	34.92	12.70	47.62	74.00	-26.38	peak
3	11422.000	33.75	16.46	50.21	74.00	-23.79	peak
4	11851.000	32.68	17.43	50.11	74.00	-23.89	peak
5	13589.000	29.44	20.86	50.30	74.00	-23.70	peak
6	17692.000	26.25	24.01	50.26	74.00	-23.74	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.89	10.51	47.40	74.00	-26.60	peak
2	11059.000	34.52	14.96	49.48	74.00	-24.52	peak
3	11884.000	32.44	17.48	49.92	74.00	-24.08	peak
4	12511.000	32.11	17.84	49.95	74.00	-24.05	peak
5	13853.000	29.03	21.52	50.55	74.00	-23.45	peak
6	17989.000	24.52	26.04	50.56	74.00	-23.44	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.03	10.49	47.52	74.00	-26.48	peak
2	10179.000	36.00	12.14	48.14	74.00	-25.86	peak
3	11422.000	33.73	16.46	50.19	74.00	-23.81	peak
4	12632.000	32.62	17.99	50.61	74.00	-23.39	peak
5	13567.000	29.95	20.80	50.75	74.00	-23.25	peak
6	17989.000	24.85	26.04	50.89	74.00	-23.11	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.39	10.55	46.94	74.00	-27.06	peak
2	10223.000	35.83	12.24	48.07	74.00	-25.93	peak
3	11312.000	34.24	16.00	50.24	74.00	-23.76	peak
4	11829.000	32.71	17.38	50.09	74.00	-23.91	peak
5	13611.000	29.89	20.92	50.81	74.00	-23.19	peak
6	17934.000	25.08	25.67	50.75	74.00	-23.25	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8804.000	38.19	8.98	47.17	74.00	-26.83	peak
2	11070.000	34.44	15.01	49.45	74.00	-24.55	peak
3	11884.000	32.24	17.48	49.72	74.00	-24.28	peak
4	12643.000	32.20	18.01	50.21	74.00	-23.79	peak
5	13974.000	28.17	21.82	49.99	74.00	-24.01	peak
6	17989.000	23.52	26.04	49.56	74.00	-24.44	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.62	10.54	48.16	74.00	-25.84	peak
2	10212.000	36.65	12.21	48.86	74.00	-25.14	peak
3	11334.000	34.15	16.09	50.24	74.00	-23.76	peak
4	11818.000	32.85	17.36	50.21	74.00	-23.79	peak
5	13556.000	29.68	20.78	50.46	74.00	-23.54	peak
6	17934.000	24.37	25.67	50.04	74.00	-23.96	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10333.000	36.08	12.47	48.55	74.00	-25.45	peak
2	11378.000	33.59	16.26	49.85	74.00	-24.15	peak
3	11862.000	32.69	17.45	50.14	74.00	-23.86	peak
4	12511.000	32.45	17.84	50.29	74.00	-23.71	peak
5	13985.000	29.14	21.85	50.99	74.00	-23.01	peak
6	17934.000	24.86	25.67	50.53	74.00	-23.47	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.83	10.51	47.34	74.00	-26.66	peak
2	11026.000	34.76	14.82	49.58	74.00	-24.42	peak
3	11598.000	33.22	16.96	50.18	74.00	-23.82	peak
4	13028.000	31.72	18.57	50.29	74.00	-23.71	peak
5	13600.000	29.65	20.89	50.54	74.00	-23.46	peak
6	17934.000	24.68	25.67	50.35	74.00	-23.65	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.38	10.41	47.79	74.00	-26.21	peak
2	10201.000	36.75	12.19	48.94	74.00	-25.06	peak
3	11048.000	35.03	14.91	49.94	74.00	-24.06	peak
4	12676.000	32.28	18.05	50.33	74.00	-23.67	peak
5	13611.000	29.66	20.92	50.58	74.00	-23.42	peak
6	17945.000	24.72	25.75	50.47	74.00	-23.53	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.66	10.49	47.15	74.00	-26.85	peak
2	11070.000	34.30	15.01	49.31	74.00	-24.69	peak
3	11796.000	33.33	17.32	50.65	74.00	-23.35	peak
4	12632.000	32.75	17.99	50.74	74.00	-23.26	peak
5	13589.000	29.45	20.86	50.31	74.00	-23.69	peak
6	17923.000	24.15	25.60	49.75	74.00	-24.25	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10432.000	36.30	12.67	48.97	74.00	-25.03	peak
2	11389.000	34.22	16.31	50.53	74.00	-23.47	peak
3	11818.000	33.36	17.36	50.72	74.00	-23.28	peak
4	12632.000	32.46	17.99	50.45	74.00	-23.55	peak
5	13666.000	29.40	21.05	50.45	74.00	-23.55	peak
6	17945.000	24.58	25.75	50.33	74.00	-23.67	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.57	10.48	48.05	74.00	-25.95	peak
2	11059.000	34.85	14.96	49.81	74.00	-24.19	peak
3	11323.000	33.81	16.05	49.86	74.00	-24.14	peak
4	12247.000	32.36	17.77	50.13	74.00	-23.87	peak
5	13611.000	29.58	20.92	50.50	74.00	-23.50	peak
6	18000.000	24.27	26.12	50.39	74.00	-23.61	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.43	10.49	47.92	74.00	-26.08	peak
2	11048.000	35.19	14.91	50.10	74.00	-23.90	peak
3	11510.000	33.39	16.79	50.18	74.00	-23.82	peak
4	12676.000	32.37	18.05	50.42	74.00	-23.58	peak
5	13600.000	28.95	20.89	49.84	74.00	-24.16	peak
6	17956.000	24.25	25.82	50.07	74.00	-23.93	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.03	10.41	47.44	74.00	-26.56	peak
2	10388.000	35.88	12.59	48.47	74.00	-25.53	peak
3	11433.000	33.99	16.50	50.49	74.00	-23.51	peak
4	12577.000	32.41	17.93	50.34	74.00	-23.66	peak
5	13864.000	29.04	21.53	50.57	74.00	-23.43	peak
6	17923.000	24.92	25.60	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.27	10.48	47.75	74.00	-26.25	peak
2	11070.000	34.91	15.01	49.92	74.00	-24.08	peak
3	11939.000	32.57	17.59	50.16	74.00	-23.84	peak
4	12643.000	32.59	18.01	50.60	74.00	-23.40	peak
5	13567.000	29.78	20.80	50.58	74.00	-23.42	peak
6	17901.000	24.93	25.45	50.38	74.00	-23.62	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.35	9.90	47.25	74.00	-26.75	peak
2	10443.000	35.39	12.70	48.09	74.00	-25.91	peak
3	11290.000	33.56	15.90	49.46	74.00	-24.54	peak
4	12709.000	31.61	18.09	49.70	74.00	-24.30	peak
5	13963.000	28.07	21.78	49.85	74.00	-24.15	peak
6	17945.000	24.45	25.75	50.20	74.00	-23.80	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.64	10.48	47.12	74.00	-26.88	peak
2	10432.000	35.71	12.67	48.38	74.00	-25.62	peak
3	11070.000	34.18	15.01	49.19	74.00	-24.81	peak
4	12687.000	31.91	18.05	49.96	74.00	-24.04	peak
5	13622.000	29.04	20.95	49.99	74.00	-24.01	peak
6	17978.000	24.41	25.97	50.38	74.00	-23.62	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.22	10.45	47.67	74.00	-26.33	peak
2	11070.000	34.22	15.01	49.23	74.00	-24.77	peak
3	11433.000	33.61	16.50	50.11	74.00	-23.89	peak
4	12566.000	32.56	17.91	50.47	74.00	-23.53	peak
5	13534.000	28.97	20.73	49.70	74.00	-24.30	peak
6	17989.000	24.37	26.04	50.41	74.00	-23.59	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10234.000	36.39	12.26	48.65	74.00	-25.35	peak
2	11345.000	33.52	16.14	49.66	74.00	-24.34	peak
3	11796.000	33.29	17.32	50.61	74.00	-23.39	peak
4	12632.000	32.42	17.99	50.41	74.00	-23.59	peak
5	13732.000	29.41	21.22	50.63	74.00	-23.37	peak
6	17956.000	24.75	25.82	50.57	74.00	-23.43	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.06	10.48	47.54	74.00	-26.46	peak
2	11279.000	34.09	15.86	49.95	74.00	-24.05	peak
3	11697.000	33.33	17.13	50.46	74.00	-23.54	peak
4	12621.000	32.82	17.98	50.80	74.00	-23.20	peak
5	13743.000	28.62	21.24	49.86	74.00	-24.14	peak
6	18000.000	24.00	26.12	50.12	74.00	-23.88	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	36.80	10.53	47.33	74.00	-26.67	peak
2	11048.000	35.06	14.91	49.97	74.00	-24.03	peak
3	11400.000	33.85	16.36	50.21	74.00	-23.79	peak
4	12577.000	32.23	17.93	50.16	74.00	-23.84	peak
5	13589.000	29.76	20.86	50.62	74.00	-23.38	peak
6	17978.000	24.51	25.97	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10212.000	35.77	12.21	47.98	74.00	-26.02	peak
2	11686.000	32.80	17.12	49.92	74.00	-24.08	peak
3	12698.000	31.82	18.08	49.90	74.00	-24.10	peak
4	13369.000	30.43	20.06	50.49	74.00	-23.51	peak
5	13798.000	29.10	21.38	50.48	74.00	-23.52	peak
6	17989.000	24.20	26.04	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10223.000	35.48	12.24	47.72	74.00	-26.28	peak
2	11048.000	33.89	14.91	48.80	74.00	-25.20	peak
3	12236.000	31.64	17.76	49.40	74.00	-24.60	peak
4	12621.000	32.02	17.98	50.00	74.00	-24.00	peak
5	13897.000	28.48	21.62	50.10	74.00	-23.90	peak
6	17989.000	24.57	26.04	50.61	74.00	-23.39	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.33	9.90	47.23	74.00	-26.77	peak
2	10333.000	35.86	12.47	48.33	74.00	-25.67	peak
3	11400.000	33.62	16.36	49.98	74.00	-24.02	peak
4	11796.000	33.11	17.32	50.43	74.00	-23.57	peak
5	13688.000	29.51	21.10	50.61	74.00	-23.39	peak
6	17934.000	24.93	25.67	50.60	74.00	-23.40	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.31	10.28	47.59	74.00	-26.41	peak
2	11059.000	34.40	14.96	49.36	74.00	-24.64	peak
3	11400.000	33.42	16.36	49.78	74.00	-24.22	peak
4	12225.000	31.82	17.75	49.57	74.00	-24.43	peak
5	13358.000	29.83	20.02	49.85	74.00	-24.15	peak
6	18000.000	23.77	26.12	49.89	74.00	-24.11	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.56	10.51	48.07	74.00	-25.93	peak
2	10300.000	36.06	12.40	48.46	74.00	-25.54	peak
3	11686.000	32.54	17.12	49.66	74.00	-24.34	peak
4	13105.000	31.30	18.91	50.21	74.00	-23.79	peak
5	13919.000	28.97	21.68	50.65	74.00	-23.35	peak
6	17989.000	24.61	26.04	50.65	74.00	-23.35	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.07	10.54	47.61	74.00	-26.39	peak
2	11081.000	34.43	15.05	49.48	74.00	-24.52	peak
3	11642.000	32.70	17.03	49.73	74.00	-24.27	peak
4	12577.000	32.24	17.93	50.17	74.00	-23.83	peak
5	13919.000	28.43	21.68	50.11	74.00	-23.89	peak
6	18000.000	23.79	26.12	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.71	10.54	48.25	74.00	-25.75	peak
2	11312.000	34.03	16.00	50.03	74.00	-23.97	peak
3	11796.000	32.56	17.32	49.88	74.00	-24.12	peak
4	12654.000	32.07	18.01	50.08	74.00	-23.92	peak
5	13413.000	29.58	20.26	49.84	74.00	-24.16	peak
6	17967.000	24.27	25.89	50.16	74.00	-23.84	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.21	10.41	47.62	74.00	-26.38	peak
2	10916.000	34.94	14.39	49.33	74.00	-24.67	peak
3	11246.000	34.15	15.73	49.88	74.00	-24.12	peak
4	12566.000	32.17	17.91	50.08	74.00	-23.92	peak
5	13622.000	29.40	20.95	50.35	74.00	-23.65	peak
6	17989.000	24.36	26.04	50.40	74.00	-23.60	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.25	10.48	47.73	74.00	-26.27	peak
2	11059.000	34.41	14.96	49.37	74.00	-24.63	peak
3	11565.000	32.65	16.89	49.54	74.00	-24.46	peak
4	12225.000	32.35	17.75	50.10	74.00	-23.90	peak
5	13424.000	30.07	20.30	50.37	74.00	-23.63	peak
6	17967.000	23.84	25.89	49.73	74.00	-24.27	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.29	10.41	47.70	74.00	-26.30	peak
2	11059.000	34.38	14.96	49.34	74.00	-24.66	peak
3	11774.000	33.45	17.28	50.73	74.00	-23.27	peak
4	12698.000	32.02	18.08	50.10	74.00	-23.90	peak
5	13864.000	29.12	21.53	50.65	74.00	-23.35	peak
6	17978.000	24.85	25.97	50.82	74.00	-23.18	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	36.48	10.54	47.02	74.00	-26.98	peak
2	11125.000	34.63	15.22	49.85	74.00	-24.15	peak
3	11785.000	33.04	17.30	50.34	74.00	-23.66	peak
4	12698.000	32.22	18.08	50.30	74.00	-23.70	peak
5	13864.000	29.37	21.53	50.90	74.00	-23.10	peak
6	18000.000	24.71	26.12	50.83	74.00	-23.17	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.78	10.51	47.29	74.00	-26.71	peak
2	10916.000	33.99	14.39	48.38	74.00	-25.62	peak
3	11708.000	31.80	17.16	48.96	74.00	-25.04	peak
4	12687.000	31.81	18.05	49.86	74.00	-24.14	peak
5	13985.000	28.30	21.85	50.15	74.00	-23.85	peak
6	18000.000	23.87	26.12	49.99	74.00	-24.01	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.71	10.43	48.14	74.00	-25.86	peak
2	10289.000	35.78	12.38	48.16	74.00	-25.84	peak
3	11312.000	34.33	16.00	50.33	74.00	-23.67	peak
4	11785.000	33.44	17.30	50.74	74.00	-23.26	peak
5	12544.000	32.46	17.88	50.34	74.00	-23.66	peak
6	17923.000	24.70	25.60	50.30	74.00	-23.70	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.83	10.41	48.24	74.00	-25.76	peak
2	10388.000	35.84	12.59	48.43	74.00	-25.57	peak
3	11268.000	33.94	15.83	49.77	74.00	-24.23	peak
4	12555.000	32.40	17.90	50.30	74.00	-23.70	peak
5	13127.000	31.45	19.01	50.46	74.00	-23.54	peak
6	17967.000	24.39	25.89	50.28	74.00	-23.72	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	36.72	10.81	47.53	74.00	-26.47	peak
2	11048.000	34.68	14.91	49.59	74.00	-24.41	peak
3	11422.000	33.77	16.46	50.23	74.00	-23.77	peak
4	12698.000	31.92	18.08	50.00	74.00	-24.00	peak
5	13512.000	29.70	20.68	50.38	74.00	-23.62	peak
6	17989.000	23.64	26.04	49.68	74.00	-24.32	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.19	10.41	47.60	74.00	-26.40	peak
2	10608.000	34.69	13.23	47.92	74.00	-26.08	peak
3	11323.000	34.00	16.05	50.05	74.00	-23.95	peak
4	12687.000	32.47	18.05	50.52	74.00	-23.48	peak
5	13974.000	29.13	21.82	50.95	74.00	-23.05	peak
6	18000.000	24.58	26.12	50.70	74.00	-23.30	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.99	10.49	47.48	74.00	-26.52	peak
2	11070.000	34.43	15.01	49.44	74.00	-24.56	peak
3	11400.000	33.39	16.36	49.75	74.00	-24.25	peak
4	13050.000	31.24	18.66	49.90	74.00	-24.10	peak
5	13589.000	29.03	20.86	49.89	74.00	-24.11	peak
6	17967.000	24.32	25.89	50.21	74.00	-23.79	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.21	10.38	47.59	74.00	-26.41	peak
2	10366.000	35.21	12.54	47.75	74.00	-26.25	peak
3	11312.000	33.41	16.00	49.41	74.00	-24.59	peak
4	12236.000	32.30	17.76	50.06	74.00	-23.94	peak
5	13798.000	28.98	21.38	50.36	74.00	-23.64	peak
6	17956.000	23.67	25.82	49.49	74.00	-24.51	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.25	10.41	47.66	74.00	-26.34	peak
2	11059.000	34.78	14.96	49.74	74.00	-24.26	peak
3	11422.000	33.68	16.46	50.14	74.00	-23.86	peak
4	12676.000	32.52	18.05	50.57	74.00	-23.43	peak
5	13864.000	29.06	21.53	50.59	74.00	-23.41	peak
6	18000.000	24.40	26.12	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	37.00	10.51	47.51	74.00	-26.49	peak
2	10234.000	36.06	12.26	48.32	74.00	-25.68	peak
3	11400.000	33.77	16.36	50.13	74.00	-23.87	peak
4	11697.000	33.27	17.13	50.40	74.00	-23.60	peak
5	13336.000	30.61	19.93	50.54	74.00	-23.46	peak
6	18000.000	24.04	26.12	50.16	74.00	-23.84	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.00	10.54	47.54	74.00	-26.46	peak
2	11103.000	34.13	15.15	49.28	74.00	-24.72	peak
3	11785.000	33.43	17.30	50.73	74.00	-23.27	peak
4	12665.000	32.35	18.04	50.39	74.00	-23.61	peak
5	13875.000	29.13	21.57	50.70	74.00	-23.30	peak
6	17956.000	25.18	25.82	51.00	74.00	-23.00	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.57	10.48	47.05	74.00	-26.95	peak
2	11048.000	33.61	14.91	48.52	74.00	-25.48	peak
3	11862.000	32.79	17.45	50.24	74.00	-23.76	peak
4	12489.000	32.15	17.83	49.98	74.00	-24.02	peak
5	13919.000	28.14	21.68	49.82	74.00	-24.18	peak
6	17945.000	23.89	25.75	49.64	74.00	-24.36	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.04	10.54	47.58	74.00	-26.42	peak
2	10223.000	35.94	12.24	48.18	74.00	-25.82	peak
3	11268.000	33.32	15.83	49.15	74.00	-24.85	peak
4	11785.000	32.47	17.30	49.77	74.00	-24.23	peak
5	13567.000	29.34	20.80	50.14	74.00	-23.86	peak
6	17901.000	23.99	25.45	49.44	74.00	-24.56	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.84	10.43	47.27	74.00	-26.73	peak
2	10245.000	35.76	12.28	48.04	74.00	-25.96	peak
3	11059.000	35.06	14.96	50.02	74.00	-23.98	peak
4	12731.000	30.86	18.12	48.98	74.00	-25.02	peak
5	13919.000	29.31	21.68	50.99	74.00	-23.01	peak
6	17989.000	24.43	26.04	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.80	10.54	47.34	74.00	-26.66	peak
2	10432.000	36.10	12.67	48.77	74.00	-25.23	peak
3	11829.000	33.55	17.38	50.93	74.00	-23.07	peak
4	12247.000	33.02	17.77	50.79	74.00	-23.21	peak
5	13864.000	29.36	21.53	50.89	74.00	-23.11	peak
6	17934.000	24.47	25.67	50.14	74.00	-23.86	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.87	10.46	47.33	74.00	-26.67	peak
2	11026.000	34.75	14.82	49.57	74.00	-24.43	peak
3	11400.000	33.37	16.36	49.73	74.00	-24.27	peak
4	12676.000	31.67	18.05	49.72	74.00	-24.28	peak
5	13930.000	28.59	21.71	50.30	74.00	-23.70	peak
6	18000.000	24.74	26.12	50.86	74.00	-23.14	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.22	10.49	47.71	74.00	-26.29	peak
2	11070.000	34.50	15.01	49.51	74.00	-24.49	peak
3	11620.000	33.04	16.99	50.03	74.00	-23.97	peak
4	12247.000	32.71	17.77	50.48	74.00	-23.52	peak
5	13798.000	29.33	21.38	50.71	74.00	-23.29	peak
6	17978.000	24.61	25.97	50.58	74.00	-23.42	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9475.000	36.75	10.64	47.39	74.00	-26.61	peak
2	11070.000	34.47	15.01	49.48	74.00	-24.52	peak
3	11521.000	33.31	16.82	50.13	74.00	-23.87	peak
4	12225.000	32.26	17.75	50.01	74.00	-23.99	peak
5	13435.000	29.72	20.35	50.07	74.00	-23.93	peak
6	17989.000	24.30	26.04	50.34	74.00	-23.66	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.49	10.46	47.95	74.00	-26.05	peak
2	11059.000	35.23	14.96	50.19	74.00	-23.81	peak
3	11774.000	33.02	17.28	50.30	74.00	-23.70	peak
4	13127.000	31.59	19.01	50.60	74.00	-23.40	peak
5	13600.000	29.65	20.89	50.54	74.00	-23.46	peak
6	17703.000	26.26	24.09	50.35	74.00	-23.65	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.63	10.41	47.04	74.00	-26.96	peak
2	10410.000	35.50	12.62	48.12	74.00	-25.88	peak
3	11059.000	34.73	14.96	49.69	74.00	-24.31	peak
4	12687.000	31.83	18.05	49.88	74.00	-24.12	peak
5	13853.000	28.70	21.52	50.22	74.00	-23.78	peak
6	17978.000	23.92	25.97	49.89	74.00	-24.11	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.94	10.48	47.42	74.00	-26.58	peak
2	10322.000	36.65	12.45	49.10	74.00	-24.90	peak
3	11455.000	33.22	16.58	49.80	74.00	-24.20	peak
4	12247.000	32.99	17.77	50.76	74.00	-23.24	peak
5	13358.000	30.24	20.02	50.26	74.00	-23.74	peak
6	18000.000	24.22	26.12	50.34	74.00	-23.66	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8804.000	37.80	8.98	46.78	74.00	-27.22	peak
2	11070.000	33.72	15.01	48.73	74.00	-25.27	peak
3	11785.000	32.64	17.30	49.94	74.00	-24.06	peak
4	12687.000	32.15	18.05	50.20	74.00	-23.80	peak
5	13754.000	28.58	21.27	49.85	74.00	-24.15	peak
6	17923.000	23.12	25.60	48.72	74.00	-25.28	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	36.76	10.54	47.30	74.00	-26.70	peak
2	11070.000	34.22	15.01	49.23	74.00	-24.77	peak
3	11895.000	32.55	17.51	50.06	74.00	-23.94	peak
4	12236.000	32.67	17.76	50.43	74.00	-23.57	peak
5	13578.000	29.43	20.83	50.26	74.00	-23.74	peak
6	18000.000	23.94	26.12	50.06	74.00	-23.94	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	37.95	9.66	47.61	74.00	-26.39	peak
2	11059.000	35.19	14.96	50.15	74.00	-23.85	peak
3	11389.000	33.92	16.31	50.23	74.00	-23.77	peak
4	12544.000	32.59	17.88	50.47	74.00	-23.53	peak
5	13523.000	29.90	20.70	50.60	74.00	-23.40	peak
6	18000.000	24.03	26.12	50.15	74.00	-23.85	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9442.000	37.22	10.61	47.83	74.00	-26.17	peak
2	11059.000	34.00	14.96	48.96	74.00	-25.04	peak
3	11862.000	32.50	17.45	49.95	74.00	-24.05	peak
4	12687.000	32.48	18.05	50.53	74.00	-23.47	peak
5	13886.000	28.72	21.60	50.32	74.00	-23.68	peak
6	17989.000	24.61	26.04	50.65	74.00	-23.35	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	36.45	10.57	47.02	74.00	-26.98	peak
2	10025.000	36.14	11.82	47.96	74.00	-26.04	peak
3	11246.000	33.12	15.73	48.85	74.00	-25.15	peak
4	12610.000	31.45	17.97	49.42	74.00	-24.58	peak
5	13919.000	28.07	21.68	49.75	74.00	-24.25	peak
6	17989.000	23.64	26.04	49.68	74.00	-24.32	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10223.000	36.36	12.24	48.60	74.00	-25.40	peak
2	11048.000	34.81	14.91	49.72	74.00	-24.28	peak
3	11774.000	33.06	17.28	50.34	74.00	-23.66	peak
4	12654.000	31.83	18.01	49.84	74.00	-24.16	peak
5	13644.000	29.44	20.99	50.43	74.00	-23.57	peak
6	17989.000	24.55	26.04	50.59	74.00	-23.41	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.30	10.48	47.78	74.00	-26.22	peak
2	10300.000	35.78	12.40	48.18	74.00	-25.82	peak
3	11059.000	34.15	14.96	49.11	74.00	-24.89	peak
4	12687.000	32.06	18.05	50.11	74.00	-23.89	peak
5	13853.000	28.53	21.52	50.05	74.00	-23.95	peak
6	17956.000	24.20	25.82	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.51	10.49	48.00	74.00	-26.00	peak
2	11081.000	33.63	15.05	48.68	74.00	-25.32	peak
3	11664.000	32.99	17.08	50.07	74.00	-23.93	peak
4	12236.000	32.53	17.76	50.29	74.00	-23.71	peak
5	13380.000	30.27	20.12	50.39	74.00	-23.61	peak
6	17956.000	25.05	25.82	50.87	74.00	-23.13	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10432.000	35.93	12.67	48.60	74.00	-25.40	peak
2	10960.000	34.22	14.57	48.79	74.00	-25.21	peak
3	11411.000	33.97	16.41	50.38	74.00	-23.62	peak
4	12489.000	32.23	17.83	50.06	74.00	-23.94	peak
5	13655.000	29.21	21.03	50.24	74.00	-23.76	peak
6	18000.000	24.32	26.12	50.44	74.00	-23.56	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.85	10.48	48.33	74.00	-25.67	peak
2	11081.000	34.90	15.05	49.95	74.00	-24.05	peak
3	11598.000	33.84	16.96	50.80	74.00	-23.20	peak
4	12258.000	32.43	17.77	50.20	74.00	-23.80	peak
5	13523.000	30.08	20.70	50.78	74.00	-23.22	peak
6	17945.000	23.15	25.75	48.90	74.00	-25.10	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.78	10.49	47.27	74.00	-26.73	peak
2	10300.000	35.88	12.40	48.28	74.00	-25.72	peak
3	11059.000	34.32	14.96	49.28	74.00	-24.72	peak
4	12247.000	32.73	17.77	50.50	74.00	-23.50	peak
5	13611.000	29.32	20.92	50.24	74.00	-23.76	peak
6	17978.000	24.56	25.97	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10223.000	36.21	12.24	48.45	74.00	-25.55	peak
2	11268.000	33.87	15.83	49.70	74.00	-24.30	peak
3	12247.000	32.40	17.77	50.17	74.00	-23.83	peak
4	13116.000	31.16	18.96	50.12	74.00	-23.88	peak
5	13886.000	28.55	21.60	50.15	74.00	-23.85	peak
6	17989.000	24.80	26.04	50.84	74.00	-23.16	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.85	10.41	47.26	74.00	-26.74	peak
2	10289.000	36.41	12.38	48.79	74.00	-25.21	peak
3	11070.000	34.86	15.01	49.87	74.00	-24.13	peak
4	11785.000	33.08	17.30	50.38	74.00	-23.62	peak
5	13468.000	30.23	20.50	50.73	74.00	-23.27	peak
6	17989.000	24.20	26.04	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.11	10.51	47.62	74.00	-26.38	peak
2	11081.000	33.85	15.05	48.90	74.00	-25.10	peak
3	11884.000	32.53	17.48	50.01	74.00	-23.99	peak
4	12654.000	32.35	18.01	50.36	74.00	-23.64	peak
5	13897.000	28.34	21.62	49.96	74.00	-24.04	peak
6	17923.000	23.91	25.60	49.51	74.00	-24.49	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	37.04	10.54	47.58	74.00	-26.42	peak
2	11059.000	34.25	14.96	49.21	74.00	-24.79	peak
3	11785.000	32.80	17.30	50.10	74.00	-23.90	peak
4	12621.000	32.41	17.98	50.39	74.00	-23.61	peak
5	13919.000	28.85	21.68	50.53	74.00	-23.47	peak
6	17912.000	25.01	25.52	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.69	10.41	48.10	74.00	-25.90	peak
2	10443.000	36.21	12.70	48.91	74.00	-25.09	peak
3	11422.000	33.36	16.46	49.82	74.00	-24.18	peak
4	12247.000	32.75	17.77	50.52	74.00	-23.48	peak
5	13534.000	29.75	20.73	50.48	74.00	-23.52	peak
6	17956.000	24.62	25.82	50.44	74.00	-23.56	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.35	10.41	47.76	74.00	-26.24	peak
2	10300.000	35.55	12.40	47.95	74.00	-26.05	peak
3	11334.000	33.23	16.09	49.32	74.00	-24.68	peak
4	12500.000	32.17	17.83	50.00	74.00	-24.00	peak
5	13413.000	30.33	20.26	50.59	74.00	-23.41	peak
6	17989.000	24.01	26.04	50.05	74.00	-23.95	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	36.98	10.45	47.43	74.00	-26.57	peak
2	11147.000	34.62	15.32	49.94	74.00	-24.06	peak
3	11719.000	33.25	17.18	50.43	74.00	-23.57	peak
4	12676.000	32.28	18.05	50.33	74.00	-23.67	peak
5	13908.000	28.63	21.66	50.29	74.00	-23.71	peak
6	17945.000	24.50	25.75	50.25	74.00	-23.75	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.29	10.55	47.84	74.00	-26.16	peak
2	11059.000	34.27	14.96	49.23	74.00	-24.77	peak
3	11774.000	32.90	17.28	50.18	74.00	-23.82	peak
4	12258.000	32.63	17.77	50.40	74.00	-23.60	peak
5	13655.000	29.60	21.03	50.63	74.00	-23.37	peak
6	18000.000	24.57	26.12	50.69	74.00	-23.31	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.28	10.41	47.69	74.00	-26.31	peak
2	10025.000	36.20	11.82	48.02	74.00	-25.98	peak
3	11840.000	32.95	17.40	50.35	74.00	-23.65	peak
4	12687.000	32.48	18.05	50.53	74.00	-23.47	peak
5	13402.000	30.52	20.20	50.72	74.00	-23.28	peak
6	17989.000	24.44	26.04	50.48	74.00	-23.52	peak


Test Mode:	802.11ax HE160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	36.75	10.42	47.17	74.00	-26.83	peak
2	10245.000	36.25	12.28	48.53	74.00	-25.47	peak
3	11422.000	33.56	16.46	50.02	74.00	-23.98	peak
4	12676.000	31.91	18.05	49.96	74.00	-24.04	peak
5	13512.000	29.49	20.68	50.17	74.00	-23.83	peak
6	17956.000	25.07	25.82	50.89	74.00	-23.11	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0100	78.22	-101.40	-23.18	47.60	-74.68	-3.90	-70.78	peak
2	0.0134	74.46	-101.39	-26.93	45.06	-78.43	-6.44	-71.99	peak
3	0.0188	72.14	-101.35	-29.21	42.12	-80.71	-9.38	-71.33	peak
4	0.0280	68.28	-101.38	-33.10	38.66	-84.60	-12.84	-71.76	peak
5	0.0417	64.58	-101.44	-36.86	35.20	-88.36	-16.30	-72.06	peak
6	0.0627	62.15	-101.53	-39.38	31.66	-90.88	-19.84	-71.04	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1554	76.77	-101.65	-24.88	23.77	-76.38	-27.73	-48.65	peak
2	0.1748	72.70	-101.68	-28.98	22.76	-80.48	-28.74	-51.74	peak
3	0.2190	68.27	-101.75	-33.48	20.79	-84.98	-30.71	-54.27	peak
4	0.3159	62.67	-101.87	-39.20	17.61	-90.70	-33.89	-56.81	peak
5	0.3623	59.93	-101.92	-41.99	16.42	-93.49	-35.08	-58.41	peak
6	0.4364	57.36	-101.99	-44.63	14.80	-96.13	-36.70	-59.43	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.4900	63.72	-62.06	1.66	13.80	-49.84	-37.70	-12.14	peak
2	0.8296	61.44	-62.17	-0.73	29.23	-52.23	-22.27	-29.96	peak
3	1.4048	57.40	-62.09	-4.69	24.65	-56.19	-26.85	-29.34	peak
4	3.7100	54.70	-61.41	-6.71	29.54	-58.21	-21.96	-36.25	peak
5	11.8513	52.56	-60.88	-8.32	29.54	-59.82	-21.96	-37.86	peak
6	16.3959	52.17	-60.96	-8.79	29.54	-60.29	-21.96	-38.33	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	19328.000	49.27	-5.58	43.69	74.00	-30.31	peak
2	20200.000	49.04	-5.58	43.46	74.00	-30.54	peak
3	21248.000	48.29	-4.77	43.52	74.00	-30.48	peak
4	22160.000	48.08	-4.31	43.77	74.00	-30.23	peak
5	23480.000	47.54	-3.16	44.38	74.00	-29.62	peak
6	25072.000	46.17	-1.97	44.20	74.00	-29.80	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18712.000	49.40	-5.40	44.00	74.00	-30.00	peak
2	19768.000	49.03	-5.26	43.77	74.00	-30.23	peak
3	21544.000	48.76	-4.63	44.13	74.00	-29.87	peak
4	23088.000	48.02	-3.41	44.61	74.00	-29.39	peak
5	24568.000	47.10	-2.33	44.77	74.00	-29.23	peak
6	25784.000	45.35	-0.67	44.68	74.00	-29.32	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	29346.000	47.88	-0.91	46.97	74.00	-27.03	peak
2	31194.000	48.54	-0.80	47.74	74.00	-26.26	peak
3	31796.000	48.68	-1.39	47.29	74.00	-26.71	peak
4	36262.000	45.10	3.28	48.38	74.00	-25.62	peak
5	38180.000	44.64	3.69	48.33	74.00	-25.67	peak
6	39958.000	43.58	5.12	48.70	74.00	-25.30	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	29276.000	47.51	-1.01	46.50	74.00	-27.50	peak
2	31320.000	48.61	-0.93	47.68	74.00	-26.32	peak
3	32104.000	48.99	-1.75	47.24	74.00	-26.76	peak
4	34302.000	46.45	1.10	47.55	74.00	-26.45	peak
5	36388.000	44.82	3.52	48.34	74.00	-25.66	peak
6	38278.000	44.32	3.82	48.14	74.00	-25.86	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	33.8800	43.58	-13.99	29.59	40.00	-10.41	QP
2	125.0600	48.64	-14.82	33.82	43.50	-9.68	QP
3	189.0800	47.02	-12.19	34.83	43.50	-8.67	QP
4	243.4000	49.42	-14.38	35.04	46.00	-10.96	QP
5	342.3400	46.70	-9.92	36.78	46.00	-9.22	QP
6	773.0200	36.77	-3.11	33.66	46.00	-12.34	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	38.7300	50.59	-14.71	35.88	40.00	-4.12	QP
2	48.4300	49.99	-15.44	34.55	40.00	-5.45	QP
3	95.9600	53.84	-16.82	37.02	43.50	-6.48	QP
4	105.6600	52.15	-15.99	36.16	43.50	-7.34	QP
5	177.4400	49.20	-11.97	37.23	43.50	-6.27	QP
6	234.6700	46.85	-13.81	33.04	46.00	-12.96	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	25.3°C	Relative Humidity	60%
Atmosphere Pressure	101kPa	Test Voltage	AC 120V_60Hz

TEST DATE / ENGINEER

Test Date	March 27, 2024	Test By	Wite Chen
-----------	----------------	---------	-----------

TEST RESULTS

Test Mode:	802.11a20	Frequency(MHz):	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1513	39.27	10.34	49.61	65.93	-16.32	QP
2	0.1513	22.53	10.34	32.87	55.93	-23.06	AVG
3	0.2939	26.48	10.24	36.72	60.41	-23.69	QP
4	0.2939	16.91	10.24	27.15	50.41	-23.26	AVG
5	0.5635	25.23	10.24	35.47	56.00	-20.53	QP
6	0.5635	17.58	10.24	27.82	46.00	-18.18	AVG
7	1.1157	12.94	10.02	22.96	56.00	-33.04	QP
8	1.1157	7.10	10.02	17.12	46.00	-28.88	AVG
9	3.4087	11.35	10.14	21.49	56.00	-34.51	QP
10	3.4087	4.42	10.14	14.56	46.00	-31.44	AVG
11	19.6034	24.24	10.82	35.06	60.00	-24.94	QP
12	19.6034	18.05	10.82	28.87	50.00	-21.13	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a20	Frequency(MHz):	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1590	35.28	10.32	45.60	65.52	-19.92	QP
2	0.1590	21.18	10.32	31.50	55.52	-24.02	AVG
3	0.2887	23.33	10.24	33.57	60.56	-26.99	QP
4	0.2887	15.16	10.24	25.40	50.56	-25.16	AVG
5	0.4010	15.86	10.24	26.10	57.83	-31.73	QP
6	0.4010	9.67	10.24	19.91	47.83	-27.92	AVG
7	0.5624	23.72	10.24	33.96	56.00	-22.04	QP
8	0.5624	16.59	10.24	26.83	46.00	-19.17	AVG
9	3.8160	12.17	10.20	22.37	56.00	-33.63	QP
10	3.8160	4.88	10.20	15.08	46.00	-30.92	AVG
11	19.7925	23.88	10.83	34.71	60.00	-25.29	QP
12	19.7925	17.94	10.83	28.77	50.00	-21.23	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA

11.1. APPENDIX A: EMISSION BANDWIDTH

11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant3	5180	20.360	5169.880	5190.240	PASS
		5200	20.600	5189.560	5210.160	PASS
		5240	19.600	5230.280	5249.880	PASS
		5260	19.400	5250.240	5269.640	PASS
		5280	20.960	5269.600	5290.560	PASS
		5320	20.120	5309.840	5329.960	PASS
		5500	23.400	5487.560	5510.960	PASS
		5580	19.200	5570.200	5589.400	PASS
		5700	20.680	5689.960	5710.640	PASS
		5720	19.840	5709.840	5729.680	PASS
		5720 UNII-2C	15.16	5709.840	5725	PASS
		5720 UNII-3	4.68	5725	5729.680	PASS
		5745	20.400	5734.720	5755.120	PASS
		5785	19.840	5775.080	5794.920	PASS
		5825	20.360	5814.720	5835.080	PASS
11AX20SISO	Ant3	5180	20.240	5169.840	5190.080	PASS
		5200	20.880	5189.400	5210.280	PASS
		5240	19.920	5230.040	5249.960	PASS
		5260	21.240	5249.320	5270.560	PASS
		5280	20.680	5269.840	5290.520	PASS
		5320	21.680	5309.160	5330.840	PASS
		5500	22.440	5489.040	5511.480	PASS
		5580	21.320	5569.120	5590.440	PASS
		5700	21.600	5689.440	5711.040	PASS
		5720	20.360	5709.680	5730.040	PASS
		5720 UNII-2C	15.32	5709.680	5725	PASS
		5720 UNII-3	5.04	5725	5730.040	PASS
		5745	20.200	5734.720	5754.920	PASS
		5785	20.640	5774.440	5795.080	PASS
		5825	21.320	5814.160	5835.480	PASS
11AX40SISO	Ant3	5190	39.280	5170.240	5209.520	PASS
		5230	39.440	5210.320	5249.760	PASS
		5270	39.360	5250.320	5289.680	PASS
		5310	39.520	5290.080	5329.600	PASS
		5510	39.280	5490.240	5529.520	PASS
		5550	39.120	5530.480	5569.600	PASS
		5670	39.680	5650.160	5689.840	PASS
		5710	39.200	5690.320	5729.520	PASS
		5710 UNII-2C	34.68	5690.320	5725	PASS
		5710 UNII-3	4.52	5725	5729.520	PASS
		5755	39.360	5735.320	5774.680	PASS
		5795	39.680	5775.080	5814.760	PASS
		5210	80.160	5170.000	5250.160	PASS
		5290	80.320	5249.680	5330.000	PASS
		5530	80.000	5490.000	5570.000	PASS
11AX80SISO	Ant3	5610	80.000	5570.000	5650.000	PASS
		5690	80.000	5650.000	5730.000	PASS
		5690 UNII-2C	75	5650.000	5725	PASS
		5690 UNII-3	5	5725	5730.000	PASS
		5775	80.000	5735.000	5815.000	PASS
		5250	161.280	5169.680	5330.960	PASS
		5250 UNII-1	80.32	5169.680	5250	PASS
11AX160SISO	Ant3	5250 UNII-2A	80.96	5250	5330.960	PASS
		5570	161.920	5489.360	5651.280	PASS
11N20SISO	Ant3	5180	20.760	5169.920	5190.680	PASS
		5200	21.680	5188.760	5210.440	PASS

		5240	19.800	5230.080	5249.880	PASS
		5260	21.080	5249.640	5270.720	PASS
		5280	21.200	5269.360	5290.560	PASS
		5320	21.920	5309.200	5331.120	PASS
		5500	20.960	5489.640	5510.600	PASS
		5580	21.240	5569.280	5590.520	PASS
		5700	20.920	5689.680	5710.600	PASS
		5720	21.360	5709.080	5730.440	PASS
		5720 UNII-2C	15.92	5709.080	5725	PASS
		5720 UNII-3	5.44	5725	5730.440	PASS
		5745	21.040	5734.440	5755.480	PASS
		5785	21.040	5774.360	5795.400	PASS
		5825	20.720	5814.600	5835.320	PASS
		5190	40.160	5169.680	5209.840	PASS
11N40SISO	Ant3	5230	40.080	5210.000	5250.080	PASS
		5270	40.720	5249.760	5290.480	PASS
		5310	39.120	5290.560	5329.680	PASS
		5510	39.040	5490.720	5529.760	PASS
		5550	40.560	5530.000	5570.560	PASS
		5670	40.400	5650.000	5690.400	PASS
		5710	39.440	5690.160	5729.600	PASS
		5710 UNII-2C	34.84	5690.160	5725	PASS
		5710 UNII-3	4.6	5725	5729.600	PASS
		5755	39.600	5735.480	5775.080	PASS
		5795	39.840	5775.000	5814.840	PASS
		5210	79.200	5170.480	5249.680	PASS
		5290	79.680	5250.160	5329.840	PASS
		5530	79.200	5490.640	5569.840	PASS
		5610	79.520	5570.320	5649.840	PASS
11AC80SISO	Ant3	5690	79.840	5650.000	5729.840	PASS
		5690 UNII-2C	75	5650.000	5725	PASS
		5690 UNII-3	4.84	5725	5729.840	PASS
		5775	79.040	5735.800	5814.840	PASS
		5250	169.280	5166.800	5336.080	PASS
		5250 UNII-1	83.2	5166.800	5250	PASS
		5250 UNII-2A	86.08	5250	5336.080	PASS
11AC160SISO	Ant3	5570	168.960	5488.720	5657.680	PASS

11.1.2. Test Graphs

