SAMM 826

CERTIFICATE 2518.05

Exhibit 7B: SAR Test Report Photographs

Motorola Solutions Inc
EME Test Laboratory
Motorola Solutions Malaysia Sdn Bhd
Plot 2A, Medan Bayan Lepas
Mukim 12 SWD 11900 Bayan Lepas Penang, Malaysia.

Saw Sun Hock (Approved Signatory)
Approval Date: **8/3/2023**

Report Revision History

Date	Revision	Comments
8/01/2023	A	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body

DUT with antenna LDS MDA-LB-008 with offered battery PMNN4602A and body worn kit PMLN8538A against the phantom without an audio accessory attached.



Antenna kit #	Separation Distances (mm)	
	@ bottom surface of the DUT	@ upper surface of the DUT
LDS MDA-LB-008	0	8

1.2 Face

Not Applicable

2.0 Other SAR tested positions at the body

2.1 Body worn

DUT with antenna LDS MDA-LB-008 with offered battery PMNN4602A and body worn kit PMLN8537A against the phantom without an audio accessory attached.



Antenna kit #	Separation Distances (mm)	
	@ bottom surface of the DUT	@ upper surface of the DUT
LDS MDA-LB-008	12	20

3.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the tested accessories. Refer to Part 1 section 7.0 for additional details on the offered accessories. Battery is a build in battery.

3.1 Body worn accessories

Front View
Badge Clip
PMLN8538A

Front View
Belt Clip
PMLN8537A

DUT Side View
Badge Clip
PMLN8538A

DUT Side View
Belt Clip
PMLN8537A

3.2 Audio accessories:

PMLN8536A

3.3 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio with battery PMNN4602A	84	49	19

For illustration purposes only - the following figure reflects the location of the device's dimensions.

Note: H = Height; W = Width; D = Depth

W1 = (Width @ Top) / (Width @ PTT)

D2 = (Depth @ Bottom) / (Depth @ PTT)