


TDC-8100

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.40,5.40,5.40); Crest factor: 1.0; Brain 1900 MHz: $s = 1.42$
 mho/m $\epsilon_r = 38.9$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.117 mW/g, SAR (10g): 0.0654 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
: Powerdrift: 0.15 dB
Comment:
FCC ID: MC6TDC8100 / MODEL: TDC-8100
Company: TELSON ELECTRONICS CO., LTD.
Test Position: right tilt 15° / Antenna: Fixed
Mode: PCS CDMA / Channel: 600
Conducted Power: 25.0dBm
Liquid Temperature: 21.4°C
Date Tested: March 20, 2003
× Grid Position: down



TDC-8100

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.40,5.40,5.40); Crest factor: 1.0; Brain 1900 MHz: $s = 1.42$
 $\rho/m e_r = 38.9$ $r = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.135 mW/g, SAR (10g): 0.0786 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

: Powerdrift: -0.25 dB

Comment:

FCC ID: MC6TDC8100 / MODEL: TDC-8100

Company: TELSON ELECTRONICS CO., LTD.

Test Position: right tilt 15° / Antenna: Fixed

Mode: PCS CDMA / Channel: 600

Conducted Power: 25.0dBm

Liquid Temperature: 21.4°C

Date Tested: March 20, 2003

× Grid Position: up

