

MX-3S PARTS LIST (1/6)

[illegible]

仕様書

SPECIFICATION

ASSY-PCB

102A2020



SANWA

三和電子機器株式会社 SANWA ELECTRONIC INSTRUMENT CO., LTD

MX-3S PARTS LIST (2/6)

	311A20281A 26/27MHz	311A20282A 29MHz	311A20283A 40/41MHz	311A20284A 75MHz	/ MHz	/ MHz
C1	E 100 μ F 16V					
C2	103K					
C3	103K					
C4	E 10 μ F 16V					
C5	334K					
C6	103K					
C7	103K					
C8	103K					
C9	NONE					
C10	220p					
C11	220p					
C12	220p					
C13	103K					
C14	NONE					
C15	102K					
C16	102K					
C17	102K					
C18	103K					
C19	103K					
C20	NONE					
R1	1K					
R2	470 Ω					
R3	5.6K					
R4	15K					
R5	10K					
R6	10K					
R7	10K					
R8	10K					
R9	10K					
R10	4.7K					
R11	1M					
R12	10K					
R13	10K					
R14	10K					
R15	10K					
R16	10K					
R17	10K					
R18	10K					
R19	1K					
R20	10K					
R21	2.7K					
R22	1K					
R23	1K					
R24	1K					
R25	10K					
R26	10K					
R27	10K					
R28	NONE					
R29	2.7K					
R30	2.7K					
R31	4.7K					
R32	NONE					
R33	JP (0 Ω)					
R34	NONE					

仕様書
SPECIFICATION

ASSY-PCB

102A2020

/



SANWA

三和電子機器株式会社 SANWA ELECTRONIC INSTRUMENT CO., LTD

MX-3S PARTS LIST (3/6)

[illegible]

仕様書

SPECIFICATION

ASSY-PCB

102A2020



SANWA

三和電子機器株式会社 SANWA ELECTRONIC INSTRUMENT CO., LTD

MX-3S PARTS LIST (4/6)

	311A20281A	311A20282A	311A20283A	311A20284A		
	26/27MHz	29MHz	40/41MHz	75MHz	/ MHz	/ MHz
C101	103K					
C102	105K					
C103	103K					
C104	103K					
C105	F93 , Aケース , 10 μ (10V)					
C106	103K					
C107	103K					
C108	F93 , Aケース , 10 μ (10V)					
C109	F93 , Aケース , 47 μ (6.3V)					
C110	103K	103K	103K	102K		
C111	103K					
C112	NONE					
C113	100p					
C114	100p					
C115	5p (2012)	5p (2012)	5p (2012)	2p (2012)		
C116	120p	120p	82p	39p		
C117	120p	120p	82p	39p		
C118	103K					
C119	F93 , Aケース , 47 μ (6.3V)					
C120	103K	103K	103K	102K		
C121	56p	56p	47p	15p		
C122	18p	5p	15p	5p		
C123	102K	18p	39p	22p		
C124	103K	223	223	223		
C125	103K					
C126	103K					
C127	103K					
C128	103K	103K	103K	102K		
C129	F93 , Aケース , 10 μ (10V)					
C130	222	222	102K	222		
C131	103K	103K	NONE	103K		
C132	103K					
C133	103K					
C134	33P	15p	33p	33p		
C135	NONE					
C136	103K					
C137	104K					
C138	F93 , Aケース , 10 μ (10V)					
C139	103K					
C140	F93 , Aケース , 10 μ (10V)					
C141	104K					
C142	104K	103K	103K	103K		
C143	103K	103K	103K	104K		
C144	F93 , Aケース , 10 μ (10V)					
C145	103K					
C146	NONE	NONE	103K	102K		
C147	NONE	NONE	27p	10p		
C148	JP (0 Ω)	JP (0 Ω)	56p	47p		
C149	NONE	NONE	103K	102K		
C150	103K	103K	103K	102K		
C151	56p	56p	27p	10p		
C152	103K	103K	103K	102K		
C153	390p	390p	270p	180p		
C154	103K					
C155	82p	82p	100p	47p		

仕様書
SPECIFICATION

ASSY-PCB

102A2020

/



三和電子機器株式会社 SANWA ELECTRONIC INSTRUMENT CO., LTD

MX-3S PARTS LIST (5/6)

	311A20281A 26/27MHz	311A20282A 29MHz	311A20283A 40/41MHz	311A20284A 75MHz	/ MHz	/ MHz
C156	47p	47p	18p	10p		
C157	270p	270p	180p	82p		
C158	120p	120p	68p	39p		
C159	33p	33p	NONE	NONE		
C160			102K			
C161			103K			
C162			102K			
C163			103K			
C164	5p	2p	3p	2p		
C165	822(MF)	222J(MF)	222J(MF)	222J(MF)		
C166			103K			
C167			103K			
C168			103K			
C169	JP (0Ω)	220p	JP (0Ω)	JP (0Ω)		
C170			NONE			
C171			NONE			
R101			10K			
R102			27K			
R103			10K			
R104			2.2K			
R105			10K			
R106			330Ω			
R107			100Ω			
R108			330Ω			
R109			10K			
R110			1K			
R111			100K			
R112	330Ω	330Ω	330Ω	220Ω		
R113			10K			
R114	22Ω	22Ω	33Ω	22Ω		
R115			47K			
R116	27Ω	68Ω	27Ω	47Ω		
R117			22K			
R118			1.5k			
R119	220Ω	220Ω	220Ω	220Ω		
R120			6.8K			
R121			10K			
R122	3.3k	1k	2.7k	1k		
R123			4.7K			
R124			4.7K			
R125			10K			
R126			4.7K			
R127			10K			
R128			1.2k			
R129			10K			
R130	JP (0Ω)	JP (0Ω)	NONE	NONE		
R131			5.6K			
R132			22K			
R133			1K			
R134			47K			
R135			1.2K			
R136	NONE	NONE	2.2K	2.2K		
R137	JP (0Ω)	JP (0Ω)	180Ω	220Ω		
R138	NONE	NONE	10K	10K		
R139	NONE	NONE	330Ω	330Ω		

仕様書
SPECIFICATION

ASSY-PCB

102A2020

/



SANWA

三和電子機器株式会社 SANWA ELECTRONIC INSTRUMENT CO., LTD

MX-3S PARTS LIST (6/6)

[illegible]

仕様書

SPECIFICATION

ASSY-PCB

102A2020

**SANWA**

三和電子機器株式会社 SANWA ELECTRONIC INSTRUMENT CO., LTD

[illegible]

✓

SANWA ELECTRONIC INSTRUMENT CO., LTD