


#### 11.2.2. Test Graphs





















































Page 135 of 191

### 11.3. APPENDIX C: MAXIMUM CONDUCTED OUTPUT POWER 11.3.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
	Ant1	2412	14.55	≤30.00	PASS
	Ant2	2412	13.77	≤30.00	PASS
440	Ant1	2437	14.35	≤30.00	PASS
11B	Ant2	2437	14.17	≤30.00	PASS
	Ant1	2462	14.13	≤30.00	PASS
	Ant2	2462	13.78	≤30.00	PASS
	Ant1	2412	13.67	≤30.00	PASS
	Ant2	2412	14.00	≤30.00	PASS
440	Ant1	2437	13.74	≤30.00	PASS
11G	Ant2	2437	14.15	≤30.00	PASS
-	Ant1	2462	14.12	≤30.00	PASS
-	Ant2	2462	13.86	≤30.00	PASS
	Ant1	2412	14.28	≤30.00	PASS
-	Ant2	2412	13.60	≤30.00	PASS
=	total	2412	16.96	≤30.00	PASS
-	Ant1	2437	14.29	≤30.00	PASS
11N20MIMO	Ant2	2437	14.32	≤30.00	PASS
''''ביייייי	total	2437	17.32	≤30.00	PASS
-	Ant1	2462	14.40	≤30.00	PASS
-	Ant2	2462	13.89	≤30.00	PASS
-	total	2462	17.16	≤30.00	PASS
	Ant1	2422	13.05	≤30.00	PASS
-	Ant2	2422	12.12	≤30.00	PASS
-	total	2422	15.62	≤30.00	PASS
-	Ant1	2437	13.90	≤30.00	PASS
11N40MIMO	Ant2	2437	13.61	≤30.00	PASS
11111010111110	total	2437	16.77	≤30.00	PASS
-	Ant1	2452	13.60	≤30.00	PASS
-	Ant2	2452	13.55	≤30.00	PASS
-	total	2452	16.59	≤30.00	PASS
	Ant1	2412	13.03	≤30.00	PASS
-	Ant2	2412	11.65	≤30.00	PASS
-	total	2412	15.40	≤30.00	PASS
-	Ant1	2437	12.46	≤30.00	PASS
11AX20MIMO	Ant2	2437	12.32	≤30.00	PASS
11700201111110	total	2437	15.40	≤30.00	PASS
-	Ant1	2462	12.19	≤30.00	PASS
 	Ant2	2462	12.08	≤30.00	PASS
-	total	2462	15.15	≤30.00	PASS
	Ant1	2422	12.46	≤30.00	PASS
 	Ant2	2422	12.31	≤30.00	PASS
	total	2422	15.40	≤30.00	PASS
	Ant1	2437	12.11	≤30.00	PASS
11AX40MIMO	Ant2	2437	12.08	≤30.00	PASS
7170010111110	total	2437	15.11	≤30.00	PASS
<u> </u>	Ant1	2452	12.97	≤30.00	PASS
<u> </u>	Ant2	2452	12.67	≤30.00	PASS
 	total	2452	15.83	≤30.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

<sup>2.</sup> The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.

Page 136 of 191


## 11.4. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY 11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
	Ant1	2412	-16.75	≤8.00	PASS
Test Mode  11B  11G  11N20MIMO  11N40MIMO  11AX20MIMO	Ant2	2412	-17.01	≤8.00	PASS
11D	Ant1	2437	-17.02	≤8.00	PASS
11B 11G 11N20MIMO 11N40MIMO	Ant2	2437	-16.76	≤8.00	PASS
	Ant1	2462	-17.64	≤8.00	PASS
	Ant2	2462	-17.14	≤8.00 ≤8.00 ≤8.00 ≤8.00	PASS
	Ant1	2412	-18.94	≤8.00	PASS
	Ant2	2412	-18.83	≤8.00	PASS
440	Ant1	2437	-19.75	≤8.00	PASS
116	Ant2	2437	-19.79	≤8.00	PASS
	Ant1	2462	-19.03	≤8.00	PASS
	Ant2	2462	-19.81	≤8.00	PASS
	Ant1	2412	-18.78	≤8.00	PASS
	Ant2	2412	-19.52		PASS
Ī	total	2412	-16.12		PASS
11N20MIMO	Ant1	2437	-18.36		PASS
11N20MIMO	Ant2	2437	-19.16		PASS
	total	2437	-15.73		PASS
	Ant1	2462	-18.68		PASS
	Ant2	2462	-19.22		PASS
	total	2462	-15.93		PASS
	Ant1	2422	-21.96		PASS
	Ant2	2422	-23.03		PASS
	total	2422	-19.45		PASS
	Ant1	2437	-19.89		PASS
11N40MIMO	Ant2	2437	-20.65		PASS
	total	2437	-17.24		PASS
	Ant1	2452	-20.66		PASS
	Ant2	2452	-20.90		PASS
	total	2452	-17.77		PASS
	Ant1	2412	-19.31		PASS
	Ant2	2412	-20.80		PASS
	total	2412	-16.98		PASS
	Ant1	2437	-19.49		PASS
11AX20MIMO	Ant2	2437	-19.95		PASS
	total	2437	-16.70		PASS
	Ant1	2462	-19.78		PASS
-	Ant2	2462	-20.09		PASS
ļ ·	total	2462	-16.92		PASS
	Ant1	2422	-23.48		PASS
	Ant2	2422	-23.54		PASS
	total	2422	-20.50		PASS
<u></u>	Ant1	2437	-23.31		PASS
11AX40MIMO	Ant2	2437	-23.69		PASS
	total	2437	-20.49		PASS
}	Ant1	2452	-22.92		PASS
<del> </del>	Ant2	2452	-22.08		PASS
	total	2452	-19.47		PASS


Note: 1. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.




### 11.4.2. Test Graphs




















































Page 148 of 191

## 11.5. APPENDIX E: BAND EDGE MEASUREMENTS 11.5.1. Test Result


Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
	Ant1	Low	2412	6.58	-36.23	≤-23.42	PASS
11D	Ant2	Low	2412	5.66	-35.86	≤-24.34	PASS
11B	Ant1	High	2462	5.81	-35.95	≤-24.19	PASS
	Ant2	High	2462	5.51	-36.48	≤-24.49	PASS
	Ant1	Low	2412	3.83	-28.84	≤-26.17	PASS
11G	Ant2	Low	2412	1.61	-30.71	≤-28.39	PASS
116	Ant1	High	2462	3.70	-36.28	≤-26.3	PASS
	Ant2	High	2462	3.21	-36.37	≤-26.79	PASS
	Ant1	Low	2412	3.37	-28.12	≤-26.63	PASS
11N20MIMO	Ant2	Low	2412	2.52	-31.48	≤-27.48	PASS
I IINZUIVIIIVIO	Ant1	High	2462	3.74	-42.01	≤-26.26	PASS
	Ant2	High	2462	1.71	-40.79	≤-28.29	PASS
	Ant1	Low	2422	1.28	-28.73	≤-28.72	PASS
11N40MIMO	Ant2	Low	2422	0.50	-32.56	≤-29.5	PASS
1 TN40MINO	Ant1	High	2452	0.65	-35.1	≤-29.35	PASS
	Ant2	High	2452	0.63	-33.75	≤-29.37	PASS
11AX20MIMO	Ant1	Low	2412	2.34	-35.45	≤-27.66	PASS
	Ant2	Low	2412	-0.29	-34.71	≤-30.29	PASS
	Ant1	High	2462	0.80	-44.02	≤-29.2	PASS
	Ant2	High	2462	0.92	-43.28	≤-29.08	PASS
	Ant1	Low	2422	-1.30	-34.62	≤-31.3	PASS
11AX40MIMO	Ant2	Low	2422	-2.41	-38.82	≤-32.41	PASS
I I AA4UIVIIIVIU	Ant1	High	2452	-0.65	-36.21	≤-30.65	PASS
	Ant2	High	2452	-0.60	-37.55	≤-30.6	PASS




### 11.5.2. Test Graphs































Page 156 of 191

# 11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION 11.6.1. Test Result

Test Mode	Antenna	Frequency[MHz]	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict
			Reference	6.56		PASS
	Ant1	2412	30~1000	-45.14	≤-23.44	PASS
	74161	2712	1000~26500	-40.9	≤-23.44	PASS
			Reference	4.85	= 20.44	PASS
	Ant2	2412	30~1000	-45.76	≤-25.15	PASS
	71112	2412	1000~26500	-40.77	≤-25.15	PASS
		2437	Reference	6.40	<u> </u>	PASS
	Ant1		30~1000	-45.66	≤-23.6	PASS
	74161	2401	1000~26500	-40.41	≤-23.6	PASS
11B			Reference	4.94	<u></u>	PASS
	Ant2	2437	30~1000	-45.6	≤-25.06	PASS
	Anz	2401	1000~26500	-39.77	≤-25.06	PASS
			Reference	5.63		PASS
	Ant1	2462	30~1000	-45.45	≤-24.37	PASS
	74161	2402	1000~26500	-40.41	≤-24.37	PASS
			Reference	6.37	= 24.07	PASS
	Ant2	2462	30~1000	-45.85	≤-23.63	PASS
	/ \lane	2702	1000~26500	-39.52	≤-23.63	PASS
			Reference	3.85	- 20.00	PASS
	Ant1	2412	30~1000	-45.54	≤-26.15	PASS
	7 (1)	Z <del>7</del> 1Z	1000~26500	-40.63	≤-26.15 ≤-26.15	PASS
			Reference	3.82		PASS
	Ant2	2412	30~1000	-45.19	≤-26.18	PASS
	Anz		1000~26500	-40.83	≤-26.18	PASS
			Reference	1.75		PASS
	Ant1	2437	30~1000	-45.85	≤-28.25	PASS
	Airti	2401	1000~26500	-39.93	≤-28.25	PASS
11G			Reference	3.44		PASS
	Ant2	2437	30~1000	-44.8	≤-26.56	PASS
	71112		1000~26500	-39.92	≤-26.56	PASS
			Reference	3.76		PASS
	Ant1	2462	30~1000	-45.6	≤-26.24	PASS
	Anti		1000~26500	-39.74	≤-26.24	PASS
			Reference	2.74		PASS
	Ant2	2462	30~1000	-44.8	≤-27.26	PASS
	Aniz		1000~26500	-40.11	≤-27.26	PASS
			Reference	3.44	- 27.20	PASS
	Ant1	2412	30~1000	-44.91	≤-26.56	PASS
	74161	2712	1000~26500	-40.41	≤-26.56	PASS
			Reference	2.95		PASS
	Ant2	2412	30~1000	-45.61	≤-27.05	PASS
	/ \lane	<u> </u>	1000~26500	-39.8	≤-27.05	PASS
			Reference	3.91		PASS
	Ant1	2437	30~1000	-45.45	≤-26.09	PASS
	7 414	2701	1000~26500	-40.2	≤-26.09	PASS
11N20MIMO			Reference	2.99	- 20.00	PASS
	Ant2	2437	30~1000	-45.64	≤-27.01	PASS
	AIIL		1000~26500	-39.13	≤-27.01	PASS
	Ant1		Reference	3.72		PASS
		2462	30~1000	-46.12	≤-26.28	PASS
		Z4UZ	1000~26500	-40.12	≤-26.28	PASS
	Ant2		Reference	3.20		PASS
		2462	30~1000	-45.3	≤-26.8	PASS
	/ \lane	∠40∠	1000~26500	-40.75	≤-26.8	PASS
	+		Reference	0.91	<u></u>	PASS
	Ant1	2422	30~1000	-45.85	≤-29.09	PASS
11N40MIMO	Anti		1000~26500	-40.48	≤-29.09	PASS
	Ant2	2422	Reference	0.29		PASS
	AIIL	<u> </u>	I VOIDIBIIOD	0.23		1 700



			30~1000	-45.89	≤-29.71	PASS
			1000~26500	-40.71	≤-29.71	PASS
			Reference	0.57		PASS
	Ant1	2437	30~1000	-44.3	≤-29.43	PASS
	7 (1)(1)	2107	1000~26500	-40.43	≤-29.43	PASS
			Reference 0.66		PASS	
	Ant2	2437	30~1000	-45.15	≤-29.34	PASS
	711112	2437	1000~26500	-40.05	≤-29.34	PASS
			Reference	0.30	= 25.04	PASS
	Ant1	2452	30~1000	-44.64	≤-29.7	PASS
	74161	2402	1000~26500	-40.54	≤-29.7	PASS
			Reference	0.69		PASS
	Ant2	2452	30~1000	-45.66	≤-29.31	PASS
	Anc	2402	1000~26500	-40.37	≤-29.31	PASS
			Reference	2.20	<u> </u>	PASS
	Ant1	2/12	30~1000	-44.78	≤-27.8	PASS
	Ann	2412	1000~26500	-44.76	≤-27.8	PASS
				+	<u>≤-27.0</u>	
	Ant2	2/12	Reference 30~1000	0.55 -45.6	 ≤-29.45	PASS PASS
	Antz	2412		+		
			1000~26500	-40.6	≤-29.45	PASS PASS
	A 44	2437	Reference	1.97		
	Ant1		30~1000	-45.7	≤-28.03	PASS
11AX20MIMO			1000~26500	-40.07	≤-28.03	PASS
	A = 10	2437 2462	Reference	0.68		PASS
	Ant2		30~1000	-45.41	≤-29.32	PASS
			1000~26500	-39.73	≤-29.32	PASS
	Ant1		Reference	1.40		PASS
			30~1000	-45.67	≤-28.6	PASS
		2462	1000~26500	-40.53	≤-28.6	PASS
	Anto		Reference	0.92		PASS
	Ant2		30~1000	-45.81	≤-29.08	PASS
			1000~26500	-40.34	≤-29.08	PASS
			Reference	-0.94		PASS
	Ant1	2422	30~1000	-44.89	≤-30.94	PASS
			1000~26500	-40.42	≤-30.94	PASS
	Ant2	2422	Reference	-1.65		PASS
			30~1000	-45.41	≤-31.65	PASS
			1000~26500	-40.36	≤-31.65	PASS
	Ant1		Reference	-1.52		PASS
		2437	30~1000	-45.66	≤-31.52	PASS
11AX40MIMO			1000~26500	-40.59	≤-31.52	PASS
1 17 CA-CIVIIIVIO	Ant2	2437	Reference	-2.10		PASS
			30~1000	-45.48	≤-32.1	PASS
			1000~26500	-39.98	≤-32.1	PASS
		Ant1 2452	Reference	-1.19		PASS
	Ant1		30~1000	-45.27	≤-31.19	PASS
			1000~26500	-39.45	≤-31.19	PASS
		2452	Reference	-0.55		PASS
	Ant2		30~1000	-45.91	≤-30.55	PASS
			1000~26500	-40.35	≤-30.55	PASS



### 11.6.2. Test Graphs

