



LTE Band 41_15M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
40215	2552.5	13.483	40215	2552.5	13.484
40690	2600	13.500	40690	2600	13.496
41165	2647.5	13.507	41165	2647.5	13.498
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
40215	2552.5	15.43	40215	2552.5	15.13
40690	2600	15.09	40690	2600	15.17
41165	2647.5	15.09	41165	2647.5	14.97

Spectrum Plot

QPSK-40215



QPSK-40690



QPSK-41165



16QAM-40215



16QAM-40690



16QAM-41165



LTE Band 41_20M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
40240	2555	18.022	40240	2555	18.019
40690	2600	18.017	40690	2600	18.054
41140	2645	17.994	41140	2645	17.979
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
40240	2555	19.94	40240	2555	20.01
40690	2600	19.86	40690	2600	19.98
41140	2645	19.88	41140	2645	19.86

Spectrum Plot

QPSK-40240



QPSK-40690



QPSK-41140



16QAM-40240



16QAM-40690



16QAM-41140








APPENDIX C - CONDUCTED EMISSIONS




LTE Band 4_1.4M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-



LTE Band 4_3M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
Date: 11.DEC.2017 10:06:54		Date: 11.DEC.2017 10:16:34	
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-




LTE Band 4_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
Date: 11.DEC.2017 10:07:20		Date: 11.DEC.2017 10:15:53	
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-



LTE Band 4_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
 Date: 11.DEC.2017 10:08:34		 Date: 11.DEC.2017 10:13:52	
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
			




LTE Band 4_15M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
			
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
			


LTE Band 4_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
 Date: 11.DEC.2017 10:10:31		 Date: 11.DEC.2017 10:13:25	
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
			


LTE Band 7_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
 Date: 11.DEC.2017 11:00:34		 Date: 11.DEC.2017 10:56:28	
Channel	Frequency(MHz)		
21100	2535	-	-
			


LTE Band 7_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
			
Channel	Frequency(MHz)	-	-
21100	2535	-	-
			


LTE Band 7_15M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
			
Channel	Frequency(MHz)	-	-
21100	2535	-	-
			




LTE Band 7_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
 Date: 11.DEC.2017 10:59:36		 Date: 11.DEC.2017 10:57:50	
Channel	Frequency(MHz)	-	-
21100	2535	-	-
			




















LTE Band 17_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23790	710.0	23790	710.0
 Date: 11.DEC.2017 12:59:46		 Date: 11.DEC.2017 12:56:42	
Channel	Frequency(MHz)		
23790	710.0	-	-
			




LTE Band 17_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23790	710.0	23790	710.0
			
Channel	Frequency(MHz)	-	-
23790	710.0	-	-
			




LTE Band 38_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
37775	2572.5	38225	2617.5
			
Channel	Frequency(MHz)	-	-
38000	2595	-	-
		-	



LTE Band 38_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
37800	2575	38200	2615
			
Channel	Frequency(MHz)	-	-
38000	2595	-	-
			


LTE Band 38_15M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
37825	2577.5	38175	2612.5
			
Channel	Frequency(MHz)	-	-
38000	2595	-	-
			

LTE Band 38_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
37850	2580	38150	2610
			
Channel	Frequency(MHz)	-	-
38000	2595	-	-
		-	

LTE Band 41_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
40690	2600	40690	2600
			
Channel	Frequency(MHz)	-	-
40690	2600	-	-
			

LTE Band 41_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
40690	2600	40690	2600
			
Channel	Frequency(MHz)		
40690	2600	-	-
			


LTE Band 41_15M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
40690	2600	40690	2600
			
Channel	Frequency(MHz)		
40690	2600	-	-
			



APPENDIX D - RADIATED EMISSION

Test Mode: TX Mode _Adapter: BYD


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		0.0246	31.82	19.48	51.30	119.79	-68.49	AVG	
2	*	0.0540	26.18	18.64	44.82	112.96	-68.14	AVG	
3		0.0817	21.62	18.07	39.69	109.36	-69.67	AVG	

Test Mode: TX Mode_Adapter: BYD


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.4588	24.03	16.50	40.53	94.37	-53.84	AVG	
2	*	2.2132	26.19	15.45	41.64	69.54	-27.90	QP	
3		4.8224	20.85	14.48	35.33	69.54	-34.21	QP	

Test Mode: TX Mode _ Adapter: BYD


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.0170	35.08	20.01	55.09	123.00	-67.91	AVG	
2		0.0335	27.94	19.22	47.16	117.10	-69.94	AVG	
3		0.0540	24.70	18.64	43.34	112.96	-69.62	AVG	

Test Mode: TX Mode_Adapter: BYD


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.4736	26.77	16.49	43.26	94.10	-50.84	AVG	
2	*	2.2847	26.60	15.43	42.03	69.54	-27.51	QP	
3		3.7994	19.57	15.01	34.58	69.54	-34.96	QP	

Test Mode: TX Mode _ Adapter: Salcomp


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		0.0208	33.46	19.60	53.06	121.24	-68.18	AVG	
2	*	0.0418	29.27	18.97	48.24	115.18	-66.94	AVG	
3		0.0624	24.90	18.48	43.38	111.70	-68.32	AVG	

Test Mode: TX Mode _ Adapter: Salcomp


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.2040	28.66	16.79	45.45	101.41	-55.96	AVG	
2	*	2.2968	30.99	15.43	46.42	69.54	-23.12	QP	
3		6.1860	17.36	14.22	31.58	69.54	-37.96	QP	

Test Mode: TX Mode _ Adapter: Salcomp


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.0206	31.94	19.60	51.54	121.33	-69.79	AVG	
2	*	0.0288	29.49	19.36	48.85	118.42	-69.57	AVG	
3		0.0624	23.34	18.48	41.82	111.70	-69.88	AVG	

Test Mode: TX Mode _ Adapter: Salcomp

Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.2672	28.05	16.65	44.70	99.07	-54.37	AVG	
2	*	2.2968	25.92	15.43	41.35	69.54	-28.19	QP	
3		3.7198	20.20	15.02	35.22	69.54	-34.32	QP	

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		43.580	-75.37	1.99	-73.38	-13.00	-60.38	peak	
2		150.280	-75.50	3.15	-72.35	-13.00	-59.35	peak	
3		281.230	-74.37	2.60	-71.77	-13.00	-58.77	peak	
4		401.510	-74.54	4.15	-70.39	-13.00	-57.39	peak	
5		579.990	-73.50	8.20	-65.30	-13.00	-52.30	peak	
6	*	833.160	-72.40	13.60	-58.80	-13.00	-45.80	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		43.580	-75.97	2.78	-73.19	-13.00	-60.19	peak	
2		150.280	-74.90	4.20	-70.70	-13.00	-57.70	peak	
3		250.190	-74.85	1.87	-72.98	-13.00	-59.98	peak	
4		416.060	-74.35	6.68	-67.67	-13.00	-54.67	peak	
5		510.150	-74.22	8.07	-66.15	-13.00	-53.15	peak	
6	*	708.030	-74.93	13.79	-61.14	-13.00	-48.14	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 4_TX CH20175_1.4M
------------	----------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode:	LTE Band 4_TX CH20175_1.4M
------------	----------------------------

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	43.580	-75.05	1.99	-73.06	-13.00	-60.06	peak	
2	145.430	-74.54	2.69	-71.85	-13.00	-58.85	peak	
3	283.170	-74.26	2.51	-71.75	-13.00	-58.75	peak	
4	454.860	-74.84	5.47	-69.37	-13.00	-56.37	peak	
5	489.780	-72.94	6.95	-65.99	-13.00	-52.99	peak	
6 *	789.510	-73.14	12.01	-61.13	-13.00	-48.13	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		43.580	-76.19	2.78	-73.41	-13.00	-60.41	peak	
2		151.250	-75.85	4.05	-71.80	-13.00	-58.80	peak	
3		265.710	-74.65	2.55	-72.10	-13.00	-59.10	peak	
4		419.940	-75.55	6.88	-68.67	-13.00	-55.67	peak	
5		517.910	-74.48	8.07	-66.41	-13.00	-53.41	peak	
6	*	710.940	-74.46	13.72	-60.74	-13.00	-47.74	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 4_TX CH20175_20M
------------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 7_TX CH21100_5M

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	57.160	-75.59	1.74	-73.85	-25.00	-48.85	peak	
2	152.220	-75.09	3.16	-71.93	-25.00	-46.93	peak	
3	279.290	-75.25	2.62	-72.63	-25.00	-47.63	peak	
4	427.700	-73.92	4.54	-69.38	-25.00	-44.38	peak	
5	648.860	-73.40	10.09	-63.31	-25.00	-38.31	peak	
6 *	844.800	-73.38	14.21	-59.17	-25.00	-34.17	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		40.670	-74.88	2.21	-72.67	-25.00	-47.67	peak	
2		149.310	-75.25	4.16	-71.09	-25.00	-46.09	peak	
3		270.560	-74.94	2.99	-71.95	-25.00	-46.95	peak	
4		400.540	-73.37	5.91	-67.46	-25.00	-42.46	peak	
5		507.240	-73.84	8.07	-65.77	-25.00	-40.77	peak	
6	*	738.100	-73.17	13.06	-60.11	-25.00	-35.11	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode:	LTE Band 7_TX CH21100_5M
------------	--------------------------


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3810.000	-58.35	14.56	-43.79	-25.00	-18.79	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 7_TX CH21100_5M
------------	--------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 7_TX CH21100_5M

Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_20M

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	43.580	-76.29	1.99	-74.30	-25.00	-49.30	peak	
2	158.040	-76.06	3.17	-72.89	-25.00	-47.89	peak	
3	280.260	-75.22	2.64	-72.58	-25.00	-47.58	peak	
4	420.910	-73.89	4.64	-69.25	-25.00	-44.25	peak	
5	524.700	-74.23	7.50	-66.73	-25.00	-41.73	peak	
6 *	851.590	-74.23	14.42	-59.81	-25.00	-34.81	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		44.550	-78.14	2.97	-75.17	-25.00	-50.17	peak	
2		144.460	-76.10	3.63	-72.47	-25.00	-47.47	peak	
3		230.790	-75.18	3.18	-72.00	-25.00	-47.00	peak	
4		327.790	-74.57	2.38	-72.19	-25.00	-47.19	peak	
5		506.270	-77.27	8.07	-69.20	-25.00	-44.20	peak	
6	*	720.640	-77.13	13.48	-63.65	-25.00	-38.65	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 7_TX CH21100_20M
------------	---------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode:	LTE Band 7_TX CH21100_20M
------------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 12_TX CH23095_1.4M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	45.520	-78.12	11.80	-66.32	-13.00	-53.32	peak	
2	145.430	-77.40	12.69	-64.71	-13.00	-51.71	peak	
3	279.290	-79.23	12.62	-66.61	-13.00	-53.61	peak	
4	409.270	-77.63	14.36	-63.27	-13.00	-50.27	peak	
5	500.450	-77.41	17.55	-59.86	-13.00	-46.86	peak	
6 *	845.770	-76.66	24.26	-52.40	-13.00	-39.40	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		39.700	-78.13	11.97	-66.16	-13.00	-53.16	peak	
2		147.370	-78.45	13.95	-64.50	-13.00	-51.50	peak	
3		271.530	-78.30	12.94	-65.36	-13.00	-52.36	peak	
4		404.420	-76.82	16.10	-60.72	-13.00	-47.72	peak	
5		509.180	-77.20	18.07	-59.13	-13.00	-46.13	peak	
6	*	971.870	-76.82	24.93	-51.89	-13.00	-38.89	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 12_TX CH23095_1.4M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 12_TX CH23095_10M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	48.430	-78.01	11.03	-66.98	-13.00	-53.98	peak	
2	140.580	-77.46	12.21	-65.25	-13.00	-52.25	peak	
3	279.290	-78.46	12.62	-65.84	-13.00	-52.84	peak	
4	418.000	-76.97	14.60	-62.37	-13.00	-49.37	peak	
5	515.000	-76.86	17.52	-59.34	-13.00	-46.34	peak	
6 *	834.130	-75.46	23.65	-51.81	-13.00	-38.81	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		45.520	-79.12	12.87	-66.25	-13.00	-53.25	peak	
2		145.430	-78.08	13.73	-64.35	-13.00	-51.35	peak	
3		237.580	-77.96	12.61	-65.35	-13.00	-52.35	peak	
4		387.930	-76.91	16.01	-60.90	-13.00	-47.90	peak	
5		503.360	-77.37	18.06	-59.31	-13.00	-46.31	peak	
6	*	947.620	-77.40	24.85	-52.55	-13.00	-39.55	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 12_TX CH23095_10M
------------	----------------------------


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 17_TX CH23755_5M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	41.640	-77.28	12.06	-65.22	-13.00	-52.22	peak	
2	144.460	-75.12	12.60	-62.52	-13.00	-49.52	peak	
3	273.470	-78.10	12.35	-65.75	-13.00	-52.75	peak	
4	566.410	-76.47	17.86	-58.61	-13.00	-45.61	peak	
5	672.140	-76.51	20.28	-56.23	-13.00	-43.23	peak	
6 *	842.860	-77.36	24.11	-53.25	-13.00	-40.25	peak	

Test Mode: LTE Band 17_TX CH23755_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		43.580	-78.47	12.78	-65.69	-13.00	-52.69	peak	
2		140.580	-77.61	13.19	-64.42	-13.00	-51.42	peak	
3		236.610	-77.31	12.69	-64.62	-13.00	-51.62	peak	
4		415.090	-78.02	16.63	-61.39	-13.00	-48.39	peak	
5		526.640	-76.52	18.08	-58.44	-13.00	-45.44	peak	
6	*	833.160	-75.19	21.91	-53.28	-13.00	-40.28	peak	

Test Mode: LTE Band 17_TX CH23755_5M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 17_TX CH23755_5M
------------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 17_TX CH23755_10M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	42.610	-76.82	12.03	-64.79	-13.00	-51.79	peak	
2	159.010	-76.00	13.18	-62.82	-13.00	-49.82	peak	
3	274.440	-77.89	12.39	-65.50	-13.00	-52.50	peak	
4	413.150	-78.05	14.47	-63.58	-13.00	-50.58	peak	
5	505.300	-77.30	17.54	-59.76	-13.00	-46.76	peak	
6 *	868.080	-76.63	23.83	-52.80	-13.00	-39.80	peak	

Test Mode: LTE Band 17_TX CH23755_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		43.580	-77.67	12.78	-64.89	-13.00	-51.89	peak	
2		156.100	-77.50	13.33	-64.17	-13.00	-51.17	peak	
3		231.760	-77.70	13.10	-64.60	-13.00	-51.60	peak	
4		411.210	-77.47	16.44	-61.03	-13.00	-48.03	peak	
5		523.730	-76.37	18.08	-58.29	-13.00	-45.29	peak	
6	*	892.330	-75.71	22.77	-52.94	-13.00	-39.94	peak	

Test Mode: LTE Band 17_TX CH23755_10M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 17_TX CH23755_10M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 38_TX CH38225_5M

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	44.550	-72.08	1.96	-70.12	-25.00	-45.12	peak	
2	143.490	-69.22	2.50	-66.72	-25.00	-41.72	peak	
3	193.930	-66.29	-2.00	-68.29	-25.00	-43.29	peak	
4	376.290	-72.58	3.64	-68.94	-25.00	-43.94	peak	
5	472.320	-75.00	6.18	-68.82	-25.00	-43.82	peak	
6 *	649.830	-76.24	10.12	-66.12	-25.00	-41.12	peak	

Test Mode: LTE Band 38_TX CH38225_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		53.280	-77.80	2.19	-75.61	-25.00	-50.61	peak	
2		143.490	-75.35	3.52	-71.83	-25.00	-46.83	peak	
3		237.580	-74.63	2.61	-72.02	-25.00	-47.02	peak	
4		383.080	-76.55	6.07	-70.48	-25.00	-45.48	peak	
5		483.960	-75.73	6.91	-68.82	-25.00	-43.82	peak	
6	*	700.270	-76.90	13.97	-62.93	-25.00	-37.93	peak	

Test Mode: LTE Band 38_TX CH38225_5M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 38_TX CH38225_5M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 38_TX CH38225_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5265.000	-67.59	15.37	-52.22	-25.00	-27.22	peak	
2	*	7845.000	-59.98	19.09	-40.89	-25.00	-15.89	peak	

Test Mode: LTE Band 38_TX CH38225_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7845.000	-69.95	21.44	-48.51	-25.00	-23.51	peak	

Test Mode:	LTE Band 38_TX CH38225_5M
------------	---------------------------


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 38_TX CH38225_5M

Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 38_TX CH38150_20M

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	39.700	-71.88	1.90	-69.98	-25.00	-44.98	peak	
2	143.490	-70.10	2.50	-67.60	-25.00	-42.60	peak	
3	194.900	-66.17	-2.05	-68.22	-25.00	-43.22	peak	
4	282.200	-76.56	2.56	-74.00	-25.00	-49.00	peak	
5	529.550	-77.42	7.49	-69.93	-25.00	-44.93	peak	
6 *	852.560	-77.04	14.39	-62.65	-25.00	-37.65	peak	

Test Mode: LTE Band 38_TX CH38150_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		30.000	-77.12	1.88	-75.24	-25.00	-50.24	peak	
2		144.460	-74.87	3.63	-71.24	-25.00	-46.24	peak	
3		197.810	-70.87	-1.84	-72.71	-25.00	-47.71	peak	
4		232.730	-74.90	3.02	-71.88	-25.00	-46.88	peak	
5		330.700	-74.75	2.42	-72.33	-25.00	-47.33	peak	
6	*	709.000	-77.27	13.76	-63.51	-25.00	-38.51	peak	

Test Mode: LTE Band 38_TX CH38150_20M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 38_TX CH38150_20M
------------	----------------------------


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 38_TX CH38150_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7830.000	-61.40	19.04	-42.36	-25.00	-17.36	peak	
2		10440.000	-68.07	22.29	-45.78	-25.00	-20.78	peak	

Test Mode: LTE Band 38_TX CH38150_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7830.000	-68.67	21.40	-47.27	-25.00	-22.27	peak	

Test Mode: LTE Band 38_TX CH38150_20M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 38_TX CH38150_20M
------------	----------------------------


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 41_TX CH40690_5M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	54.250	-71.64	2.40	-69.24	-25.00	-44.24	peak	
2	144.460	-69.66	2.60	-67.06	-25.00	-42.06	peak	
3	192.960	-65.89	-1.95	-67.84	-25.00	-42.84	peak	
4	275.410	-75.76	2.44	-73.32	-25.00	-48.32	peak	
5	417.030	-75.79	4.57	-71.22	-25.00	-46.22	peak	
6 *	653.710	-73.92	10.15	-63.77	-25.00	-38.77	peak	

Test Mode: LTE Band 41_TX CH40690_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-78.43	2.59	-75.84	-25.00	-50.84	peak	
2		142.520	-75.26	3.41	-71.85	-25.00	-46.85	peak	
3		194.900	-70.64	-1.74	-72.38	-25.00	-47.38	peak	
4		240.490	-74.89	2.37	-72.52	-25.00	-47.52	peak	
5		391.810	-77.04	5.97	-71.07	-25.00	-46.07	peak	
6	*	699.300	-76.82	13.93	-62.89	-25.00	-37.89	peak	

Test Mode: LTE Band 41_TX CH40690_5M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 41_TX CH40690_5M
------------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 41_TX CH40690_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7800.000	-61.04	18.93	-42.11	-25.00	-17.11	peak	
2		10395.000	-69.62	22.17	-47.45	-25.00	-22.45	peak	

Test Mode: LTE Band 41_TX CH40690_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7800.000	-67.63	21.33	-46.30	-25.00	-21.30	peak	

Test Mode:	LTE Band 41_TX CH40690_5M
------------	---------------------------


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode:	LTE Band 41_TX CH40690_5M
------------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 41_TX CH40690_20M

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	46.490	-71.70	1.54	-70.16	-25.00	-45.16	peak	
2	142.520	-68.76	2.40	-66.36	-25.00	-41.36	peak	
3	275.410	-75.82	2.44	-73.38	-25.00	-48.38	peak	
4	385.990	-76.13	3.91	-72.22	-25.00	-47.22	peak	
5	513.060	-76.57	7.52	-69.05	-25.00	-44.05	peak	
6 *	929.190	-74.43	13.80	-60.63	-25.00	-35.63	peak	

Test Mode: LTE Band 41_TX CH40690_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.190	-77.58	1.86	-75.72	-25.00	-50.72	peak	
2		145.430	-76.00	3.73	-72.27	-25.00	-47.27	peak	
3		240.490	-74.05	2.37	-71.68	-25.00	-46.68	peak	
4		335.550	-75.00	2.48	-72.52	-25.00	-47.52	peak	
5		411.210	-77.05	6.44	-70.61	-25.00	-45.61	peak	
6	*	696.390	-77.07	13.73	-63.34	-25.00	-38.34	peak	

Test Mode: LTE Band 41_TX CH40690_20M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 41_TX CH40690_20M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 41_TX CH40690_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7770.000	-61.10	18.83	-42.27	-25.00	-17.27	peak	

Test Mode: LTE Band 41_TX CH40690_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7770.000	-69.27	21.26	-48.01	-25.00	-23.01	peak	

Test Mode: LTE Band 41_TX CH40690_20M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		


Test Mode:	LTE Band 41_TX CH40690_20M
------------	----------------------------

Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		


APPENDIX E - BAND EDGE



LTE Band 4_3M





15RB0




LTE Band 4_5M

1RB0		1RB24	
Channel	19975	Channel	20375




25RB0

Channel	19975	Channel	20375
---------	-------	---------	-------



LTE Band 4_10M

1RB0		1RB49	
Channel	20000	Channel	20350




50RB0

Channel	20000	Channel	20350
---------	-------	---------	-------




LTE Band 4_15M

1RB0		1RB74	
Channel	20025	Channel	20325




75RB0

Channel	20025	Channel	20325
---------	-------	---------	-------




LTE Band 4_20M


1RB0		1RB99	
Channel	20050	Channel	20300



100RB0



Channel	20050	Channel	20300
---------	-------	---------	-------






LTE Band 7_10M


1RB0		1RB49	
Channel	20800	Channel	21400



50RB0



20800		21400	
Channel	20800	Channel	21400





LTE Band 7_20M

1RB0		1RB99	
Channel	20850	Channel	21350



100RB0

Channel	20850	Channel	21350
---------	-------	---------	-------



LTE Band 12_1.4M

1RB0



1RB5

Channel

23017

Channel

23173





6RB0

Channel

23017


Channel

13173




LTE Band 12_3M

1RB0		1RB14	
Channel	23025	Channel	23165




15RB0

23025		23165	
Channel	23025	Channel	23165



LTE Band 12_5M


1RB0		1RB24	
Channel	23035	Channel	23155



25RB0


23035		23155	
Channel	23035	Channel	23155





LTE Band 17_5M

1RB0		1RB24	
Channel	23755	Channel	23825




25RB0

Channel	23755	Channel	23825
---------	-------	---------	-------



LTE Band 17_10M

1RB0		1RB49	
Channel	23780	Channel	23800




50RB0

Channel	23780	Channel	23800
---------	-------	---------	-------




LTE Band 38_5M

1RB0		1RB24	
Channel	37775	Channel	38225




25RB0

37775		38225	
Channel	37775	Channel	38225



LTE Band 38_10M

1RB0		1RB49	
Channel	37800	Channel	38200



50RB0

37800		38200	
Channel	37800	Channel	38200

