- 14. Whether there is media sound in reversing: the volume of the media sound can be adjusted during reversing.
- 15. Media vulume: adjust the vulume of media such as radio, music, video, etc.
- 16.Bluetneth call velome: adjust the volume of the Diastooth call.
- 17. Ringtone: Adjust the volume of the Bluetooth incoming call.
- 18. Factory settings: Professional operation options.

[SWC learning]

SWC learning steps as below:

- 1. Baser the SWC learning interface, select a bettou to learn, and the interface will popup a prompt box.
- 2.Pressing the button of multi-function steering wheel which mad to be associated with, when learning is limithed, the screen prempt will smoonstically close.

Repeat 1/2 stops till all control buttons on the sectring wheel have been learned. Remark:

- (i)The SWC learning supports 3 different pull-up resisters, which are 1K, 10K, 20K.
- @"Press" the "Reset" histion will clear the learned histori
- \mathbb{R} After reset to the factory solvings, it needs to release the steering wheel button.

Condition of this function:

- (i) Apply roughly-function steering wheel which is non-QAN equito (
- \emptyset /The original curviteering wheel button needs to be the valtage input control mode.

FCC Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- —Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help. Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. such modifications could void the user's authority to operate the equipment. The device has been evaluated to meet general RF exposure requirement. To maintain compliance with FCC's RF exposure guidelines, the distance must be at least 20 cm between the radiator and your body, and fully supported by the operating and installation configurations of the transmitter and its antenna(s).