


BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, Low Channel, 1937.5 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
	1		-21.7	-19	Pass	



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, Low Channel, 1937.5 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
	2		-26.47	-19	Pass	




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, Low Channel, 1937.5 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
3			-25.86		-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, High Channel, 1987.5 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
1			-21.21		-19	Pass




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)		Limit (dBm)	Result	
2		-25.60		-19	Pass	



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)		Limit (dBm)	Result	
3		-26.16		-19	Pass	




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
1				-20.6	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-26.04	-19	Pass




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, Low Channel, 1937.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-25.82	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, High Channel, 1987.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-20.67	-19	Pass




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-25.51	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
3				-26.16	-19	Pass




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0


Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, Low Channel, 1937.5 MHz

Frequency Range				Value (dBm)	Limit (dBm)	Result
	1			-24.683	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, Low Channel, 1937.5 MHz

Frequency Range				Value (dBm)	Limit (dBm)	Result
	2			-26.75	-19	Pass




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMt 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, Low Channel, 1937.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-26.319	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, High Channel, 1987.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-21.332	-19	Pass




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0


Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, High Channel, 1987.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
2	-25.36	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, High Channel, 1987.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-25.975	-19	Pass




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMt 2020.03.25.0


Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, Low Channel, 1937.5 MHz

Frequency Range				Value (dBm)	Limit (dBm)	Result
1				-22.38	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, Low Channel, 1937.5 MHz

Frequency Range				Value (dBm)	Limit (dBm)	Result
2				-26.47	-19	Pass




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, Low Channel, 1937.5 MHz

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, Low Channel, 1937.5 MHz								
Frequency				Value (dBm)		Limit (dBm)	Result	
Range								
		3				-26.44	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, High Channel, 1987.5 MHz

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, High Channel, 1987.5 MHz						
Frequency				Value (dBm)	Limit (dBm)	Result
Range						
		1		-24.7	-19	Pass




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, High Channel, 1987.5 MHz						
Frequency				Value (dBm)	Limit (dBm)	Result
Range						
		2		-25.90	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, High Channel, 1987.5 MHz						
Frequency				Value (dBm)	Limit (dBm)	Result
Range						
		3		-26.31	-19	Pass




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-22.4	-19	Pass	



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-25.13	-19	Pass	



Channel Power

-25.13 dBm / 1 MHz

Power Spectral Density


-85.13 dBm /Hz

BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz						
Frequency		Value (dBm)		Limit (dBm)	Result	
Range						
3		-24.77		-19	Pass	



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz						
Frequency		Value (dBm)		Limit (dBm)	Result	
Range						
1		-21.44		-19	Pass	




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
	2			-25.48	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz						
Frequency Range				Value (dBm)	Limit (dBm)	Result
	3			-26.03	-19	Pass




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-22.46	-19	Pass	



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-25.39	-19	Pass	




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz						
Frequency				Value (dBm)	Limit (dBm)	Result
Range						
3				-25.51	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz						
Frequency				Value (dBm)	Limit (dBm)	Result
Range						
1				-21.08	-19	Pass




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-25.59	-19	Pass	



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
3			-26.29	-19	Pass	




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
1			-21.56		-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
2			-25.08		-19	Pass




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
3			-24.67		-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
1			-21.18		-19	Pass




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz						
Frequency				Value (dBm)	Limit (dBm)	Result
Range						
		2		-25.57	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz						
Frequency				Value (dBm)	Limit (dBm)	Result
Range						
		3		-26.18	-19	Pass




BAND EDGE COMPLIANCE




TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
1			-20.72		-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
2			-24.93		-19	Pass




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
3			-24.83		-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz						
Frequency			Value (dBm)		Limit (dBm)	Result
Range						
1			-19.71		-19	Pass




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMR 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)		Limit (dBm)	Result	
2		-25.54		-19	Pass	



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)		Limit (dBm)	Result	
3		-26.2		-19	Pass	

