Testing Report

Customer NameCoosea Group Co.,Ltd.Product NameNU-E18SpecificationFPCReference Standard: GB/T 9410-2008; ANSI/IEEE Std 149-1979

Engineer:	guanwei	Date:2024.9-18
Auditor:	guanwei	Date:2024.9-18
Approver:	machao	Date:2024.9-18

Version No	Date	Description	Formulate	Approval
AO	2024.9-18	For the first time.		


1.General Information

1.1 General information of testing institutions

Name	shenzhen Rui De Wireless Technical Limitied Company		
Address	3th Floor, Building T1, Lianjian Industrial Park, Huaxing Road, longhuadalang District, Shenzhen		
Tel	18665886511		
E-mail	guanwei@etheta.com.cn		
Equipment	GTS2800		

1.2 Testing principle

Multi-Probe OTA Measurement System



1.3 Test equipment

Equipment	Model No.	Serial No.	Manufacturer	Calibration da te	Next calibrati on date
16 probe microwav e chamber	3*3*29	RFI-LAB-RF -A00	SUNYIELD	2023.8.2	2024.8.1
Network Analyzer	E5071C	RFI-LAB-RF -A02	Agilent	2023.10.8	2024.10.7

1.4 Test environment

Temperature	24.6V
Humidity	59%RH
Pressure	100.12kPa

1.5 Statement

(1) The test results in the report are only applicable to the tested sauries and the tested samples work under the environment described in the rq) ort.

(2) Only Shenzhen FB-LAB Communication Technology Co., Ltd. have the right to modify the report, and the modification information shall be annotated in the revision fbnn.

(3) Any objection to this report shall be raised within 30 days after formal confirmation of the report.

(4) This report is invalid if there is any evidence that the sample information provided is falsified.

(5) The report is invalid without the signature of the auditor and approver.

2.Sample Information

2.1 Client information


Name	Coosea Group Co.,Ltd.			
Address	9th Floor, Tower 1,Foresea r,Xingye Road, B ict,Shenz			
Contacts	Li jie Fu			
Tel	13418596234	/		
E-mai]	fulijie@cooseagroup.com			

2.2 Description of EUT(S)

Product Name	E18-NUU-Antenna
Sample Model	
Antenna Type	PIFA Antenna
Serial No.	
Test Item	Gain; Radiation pattern
Frequency Range	617-2700 MHZ
Received Date	2024.9-18
Test Date	2024.9-18
Remark	




ANTO	GPSL1/WIF	FI2. 4	4G/WIF15G/BT		
ANT1	2G:GSM 3G:WCDMA 4G:FDD	TRX	B1/2/4,	DRX	B5/8 B5/8 B5/8/12/13/17/26/71
ANT2	2G:GSM 3G:WCDMA 4G:FDD	DRX	B1/2/4,	TRX	B5/8 B5/8 B5/8/12/13/17/26/71



2.4 DUT setup photo of free space OTA testing






NU-E18 RF Antenna Gain

MU-E18-天线增益								
ANT	Pattern			Gain (d	lBi)			
ANTO TX	PIFA	GPS	WIFI-2.4G	WIFI-5G				
	1 1171	-1.2	-1.45	-1.4				
ANT1 TX	PIFA	B1	B2	Β3	B4	B7	B25	B66
	1 1171	-1.5	-1.7	-1.6	-1.6	-1.6	-1.7	-1.6
ANT2 TX	PIFA	В5	B8	B12	B13	B17	B26	B71
	1 1171	-3.0	-3.2	-2.8	-2.7	-2.8	-3.0	-2.9

• Radiation Pattern

There is Radiation Pattern due to passive measurement with MTG chamber.



	700	MHz
(Frequency Band)	B13	
3D Radiation Pattern		


	1006	MHz
(Frequency Band)	B71	
3D Radiation Pattern		

	800	MHz
(Frequency Band)	В5	
3D Radiation Pattern		

	900 MHz	
(Frequency Band)	B 8	
3D Radiation Pattern		

	1700-2100 MHz	
(Frequency Band)	B4	B66
3D Radiation Pattern		

	190	0 MHz
(Frequency Band)	B2	B3
3D Radiation Pattern		



	2500MHz-2700 MHz	
(Frequency Band)	B7	
3D Radiation Pattern		

	2.4GH:	z-5GHz
(Frequency Band)	WiFi 2.45GHz	WIFI 5G
3D Radiation Pattern	main production from the second secon	

