





























Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	AntB	100	0	0
NVNT	a	5580	AntB	100	0	0
NVNT	a	5700	AntB	100	0	0
NVNT	n20	5500	AntB	100	0	0
NVNT	n20	5580	AntB	100	0	0
NVNT	n20	5700	AntB	100	0	0
NVNT	n40	5510	AntB	100	0	0
NVNT	n40	5550	AntB	100	0	0
NVNT	n40	5670	AntB	100	0	0
NVNT	ac20	5500	AntB	100	0	0
NVNT	ac20	5580	AntB	100	0	0
NVNT	ac20	5700	AntB	100	0	0
NVNT	ac40	5510	AntB	100	0	0
NVNT	ac40	5550	AntB	100	0	0
NVNT	ac40	5670	AntB	100	0	0
NVNT	ac80	5530	AntB	100	0	0
NVNT	ax20	5500	AntB	100	0	0
NVNT	ax20	5580	AntB	100	0	0
NVNT	ax20	5700	AntB	100	0	0
NVNT	ax40	5510	AntB	100	0	0
NVNT	ax40	5550	AntB	100	0	0
NVNT	ax40	5670	AntB	100	0	0
NVNT	ax80	5530	AntB	100	0	0















































Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	AntA	100	0	0
NVNT	a	5785	AntA	100	0	0
NVNT	a	5825	AntA	100	0	0
NVNT	n20	5745	AntA	100	0	0
NVNT	n20	5785	AntA	100	0	0
NVNT	n20	5825	AntA	100	0	0
NVNT	n40	5755	AntA	100	0	0
NVNT	n40	5795	AntA	100	0	0
NVNT	ac20	5745	AntA	100	0	0
NVNT	ac20	5785	AntA	100	0	0
NVNT	ac20	5825	AntA	100	0	0
NVNT	ac40	5755	AntA	100	0	0
NVNT	ac40	5795	AntA	100	0	0
NVNT	ac80	5775	AntA	100	0	0
NVNT	ax20	5745	AntA	100	0	0
NVNT	ax20	5785	AntA	100	0	0
NVNT	ax20	5825	AntA	100	0	0
NVNT	ax40	5755	AntA	100	0	0
NVNT	ax40	5795	AntA	100	0	0
NVNT	ax80	5775	AntA	100	0	0







































Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	AntB	100	0	0
NVNT	a	5785	AntB	100	0	0
NVNT	a	5825	AntB	100	0	0
NVNT	n20	5745	AntB	100	0	0
NVNT	n20	5785	AntB	100	0	0
NVNT	n20	5825	AntB	100	0	0
NVNT	n40	5755	AntB	100	0	0
NVNT	n40	5795	AntB	100	0	0
NVNT	ac20	5745	AntB	100	0	0
NVNT	ac20	5785	AntB	100	0	0
NVNT	ac20	5825	AntB	100	0	0
NVNT	ac40	5755	AntB	100	0	0
NVNT	ac40	5795	AntB	100	0	0
NVNT	ac80	5775	AntB	100	0	0
NVNT	ax20	5745	AntB	100	0	0
NVNT	ax20	5785	AntB	100	0	0
NVNT	ax20	5825	AntB	100	0	0
NVNT	ax40	5755	AntB	100	0	0
NVNT	ax40	5795	AntB	100	0	0
NVNT	ax80	5775	AntB	100	0	0




































15. Antenna Requirement

15.1 Limit

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.


15.2 Test Result

The EUT antenna is External antenna, antenna connector type is RP-SMA, fulfill the requirement of this section.



16. EUT Photographs

EUT Photo 1



EUT Photo 2



NOTE: Appendix-Photographs Of EUT Constructional Details

17. EUT Test Setup Photographs

Conducted Emissions Photo

Adapter



POE



Radiated Measurement Photos

Adapter



POE





STATEMENT

1. The equipment lists are traceable to the national reference standards.
2. The test report can not be partially copied unless prior written approval is issued from our lab.
3. The test report is invalid without the "special seal for inspection and testing".
4. The test report is invalid without the signature of the approver.
5. The test process and test result is only related to the Unit Under Test.
6. Sample information is provided by the client and the laboratory is not responsible for its authenticity.
7. The quality system of our laboratory is in accordance with ISO/IEC17025.
8. If there is any objection to this test report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Zhancheng, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL: 400-788-9558

P.C.: 518103

FAX: 0755-33229357

Website: <http://www.chnbctc.com>

E-Mail: bctc@bctc-lab.com.cn

***** END *****