

Report No.: SEWM2304000133RG01

Rev.: 01 Page: 1 of 7

Appendix B.13

LTE Band 30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307144 or email: CN.Doccheck@sgs.com

South Of No. 0 Prant, No. 1, Rutsheng Road, Suzhou Industria Park, Suzhou Area, Crima (Jiangsu) Prior Pree Inade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 2 of 7

Effective (Isotropic) Radiated Power Output Data

Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | EIRP(dBm) | Limit(dBm) | Verdict |
|--------|-----------|------------|---------|---------------------|-------------|-----------|------------|---------|
| Band30 | 5MHz | QPSK | 27685 | 1RB#0 | 22.13 | 16.43 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27685 | 1RB#12 | 22.16 | 16.46 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27685 | 1RB#24 | 22.22 | 16.52 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27685 | 25RB#0 | 21.23 | 15.53 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27710 | 1RB#0 | 22.15 | 16.45 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27710 | 1RB#12 | 22.11 | 16.41 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27710 | 1RB#24 | 22.11 | 16.41 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27710 | 25RB#0 | 21.24 | 15.54 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27735 | 1RB#0 | 22.02 | 16.32 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27735 | 1RB#12 | 22.00 | 16.3 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27735 | 1RB#24 | 21.99 | 16.29 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27735 | 25RB#0 | 21.09 | 15.39 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27685 | 1RB#0 | 21.32 | 15.62 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27685 | 1RB#12 | 21.35 | 15.65 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27685 | 1RB#24 | 21.52 | 15.82 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27685 | 25RB#0 | 20.23 | 14.53 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27710 | 1RB#0 | 21.29 | 15.59 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27710 | 1RB#12 | 21.38 | 15.68 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27710 | 1RB#24 | 21.30 | 15.6 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27710 | 25RB#0 | 20.21 | 14.51 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27735 | 1RB#0 | 21.29 | 15.59 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27735 | 1RB#12 | 21.19 | 15.49 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27735 | 1RB#24 | 21.16 | 15.46 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27735 | 25RB#0 | 20.02 | 14.32 | 23.98 | PASS |
| Band30 | 10MHz | QPSK | 27710 | 1RB#0 | 21.94 | 16.24 | 23.98 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 3 of 7 Page:

| Band30 | 10MHz | QPSK | 27710 | 1RB#24 | 22.00 | 16.3 | 23.98 | PASS |
|--------|-------|-------|-------|--------|-------|-------|-------|------|
| Band30 | 10MHz | QPSK | 27710 | 1RB#49 | 21.96 | 16.26 | 23.98 | PASS |
| Band30 | 10MHz | QPSK | 27710 | 50RB#0 | 20.14 | 14.44 | 23.98 | PASS |
| Band30 | 10MHz | 16QAM | 27710 | 1RB#0 | 21.15 | 15.45 | 23.98 | PASS |
| Band30 | 10MHz | 16QAM | 27710 | 1RB#24 | 21.20 | 15.5 | 23.98 | PASS |
| Band30 | 10MHz | 16QAM | 27710 | 1RB#49 | 21.25 | 15.55 | 23.98 | PASS |
| Band30 | 10MHz | 16QAM | 27710 | 50RB#0 | 20.06 | 14.36 | 23.98 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 4 of 7

Field Strength of Spurious Radiation

Test Band = B30_ TM1
Test Channel = 10M Mid

| Final | Data List | | | | | | | | | |
|-------|------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|
| NO | Frequency | Reading | Factor | AECID/ 1 | Level | Limit | Margin | Height | Angle | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity |
| 1 | 4611.1800 | 42.27 | -45.66 | 30.55 | -68.11 | -40.00 | 28.11 | 158 | 222 | Horizontal |
| 2 | 6916.7700 | 41.11 | -44.01 | 35.05 | -63.10 | -40.00 | 23.10 | 269 | 60 | Horizontal |
| 3 | 9222.3600 | 36.42 | -40.24 | 36.72 | -62.36 | -40.00 | 22.36 | 132 | 61 | Horizontal |
| 4 | 11527.9500 | 33.47 | -37.19 | 38.75 | -60.23 | -40.00 | 20.23 | 225 | 317 | Horizontal |
| 5 | 13833.5400 | 35.00 | -36.08 | 40.60 | -55.74 | -40.00 | 15.74 | 145 | 345 | Horizontal |
| 6 | 16139.1300 | 34.63 | -34.58 | 39.63 | -55.58 | -40.00 | 15.58 | 124 | 316 | Horizontal |

| Fina | Final Data List | | | | | | | | | | | |
|------|-----------------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|--|--|
| NO | Frequency | Reading | Factor | A [[- D/] | Level | Limit | Margin | Height | Angle | Delevite | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4611.1800 | 42.18 | -45.66 | 30.55 | -68.20 | -40.00 | 28.20 | 112 | 3 | Vertical | | |
| 2 | 6916.7700 | 40.79 | -44.01 | 35.05 | -63.42 | -40.00 | 23.42 | 158 | 360 | Vertical | | |
| 3 | 9222.3600 | 36.94 | -40.24 | 36.72 | -61.84 | -40.00 | 21.84 | 269 | 118 | Vertical | | |
| 4 | 11527.9500 | 33.43 | -37.19 | 38.75 | -60.27 | -40.00 | 20.27 | 236 | 356 | Vertical | | |
| 5 | 13833.5400 | 34.37 | -36.08 | 40.60 | -56.37 | -40.00 | 16.37 | 162 | 90 | Vertical | | |
| 6 | 16139.1300 | 34.83 | -34.58 | 39.63 | -55.38 | -40.00 | 15.38 | 154 | 59 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pillot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 5 of 7

Test Band = B30_ TM1 Test Channel = 5M Low

| Final | Final Data List | | | | | | | | | | | |
|-------|-----------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|--|--|
| NO | Frequency | Reading | Factor | AECID/ 1 | Level | Limit | Margin | Height | Angle | D: | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4610.6800 | 43.98 | -45.66 | 30.54 | -66.40 | -40.00 | 26.40 | 112 | 46 | Horizontal | | |
| 2 | 6916.0200 | 41.03 | -44.01 | 35.05 | -63.19 | -40.00 | 23.19 | 187 | 91 | Horizontal | | |
| 3 | 9221.3600 | 35.62 | -40.24 | 36.72 | -63.16 | -40.00 | 23.16 | 156 | 357 | Horizontal | | |
| 4 | 11526.7000 | 32.88 | -37.20 | 38.75 | -60.83 | -40.00 | 20.83 | 236 | 269 | Horizontal | | |
| 5 | 13832.0400 | 34.87 | -36.09 | 40.60 | -55.89 | -40.00 | 15.89 | 247 | 60 | Horizontal | | |
| 6 | 16137.3800 | 34.69 | -34.58 | 39.63 | -55.52 | -40.00 | 15.52 | 145 | 1 | Horizontal | | |

| Final | Final Data List | | | | | | | | | | | |
|-------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Frequency | Reading | Factor | Λ Γ[dD/ma] | Level | Limit | Margin | Height | Angle | Dolovity | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4610.6800 | 43.60 | -45.66 | 30.54 | -66.78 | -40.00 | 26.78 | 152 | 237 | Vertical | | |
| 2 | 6916.0200 | 40.70 | -44.01 | 35.05 | -63.52 | -40.00 | 23.52 | 165 | 272 | Vertical | | |
| 3 | 9221.3600 | 35.63 | -40.24 | 36.72 | -63.15 | -40.00 | 23.15 | 223 | 342 | Vertical | | |
| 4 | 11526.7000 | 32.69 | -37.20 | 38.75 | -61.02 | -40.00 | 21.02 | 269 | 43 | Vertical | | |
| 5 | 13832.0400 | 33.53 | -36.09 | 40.60 | -57.23 | -40.00 | 17.23 | 154 | 272 | Vertical | | |
| 6 | 16137.3800 | 34.20 | -34.58 | 39.63 | -56.01 | -40.00 | 16.01 | 258 | 253 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

3000101 No. 0 Fizini, No. 1, Nutrisherig No.20, 202000 Iliusishia Fain, 302100 Fizi, Nina (Natigos) Filik Free Habe 2016 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 6 of 7 Page:

Test Band = B30_ TM1 Test Channel = 5M Mid

| Final | Final Data List | | | | | | | | | | | |
|-------|-----------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|--|--|
| NO | Frequency | Reading | Factor | AE(10/ 1 | Level | Limit | Margin | Height | Angle | | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4615.6800 | 42.61 | -45.66 | 30.56 | -67.75 | -40.00 | 27.75 | 187 | 46 | Horizontal | | |
| 2 | 6923.5200 | 41.47 | -43.97 | 35.06 | -62.69 | -40.00 | 22.69 | 154 | 358 | Horizontal | | |
| 3 | 9231.3600 | 35.40 | -40.24 | 36.74 | -63.36 | -40.00 | 23.36 | 269 | 42 | Horizontal | | |
| 4 | 11539.2000 | 32.73 | -37.15 | 38.75 | -60.92 | -40.00 | 20.92 | 132 | 136 | Horizontal | | |
| 5 | 13847.0400 | 36.11 | -35.95 | 40.63 | -54.48 | -40.00 | 14.48 | 145 | 121 | Horizontal | | |
| 6 | 16154.8800 | 34.72 | -34.60 | 39.68 | -55.45 | -40.00 | 15.45 | 121 | 299 | Horizontal | | |

| Final | Final Data List | | | | | | | | | | | |
|-------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Frequency | Reading | Factor | Λ Γ[dD/ma] | Level | Limit | Margin | Height | Angle | Dolovity | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4615.6800 | 42.74 | -45.66 | 30.56 | -67.62 | -40.00 | 27.62 | 152 | 360 | Vertical | | |
| 2 | 6923.5200 | 40.35 | -43.97 | 35.06 | -63.81 | -40.00 | 23.81 | 147 | 283 | Vertical | | |
| 3 | 9231.3600 | 35.84 | -40.24 | 36.74 | -62.92 | -40.00 | 22.92 | 269 | 300 | Vertical | | |
| 4 | 11539.2000 | 32.59 | -37.15 | 38.75 | -61.06 | -40.00 | 21.06 | 132 | 61 | Vertical | | |
| 5 | 13847.0400 | 33.84 | -35.95 | 40.63 | -56.75 | -40.00 | 16.75 | 283 | 255 | Vertical | | |
| 6 | 16154.8800 | 34.35 | -34.60 | 39.68 | -55.82 | -40.00 | 15.82 | 112 | 226 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 7 of 7

Test Band = B30_ TM1 Test Channel = 5M High

| Final Data List | | | | | | | | | | | |
|-----------------|------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|--|
| NO | Frequency | Reading | Factor | AECID/ 1 | Level | Limit | Margin | Height | Angle | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | |
| 1 | 4620.6800 | 44.96 | -45.66 | 30.57 | -65.39 | -40.00 | 25.39 | 165 | 30 | Horizontal | |
| 2 | 6931.0200 | 40.96 | -43.93 | 35.08 | -63.15 | -40.00 | 23.15 | 169 | 120 | Horizontal | |
| 3 | 9241.3600 | 35.75 | -40.24 | 36.76 | -62.99 | -40.00 | 22.99 | 232 | 272 | Horizontal | |
| 4 | 11551.7000 | 32.75 | -37.10 | 38.76 | -60.85 | -40.00 | 20.85 | 132 | 330 | Horizontal | |
| 5 | 13862.0400 | 34.10 | -35.81 | 40.65 | -56.32 | -40.00 | 16.32 | 165 | 135 | Horizontal | |
| 6 | 16172.3800 | 34.38 | -34.61 | 39.74 | -55.76 | -40.00 | 15.76 | 258 | 268 | Horizontal | |

| Final | Final Data List | | | | | | | | | | | |
|-------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|--|--|
| NO | Frequency | Reading | Factor | Λ Γ[dD/ma] | Level | Limit | Margin | Height | Angle | Dolovity | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4620.6800 | 43.36 | -45.66 | 30.57 | -66.99 | -40.00 | 26.99 | 157 | 300 | Vertical | | |
| 2 | 6931.0200 | 41.03 | -43.93 | 35.08 | -63.08 | -40.00 | 23.08 | 166 | 353 | Vertical | | |
| 3 | 9241.3600 | 36.30 | -40.24 | 36.76 | -62.44 | -40.00 | 22.44 | 132 | 360 | Vertical | | |
| 4 | 11551.7000 | 32.89 | -37.10 | 38.76 | -60.71 | -40.00 | 20.71 | 232 | 331 | Vertical | | |
| 5 | 13862.0400 | 33.65 | -35.81 | 40.65 | -56.77 | -40.00 | 16.77 | 258 | 255 | Vertical | | |
| 6 | 16172.3800 | 34.58 | -34.61 | 39.74 | -55.56 | -40.00 | 15.56 | 169 | 347 | Vertical | | |

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

|South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 |中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

sgs.china@sgs.com

Member of the SGS Group (SGS SA)