FCC ID : O5XHL-400B



SEPTEMBER 10, 2004 Federal Communications Commission Equipment Approval Services 7435 Oakland Mills Road Columbia, MD 21046

## SUBJECT : HASRPER CO., LTD. FCC ID: O5XHL-400B FCC Part 15 Subpart B Certification

Gentlemen:

Transmitted herewith, on behalf of HASPER CO., LTD. is an application for a FCC Part 15 Subpart B Certification of the following PDP MONITOR:

## FCC ID: O5XHL-400B Model: HL-4000B

Attached is the applicant's Cover Letter, External/Internal Photos, Test Set-Up Photos, FCC ID & Label Location, User Manual, Block Diagram and Test Report.

Should you have any questions or comments concerning the above, please contact the undersigned.

K' SOO Kim

KI SOO KIM EMC MANAGER

cc: Mr. CHANG-SUP UM ------ R & D / ASSISTANT MANAGER



FCC ID : O5XHL-400B

# Solution for EMI

# We, HARSPER CO., LTD., announce that all modifications will be incorporated into each unit sold in the U.S.

- 1. Attach a gasket on the panel
- **2.** Apply a strip of aluminum tape on the conductive strip to the frame.
- **3.** Apply a ferrite Core to the Interface Cable
- 4. Attach a gasket on the panel

(Please refer to next page of the photographs for Solution for EMI)

HARSPER CO., LTD.


2004.09.10.

漸漢 -


HAN-IL WOO R & D Team / ASSISTANT MANAGER



1. Attach a gasket on the panel




2. Apply a strip of aluminum tape on the conductive strip to the frame.





# **3.**Apply a ferrite Core to the Interface Cable





#### 4.Attach a gasket on the panel

