


Appendix Test Data

|                  |                   |                    |                    |
|------------------|-------------------|--------------------|--------------------|
| Report No.:      | 1812C40174312501  | Test Sample No.:   | 1-2-2              |
| Start Test Date: | 2024.12.11        | Finish Test Date:  | 2024.12.13         |
| Test Engineer:   | <i>Joker Wang</i> | Auditor:           | <i>Justin Feng</i> |
| Temperature:     | 23.8°C            | Relative Humidity: | 50%                |
| Pressure:        | 101kPa            |                    |                    |


Appendix A: Duty Cycle

| Condition | Antenna | Rate  | Frequency (MHz) | Dutycycle(%) | Duty_factor |
|-----------|---------|-------|-----------------|--------------|-------------|
| NVNT      | ANT1    | 1-DH5 | 2402.00         | 100          | 0.00        |
| NVNT      | ANT1    | 1-DH5 | 2441.00         | 100          | 0.00        |
| NVNT      | ANT1    | 1-DH5 | 2480.00         | 100          | 0.00        |
| NVNT      | ANT1    | 2-DH5 | 2402.00         | 100          | 0.00        |
| NVNT      | ANT1    | 2-DH5 | 2441.00         | 100          | 0.00        |
| NVNT      | ANT1    | 2-DH5 | 2480.00         | 100          | 0.00        |
| NVNT      | ANT1    | 3-DH5 | 2402.00         | 100          | 0.00        |
| NVNT      | ANT1    | 3-DH5 | 2441.00         | 100          | 0.00        |
| NVNT      | ANT1    | 3-DH5 | 2480.00         | 100          | 0.00        |


|                                 |
|---------------------------------|
| Duty_Cycle_NVNT_ANT1_1-DH5_2402 |
|---------------------------------|




Duty\_Cycle\_NVNT\_ANT1\_1-DH5\_2441




Duty\_Cycle\_NVNT\_ANT1\_1-DH5\_2480




Duty\_Cycle\_NVNT\_ANT1\_2-DH5\_2402




Duty\_Cycle\_NVNT\_ANT1\_2-DH5\_2441




Duty\_Cycle\_NVNT\_ANT1\_2-DH5\_2480




Duty\_Cycle\_NVNT\_ANT1\_3-DH5\_2402



Duty\_Cycle\_NVNT\_ANT1\_3-DH5\_2441



Duty\_Cycle\_NVNT\_ANT1\_3-DH5\_2480



## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com

## Appendix B: -20dB Bandwidth

| Condition | Antenna | Modulation | Frequency (MHz) | -20dB BW(MHz) | if larger than CFS |
|-----------|---------|------------|-----------------|---------------|--------------------|
| NVNT      | ANT1    | 1-DH5      | 2402.00         | 0.965         | No                 |
| NVNT      | ANT1    | 1-DH5      | 2441.00         | 0.964         | No                 |
| NVNT      | ANT1    | 1-DH5      | 2480.00         | 0.965         | No                 |
| NVNT      | ANT1    | 2-DH5      | 2402.00         | 1.370         | Yes                |
| NVNT      | ANT1    | 2-DH5      | 2441.00         | 1.371         | Yes                |
| NVNT      | ANT1    | 2-DH5      | 2480.00         | 1.373         | Yes                |
| NVNT      | ANT1    | 3-DH5      | 2402.00         | 1.352         | Yes                |
| NVNT      | ANT1    | 3-DH5      | 2441.00         | 1.353         | Yes                |
| NVNT      | ANT1    | 3-DH5      | 2480.00         | 1.354         | Yes                |


-20dB\_Bandwidth\_NVNT\_ANT1\_1-DH5\_2402\_00




-20dB\_Bandwidth\_NVNT\_ANT1\_1-DH5\_2441\_00




-20dB\_Bandwidth\_NVNT\_ANT1\_1-DH5\_2480\_00



-20dB\_Bandwidth\_NVNT\_ANT1\_2-DH5\_2402\_00




-20dB\_Bandwidth\_NVNT\_ANT1\_2-DH5\_2441\_00




-20dB\_Bandwidth\_NVNT\_ANT1\_2-DH5\_2480\_00




-20dB\_Bandwidth\_NVNT\_ANT1\_3-DH5\_2402\_00



-20dB\_Bandwidth\_NVNT\_ANT1\_3-DH5\_2441\_00



-20dB\_Bandwidth\_NVNT\_ANT1\_3-DH5\_2480\_00



## Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
 Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
 Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
 400-003-0500  
[www.anbotech.com](http://www.anbotech.com)


## Appendix C: 99% Occupied Bandwidth

| Condition | Antenna | Modulation | Frequency (MHz) | 99%BW(MHz) |
|-----------|---------|------------|-----------------|------------|
| NVNT      | ANT1    | 1-DH5      | 2402.00         | 0.892      |
| NVNT      | ANT1    | 1-DH5      | 2441.00         | 0.893      |
| NVNT      | ANT1    | 1-DH5      | 2480.00         | 0.893      |
| NVNT      | ANT1    | 2-DH5      | 2402.00         | 1.198      |
| NVNT      | ANT1    | 2-DH5      | 2441.00         | 1.198      |
| NVNT      | ANT1    | 2-DH5      | 2480.00         | 1.200      |
| NVNT      | ANT1    | 3-DH5      | 2402.00         | 1.209      |
| NVNT      | ANT1    | 3-DH5      | 2441.00         | 1.211      |
| NVNT      | ANT1    | 3-DH5      | 2480.00         | 1.212      |


99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_1-DH5\_2402\_00




99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_1-DH5\_2441\_00




99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_1-DH5\_2480\_00



99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_2-DH5\_2402\_00



99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_2-DH5\_2441\_00




99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_2-DH5\_2480\_00





99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_3-DH5\_2402\_00




99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_3-DH5\_2441\_00





99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_3-DH5\_2480\_00



## Appendix D: Peak Output Power

| Condition | Antenna | Modulation | Frequency (MHz) | Max. Conducted Power(dBm) | Max. Conducted Power(mW) | Limit(mW) | Result |
|-----------|---------|------------|-----------------|---------------------------|--------------------------|-----------|--------|
| NVNT      | ANT1    | 1-DH5      | 2402.00         | 2.92                      | 1.96                     | 125       | Pass   |
| NVNT      | ANT1    | 1-DH5      | 2441.00         | 2.73                      | 1.88                     | 125       | Pass   |
| NVNT      | ANT1    | 1-DH5      | 2480.00         | 3.24                      | 2.11                     | 125       | Pass   |
| NVNT      | ANT1    | 2-DH5      | 2402.00         | 2.29                      | 1.70                     | 125       | Pass   |
| NVNT      | ANT1    | 2-DH5      | 2441.00         | 2.23                      | 1.67                     | 125       | Pass   |
| NVNT      | ANT1    | 2-DH5      | 2480.00         | 2.79                      | 1.90                     | 125       | Pass   |
| NVNT      | ANT1    | 3-DH5      | 2402.00         | 3.08                      | 2.03                     | 125       | Pass   |
| NVNT      | ANT1    | 3-DH5      | 2441.00         | 3.04                      | 2.01                     | 125       | Pass   |
| NVNT      | ANT1    | 3-DH5      | 2480.00         | 3.57                      | 2.27                     | 125       | Pass   |


Peak\_Output\_Power\_NVNT\_ANT1\_1-DH5\_2402\_00



Peak\_Output\_Power\_NVNT\_ANT1\_1-DH5\_2441\_00



Peak\_Output\_Power\_NVNT\_ANT1\_1-DH5\_2480\_00




Peak\_Output\_Power\_NVNT\_ANT1\_2-DH5\_2402\_00






Peak\_Output\_Power\_NVNT\_ANT1\_2-DH5\_2441\_00



Peak\_Output\_Power\_NVNT\_ANT1\_2-DH5\_2480\_00



Peak\_Output\_Power\_NVNT\_ANT1\_3-DH5\_2402\_00




Peak\_Output\_Power\_NVNT\_ANT1\_3-DH5\_2441\_00





Peak\_Output\_Power\_NVNT\_ANT1\_3-DH5\_2480\_00



## Appendix E: Spurious Emissions

| Condition | Antenna | Modulation | TX Mode | Ref_level(dBm) | Spurious<br>MAX.Value(dBm) | Limit   | Result |
|-----------|---------|------------|---------|----------------|----------------------------|---------|--------|
| NVNT      | ANT1    | 1-DH5      | 2402.00 | 2.263          | -48.436                    | -17.737 | Pass   |
| NVNT      | ANT1    | 1-DH5      | 2441.00 | 2.184          | -48.387                    | -17.816 | Pass   |
| NVNT      | ANT1    | 1-DH5      | 2480.00 | 2.776          | -52.901                    | -17.224 | Pass   |
| NVNT      | ANT1    | 2-DH5      | 2402.00 | -1.804         | -52.982                    | -21.804 | Pass   |
| NVNT      | ANT1    | 2-DH5      | 2441.00 | -1.752         | -53.411                    | -21.752 | Pass   |
| NVNT      | ANT1    | 2-DH5      | 2480.00 | -1.162         | -56.326                    | -21.162 | Pass   |
| NVNT      | ANT1    | 3-DH5      | 2402.00 | -1.531         | -52.877                    | -21.531 | Pass   |
| NVNT      | ANT1    | 3-DH5      | 2441.00 | -1.444         | -53.465                    | -21.444 | Pass   |
| NVNT      | ANT1    | 3-DH5      | 2480.00 | -0.853         | -55.801                    | -20.853 | Pass   |


1\_Reference\_Level\_NVNT\_ANT1\_1-DH5\_2402\_00



2\_Spurious\_Emissions\_NVNT\_ANT1\_1-DH5\_2402\_00



1\_Reference\_Level\_NVNT\_ANT1\_1-DH5\_2441\_00




2\_Spurious\_Emissions\_NVNT\_ANT1\_1-DH5\_2441\_00






1\_Reference\_Level\_NVNT\_ANT1\_2-DH5\_2402\_00



2\_Spurious\_Emissions\_NVNT\_ANT1\_2-DH5\_2402\_00




1\_Reference\_Level\_NVNT\_ANT1\_2-DH5\_2441\_00



2\_Spurious\_Emissions\_NVNT\_ANT1\_2-DH5\_2441\_00




1\_Reference\_Level\_NVNT\_ANT1\_2-DH5\_2480\_00



2\_Spurious\_Emissions\_NVNT\_ANT1\_2-DH5\_2480\_00



1\_Reference\_Level\_NVNT\_ANT1\_3-DH5\_2402\_00




2\_Spurious\_Emissions\_NVNT\_ANT1\_3-DH5\_2402\_00






1\_Reference\_Level\_NVNT\_ANT1\_3-DH5\_2441\_00



2\_Spurious\_Emissions\_NVNT\_ANT1\_3-DH5\_2441\_00



1\_Reference\_Level\_NVNT\_ANT1\_3-DH5\_2480\_00



2\_Spurious\_Emissions\_NVNT\_ANT1\_3-DH5\_2480\_00




## Appendix F: Bandedge

| Condition | Antenna | Modulation | TX Mode     | Ref_level(dBm) | Bandedge<br>MAX.Value | Limit   | Result |
|-----------|---------|------------|-------------|----------------|-----------------------|---------|--------|
| NVNT      | ANT1    | 1-DH5      | 2402.00     | 2.289          | -55.813               | -17.711 | Pass   |
| NVNT      | ANT1    | 1-DH5      | Hopping_LCH | 2.406          | -59.325               | -17.594 | Pass   |
| NVNT      | ANT1    | 1-DH5      | 2480.00     | 2.776          | -60.079               | -17.224 | Pass   |
| NVNT      | ANT1    | 1-DH5      | Hopping_HCH | 1.647          | -60.198               | -18.353 | Pass   |
| NVNT      | ANT1    | 2-DH5      | 2402.00     | -1.804         | -56.224               | -21.804 | Pass   |
| NVNT      | ANT1    | 2-DH5      | Hopping_LCH | 0.624          | -61.240               | -19.376 | Pass   |
| NVNT      | ANT1    | 2-DH5      | 2480.00     | -1.162         | -62.580               | -21.162 | Pass   |
| NVNT      | ANT1    | 2-DH5      | Hopping_HCH | 0.183          | -59.913               | -19.817 | Pass   |
| NVNT      | ANT1    | 3-DH5      | 2402.00     | -1.531         | -56.550               | -21.531 | Pass   |
| NVNT      | ANT1    | 3-DH5      | Hopping_LCH | 0.729          | -60.963               | -19.271 | Pass   |
| NVNT      | ANT1    | 3-DH5      | 2480.00     | -0.853         | -62.212               | -20.853 | Pass   |
| NVNT      | ANT1    | 3-DH5      | Hopping_HCH | 1.876          | -59.672               | -18.124 | Pass   |


1\_Reference\_Level\_NVNT\_ANT1\_1-DH5\_2402\_00



2\_Bandedge\_NVNT\_ANT1\_1-DH5\_2402\_00




1\_Reference\_Level\_Hopping\_NVNT\_ANT1\_1-DH5\_Hopping




2\_Band\_Edge\_(Hopping)\_NVNT\_ANT1\_1-DH5\_Hopping







1\_Reference\_Level\_NVNT\_ANT1\_1-DH5\_2480\_00




2\_Bandedge\_NVNT\_ANT1\_1-DH5\_2480\_00




1\_Reference\_Level\_Hopping\_NVNT\_ANT1\_1-DH5\_Hopping




2\_Band\_Edge\_(Hopping)\_NVNT\_ANT1\_1-DH5\_Hopping




1\_Reference\_Level\_NVNT\_ANT1\_2-DH5\_2402\_00




2\_Bandedge\_NVNT\_ANT1\_2-DH5\_2402\_00




1\_Reference\_Level\_Hopping\_NVNT\_ANT1\_2-DH5\_Hopping



2\_Band\_Edge\_(Hopping)\_NVNT\_ANT1\_2-DH5\_Hopping



1\_Reference\_Level\_NVNT\_ANT1\_2-DH5\_2480\_00




2\_Bandedge\_NVNT\_ANT1\_2-DH5\_2480\_00

## Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com



1\_Reference\_Level\_Hopping\_NVNT\_ANT1\_2-DH5\_Hopping




2\_Band\_Edge\_(Hopping)\_NVNT\_ANT1\_2-DH5\_Hopping





1\_Reference\_Level\_NVNT\_ANT1\_3-DH5\_2402\_00




2\_Bandedge\_NVNT\_ANT1\_3-DH5\_2402\_00

## Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com




1\_Reference\_Level\_Hopping\_NVNT\_ANT1\_3-DH5\_Hopping



2\_Band\_Edge\_(Hopping)\_NVNT\_ANT1\_3-DH5\_Hopping



1\_Reference\_Level\_NVNT\_ANT1\_3-DH5\_2480\_00



2\_Bandedge\_NVNT\_ANT1\_3-DH5\_2480\_00

## Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com



1\_Reference\_Level\_Hopping\_NVNT\_ANT1\_3-DH5\_Hopping



2\_Band\_Edge\_(Hopping)\_NVNT\_ANT1\_3-DH5\_Hopping



Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel:(86)0755-26066440    Email:service@anbotech.com

Hotline 400-003-0500  
www.anbotech.com

## Appendix G: Carrier Frequencies Separation (Hopping)

| Condition | Antenna | Modulation | Frequency(MHz) | Hopping NO.0 (MHz) | Hopping NO.1 (MHz) | Carrier Frequencies Separation(MHz) | Limit(MHz) | Result |
|-----------|---------|------------|----------------|--------------------|--------------------|-------------------------------------|------------|--------|
| NVNT      | ANT1    | 1-DH5      | 2441.00        | 2440.846           | 2441.833           | 0.99                                | 0.643      | Pass   |
| NVNT      | ANT1    | 2-DH5      | 2441.00        | 2440.867           | 2441.845           | 0.98                                | 0.915      | Pass   |
| NVNT      | ANT1    | 3-DH5      | 2441.00        | 2441.164           | 2442.166           | 1.00                                | 0.903      | Pass   |


Carrier\_Frequencies\_Separation\_(Hopping)\_NVNT\_ANT1\_1-DH5\_Hopping



Carrier\_Frequencies\_Separation\_(Hopping)\_NVNT\_ANT1\_2-DH5\_Hopping



Carrier\_Frequencies\_Separation\_(Hopping)\_NVNT\_ANT1\_3-DH5\_Hopping




## Appendix H: Number of Hopping Channel (Hopping)


| Condition | Antenna | Modulation | Hopping Num | Limit | Result |
|-----------|---------|------------|-------------|-------|--------|
| NVNT      | ANT1    | 1-DH5      | 79          | 15    | Pass   |
| NVNT      | ANT1    | 2-DH5      | 79          | 15    | Pass   |
| NVNT      | ANT1    | 3-DH5      | 79          | 15    | Pass   |

Number\_of\_Hopping\_Channel\_(Hopping)\_NVNT\_ANT1\_1-DH5\_Hopping



Number\_of\_Hopping\_Channel\_(Hopping)\_NVNT\_ANT1\_2-DH5\_Hopping





### Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com


## Appendix I: Dwell Time (Hopping)

| Condition | Antenna | Packet Type | Pulse Time(ms) | Hops   | Dwell Time(ms) | Limit(s) | Result |
|-----------|---------|-------------|----------------|--------|----------------|----------|--------|
| NVNT      | ANT1    | 1-DH5       | 2.891          | 104.00 | 300.664        | 0.40     | Pass   |
| NVNT      | ANT1    | 2-DH5       | 2.910          | 90.00  | 261.900        | 0.40     | Pass   |
| NVNT      | ANT1    | 3-DH5       | 2.910          | 102.00 | 296.820        | 0.40     | Pass   |
| NVNT      | ANT1    | 1-DH1       | 0.387          | 320.00 | 123.840        | 0.40     | Pass   |
| NVNT      | ANT1    | 1-DH3       | 1.643          | 150.00 | 246.450        | 0.40     | Pass   |
| NVNT      | ANT1    | 2-DH1       | 0.410          | 230.00 | 94.300         | 0.40     | Pass   |
| NVNT      | ANT1    | 2-DH3       | 1.660          | 136.00 | 225.760        | 0.40     | Pass   |
| NVNT      | ANT1    | 3-DH1       | 0.400          | 226.00 | 90.400         | 0.40     | Pass   |
| NVNT      | ANT1    | 3-DH3       | 1.650          | 140.00 | 231.000        | 0.40     | Pass   |







Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_2-DH5\_2441\_00\_One\_Burst\_Time




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_2-DH5\_2441\_00\_Accumulated




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_3-DH5\_2441\_00\_One\_Burst\_Time




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_3-DH5\_2441\_00\_Accumulated




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_1-DH1\_2441\_00\_One\_Burst\_Time




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_1-DH1\_2441\_00\_Accumulated




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_1-DH3\_2441\_00\_One\_Burst\_Time




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_1-DH3\_2441\_00\_Accumulated




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_2-DH1\_2441\_00\_One\_Burst\_Time




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_2-DH1\_2441\_00\_Accumulated




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_2-DH3\_2441\_00\_One\_Burst\_Time




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_2-DH3\_2441\_00\_Accumulated




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_3-DH1\_2441\_00\_One\_Burst\_Time




Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_3-DH1\_2441\_00\_Accumulated



Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_3-DH3\_2441\_00\_One\_Burst\_Time



Dwell\_Time\_(Hopping)\_NVNT\_ANT1\_3-DH3\_2441\_00\_Accumulated



---END---

### Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com