



Report No.: FG262904M

FCC Part 96.47 TEST REPORT

FCC ID : 2AQ68T99W368M Equipment : 5G WWAN Module

Brand Name : Foxconn Model Name : T99W368M

Applicant : Hon Lin Technology Co., Ltd

11F, No.32, Jihu Rd., Neihu Dist., Taipei City 114, Taiwan R.O.C.

Manufacturer : Hon Lin Technology Co., Ltd

11F, No.32, Jihu Rd., Neihu Dist., Taipei City 114, Taiwan R.O.C.

Standard : FCC Part 96.47

The product was received on Jul. 01, 2022 and testing was performed from Aug. 18, 2022 to Aug. 18, 2022. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

Approved by: Jones Tsai

Sporton International Inc. Wensan Laboratory

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)

 TEL: 886-3-327-0868
 Page Number
 : 1 of 11

 FAX: 886-3-327-0855
 Issue Date
 : Oct. 28, 2022

Table of Contents

Report No.: FG262904M

His	story o	of this test report	3
		ry of Test Result	
		eral Description	
•	11	Product Feature of Equipment Under Test	F
	1.2	Product Feature of Equipment Under Test	Ę
	1.3	Testing Location	Ę
		Applicable Standards	
2		Configuration of Equipment Under Test	
		Connection Diagram of Test System	
3		User Device additional requirement	
		Test Requirement	
		Test Procedure	
		Test Result	
4	List	of Measuring Equipment	11
		ix A. Test Setup Photo	

TEL: 886-3-327-0868 Page Number : 2 of 11 FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022 : 01

History of this test report

Report No.: FG262904M

Report No.	Version	Description	Issue Date
FG262904M	01	Initial issue of report	Oct. 28, 2022

TEL: 886-3-327-0868 Page Number : 3 of 11
FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022

Summary of Test Result

Report No.: FG262904M

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark	
3	96.47	End User Device additional requirement	Pass	-	

Declaration of Conformity:

The test results (PASS/FAIL) with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

It's means measurement values may risk exceeding the limit of regulation standards, if measurement uncertainty is include in test results.

Comments and Explanations:

The product specifications of the EUT presented in the report are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Keven Cheng Report Producer: Cindy Liu

TEL: 886-3-327-0868 Page Number : 4 of 11
FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022

1 General Description

1.1 Product Feature of Equipment Under Test

WCDMA/LTE/5G NR and GNSS

The following antennas were provided to the EUT

	Band	Brand	Model	Antenna Type	RF Exposure Max Antenna Gain(dBi)
	42 (3550~3600MHz)	WHA YU	C107-511725-A	РСВ	1
LTE	43 (3600~3650MHz)	WHA YU	C107-511725-A	РСВ	1
	48	WHA YU	C107-511725-A	PCB	1

Report No.: FG262904M

Remark: The above EUT's information was declared by manufacturer and used for Radiated Spurious Emission test.

There are three different HW of T99W368M.

Model	HW
	1. WCDMA+LTE+Sub6+mmWave+eSIM
T00///368/M	2. WCDMA+LTE+Sub6+mmWave w/o eSIM
1 99 1 90011	WCDMA+LTE+Sub6+mmWave +FPC connector on bottom w/o eSIM
	Model T99W368M

Note: All the tests were performed with Sample 1.

1.2 Modification of EUT

No modifications are made to the EUT during all test items.

1.3 Testing Location

Test Site	Sporton International Inc. Wensan Laboratory		
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855		
Test Site No.	Sporton Site No.		
rest Site No.	TH05-HY		
Test Engineer	Mina Liu		
Temperature	22 ~ 25 °C		
Relative Humidity	41 ~ 45 %		

FCC designation No.: TW3786

TEL: 886-3-327-0868 Page Number : 5 of 11
FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022

1.4 Applicable Standards

- FCC Part 96.47
- FCC KDB 940660 D01 Part 96 CBRS Eqpt v03
- WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.


Report No.: FG262904M

2. The TAF code is not including all the FCC KDB listed without accreditation.

TEL: 886-3-327-0868 Page Number : 6 of 11
FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022

2 Test Configuration of Equipment Under Test

2.1 Connection Diagram of Test System



Report No.: FG262904M

The companion device is certified CBSD (FCC ID: S9GQ710US02)

TEL: 886-3-327-0868 Page Number : 7 of 11
FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022

3 End User Device additional requirement

3.1 Test Requirement

FCC Part 96.47

- (a) End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.
- (1) An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

Report No.: FG262904M


3.2 Test Procedure

Following procedure can be done by applying WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification, use the certified Ruckus CBSD (FCC ID: S9GQ710US02) as companion device to show compliance with Part 96.47 requirement for End User Device (EUD):

- 1. Setup with frequency 3600-3620MHz and power level 7dBm/MHz
- 2. Enable AP service from Ruckus Cloud management
- 3. Check EUD Tx Frequency and power
- 4. Disable AP service from Ruckus Cloud management
 - a. Check EUD stops transmission within 10seconds.
- 5. Setup with 3670-3690MHz & power level 17dBm/MHz
- 6. Enable AP service from Ruckus Cloud management
- 7. Check EUD Tx Frequency and power
- 8. Disable AP service from Ruckus Cloud management
 - a. Check EUD stops transmission within 10seconds.

TEL: 886-3-327-0868 Page Number : 8 of 11
FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022

3.3 Test Result




Report No.: FG262904M

TEL: 886-3-327-0868 Page Number : 9 of 11
FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022

70 dBm

Date: 18.AUG.2022 02:32:49






[Step 8.a.] After changing the frequency and power level,

5001 pts

The module (EUT) discontinues operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD. Test result is PASS.



TEL: 886-3-327-0868 Page Number : 10 of 11
FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022

4 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Signal Analyzer	Rohde & Schwarz	FSV40	101905	10Hz - 40GHz	Aug. 03, 2022	Aug. 18, 2022	Aug. 02, 2023	Conducted (TH05-HY)

Report No.: FG262904M

TEL: 886-3-327-0868 Page Number : 11 of 11
FAX: 886-3-327-0855 Issue Date : Oct. 28, 2022