

Quick Guide / 快速指引 /  
クイックガイド / 사용자 매뉴얼 ④

## 01. System Selection / 系统选择 /

- ① Win mode / Win 模式 / Win モード / Win 設定
- ② Mac mode / Mac 模式 / Mac モード / Mac 設定

## 02. Connection Mode Selection

連接方式選擇 / 接続方法の選択 / 디바이스 연결 가이드

- ① Power Off / 关闭电源 / 電源を切る / 電源 OFF
- ② Wired mode / 有线模式 / 有线モード / 有线 모드
- ③ Wireless mode / 无线模式 / ワイヤレスモード / 무선 모드

### 03. Wireless Device Connection 无线设备连接 / ワイヤレス接続 / 블루투스 페어링 가이드

- FN Q W E R

- Caps lock / 大写字锁定 / キヤップスロック / Caps Lock 有効
- Wired mode / 有线模式 / 有线モード / 糸ひ 2.4G
- Bluetooth mode / 蓝牙模式 / Bluetooth モード / 蓝牙 2.4G
- 2.4G mode / 2.4G 模式 / 2.4G モード / 2.4G 2.4G

- Power / 電源 / 電池残量 / 44% 1%~10% ● Win mode  
● Power / 電源 / 電池残量 / 44% 11%~25% ● Mix mode  
● Power / 電源 / 電池残量 / 44% 26%~100%  
● Sleepmode On / 睡眠モード / スリープモードをオンにする / 長い 10分 切り  
● Sleepmode Off / 睡眠モード / スリープモードをオフにする / 長い 10分 切り

#### 04. Backlight Settings / 鍵盤背光

- 백라이트 사용 가이드


## 05. Sidelight Settings / RGB

- 측면 RGB 사용 가이드

## 06. Sleep Mode Setting / 睡眠

- 절전 모드 설정

## 07. Other Key Combos / 其它快捷键 / その他のフ

- 

## 08. Factory Reset / 恢复出厂设置 / 工場出荷時

- 76 *Journal of Management Inquiry* 20(1)

09. VIA keymap configurator / VIA 映射软件 / VIA 맵핑소프트 / VIA 키맵 프로그래밍 소프트웨어

(d) is open source software developed independently from Nifty and released under open source license. You can obtain the latest version from <http://nifty.com/pages/console/>. For any security report cannot be detected by Nifty under the closed mode, feel free to contact our technical support.

---

**// AIR SERIE**

## QUICK GUIDE



**NuPhy®** **AD68 V2** **KEYBOARD**  
FOCUS ON THE FUN [N FUNCTION]

NUPHY A860 V2 MECHANICAL KEYBOARD  
DESIGNED BY NUPHY & REDTUCED IN SHENZHEN

## **IC Warning**

This device complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

The device has been evaluated to meet general RF exposure requirement.  
The device can be used in portable exposure condition without restriction.

Cet appareil est conforme aux CNR exemptes de licence d'Industrie Canada .  
Son fonctionnement est soumis aux deux conditions suivantes :

- ( 1 ) Ce dispositif ne peut causer d'interférences ; et
- ( 2 ) Ce dispositif doit accepter toute interférence , y compris les interférences qui peuvent causer un mauvais fonctionnement de l'appareil.

Le dispositif a été conçu pour répondre à la demande générale de radioexposition.

## FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.