

Appendix C: Test Results of Radiated Spurious Emissions & Conducted Emissions on a.c. mains port Test

Band Edges, 5.46GHz ~ 7.250GHz


U-NII-5

802.11ax HE20

CH01 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5928.93	63.89	70.52	-6.63	88.20	-24.31	110	296	Peak	Horizontal	
2 *	5955.00	111.24	117.93	-6.69	88.20	23.04	110	296	Peak	Horizontal	
3	7223.51	62.63	68.16	-5.53	88.20	-25.57	110	296	Peak	Horizontal	

CH01 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5914.84	64.87	71.49	-6.62	88.20	-23.33	104	287	Peak	Vertical	
2 *	5955.00	111.65	118.34	-6.69	88.20	23.45	104	287	Peak	Vertical	
3	7196.48	63.04	68.64	-5.60	88.20	-25.16	104	287	Peak	Vertical	


802.11ax HE20

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5921.28	52.88	59.51	-6.63	68.20	-15.32	110	296	RMS	Horizontal	
2	5955.88	102.38	109.89	-6.70	68.20	34.10	110	296	RMS	Horizontal	
3	7186.81	49.99	55.60	-5.61	68.20	-18.21	110	296	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5922.72	54.43	61.87	-6.64	68.20	-13.77	184	287	RMS	Vertical	
2	5955.88	102.68	109.38	-6.70	68.20	34.48	184	287	RMS	Vertical	
3	7202.63	49.93	55.53	-5.60	68.20	-18.27	184	287	RMS	Vertical	


802.11ax HE20

CH45 (Horizontal) Peak

CH45 (Vertical) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5818.36	60.60	67.55	-6.95	88.20	-27.60	100	294	Peak	Horizontal	
2	6175.00	112.00	118.27	-6.27	88.20	23.80	100	294	Peak	Horizontal	
3	7227.45	61.48	67.81	-5.53	88.20	-26.72	100	294	Peak	Horizontal	



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5897.30	60.24	66.85	-6.61	88.20	-27.96	257	122	Peak	Vertical	
2	6175.00	111.17	117.44	-6.27	88.20	22.97	257	122	Peak	Vertical	
3	7144.57	62.07	67.70	-5.63	88.20	-26.13	257	122	Peak	Vertical	


802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5899.09	48.96	55.56	-6.60	68.20	-19.24	100	294 RMS	Horizontal	
2	6175.00	102.24	100.59	-6.26	68.20	34.04	100	294 RMS	Horizontal	
3	7198.99	50.01	55.61	-5.60	68.20	-18.19	100	294 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5787.75	48.68	55.60	-6.92	68.20	-19.52	257	122 RMS	Vertical	
2	6175.00	102.05	100.31	-6.26	68.20	33.85	257	122 RMS	Vertical	
3	7203.28	50.14	55.73	-5.59	68.20	-18.06	257	122 RMS	Vertical	


802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5917.17	68.48	67.67	-7.27	88.20	-27.00	268	116	Peak	Horizontal		
2 *	6415.00	107.51	114.48	-6.89	88.20	19.31	268	116	Peak	Horizontal		
3	7285.97	62.02	68.25	-6.23	88.20	-26.18	268	116	Peak	Horizontal		



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5796.52	61.03	68.56	-7.53	88.20	-27.17	189	118	Peak	Vertical		
2 *	6415.00	109.39	116.28	-6.89	88.20	21.19	189	118	Peak	Vertical		
3	7199.88	61.65	67.89	-6.24	88.20	-26.55	189	118	Peak	Vertical		


802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5761.79	48.16	55.68	-7.52	68.20	-20.04	268	116 RMS	Horizontal
2 *	6415.08	97.83	104.72	-6.89	68.20	29.63	268	116 RMS	Horizontal
3	7283.18	48.99	55.22	-6.23	68.20	-19.21	268	116 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5759.29	48.01	55.34	-7.33	68.20	-20.19	189	118 RMS	Vertical
2 *	6415.08	100.16	107.05	-6.89	68.20	11.96	189	118 RMS	Vertical
3	7213.84	48.96	55.16	-6.20	68.20	-19.24	189	118 RMS	Vertical


802.11ax HE40

CH03 (Horizontal) Peak

CH03 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.25	66.97	73.61	-6.64	88.20	-21.23	100	295	Peak	Horizontal	
2	5965.00	110.81	117.52	-6.71	88.20	22.61	100	295	Peak	Horizontal	
3	7227.80	62.56	68.88	-5.52	88.20	-25.64	100	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5924.33	71.05	78.39	-6.64	88.20	-16.25	179	290	Peak	Vertical	
2	5965.00	110.45	117.16	-6.71	88.20	22.25	179	290	Peak	Vertical	
3	7142.24	62.35	67.98	-5.63	88.20	-25.85	179	290	Peak	Vertical	


802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.43	53.73	60.37	-6.64	68.20	-14.47	100	295	RMS	Horizontal	
2	5965.00	101.30	100.10	-6.72	68.20	33.18	100	295	RMS	Horizontal	
3	7213.64	50.13	55.69	-5.56	68.20	-18.07	100	295	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5925.04	61.07	67.71	-6.64	68.20	-7.13	179	290	RMS	Vertical	
2	5965.00	101.21	107.93	-6.72	68.20	33.01	179	290	RMS	Vertical	
3	7216.53	49.99	55.55	-5.56	68.20	-18.21	179	290	RMS	Vertical	


802.11ax HE40

CH43 (Horizontal) Peak

CH43 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5919.67	60.78	67.41	-6.63	88.20	-27.42	100		204 Peak	Horizontal	
2 *	6165.00	118.91	117.29	-6.29	88.20	22.71	100		294 Peak	Horizontal	
3	7185.02	62.19	67.80	-5.61	88.20	-26.01	100		294 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5541.00	61.82	69.08	-7.26	88.20	-26.38	244	123	Peak	Vertical	
2 *	6165.00	116.21	116.58	-6.29	88.20	22.01	244	123	Peak	Vertical	
3	7138.66	61.63	67.27	-5.64	88.20	-26.57	244	123	Peak	Vertical	


802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5898.55	48.80	55.40	-6.60	68.20	-19.40	100	294	RMS	Horizontal	
2	6165.00	101.66	107.94	-6.28	68.20	33.46	100	294	RMS	Horizontal	
3	7178.40	50.08	55.69	-5.61	68.20	-18.12	100	294	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5769.67	48.80	55.73	-6.93	68.20	-19.40	244	123	RMS	Vertical	
2	6165.00	101.33	107.60	-6.28	68.20	33.12	244	123	RMS	Vertical	
3	7216.71	49.95	55.51	-5.56	68.20	-18.25	244	123	RMS	Vertical	


802.11ax HE40

CH91 (Horizontal) Peak

CH91 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5755.37	61.04	68.57	-7.53	88.20	-27.16	100		116 Peak	Horizontal	
2 *	6485.00	106.49	113.38	-6.89	88.20	18.29	100		116 Peak	Horizontal	
3	7162.65	61.15	67.41	-6.26	88.20	-27.05	100		116 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5484.34	60.52	68.26	-7.74	88.20	-27.68	221	218	Peak	Vertical	
2 *	6485.00	107.92	114.81	-6.89	88.20	19.72	221	218	Peak	Vertical	
3	7232.82	60.93	67.09	-6.16	88.20	-27.27	221	218	Peak	Vertical	


802.11ax HE40

CH91 (Horizontal) RMS

CH91 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5895.83	48.53	56.07	-7.54	68.20	-19.67	100	116 RMS	Horizontal
2	6495.00	95.43	102.32	-6.89	88.20	7.23	100	116 RMS	Horizontal
3	7202.39	49.32	55.56	-6.24	68.20	-18.88	100	116 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5900.34	48.67	55.91	-7.24	68.20	-19.53	221	218 RMS	Vertical
2	6495.00	99.45	106.32	-6.89	88.20	11.23	221	218 RMS	Vertical
3	7214.56	49.49	55.69	-6.20	68.20	-18.71	221	218 RMS	Vertical


802.11ax HE80

CH07 (Horizontal) Peak

CH07 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5912.15	67.55	74.16	-6.61	88.20	-20.65	106	295 Peak	Horizontal	
2	5985.00	109.82	116.56	-6.74	88.20	21.62	106	295 Peak	Horizontal	
3	7204.00	62.50	68.09	-5.59	88.20	-25.70	106	295 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.25	72.83	79.47	-6.64	88.20	-15.37	181	290 Peak	Vertical	
2	5985.00	110.53	117.27	-6.74	88.20	22.33	181	290 Peak	Vertical	
3	7135.00	62.67	68.31	-5.64	88.20	-25.53	181	290 Peak	Vertical	


802.11ax HE80

CH07 (Horizontal) RMS

CH07 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5911.00	56.02	62.63	-6.61	68.20	-12.18	106	295	RMS	Horizontal	
2	5985.00	99.57	106.32	-6.75	68.20	31.37	106	295	RMS	Horizontal	
3	7227.27	50.09	55.62	-5.53	68.20	-18.11	106	295	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5924.06	60.45	67.09	-6.64	68.20	-7.75	181	290	RMS	Vertical	
2	5985.00	100.23	106.95	-6.72	68.20	32.03	181	290	RMS	Vertical	
3	7207.40	50.02	55.60	-5.58	68.20	-18.18	181	290	RMS	Vertical	


802.11ax HE80

CH39 (Horizontal) Peak

CH39 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Read		Limit		Over	APos	TPos	Remark	Pol/Phase	Note
		Level	Factor	Line	Line						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5753.92	60.67	60.19	-7.52	88.20	-27.53	189	294	Peak	Horizontal	
2	6145.00	103.01	110.01	-7.60	88.20	-24.81	189	294	Peak	Horizontal	
3	7189.50	60.44	66.69	-6.25	88.20	-27.76	189	294	Peak	Horizontal	


802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5787.21	49.87	56.68	-7.53	68.20	-19.13	189	294	RMS	Horizontal	
2	6145.00	95.99	100.99	-7.00	88.20	5.79	189	294	RMS	Horizontal	
3	7189.50	49.95	56.20	-6.25	68.20	-18.25	189	294	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5887.09	48.74	56.08	-7.34	68.20	-19.46	171	271	RMS	Vertical	
2	6145.00	95.45	102.45	-7.00	88.20	7.25	171	271	RMS	Vertical	
3	7248.57	50.07	56.18	-6.11	68.20	-18.13	171	271	RMS	Vertical	


802.11ax HE80

CH87 (Horizontal) Peak

CH87 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5516.21	60.63	60.37	-7.74	88.20	-27.57	195	293	Peak	Horizontal		
2 *	6385.00	102.13	109.02	-6.89	88.20	13.93	195	293	Peak	Horizontal		
3	7188.78	60.52	66.77	-6.25	88.20	-27.68	195	293	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5627.54	61.55	69.37	-7.82	88.20	-26.65	273	217	Peak	Vertical		
2 *	6385.00	105.53	112.42	-6.89	88.20	17.33	273	217	Peak	Vertical		
3	7214.20	61.97	68.17	-6.20	88.20	-26.23	273	217	Peak	Vertical		


802.11ax HE80

CH87 (Horizontal) RMS

CH87 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5800.10	48.85	56.38	-7.53	68.20	-19.35	195	293 RMS	Horizontal
2	6385.00	92.70	99.59	-6.89	88.20	4.50	195	293 RMS	Horizontal
3	7219.21	50.07	56.26	-6.19	68.20	-18.13	195	293 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5774.68	48.93	56.45	-7.52	68.20	-19.27	273	217 RMS	Vertical
2	6385.00	96.60	103.49	-6.89	88.20	8.40	273	217 RMS	Vertical
3	7225.30	49.92	56.10	-6.18	68.20	-18.28	273	217 RMS	Vertical


802.11ax HE160

CH15 (Horizontal) Peak

CH15 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5909.29	69.21	75.82	-6.61	88.20	-18.99	317	85	Peak	Horizontal	
2	6925.00	107.19	113.80	-6.61	88.20	18.99	317	85	Peak	Horizontal	
3	7186.46	61.76	67.37	-5.61	88.20	-26.44	317	85	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5909.29	69.21	75.82	-6.61	88.20	-18.99	317	85	Peak	Horizontal	
2	6925.00	107.19	113.80	-6.61	88.20	18.99	317	85	Peak	Horizontal	
3	7186.46	61.76	67.37	-5.61	88.20	-26.44	317	85	Peak	Horizontal	


802.11ax HE160

CH15 (Horizontal) RMS

CH15 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5918.10	56.37	62.98	-6.61	68.20	-11.83	317	85	RMS	Horizontal	
2	6925.00	97.67	104.13	-6.46	68.20	29.47	317	85	RMS	Horizontal	
3	7217.78	50.11	55.66	-5.55	68.20	-18.09	317	85	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5921.28	56.06	62.69	-6.63	68.20	-12.14	100	140	RMS	Vertical	
2	6925.00	97.53	103.98	-6.45	68.20	29.33	100	140	RMS	Vertical	
3	7213.31	50.16	55.72	-5.56	68.20	-18.04	100	140	RMS	Vertical	

802.11ax HE160

CH47 (Horizontal) Peak

CH47 (Vertical) Peak



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5830.71	61.41	68.38	-6.97	88.20	-26.79	194	292	Peak	Horizontal	
2	6185.00	106.21	114.45	-8.24	88.20	26.01	194	292	Peak	Horizontal	
3	7227.98	62.82	68.34	-5.52	88.20	-25.38	194	292	Peak	Horizontal	

	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5924.51	61.57	68.21	-6.64	88.20	-26.63	177	287	Peak	Vertical	
2	6185.00	109.65	115.57	-5.92	88.20	27.37	177	287	Peak	Vertical	
3	7189.68	61.84	67.45	-5.61	88.20	-26.36	177	287	Peak	Vertical	


802.11ax HE160

CH47 (Horizontal) RMS

CH47 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5911.44	50.43	57.04	-6.61	68.20	-17.77	194	292 RMS	Horizontal	
2 *	6185.00	99.19	105.43	-6.24	88.20	10.99	194	292 RMS	Horizontal	
3	7204.36	51.40	56.99	-5.59	68.20	-16.80	194	292 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5924.15	51.48	58.12	-6.64	68.20	-16.72	177	287 RMS	Vertical	
2 *	6185.00	101.18	107.42	-6.24	88.20	12.96	177	287 RMS	Vertical	
3	7210.26	51.81	57.38	-5.57	68.20	-16.39	177	287 RMS	Vertical	


802.11ax HE160

CH79 (Horizontal) Peak

CH79 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5905.71	60.65	67.90	-7.25	88.20	-27.55	100	293 Peak	Horizontal	
2 *	6345.00	101.28	106.19	-6.91	88.20	13.08	100	293 Peak	Horizontal	
3	7243.56	61.27	67.40	-6.13	88.20	-26.93	100	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5882.00	60.74	68.12	-7.38	88.20	-27.46	152	219 Peak	Vertical	
2 *	6345.00	103.56	110.47	-6.91	88.20	15.36	152	219 Peak	Vertical	
3	7215.99	62.18	68.38	-6.20	88.20	-26.02	152	219 Peak	Vertical	


802.11ax HE160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5894.61	49.36	56.63	-7.27	68.20	-18.84	100	293 RMS	Horizontal		
2 *	6345.00	98.91	97.82	-6.91	88.20	2.71	100	293 RMS	Horizontal		
3	7169.86	50.25	56.51	-6.26	68.20	-17.95	100	293 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5795.09	49.36	56.89	-7.53	68.20	-18.84	152	219 RMS	Vertical		
2 *	6345.00	95.04	101.95	-6.91	88.20	6.84	152	219 RMS	Vertical		
3	7208.83	50.21	56.42	-6.21	68.20	-17.99	152	219 RMS	Vertical		

U-NII-6


802.11ax HE20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5888.33	60.19	67.65	-7.55	88.20	-28.10	100			117 Peak	Horizontal	
2 *	6435.00	106.65	113.52	-6.87	88.20	18.45	100			117 Peak	Horizontal	
3	7179.83	60.21	66.47	-6.26	88.20	-27.99	100			117 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5595.68	60.35	68.16	-7.81	88.20	-27.85	238			218 Peak	Vertical	
2 *	6435.00	109.69	116.56	-6.87	88.20	21.49	238			218 Peak	Vertical	
3	7241.05	61.65	67.79	-6.14	88.20	-26.55	238			218 Peak	Vertical	


802.11ax HE20

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5899.05	48.07	55.62	-7.55	68.20	-20.13	100	117	RMS	Horizontal	
2	6435.00	97.47	104.34	-6.87	88.20	9.27	100	117	RMS	Horizontal	
3	7190.93	48.97	55.22	-6.25	68.20	-19.23	100	117	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5786.50	48.27	55.00	-7.53	68.20	-19.93	238	218	RMS	Vertical	
2	6435.00	100.00	106.95	-6.87	88.20	11.88	238	218	RMS	Vertical	
3	7205.61	48.92	55.15	-6.23	68.20	-19.28	238	218	RMS	Vertical	


802.11ax HE20

CH105 (Horizontal) Peak

CH105 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5911.00	59.68	66.94	-7.26	88.20	-28.52	142	329	Peak	Horizontal		
2 *	6475.00	107.07	113.83	-6.76	88.20	18.87	142	329	Peak	Horizontal		
3	7140.09	60.25	66.52	-6.27	88.20	-27.95	142	329	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5904.28	61.10	68.35	-7.25	88.20	-27.10	194	117	Peak	Vertical		
2 *	6475.00	109.12	115.88	-6.76	88.20	28.92	194	117	Peak	Vertical		
3	7166.59	60.41	66.67	-6.26	88.20	-27.79	194	117	Peak	Vertical		


802.11ax HE20

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5725.99	48.05	55.82	-7.77	68.20	-20.15	142	329	RMS	Horizontal	
2 *	6475.00	98.41	105.17	-6.76	88.20	10.21	142	329	RMS	Horizontal	
3	7220.64	48.98	55.16	-6.18	68.20	-19.22	142	329	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5872.06	48.01	55.47	-7.46	68.20	-20.19	194	117	RMS	Vertical	
2 *	6475.00	100.35	107.11	-6.76	88.20	12.15	194	117	RMS	Vertical	
3	7237.11	48.89	55.04	-6.15	68.20	-19.31	194	117	RMS	Vertical	


802.11ax HE20

CH113 (Horizontal) Peak

CH113 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5835.54	59.69	67.30	-7.61	88.20	-28.51	242	113	Peak	Horizontal		
2	6515.00	108.00	114.72	-6.64	88.20	19.88	242	113	Peak	Horizontal		
3	7237.47	60.78	66.93	-6.15	88.20	-27.42	242	113	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5882.00	60.44	67.82	-7.38	88.20	-27.76	186	117	Peak	Vertical		
2	6515.00	109.85	116.50	-6.64	88.20	21.65	186	117	Peak	Vertical		
3	7202.03	60.32	66.56	-6.24	88.20	-27.88	186	117	Peak	Vertical		


802.11ax HE20

CH113 (Horizontal) RMS

CH113 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5760.36	48.25	55.78	-7.53	68.20	-19.95	242	113 RMS	Horizontal
2	6515.00	98.67	105.51	-6.64	88.20	10.67	242	113 RMS	Horizontal
3	7229.95	48.89	55.86	-6.17	68.20	-19.31	242	113 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5756.42	48.24	55.77	-7.53	68.20	-19.96	186	117 RMS	Vertical
2	6515.00	100.66	107.50	-6.64	88.20	12.46	186	117 RMS	Vertical
3	7199.88	48.81	55.85	-6.24	68.20	-19.39	186	117 RMS	Vertical


802.11ax HE40

CH99 (Horizontal) Peak

CH99 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5663.70	60.43	60.29	-7.86	88.20	-27.77	100	116	Peak	Horizontal		
2 *	6445.00	109.52	110.39	-6.87	88.20	15.32	190	116	Peak	Horizontal		
3	7213.13	61.53	67.73	-6.20	88.20	-26.67	100	116	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5815.40	60.81	68.38	-7.57	88.20	-27.39	193	116	Peak	Vertical		
2 *	6445.00	108.03	114.98	-6.87	88.20	19.83	193	116	Peak	Vertical		
3	7190.21	60.61	66.86	-6.25	88.20	-27.59	193	116	Peak	Vertical		


802.11ax HE40

CH99 (Horizontal) RMS

CH99 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5751.44	48.54	56.06	-7.52	68.20	-19.66	100	116	RMS	Horizontal	
2 *	6445.00	95.14	102.01	-6.87	88.20	6.94	100	116	RMS	Horizontal	
3	7202.74	49.46	55.69	-6.23	68.20	-18.74	100	116	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5770.74	48.48	56.01	-7.53	68.20	-19.72	100	116	RMS	Vertical	
2 *	6445.00	95.27	102.14	-6.87	88.20	11.07	100	116	RMS	Vertical	
3	7197.73	49.29	55.53	-6.24	68.20	-18.91	100	116	RMS	Vertical	


802.11ax HE40

CH107 (Horizontal) Peak

CH107 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5761.00	59.67	67.20	-7.53	88.20	-28.53	100		117 Peak	Horizontal	
2 *	6485.00	105.61	112.32	-6.71	88.20	17.41	100		117 Peak	Horizontal	
3	7242.12	60.44	66.58	-6.14	88.20	-27.76	100		117 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5919.67	60.56	67.84	-7.28	88.20	-27.64	100		116 Peak	Vertical	
2 *	6485.00	108.81	115.52	-6.71	88.20	28.61	100		116 Peak	Vertical	
3	7192.36	61.07	67.32	-6.25	88.20	-27.13	100		116 Peak	Vertical	


802.11ax HE40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5792.22	48.48	56.81	-7.53	68.20	-19.72	100	117	RMS	Horizontal	
2	6485.00	96.01	102.72	-6.71	88.20	7.81	100	117	RMS	Horizontal	
3	7214.20	49.47	55.67	-6.20	68.20	-18.73	100	117	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5747.12	48.57	56.13	-7.56	68.20	-19.63	100	116	RMS	Vertical	
2	6485.00	99.74	106.45	-6.71	88.20	11.54	100	116	RMS	Vertical	
3	7228.16	49.30	55.47	-6.17	68.20	-18.90	100	116	RMS	Vertical	


802.11ax HE40

CH115 (Horizontal) Peak

CH115 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5873.85	60.53	67.97	-7.44	88.20	-27.67	313	119	Peak	Horizontal	
2	6525.00	105.58	112.22	-6.64	88.20	17.38	313	119	Peak	Horizontal	
3	7195.94	59.84	66.88	-6.24	88.20	-28.36	313	119	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5775.76	60.16	67.69	-7.53	88.20	-28.04	182	118	Peak	Vertical	
2	6525.00	108.24	114.88	-6.64	88.20	28.04	182	118	Peak	Vertical	
3	7245.35	60.73	66.86	-6.13	88.20	-27.47	182	118	Peak	Vertical	


802.11ax HE40

CH115 (Horizontal) RMS

CH115 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5781.04	48.49	56.02	-7.53	68.20	-19.71	313	119 RMS	Horizontal
2 *	6525.00	95.05	102.49	-6.64	88.20	7.65	313	119 RMS	Horizontal
3	7228.88	49.27	55.44	-6.17	68.20	-18.93	313	119 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5770.74	48.44	55.97	-7.53	68.20	-19.76	182	118 RMS	Vertical
2 *	6525.00	99.29	105.93	-6.64	88.20	11.09	182	118 RMS	Vertical
3	7228.16	49.35	55.52	-6.17	68.20	-18.85	182	118 RMS	Vertical


802.11ax HE80

CH103 (Horizontal) Peak

CH103 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5687.85	68.21	68.02	-7.81	88.20	-27.99	400			117 Peak	Horizontal	
2 *	6465.88	102.07	100.88	-6.81	88.20	13.87	400			117 Peak	Horizontal	
3	7229.59	68.51	66.68	-6.17	88.20	-27.69	400			117 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5787.93	59.75	67.28	-7.53	88.20	-28.45	247			217 Peak	Vertical	
2 *	6465.88	105.51	112.32	-6.81	88.20	17.31	247			217 Peak	Vertical	
3	7224.58	61.12	67.29	-6.17	88.20	-27.08	247			217 Peak	Vertical	


802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5770.83	48.82	56.35	-7.53	68.20	-19.38	400	117 RMS	Horizontal
2	6465.00	99.98	-6.81	88.20	4.97	400	117 RMS	Horizontal	
3	7227.45	49.88	56.86	-6.18	68.20	-18.32	400	117 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5887.00	48.75	56.09	-7.34	68.20	-19.45	247	217 RMS	Vertical
2	6465.00	96.41	103.22	-6.81	88.20	8.21	247	217 RMS	Vertical
3	7233.53	49.71	55.86	-6.15	68.20	-18.49	247	217 RMS	Vertical


802.11ax HE80

CH119 (Horizontal) Peak

CH119 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5617.52	60.13	67.94	-7.81	88.20	-28.07	391	113	Peak	Horizontal		
2	6545.00	103.08	110.50	-6.62	88.20	15.68	391	113	Peak	Horizontal		
3	7238.90	60.50	66.64	-6.14	88.20	-27.70	391	113	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5915.73	60.72	68.00	-7.28	88.20	-27.48	173	118	Peak	Vertical		
2	6545.00	106.68	113.30	-6.62	88.20	18.48	173	118	Peak	Vertical		
3	7189.86	60.75	67.00	-6.25	88.20	-27.45	173	118	Peak	Vertical		


802.11ax HE80

CH119 (Horizontal) RMS

CH119 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5752.04	48.86	56.38	-7.52	68.20	-19.34	391	113 RMS	Horizontal	
2	6545.00	94.19	100.81	-6.62	88.20	5.99	391	113 RMS	Horizontal	
3	7229.59	49.58	55.75	-6.17	68.20	-18.62	391	113 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5734.23	48.82	56.30	-7.68	68.20	-19.38	173	118 RMS	Vertical	
2	6545.00	97.28	103.90	-6.62	88.20	9.08	173	118 RMS	Vertical	
3	7229.59	49.61	55.78	-6.17	68.20	-18.59	173	118 RMS	Vertical	


802.11ax HE160

CH111 (Horizontal) Peak

CH111 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5869.55	59.72	67.20	-7.48	88.20	-28.48		315		116 Peak	Horizontal	
2	6505.00	99.79	106.44	-6.65	88.20	11.59		315		116 Peak	Horizontal	
3	7166.94	60.08	66.33	-6.25	88.20	-28.12		315		116 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5729.57	60.31	68.03	-7.72	88.20	-27.89		180		119 Peak	Vertical	
2	6505.00	103.95	110.60	-6.65	88.20	15.75		180		119 Peak	Vertical	
3	7203.10	60.15	66.38	-6.23	88.20	-28.05		180		119 Peak	Vertical	


802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5876.71	49.19	56.62	-7.43	68.20	-19.01	315	116 RMS	Horizontal		
2	6505.00	98.65	97.30	-6.65	88.20	2.45	315	116 RMS	Horizontal		
3	7221.72	49.98	56.16	-6.18	68.20	-18.22	315	116 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5839.48	49.39	57.00	-7.61	68.20	-18.81	180	119 RMS	Vertical		
2	6505.00	95.09	101.74	-6.65	88.20	6.89	180	119 RMS	Vertical		
3	7227.45	50.03	56.21	-6.18	68.20	-18.17	180	119 RMS	Vertical		

U-NII-7


802.11ax HE20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5872.42	60.39	67.84	-7.45	88.20	-27.81	229	112	Peak	Horizontal	
2 *	6535.00	107.81	114.44	-6.63	88.20	19.61	229	112	Peak	Horizontal	
3	7222.43	61.03	67.21	-6.18	88.20	-27.17	229	112	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5805.47	60.29	67.84	-7.55	88.20	-27.91	177	119	Peak	Vertical	
2 *	6535.00	110.18	116.81	-6.63	88.20	21.98	177	119	Peak	Vertical	
3	7195.58	60.69	66.93	-6.24	88.20	-27.51	177	119	Peak	Vertical	


802.11ax HE20

CH117 (Horizontal) RMS

CH117 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5782.92	48.12	55.65	-7.53	68.20	-20.08		229	112	RMS	Horizontal	
2 *	6535.00	98.33	104.95	-6.63	88.20	10.13		229	112	RMS	Horizontal	
3	7197.02	48.76	55.00	-6.24	68.20	-19.44		229	112	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5883.51	48.10	55.46	-7.36	68.20	-20.10		177	119	RMS	Vertical	
2 *	6535.00	100.22	106.85	-6.63	88.20	12.02		177	119	RMS	Vertical	
3	7213.84	48.86	55.06	-6.20	68.20	-19.34		177	119	RMS	Vertical	


802.11ax HE20

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5793.66	60.46	67.99	-7.53	88.20	-27.74	232	113 Peak	Horizontal	
2	6695.00	108.07	114.97	-6.90	88.20	19.87	232	113 Peak	Horizontal	
3	7241.05	60.92	67.86	-6.14	88.20	-27.28	232	113 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5719.19	60.38	68.21	-7.83	88.20	-27.82	172	119 Peak	Vertical	
2	6695.00	108.94	115.84	-6.90	88.20	20.74	172	119 Peak	Vertical	
3	7243.20	61.68	67.73	-6.13	88.20	-26.60	172	119 Peak	Vertical	


802.11ax HE20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5770.74	48.16	55.69	-7.53	68.20	-20.04	232	113 RMS	Horizontal	
2	6695.00	97.99	104.89	-6.90	88.20	9.70	232	113 RMS	Horizontal	
3	7246.42	48.83	54.96	-6.13	68.20	-19.37	232	113 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5774.68	48.11	55.63	-7.52	68.20	-20.09	172	119 RMS	Vertical	
2	6695.00	99.87	106.77	-6.90	88.20	11.67	172	119 RMS	Vertical	
3	7189.86	48.93	55.18	-6.25	68.20	-19.27	172	119 RMS	Vertical	


802.11ax HE20

CH181 (Horizontal) Peak

CH181 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5854.16	60.20	67.80	-7.60	88.20	-28.00	400	109	Peak	Horizontal		
2 *	6855.00	107.60	114.95	-6.45	88.20	19.40	400	109	Peak	Horizontal		
3	7180.55	62.02	68.27	-6.25	88.20	-26.18	400	109	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5530.53	60.39	68.15	-7.76	88.20	-27.81	258	147	Peak	Vertical		
2 *	6855.00	109.02	115.48	-6.46	88.20	28.82	258	147	Peak	Vertical		
3	7217.42	61.51	67.71	-6.20	88.20	-26.69	258	147	Peak	Vertical		


802.11ax HE20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5785.06	48.20	55.73	-7.53	68.20	-20.00	400	100 RMS	Horizontal	
2	6000.00	99.23	105.69	-6.46	88.20	11.03	400	109 RMS	Horizontal	
3	7222.79	48.86	55.83	-6.17	68.20	-19.34	400	109 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5737.81	48.33	55.98	-7.65	68.20	-19.87	258	147 RMS	Vertical	
2	6000.00	100.16	106.62	-6.46	88.20	11.96	258	147 RMS	Vertical	
3	7219.21	49.23	55.42	-6.19	68.20	-18.97	258	147 RMS	Vertical	


802.11ax HE20

CH185 (Horizontal) Peak

CH185 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5982.13	68.43	67.67	-7.24	88.20	-27.77	133	336	Peak	Horizontal		
2 *	6875.88	106.34	112.86	-6.52	88.20	18.14	133	336	Peak	Horizontal		
3	7238.99	68.49	66.63	-6.14	88.20	-27.71	133	336	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5659.05	59.88	67.74	-7.86	88.20	-28.32	274	149	Peak	Vertical		
2 *	6875.88	109.33	115.85	-6.52	88.20	21.13	274	149	Peak	Vertical		
3	7232.46	61.19	67.36	-6.17	88.20	-27.01	274	149	Peak	Vertical		


802.11ax HE20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5773.61	48.20	55.72	-7.52	68.20	-20.00	133	336 RMS	Horizontal	
2 *	6875.00	97.33	103.85	-6.52	88.20	9.13	133	336 RMS	Horizontal	
3	7286.68	48.92	55.14	-6.22	68.20	-19.28	133	336 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5748.55	47.96	55.50	-7.54	68.20	-20.24	274	149 RMS	Vertical	
2 *	6875.00	100.09	106.61	-6.52	88.20	11.89	274	149 RMS	Vertical	
3	7212.05	48.79	55.00	-6.21	68.20	-19.41	274	149 RMS	Vertical	


802.11ax HE40

CH123 (Horizontal) Peak

CH123 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5652.60	60.62	68.44	-7.82	88.20	-27.58	388	112 Peak	Horizontal	
2 *	6565.00	106.42	113.09	-6.67	88.20	18.22	388	112 Peak	Horizontal	
3	7231.03	62.89	69.86	-6.17	88.20	-25.31	388	112 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5610.84	60.03	67.38	-7.55	88.20	-28.17	186	118 Peak	Vertical	
2 *	6565.00	109.52	116.19	-6.67	88.20	21.32	186	118 Peak	Vertical	
3	7207.40	60.11	66.33	-6.22	88.20	-28.09	186	118 Peak	Vertical	


802.11ax HE40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5771.82	48.06	55.59	-7.53	68.20	-20.14	388	112 RMS	Horizontal	
2 *	6565.00	96.34	103.01	-6.67	88.20	8.14	388	112 RMS	Horizontal	
3	7211.34	48.97	55.18	-6.21	68.20	-19.23	388	112 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5782.56	48.02	55.35	-7.53	68.20	-20.18	186	118 RMS	Vertical	
2 *	6565.00	98.99	105.66	-6.67	88.20	18.79	186	118 RMS	Vertical	
3	7233.17	49.00	55.16	-6.16	68.20	-19.20	186	118 RMS	Vertical	


802.11ax HE40

CH155 (Horizontal) Peak

CH155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5511.55	59.97	67.69	-7.72	88.20	-28.23	388		120 Peak	Horizontal	
2 *	6725.00	106.48	113.24	-6.76	88.20	18.28	388		120 Peak	Horizontal	
3	7176.97	59.90	66.16	-6.26	88.20	-28.30	388		120 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5552.36	60.90	68.70	-7.80	88.20	-27.30	148		198 Peak	Vertical	
2 *	6725.00	106.73	113.49	-6.76	88.20	18.53	148		198 Peak	Vertical	
3	7149.04	61.74	68.01	-6.27	88.20	-26.46	148		198 Peak	Vertical	