

Report No.: GZCR211102135201

Page: 1 of 22

FCC ID: 2AOJNGBS-2104-G

TEST REPORT

Application No.: GZCR2111021352AT

Applicant: Zhongshan Transtek Electronics Co., Ltd

Address of Applicant: No. 23, Jin'an Road, Minzhong, Zhongshan, Guangdong, China

Manufacturer: Zhongshan Transtek Electronics Co., Ltd

Address of Manufacturer: No. 23, Jin'an Road, Minzhong, Zhongshan, Guangdong, China

Equipment Under Test (EUT):

EUT Name: Cellular Body Scale

Model No.: GBS-2104-G Standard(s): 47 CFR Part 2

> 47 CFR Part 22 subpart H 47 CFR Part 24 subpart E

Date of Receipt: 2021-10-18

Date of Test: 2021-10-18 to 2021-11-05

Date of Issue: 2022-02-18

Test Result: Pass*

Kobe Jian EMC Laboratory Manager

检验检测专用章

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

^{*} In the configuration tested, the EUT complied with the standards specified above.



EMC-TRF-01 Rev 1.0

Report No.: GZCR211102135201

Page: 2 of 22

	Revision Record					
Version	Chapter	Date	Modifier	Remark		
01		2022-02-18		Original		

Authorized for issue by		
	Cof Vlu	
	Curry Wu/Project Engineer	
	Riday Liu	
	Ricky Liu/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: GZCR211102135201

Page: 3 of 22

2 Test Summary

Test Item	FCC Rule No.	Requirements	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913, §24.232	ERP≤7W(GSM850) EIRP≤2W(GSM1900)	PASS
Peak-Average Ratio	§24.232	≤13dB	PASS
Bandwidth	§2.1049(h)	OBW: No limit EBW: No limit	PASS
Band Edge Compliance	§2.1051, §22.917, §24.238	≤ -13dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	PASS
Spurious emissions at antenna terminals	§2.1051, §22.917, §24.238	≤ -13dBm	PASS
Field strength of spurious radiation	§2.1051, §22.917, §24.238	≤ -13dBm	PASS
Frequency stability	§2.1055, §22.355, §24.235	≤ ±2.5ppm.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



EMC-TRF-01 Rev 1.0

Report No.: GZCR211102135201

Page: 4 of 22

3 Contents

		Page
1	1 COVER PAGE	1
2	2 TEST SUMMARY	3
3	3 CONTENTS	4
4	4 GENERAL INFORMATION	6
	4.1 DETAILS OF E.U.T	6
	4.2 Test Frequency	7
	4.3 Test Environment	
	4.4 DESCRIPTION OF SUPPORT UNITS	8
	4.5 MEASUREMENT UNCERTAINTY	8
	4.6 Test Location	
	4.7 Test Facility	
	4.8 DEVIATION FROM STANDARDS	
	4.9 ABNORMALITIES FROM STANDARD CONDITIONS	9
5	5 EQUIPMENT LIST	10
6	RADIO SPECTRUM MATTER TEST RESULTS	12
	6.1 EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	12
	6.1.1 E.U.T. Operation	
	6.1.2 Test Setup Diagram	12
	6.1.3 Measurement Data	12
	6.2 Peak-Average Ratio	13
	6.2.1 E.U.T. Operation	13
	6.2.2 Test Setup Diagram	
	6.2.3 Measurement Data	
	6.3 Bandwidth	
	6.3.1 E.U.T. Operation	
	6.3.2 Test Setup Diagram	
	6.3.3 Measurement Data	
	6.4 BAND EDGE COMPLIANCE	
	6.4.1 E.U.T. Operation	
	6.4.2 Test Setup Diagram	
	6.4.3 Measurement Data	
	6.5 Spurious emissions at antenna terminals	
	6.5.1 E.U.T. Operation	
	6.5.2 Test Setup Diagram	
	6.5.3 Measurement Data	
	6.6.1 E.U.T. Operation	
	6.6.3 Measurement Procedure and Data	18



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



EMC-TRF-01 Rev 1.0

Page: 5 of 22

_	EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	
7	TEST SETUP PHOTO	22
	6.7.3 Measurement Data	
	6.7.2 Test Setup Diagram	
	6.7.1 E.U.T. Operation	21
6	6.7 Frequency stability	21



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



EMC-TRF-01 Rev 1.0 Report No.: GZCR211102135201

Page: 6 of 22

4 General Information

4.1 Details of E.U.T.

Power supply:	DC 6V by 4*AA battery.		
Sample Type:	Portable production		
Support Network:	GPRS, EGPRS		
Operation Frequency Band:	GSM850/GSM1900		
Modulation Type:	GMSK for GPRS/EGPRS;		
Modulation Type:	8PSK for EGPRS;		
Supported Channel Bandwidth:	200KHz for GSM		
GPRS Class:	12		
EGPRS Class:	12		
UMTS Power Class:	Level 3		
Antenna Type:	PIFA antenna		
Antenna Gain:	0.5dBi for GSM850, 3.5dBi for PCS1900		
Extreme vol. Limits: 5.4VDC to 6.6VDC (nominal: 6VDC)			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions (Terms-and-Conditions.aspx and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: GZCR211102135201

Page: 7 of 22

4.2 Test Frequency

Toot mode:	RF Channel			
Test mode:	Low (L)	Middle (M)	High (H)	
CCMOEO	Channel 128	Channel 190	Channel 251	
GSM850	824.2MHz	836.6 MHz 848.8 MH		
Test mode:	RF Channel			
	Low (L)	Middle (M)	High (H)	
GSM1900	Channel 512	Channel 661	Channel 810	
	1850.2MHz	1880.0 MHz	1909.8 MHz	

4.3 Test Environment

Environment Parameter	Selected Values During Tests		
Relative Humidity	52%		
Atmospheric Pressure:	1000Pa		
Temperature:	TN	20 °C	
	VL	5.4 V	
Voltage:	VN	6 V	
	VH	6.6 V	

NOTE: VL= lower extreme test voltage

VN= nominal voltage

VH= upper extreme test voltage

TN= normal temperature





EMC-TRF-01 Rev 1.0 Report No.: GZCR211102135201

Page: 8 of 22

4.4 Description of Support Units

The EUT has been tested independent unit.

4.5 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	7.25 x 10 ⁻⁸
2	Duty cycle	0.37%
3	Occupied Bandwidth	3%
4	RF conducted power	0.75dB
5	RF power density	2.84dB
6	Conducted Spurious emissions	0.75dB
7	DE Dadiated naver	5.14dB (below 1GHz)
/	RF Radiated power	5.08dB (above 1GHz)
8	Dedicted Churique emission test	5.14dB (below 1GHz)
0	Radiated Spurious emission test	5.08dB (above 1GHz)
9	Temperature test	± 1°C
10	Humidity test	± 3%
11	Supply voltages	± 1.5%
12	Time	± 3%

4.6 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory, 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663

Tel: +86 20 82155555 Fax: +86 20 82075059

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



EMC-TRF-01 Rev 1.0 Report No.: GZCR211102135201

Page: 9 of 22

4.7 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• NVLAP (Lab Code: 200611-0)

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200611-0.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

CNAS (Lab Code: L0167)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been assessed and in compliance with CNAS-CL01:2018 accreditation criteria for testing laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of Testing Laboratories.

FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

• ISED (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

• VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

• CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

4.8 Deviation from Standards

None

4.9 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



Report No.: GZCR211102135201

Page: 10 of 22

5 Equipment List

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
EXA Signal Analzer(10Hz-44GHz)	Agilent Technologies	N9010A	EMC2138	2021-09-16	2022-09-15
6dB Attenuator	HP	8491A	EMC2062	2020-04-15	2022-04-14
Measurement Software	TST	TST PASS V1.0.5	N/A	N/A	N/A
MICABLE	SGS-EMC	0.8M	EMC2136	2019-11-02	2021-11-01
MI CABLE				2021-10-31	2022-10-30
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Wideband Radio Communication Tester(CMW500)	R&S	CMW500	EMC2215	2021-09-19	2022-09-18
Power Meter (U2021XA_Ch2)	Agilent Technologies	U2021XA_Ch 2	SEM009-02	2021-05-19	2022-05-18
Temperature Chamber	GZ GongWen Co.Ltd.	GDJW-100	EMC0039	2021-07-04	2022-07-03

RE in Chamber(below 1GHz)					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Chamber cable	HangTianXing	N/A	EMC0542	2020-09-09	2022-09-08
Trilog Broadband Antenna(25MHz-1GHz)- Lab	SCHWARZBECK MESS- ELEKTRONIK	VULB 9168	SEM003-18	2019-02-22	2022-02-22
Amplifier(9kHz-1.3GHz)	HP	8447F	EMC2065	2021-05-19	2022-05-18
10m Semi-Anechoic Chamber	ETS	N/A	EMC0530	2019-10-20	2022-10-19
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A
EMI Test Receiver(1Hz- 8GHz)	Rohde & Schwarz	ESW8	EMC2220	2021-05-26	2022-05-25
Chamber cable	HangTianXing	N/A	EMC0542	2020-09-09	2022-09-08
Trilog Broadband Antenna(25MHz-1GHz)	SCHWARZBECK	VULB 9160	EMC2025	2020-09-24	2023-09-23
Signal Generator (10MHz-20GHz)	Rohde & Schwarz	SMR20	EMC0516	2021-01-11	2022-01-10
Wideband Radio Communication Tester(CMW500)	R&S	CMW500	EMC2215	2021-09-19	2022-09-18



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



EMC-TRF-01 Rev 1.0

Report No.: GZCR211102135201

Page: 11 of 22

RE in Chamber(above 1GHz)										
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date					
Chamber cable(Above 1GHz)	Scoflex	KMKM-8.0m	EMC0545	2020-09-09	2022-09-08					
Horn Antenna(1GHz- 18GHz)	SCHWARZBECK MESS- ELEKTRONIK	BBHA 9120D	EMC2026	2019-09-25	2022-09-24					
1GHz-26.5 GHz Pre-Amplifier	Agilent	8449B	EMC0521	2021-01-08	2022-01-07					
966 Anechoic Chamber	C.R.T	9m x 6m x 6m	EMC2142	2020-12-20	2023-12-19					
EXA Signal Analyzer(10Hz-44GHz)	Keysight	N9010A	EMC2138	2021-09-16	2022-09-15					
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A					
Horn Antenna(14- 40GHz)	SCHWARZBECK	BBHA 9170	EMC2041	2020-06-28	2023-06-27					
Microwave Broadband Preamplifier (18-40GHz)	SCHWARZBECK	BBV 9721	EMC2172	2021-09-08	2022-09-07					
Wideband Radio Communication Tester(CMW500)	R&S	CMW500	EMC2215	2021-09-19	2022-09-18					
Substitution Antenna	SCHWARZBECK MESS- ELEKTRONIK	BBHA 9120D	EMC2026	2019-09-25	2022-09-24					
Signal Generator (10MHz-20GHz)	Rohde & Schwarz	SMR20	EMC0516	2021-01-11	2022-01-10					

General used equipment										
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date					
DMM	Fluke	73	EMC0006	2021-07-05	2022-07-04					
DMM	Fluke	73	EMC0007	2021-07-05	2022-07-04					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: GZCR211102135201

Page: 12 of 22

6 Radio Spectrum Matter Test Results

6.1 Effective (Isotropic) Radiated Power Output Data

Test Requirement: §2.1046, §22.913, §24.232

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ERP \leq 7W(GSM850)

 $EIRP \le 2W(GSM1900)$


6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 25.9 °C Humidity: 48.9 % RH Atmospheric Pressure: 1000 mbar

Test mode: 08:TX mode_Keep the EUT in transmitting mode

6.1.2 Test Setup Diagram



Ground Reference Plane

6.1.3 Measurement Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



EMC-TRF-01 Rev 1.0 Report No.: GZCR211102135201

> Page: 13 of 22

6.2 Peak-Average Ratio

Test Requirement: §24.232

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤13dB


6.2.1 E.U.T. Operation

Operating Environment:

Temperature: Humidity: 48.9 % RH Atmospheric Pressure: 1000 mbar 25.9 °C

Test mode: 08:TX mode Keep the EUT in transmitting mode

6.2.2 Test Setup Diagram



Ground Reference Plane

6.2.3 Measurement Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.198 Kezhu Read, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn

中国·广州·经济技术开发区科学城科珠路198号

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.0 Report No.: GZCR211102135201

> Page: 14 of 22

6.3 Bandwidth

Test Requirement: §2.1049(h), §22.917, §24.238

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: **OBW:** No limit

EBW: No limit


6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 25.9 °C Humidity: 48.9 % RH Atmospheric Pressure: 1000 mbar

Test mode: 08:TX mode Keep the EUT in transmitting mode

6.3.2 Test Setup Diagram



Ground Reference Plane

6.3.3 Measurement Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.198 Kezhu Read, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn

中国·广州·经济技术开发区科学城科珠路198号

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com Member of the SGS Group (SGS SA)



EMC-TRF-01 Rev 1.0 Report No.: GZCR211102135201

Page: 15 of 22

6.4 Band Edge Compliance

Test Requirement: §2.1051, §22.917, §24.238

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤ -13dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to

the frequency block.


6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 25.9 °C Humidity: 48.9 % RH Atmospheric Pressure: 1000 mbar

Test mode: 08:TX mode_Keep the EUT in transmitting mode

6.4.2 Test Setup Diagram



Ground Reference Plane

6.4.3 Measurement Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



EMC-TRF-01 Rev 1.0 Report No.: GZCR211102135201

Page: 16 of 22

6.5 Spurious emissions at antenna terminals

Test Requirement: §2.1051, §22.917, §24.238

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤ -13dBm


6.5.1 E.U.T. Operation

Operating Environment:

Temperature: 25.9 °C Humidity: 48.9 % RH Atmospheric Pressure: 1000 mbar

Test mode: 08:TX mode_Keep the EUT in transmitting mode

6.5.2 Test Setup Diagram



Ground Reference Plane

6.5.3 Measurement Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



EMC-TRF-01 **Rev 1.0** Report No.: GZCR211102135201

> Page: 17 of 22

6.6 Field strength of spurious radiation

Test Requirement: §2.1051, §22.917, §24.238,

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤ -13dBm


6.6.1 E.U.T. Operation


Operating Environment:

Temperature: Humidity: 48.9 % RH Atmospheric Pressure: 1000 mbar

Test mode: 08:TX mode_Keep the EUT in transmitting mode


6.6.2 Test Setup Diagram






EUT

Substiute Antenna+Signal Generator





EUT

Substitte Antenna+Signal Generator



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No. 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sggroup.com.cn

中国·广州·经济技术开发区科学城科珠路198号

Member of the SGS Group (SGS SA)

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR211102135201

Page: 18 of 22

6.6.3 Measurement Procedure and Data

Test Procedure:

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on: if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15) The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17)The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sep.. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

No. 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sggroup.com.cn

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.0

Report No.: GZCR211102135201

Page: 19 of 22

	GPRS850-Low channel										
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
1652.8	-56.63	-13	-43.63	-62.11	0.52	6	Horizontal	Pass			
2479.2	-52.64	-13	-39.64	-55.76	0.53	5.8	Horizontal	Pass			
3305.6	-50.53	-13	-37.53	-53.93	0.65	6.2	Horizontal	Pass			
1652.8	-57.73	-13	-44.73	-61.06	0.52	6	Vertical	Pass			
2479.2	-52.68	-13	-39.68	-55.8	0.53	5.8	Vertical	Pass			
3305.6	-51.04	-13	-38.04	-54.44	0.65	6.2	Vertical	Pass			

	GPRS850-Middle channel										
Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
1672.8	-57.48	-13	-44.48	-62.96	0.52	6	Horizontal	Pass			
2509.2	-53.67	-13	-40.67	-56.23	0.59	5.3	Horizontal	Pass			
3345.6	-50.92	-13	-37.92	-54.32	0.65	6.2	Horizontal	Pass			
1672.8	-57.62	-13	-44.62	-60.95	0.52	6	Vertical	Pass			
2509.2	-54.17	-13	-41.17	-56.73	0.59	5.3	Vertical	Pass			
3345.6	-51.05	-13	-38.05	-54.45	0.65	6.2	Vertical	Pass			

	GPRS850-High channel										
Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
1693.2	-58.38	-13	-45.38	-63.86	0.52	6	Horizontal	Pass			
2539.8	-54.5	-13	-41.5	-57.06	0.59	5.3	Horizontal	Pass			
3386.4	-50.87	-13	-37.87	-54.27	0.65	6.2	Horizontal	Pass			
1693.2	-57.37	-13	-44.37	-60.7	0.52	6	Vertical	Pass			
2539.8	-53.29	-13	-40.29	-55.85	0.59	5.3	Vertical	Pass			
3386.4	-51.38	-13	-38.38	-54.78	0.65	6.2	Vertical	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



EMC-TRF-01 Rev 1.0

Report No.: GZCR211102135201

Page: 20 of 22

	GPRS1900-Low channel										
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result			
3704.8	-50.66	-13	-37.66	-57.55	0.71	7.6	Horizontal	Pass			
5557.2	-47.04	-13	-34.04	-56.49	0.85	10.3	Horizontal	Pass			
7409.6	-43.67	-13	-30.67	-55.57	1	12.9	Horizontal	Pass			
3704.8	-51.33	-13	-38.33	-58.22	0.71	7.6	Vertical	Pass			
5557.2	-46.74	-13	-33.74	-56.19	0.85	10.3	Vertical	Pass			
7409.6	-44.4	-13	-31.4	-56.3	1	12.9	Vertical	Pass			

	GPRS1900-Middle channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result		
3760	-50.84	-13	-37.84	-57.73	0.71	7.6	Horizontal	Pass		
5640	-47.28	-13	-34.28	-56.73	0.85	10.3	Horizontal	Pass		
7520	-44.4	-13	-31.4	-56.61	0.99	13.2	Horizontal	Pass		
3760	-51.36	-13	-38.36	-58.25	0.71	7.6	Vertical	Pass		
5640	-46.14	-13	-33.14	-55.59	0.85	10.3	Vertical	Pass		
7520	-43.3	-13	-30.3	-55.51	0.99	13.2	Vertical	Pass		

	GPRS1900-High channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result		
3815.2	-50.25	-13	-37.25	-57.14	0.71	7.6	Horizontal	Pass		
5722.8	-46.89	-13	-33.89	-56.34	0.85	10.3	Horizontal	Pass		
7630.4	-45.15	-13	-32.15	-57.36	0.99	13.2	Horizontal	Pass		
3815.2	-50.05	-13	-37.05	-56.94	0.71	7.6	Vertical	Pass		
5722.8	-46.92	-13	-33.92	-56.37	0.85	10.3	Vertical	Pass		
7630.4	-44.21	-13	-31.21	-56.42	0.99	13.2	Vertical	Pass		

Note:

For GSM, all modes have been tested and we found GPRS Test mode has the worst test result. Only record the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sss.com



EMC-TRF-01 Rev 1.0 Report No.: GZCR211102135201

Page: 21 of 22

6.7 Frequency stability

Test Requirement: §2.1055, §22.355, §24.235

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: $\leq \pm 2.5$ ppm.


6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 25.9 °C Humidity: 48.9 % RH Atmospheric Pressure: 1000 mbar

Test mode: 08:TX mode_Keep the EUT in transmitting mode

6.7.2 Test Setup Diagram



Ground Reference Plane

6.7.3 Measurement Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



Report No.: GZCR211102135201

Page: 22 of 22

7 **Test Setup Photo**

Refer to Appendix - Setup Photos-2G

EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal Photos

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No. 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com