

Page: 1 of 6

# RF EXPOSURE REPORT





**FCC Applicant:** Motive Technologies, Inc.

55 Hawthorne St. Suite #400, San Francisco, CA 94105, USA

**FCC Manufacturer:** Motive Technologies, Inc.

55 Hawthorne St. Suite #400, San Francisco, CA 94105, USA

**Product Name:** Al Dashcam Plus

**Brand Name:** Motive

Model No.: DC64-NA.01

Family Model No.: DC63-NA.01, DC64-WW.01, DC63-WW.01

**Model Difference:** DC63-NA.01: Camara number difference

DC64-WW.01, DC63-WW.01: Appearance and device labels

are different

FCC ID 2AQM7-DC6

Date of EUT Received: Apr. 22, 2024

Issue Date: Jan. 02, 2025

Approved By

## We hereby certify that:

The above equipment was evaluated by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §2.1091, KDB 447498 D01 v06.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 2 of 6

Revision History						
Report Number	Revision	Description	Issue Date	Revised By	Remark	
TESA2404000244ES	00	Original	Nov. 29, 2024	Cindy Chou		
TESA2404000244ES	01	Add note.3 description	Dec. 31, 2024	Cindy Chou	*	
TESA2404000244ES	02	Modify comment	Jan. 02, 2025	Cindy Chou	*	

## Note:

- 1 . The remark "\*" indicates modification of the report upon requests from certification body.
- 2 · Variant information of model numbers is provided by the applicant, test results of this report are applicable to the sample EUT(s) received. And are assessed as electrically identical in RF characteristics, therefore, no further assessment required for the variant(s).
- 3 \ There is no different camera module among HVINs, the DC63-NA.01 and DC63-WW.01 are depopulated 1 camera from the DC64-NA01 and DC64-WW.01. And DC64-WW.01 & DC63-WW.01 just for marketing purpose.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 3 of 6

# **Contents**

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
	1.1 PRODUCT DESCRIPTION	
	1.2 EVALUATION SITE	4
2	FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)	5
	2.1 FCC STANDARD APPLICABLE	5
	2.2 POWER DENSITY CALCULATION (WORST CASE)	6
	2.3 COLLOCATED POWER DENSITY CALCULATION	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 4 of 6

# 1 DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

# 1.1 Product Description

Product Name:	Al Dashcam Plus
Brand Name:	Motive
Model No.:	DC64-NA.01
Family Model No.:	DC63-NA.01, DC64-WW.01, DC63-WW.01
Model Difference:	DC63-NA.01: Camara number difference DC64-WW.01, DC63-WW.01: Appearance and device labels are different

### 1.2 Evaluation site

Laboratory	Site Address		FCC Designation number	ISED Company Number	CAB Identifier
SCS Tairran Ltd	$\boxtimes$	No. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, 24803, Taiwan.	TW0027	4620A	
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)		No. 2, Keji 1st Rd., Guishan Township, Taoyuan County, 333 Taiwan.	TW0028	4620E	TW3702
		1F, No. 8, Alley 15, Lane 120, Sec. 1, Nei Hu Road, Neihu District, Taipei City, 222 Taiwan.	TW0029	23862	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 5 of 6

# FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)

### 2.1 **FCC Standard Applicable**

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time		
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm <sup>2</sup> )	(minute)		
Limits for General Population/Uncontrolled Exposure						
0.3-1.34	614	1.63	*(100)	30		
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30		
30-300	27.5	0.073	0.2	30		
300-1500	/	1	f/1500	30		
1500-100000	/	/	1.0	30		

f = frequency in MHz

Prediction of MPE limit at a given distance

 $S=PG/4\pi R^2$ 

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

<sup>\* =</sup> Plane-wave equipment power density



Page: 6 of 6

# **Power Density Calculation (Worst Case)**

FCC Standalone MPE										
Operation Mode	Evaluation Frequency (MHz)	Operation Distance (cm)	Max.Output Power Include Tolerance (dBm)	Antenna Gain (dBi)	Max. EIRP (mW)	Power Density (PD) (mW/cm²)	Limit (mW/cm <sup>2</sup> )	Pass / Fail	Power Density / Limit	Collocated MPE
ВТ	2480.00	20	15	3.88	77.27	0.0154	1.000	Pass	0.015	V
WLAN 2.4G_ch0	2442.00	20	19.5	3.88	217.77	0.043	1.000	Pass	0.043	V
WLAN 2.4G_ch1	2442.00	20	19.5	3.88	217.77	0.043	1.000	Pass	0.043	V
WLAN 5G_ch0	5745.00	20	17.5	4.59	161.81	0.032	1.000	Pass	0.032	V
WLAN 5G_ch1	5745.00	20	17.5	4.59	161.81	0.032	1.000	Pass	0.032	V
GPRS/EDGE 850	824.00	20	23.97	2.76	470.98	0.094	0.549	Pass	0.171	V
GPRS/EDGE 1900	1850.00	20	20.97	3.83	302.00	0.060	1.000	Pass	0.060	
WCDMA / HSPA Band 2	1852.40	20	24	3.83	606.74	0.121	1.000	Pass	0.121	
WCDMA / HSPA Band 4	1712.40	20	24	3.38	547.02	0.109	1.000	Pass	0.109	
WCDMA / HSPA Band 5	826.40	20	24	2.76	474.24	0.094	0.551	Pass	0.171	
LTE-Band 2	1850.70	20	23	3.83	481.95	0.096	1.000	Pass	0.096	
LTE-Band 4	1710.70	20	23	3.38	434.51	0.086	1.000	Pass	0.086	
LTE-Band 5	824.70	20	23	2.78	378.44	0.075	0.550	Pass	0.136	
LTE-Band 7	2570.00	20	23	3.92	492.04	0.098	1.000	Pass	0.098	
LTE-Band 12	699.70	20	23	2.04	319.15	0.064	0.466	Pass	0.137	
LTE-Band 13	779.50	20	23	2.71	372.39	0.074	0.520	Pass	0.142	
LTE-Band 14	798.00	20	23	2.66	368.13	0.073	0.532	Pass	0.137	
LTE-Band 25	1850.70	20	23	3.83	481.95	0.096	1.000	Pass	0.096	
LTE-Band 26 Part 90	814.70	20	23	2.78	378.44	0.075	0.543	Pass	0.138	

Note: For conservativeness, the lowest uplink frequency of each band is used to determine the MPE limit of that band.

#### 2.3 **Collocated Power Density Calculation**

# **FCC Collocated MPE**

Operation Mode	Σ (Power Density / Limit)			
WWAN+2.4G MIMO+ BT	0.272			
WWAN+5G MIMO+ BT	0.250			

# Note:

- 1. Σ(Power Density / Limit): This is a summation of [(Power Density for each transmitter/antenna included in the simultaneous transmission) / (corresponding MPE limit)].
- 2. Considering the collocated transmitters, the aggregated (Power Density /limit) is smaller than 1, and MPE of collocated transmitters is compliant

# ~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號