


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 29.45                 | 19.10                         |
| 60      | 5300            | 23.75                 | 19.10                         |
| 64      | 5320            | 26.25                 | 19.10                         |

CH52




Date: 20.AUG.2021 09:54:55

CH60  
26 dB Bandwidth




Date: 20.AUG.2021 09:55:41

CH64




Date: 20.AUG.2021 09:56:27


99 % Occupied Bandwidth



Date: 20.AUG.2021 09:54:32



Date: 20.AUG.2021 09:55:21



Date: 20.AUG.2021 09:56:02






|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 20.15                 | 16.70                         |
| 116     | 5580            | 20.15                 | 16.70                         |
| 140     | 5700            | 20.29                 | 16.70                         |

CH100




Date: 20.AUG.2021 09:28:45

CH116  
26 dB Bandwidth




Date: 20.AUG.2021 09:29:31

CH140




Date: 20.AUG.2021 09:30:26


99 % Occupied Bandwidth



Date: 20.AUG.2021 09:28:25



Date: 20.AUG.2021 09:29:10




Date: 20.AUG.2021 09:30:06

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 20.50                 | 17.70                         |
| 116     | 5580            | 20.40                 | 17.70                         |
| 140     | 5700            | 20.65                 | 17.70                         |

CH100




Date: 20.AUG.2021 09:37:31

CH116  
26 dB Bandwidth




Date: 20.AUG.2021 09:38:08

CH140




Date: 20.AUG.2021 09:38:45


99 % Occupied Bandwidth



Date: 20.AUG.2021 09:37:10



Date: 20.AUG.2021 09:37:48




Date: 20.AUG.2021 09:38:25

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 40.20                 | 36.20                         |
| 110     | 5550            | 39.81                 | 36.40                         |
| 134     | 5670            | 40.20                 | 36.40                         |

CH102




Date: 20.AUG.2021 09:43:00

CH110  
26 dB Bandwidth




Date: 20.AUG.2021 09:43:45

CH134




Date: 20.AUG.2021 09:44:36


99 % Occupied Bandwidth



Date: 20.AUG.2021 09:42:30



Date: 20.AUG.2021 09:43:18




Date: 20.AUG.2021 09:44:08

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 80.20                 | 75.20                         |
| 122     | 5610            | 80.39                 | 75.20                         |

CH106




Date: 20.AUG.2021 09:48:18

CH122  
26 dB Bandwidth




Date: 20.AUG.2021 09:49:10

99 % Occupied Bandwidth



Date: 20.AUG.2021 09:47:53




Date: 20.AUG.2021 09:48:44

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 27.75                 | 19.10                         |
| 116     | 5580            | 23.60                 | 19.10                         |
| 140     | 5700            | 28.29                 | 19.10                         |

CH100




Date: 20.AUG.2021 09:57:36

CH116  
26 dB Bandwidth




Date: 20.AUG.2021 09:58:15

CH140




Date: 20.AUG.2021 09:58:59


99 % Occupied Bandwidth



Date: 20.AUG.2021 09:57:19



Date: 20.AUG.2021 09:57:56




Date: 20.AUG.2021 09:58:41

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 39.80                 | 38.00                         |
| 110     | 5550            | 39.50                 | 37.80                         |
| 134     | 5670            | 39.50                 | 37.60                         |

CH102




Date: 20.AUG.2021 10:03:27

CH110  
26 dB Bandwidth




Date: 20.AUG.2021 10:04:20

CH134




Date: 20.AUG.2021 10:05:12


99 % Occupied Bandwidth



Date: 20.AUG.2021 10:02:59



Date: 20.AUG.2021 10:03:52




Date: 20.AUG.2021 10:04:43



|           |                  |
|-----------|------------------|
| Test Mode | UNII-3_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 15.20                | 22.00                         | 0.50                            | Complies |
| 157     | 5785            | 15.15                | 23.40                         | 0.50                            | Complies |
| 165     | 5825            | 15.15                | 23.50                         | 0.50                            | Complies |

CH149




Date: 12.MAR.2021 09:40:22

CH157  
6 dB Bandwidth




Date: 12.MAR.2021 09:43:11

CH165




Date: 12.MAR.2021 09:44:17


99 % Occupied Bandwidth



Date: 12.MAR.2021 09:39:52



Date: 12.MAR.2021 09:42:40




Date: 12.MAR.2021 09:43:48

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 15.15                | 25.00                         | 0.50                            | Complies |
| 157     | 5785            | 15.15                | 25.50                         | 0.50                            | Complies |
| 165     | 5825            | 15.05                | 25.40                         | 0.50                            | Complies |

CH149




Date: 12.MAR.2021 09:55:34

CH157  
6 dB Bandwidth




Date: 12.MAR.2021 09:56:49

CH165




Date: 12.MAR.2021 09:57:51


99 % Occupied Bandwidth



Date: 12.MAR.2021 09:55:34



Date: 12.MAR.2021 09:56:18




Date: 12.MAR.2021 09:57:22

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 31.60                | 50.00                         | 0.50                            | Complies |
| 159     | 5795            | 32.61                | 50.00                         | 0.50                            | Complies |

## CH151




Date: 12.MAR.2021 09:59:12

## CH159 6 dB Bandwidth




Date: 12.MAR.2021 10:00:23

## 99 % Occupied Bandwidth



Date: 12.MAR.2021 09:59:40




Date: 12.MAR.2021 09:59:50

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 73.00                | 101.60                        | 0.50                            | Complies |

## CH155 6 dB Bandwidth



Date: 12.MAR.2021 10:02:37

## 99 % Occupied Bandwidth




Date: 12.MAR.2021 10:01:13



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 35.30                | 47.40                         | 0.50                            | Complies |
| 159     | 5795            | 36.60                | 46.20                         | 0.50                            | Complies |

## CH151




Date: 12.MAR.2021 10:13:18

## CH159 6 dB Bandwidth




Date: 12.MAR.2021 10:14:30

## 99 % Occupied Bandwidth



Date: 12.MAR.2021 10:12:48



Date: 12.MAR.2021 10:14:02



## **APPENDIX F - MAXIMUM OUTPUT POWER**

### Non Beamforming

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.44              | 0.59        | 14.03                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.13              | 0.59        | 13.72                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 13.14              | 0.59        | 13.73                            | 24.42            | 0.2767         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.83              | 0.59        | 13.42                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 12.74              | 0.59        | 13.33                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 12.75              | 0.59        | 13.34                            | 24.42            | 0.2767         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 3 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.95              | 0.59        | 13.54                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 12.89              | 0.59        | 13.48                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 13.47              | 0.59        | 14.06                            | 24.42            | 0.2767         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 4 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.88              | 0.59        | 13.47                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.84              | 0.59        | 14.43                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 14.17              | 0.59        | 14.76                            | 24.42            | 0.2767         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 19.64              | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 19.78              | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 20.03              | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.11              | 0.64        | 13.75                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.50              | 0.64        | 14.14                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 13.53              | 0.64        | 14.17                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.99              | 0.64        | 13.63                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.41              | 0.64        | 14.05                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 13.46              | 0.64        | 14.10                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.06              | 0.64        | 13.70                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.23              | 0.64        | 13.87                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 13.34              | 0.64        | 13.98                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 4 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.31              | 0.64        | 13.95                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.92              | 0.64        | 14.56                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 14.05              | 0.64        | 14.69                            | 24.42            | 0.2767         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 19.78              | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 20.18              | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 20.26              | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 16.02              | 1.19        | 17.21                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 15.79              | 1.19        | 16.98                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.85              | 1.19        | 17.04                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 15.94              | 1.19        | 17.13                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.69              | 1.19        | 16.88                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 15.84              | 1.19        | 17.03                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 4 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 16.16              | 1.19        | 17.35                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 16.24              | 1.19        | 17.43                            | 24.42            | 0.2767         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 23.14              | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 23.17              | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.34              | 0.62        | 13.96                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.62              | 0.62        | 14.24                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 13.81              | 0.62        | 14.43                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.22              | 0.62        | 13.84                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.54              | 0.62        | 14.16                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 13.74              | 0.62        | 14.36                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.16              | 0.62        | 13.78                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.43              | 0.62        | 14.05                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 13.61              | 0.62        | 14.23                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.53              | 0.62        | 14.15                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 14.12              | 0.62        | 14.74                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 14.23              | 0.62        | 14.85                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 19.96              | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 20.33              | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 20.50              | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 16.15              | 1.15        | 17.30                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 16.02              | 1.15        | 17.17                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 16.02              | 1.15        | 17.17                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 16.11              | 1.15        | 17.26                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.83              | 1.15        | 16.98                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 16.03              | 1.15        | 17.18                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 16.32              | 1.15        | 17.47                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 16.39              | 1.15        | 17.54                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 23.25              | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 23.31              | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.35              | 2.06        | 17.41                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.25              | 2.06        | 17.31                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 14.78              | 2.06        | 16.84                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.68              | 2.06        | 17.74                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 23.36              | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.88              | 2.11        | 14.99                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.12              | 2.11        | 15.23                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 12.95              | 2.11        | 15.06                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.75              | 2.11        | 14.86                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.08              | 2.11        | 15.19                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 12.77              | 2.11        | 14.88                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.56              | 2.11        | 14.67                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.04              | 2.11        | 15.15                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 12.68              | 2.11        | 14.79                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.01              | 2.11        | 15.12                            | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 13.22              | 2.11        | 15.33                            | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 13.12              | 2.11        | 15.23                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 20.93              | 24.42            | 0.2767         | Complies |
| 40      | 5200            | 21.24              | 24.42            | 0.2767         | Complies |
| 48      | 5240            | 21.01              | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.13              | 2.13        | 17.26                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 15.55              | 2.13        | 17.68                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.01              | 2.13        | 17.14                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 15.47              | 2.13        | 17.60                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.12              | 2.13        | 17.25                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 15.43              | 2.13        | 17.56                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.35              | 2.13        | 17.48                            | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 15.83              | 2.13        | 17.96                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 23.31              | 24.42            | 0.2767         | Complies |
| 46      | 5230            | 23.73              | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.53              | 2.22        | 17.75                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.36              | 2.22        | 17.58                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.31              | 2.22        | 17.53                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.81              | 2.22        | 18.03                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 23.75              | 24.42            | 0.2767         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.72               | 0.59        | 8.31                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.04               | 0.59        | 7.63                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.51               | 0.59        | 8.10                             | 18.40            | 0.0692         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.27               | 0.59        | 7.86                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.02               | 0.59        | 7.61                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.44               | 0.59        | 8.03                             | 18.40            | 0.0692         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 3 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.19               | 0.59        | 7.78                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.12               | 0.59        | 7.71                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.46               | 0.59        | 8.05                             | 18.40            | 0.0692         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 4 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 8.26               | 0.59        | 8.85                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 8.26               | 0.59        | 8.85                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 8.27               | 0.59        | 8.86                             | 18.40            | 0.0692         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 14.24              | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 14.00              | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 14.30              | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.14               | 0.64        | 7.78                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.38               | 0.64        | 8.02                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.23               | 0.64        | 7.87                             | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.98               | 0.64        | 7.62                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.24               | 0.64        | 7.88                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.17               | 0.64        | 7.81                             | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.07               | 0.64        | 7.71                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.25               | 0.64        | 7.89                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.02               | 0.64        | 7.66                             | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.48               | 0.64        | 8.12                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.73               | 0.64        | 8.37                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.56               | 0.64        | 8.20                             | 18.40            | 0.0692         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 13.83              | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 14.06              | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 13.91              | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.33              | 1.19        | 11.52                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 10.29              | 1.19        | 11.48                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.32              | 1.19        | 11.51                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 10.07              | 1.19        | 11.26                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.19              | 1.19        | 11.38                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 10.14              | 1.19        | 11.33                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.51              | 1.19        | 11.70                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 10.68              | 1.19        | 11.87                            | 18.40            | 0.0692         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 17.55              | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 17.51              | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.32               | 0.62        | 7.94                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.56               | 0.62        | 8.18                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.46               | 0.62        | 8.08                             | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.22               | 0.62        | 7.84                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.45               | 0.62        | 8.07                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.35               | 0.62        | 7.97                             | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.17               | 0.62        | 7.79                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.36               | 0.62        | 7.98                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.24               | 0.62        | 7.86                             | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.69               | 0.62        | 8.31                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 7.83               | 0.62        | 8.45                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.78               | 0.62        | 8.40                             | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 14.00              | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 14.20              | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 14.11              | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.51              | 1.15        | 11.66                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 10.49              | 1.15        | 11.64                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.43              | 1.15        | 11.58                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 10.35              | 1.15        | 11.50                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.35              | 1.15        | 11.50                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 10.32              | 1.15        | 11.47                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.75              | 1.15        | 11.90                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 10.81              | 1.15        | 11.96                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 17.68              | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 17.67              | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.46               | 2.06        | 11.52                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.39               | 2.06        | 11.45                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.25               | 2.06        | 11.31                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.71               | 2.06        | 11.77                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 17.53              | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.76               | 2.11        | 8.87                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 6.53               | 2.11        | 8.64                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 6.71               | 2.11        | 8.82                             | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.65               | 2.11        | 8.76                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 6.42               | 2.11        | 8.53                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 6.65               | 2.11        | 8.76                             | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.61               | 2.11        | 8.72                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 6.31               | 2.11        | 8.42                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 6.63               | 2.11        | 8.74                             | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.96               | 2.11        | 9.07                             | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 6.75               | 2.11        | 8.86                             | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 7.11               | 2.11        | 9.22                             | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 14.88              | 18.40            | 0.0692         | Complies |
| 60      | 5300            | 14.63              | 18.40            | 0.0692         | Complies |
| 64      | 5320            | 14.91              | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.68               | 2.13        | 11.81                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 9.72               | 2.13        | 11.85                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.64               | 2.13        | 11.77                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 9.61               | 2.13        | 11.74                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.76               | 2.13        | 11.89                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 9.52               | 2.13        | 11.65                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.53               | 2.13        | 11.66                            | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 9.68               | 2.13        | 11.81                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 17.81              | 18.40            | 0.0692         | Complies |
| 62      | 5310            | 17.79              | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.69               | 2.22        | 11.91                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.52               | 2.22        | 11.74                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.43               | 2.22        | 11.65                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.62               | 2.22        | 11.84                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 17.81              | 18.40            | 0.0692         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 7.58               | 0.59        | 8.17                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.52               | 0.59        | 8.11                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.62               | 0.59        | 8.21                             | 18.40            | 0.0692         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 7.41               | 0.59        | 8.00                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.45               | 0.59        | 8.04                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.54               | 0.59        | 8.13                             | 18.40            | 0.0692         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 3 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 7.23               | 0.59        | 7.82                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.38               | 0.59        | 7.97                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.45               | 0.59        | 8.04                             | 18.40            | 0.0692         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 4 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 8.31               | 0.59        | 8.90                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 8.29               | 0.59        | 8.88                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 8.35               | 0.59        | 8.94                             | 18.40            | 0.0692         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 14.26              | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 14.29              | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 14.37              | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.47               | 0.64        | 7.11                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.17               | 0.64        | 7.81                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.26               | 0.64        | 7.90                             | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.36               | 0.64        | 7.00                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.10               | 0.64        | 7.74                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.02               | 0.64        | 7.66                             | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.27               | 0.64        | 6.91                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.05               | 0.64        | 7.69                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 6.99               | 0.64        | 7.63                             | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.85               | 0.64        | 7.49                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.26               | 0.64        | 7.90                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.47               | 0.64        | 8.11                             | 18.40            | 0.0692         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 13.15              | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 13.81              | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 13.85              | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 10.17              | 1.19        | 11.36                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 10.23              | 1.19        | 11.42                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 10.32              | 1.19        | 11.51                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.88               | 1.19        | 11.07                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 10.26              | 1.19        | 11.45                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 10.35              | 1.19        | 11.54                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.75               | 1.19        | 10.94                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 10.17              | 1.19        | 11.36                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 10.17              | 1.19        | 11.36                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 10.26              | 1.19        | 11.45                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 10.41              | 1.19        | 11.60                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 10.45              | 1.19        | 11.64                            | 18.40            | 0.0692         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 17.23              | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 17.48              | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 17.53              | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.67               | 0.62        | 7.29                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.32               | 0.62        | 7.94                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.39               | 0.62        | 8.01                             | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.58               | 0.62        | 7.20                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.21               | 0.62        | 7.83                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.25               | 0.62        | 7.87                             | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.49               | 0.62        | 7.11                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.16               | 0.62        | 7.78                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.18               | 0.62        | 7.80                             | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 7.01               | 0.62        | 7.63                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 7.53               | 0.62        | 8.15                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 7.66               | 0.62        | 8.28                             | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 13.34              | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 13.95              | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 14.02              | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 10.28              | 1.15        | 11.43                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 10.41              | 1.15        | 11.56                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 10.51              | 1.15        | 11.66                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 10.12              | 1.15        | 11.27                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 10.38              | 1.15        | 11.53                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 10.45              | 1.15        | 11.60                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 10.03              | 1.15        | 11.18                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 10.34              | 1.15        | 11.49                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 10.33              | 1.15        | 11.48                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 10.48              | 1.15        | 11.63                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 10.52              | 1.15        | 11.67                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 10.72              | 1.15        | 11.87                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 17.40              | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 17.58              | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 17.67              | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.29               | 2.06        | 11.35                            | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 9.32               | 2.06        | 11.38                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.12               | 2.06        | 11.18                            | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 9.29               | 2.06        | 11.35                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.04               | 2.06        | 11.10                            | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 9.22               | 2.06        | 11.28                            | 18.40            | 0.0692         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.58               | 2.06        | 11.64                            | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 9.62               | 2.06        | 11.68                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 17.34              | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 17.44              | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.59               | 2.11        | 8.70                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 6.31               | 2.11        | 8.42                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 5.64               | 2.11        | 7.75                             | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.34               | 2.11        | 8.45                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 6.25               | 2.11        | 8.36                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 5.48               | 2.11        | 7.59                             | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.29               | 2.11        | 8.40                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 6.19               | 2.11        | 8.30                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 6.42               | 2.11        | 8.53                             | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.72               | 2.11        | 8.83                             | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 6.56               | 2.11        | 8.67                             | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 5.96               | 2.11        | 8.07                             | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 14.62              | 18.40            | 0.0692         | Complies |
| 116     | 5580            | 14.46              | 18.40            | 0.0692         | Complies |
| 140     | 5700            | 14.02              | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.23               | 2.13        | 11.36                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 9.21               | 2.13        | 11.34                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 9.66               | 2.13        | 11.79                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.18               | 2.13        | 11.31                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 9.18               | 2.13        | 11.31                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 9.58               | 2.13        | 11.71                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.12               | 2.13        | 11.25                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 9.15               | 2.13        | 11.28                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 9.49               | 2.13        | 11.62                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.48               | 2.13        | 11.61                            | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 9.58               | 2.13        | 11.71                            | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 9.89               | 2.13        | 12.02                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 17.41              | 18.40            | 0.0692         | Complies |
| 110     | 5550            | 17.44              | 18.40            | 0.0692         | Complies |
| 134     | 5670            | 17.81              | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.41               | 2.22        | 11.63                            | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 9.49               | 2.22        | 11.71                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.33               | 2.22        | 11.55                            | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 9.35               | 2.22        | 11.57                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.23               | 2.22        | 11.45                            | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 9.29               | 2.22        | 11.51                            | 18.40            | 0.0692         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.69               | 2.22        | 11.91                            | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 9.71               | 2.22        | 11.93                            | 18.40            | 0.0692         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 17.66              | 18.40            | 0.0692         | Complies |
| 122     | 5610            | 17.70              | 18.40            | 0.0692         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.64              | 0.59        | 14.23                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 13.75              | 0.59        | 14.34                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 13.28              | 0.59        | 13.87                            | 24.42            | 0.2767         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.13              | 0.59        | 15.72                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 15.17              | 0.59        | 15.76                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 14.93              | 0.59        | 15.52                            | 24.42            | 0.2767         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 3 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.08              | 0.59        | 14.67                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 14.13              | 0.59        | 14.72                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 13.02              | 0.59        | 13.61                            | 24.42            | 0.2767         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 4 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.65              | 0.59        | 15.24                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 14.61              | 0.59        | 15.20                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 13.74              | 0.59        | 14.33                            | 24.42            | 0.2767         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 21.02              | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 21.06              | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 20.42              | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.83              | 0.64        | 15.47                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 14.05              | 0.64        | 14.69                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 14.74              | 0.64        | 15.38                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.86              | 0.64        | 14.50                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 13.93              | 0.64        | 14.57                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 13.92              | 0.64        | 14.56                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.54              | 0.64        | 15.18                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 14.57              | 0.64        | 15.21                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 14.35              | 0.64        | 14.99                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 4 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.63              | 0.64        | 15.27                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 15.34              | 0.64        | 15.98                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 14.59              | 0.64        | 15.23                            | 24.42            | 0.2767         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 21.14              | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 21.17              | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 21.07              | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.76              | 1.19        | 16.95                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 16.07              | 1.19        | 17.26                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.78              | 1.19        | 16.97                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 16.35              | 1.19        | 17.54                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.62              | 1.19        | 16.81                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 16.18              | 1.19        | 17.37                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 4 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 16.18              | 1.19        | 17.37                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 15.12              | 1.19        | 16.31                            | 24.42            | 0.2767         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 23.05              | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 23.17              | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.79              | 0.62        | 15.41                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 14.33              | 0.62        | 14.95                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 14.28              | 0.62        | 14.90                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.62              | 0.62        | 14.24                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 13.25              | 0.62        | 13.87                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 13.36              | 0.62        | 13.98                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.15              | 0.62        | 14.77                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 13.61              | 0.62        | 14.23                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 13.64              | 0.62        | 14.26                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.66              | 0.62        | 15.28                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 14.28              | 0.62        | 14.90                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 14.17              | 0.62        | 14.79                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 20.97              | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 20.54              | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 20.52              | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.62              | 1.15        | 15.77                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 14.98              | 1.15        | 16.13                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.03              | 1.15        | 16.18                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 14.75              | 1.15        | 15.90                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.17              | 1.15        | 16.32                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 14.96              | 1.15        | 16.11                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.64              | 1.15        | 16.79                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 15.28              | 1.15        | 16.43                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 22.30              | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 22.17              | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.97              | 2.06        | 17.03                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 13.65              | 2.06        | 15.71                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 15.13              | 2.06        | 17.19                            | 24.42            | 0.2767         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.08              | 2.06        | 16.14                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 22.58              | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.82              | 2.11        | 16.93                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 14.92              | 2.11        | 17.03                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 14.81              | 2.11        | 16.92                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.69              | 2.11        | 15.80                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 13.74              | 2.11        | 15.85                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 13.26              | 2.11        | 15.37                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.25              | 2.11        | 16.36                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 14.17              | 2.11        | 16.28                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 13.98              | 2.11        | 16.09                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.57              | 2.11        | 16.68                            | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 14.59              | 2.11        | 16.70                            | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 14.02              | 2.11        | 16.13                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 22.48              | 24.42            | 0.2767         | Complies |
| 157     | 5785            | 22.51              | 24.42            | 0.2767         | Complies |
| 165     | 5825            | 22.18              | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.73              | 2.13        | 16.86                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 15.32              | 2.13        | 17.45                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.31              | 2.13        | 17.44                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 15.04              | 2.13        | 17.17                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.38              | 2.13        | 17.51                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 15.37              | 2.13        | 17.50                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.89              | 2.13        | 18.02                            | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 15.98              | 2.13        | 18.11                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 23.50              | 24.42            | 0.2767         | Complies |
| 159     | 5795            | 23.60              | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 15.37              | 2.22        | 17.59                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.28              | 2.22        | 16.50                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 15.21              | 2.22        | 17.43                            | 24.42            | 0.2767         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.73              | 2.22        | 16.95                            | 24.42            | 0.2767         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 23.16              | 24.42            | 0.2767         | Complies |

### Beamforming

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.70              | 0.64        | 13.34                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 13.03              | 0.64        | 13.67                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 13.08              | 0.64        | 13.72                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.64              | 0.64        | 13.28                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 13.08              | 0.64        | 13.72                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 13.03              | 0.64        | 13.67                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.76              | 0.64        | 13.40                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 12.90              | 0.64        | 13.54                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 12.96              | 0.64        | 13.60                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 4 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.92              | 0.64        | 13.56                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 13.52              | 0.64        | 14.16                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 13.70              | 0.64        | 14.34                            | 24.43            | 0.2773         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 19.42              | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 19.80              | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 19.86              | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.60              | 1.19        | 16.79                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.31              | 1.19        | 16.50                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.44              | 1.19        | 16.63                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.49              | 1.19        | 16.68                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.22              | 1.19        | 16.41                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.47              | 1.19        | 16.66                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 4 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.83              | 1.19        | 17.02                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.87              | 1.19        | 17.06                            | 24.43            | 0.2773         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 22.74              | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 22.75              | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.91              | 0.62        | 13.53                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 13.23              | 0.62        | 13.85                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 13.33              | 0.62        | 13.95                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.84              | 0.62        | 13.46                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 13.21              | 0.62        | 13.83                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 13.38              | 0.62        | 14.00                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.70              | 0.62        | 13.32                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 13.01              | 0.62        | 13.63                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 13.14              | 0.62        | 13.76                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.07              | 0.62        | 13.69                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 13.81              | 0.62        | 14.43                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 13.86              | 0.62        | 14.48                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 19.53              | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 19.97              | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 20.08              | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.82              | 1.15        | 16.97                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.66              | 1.15        | 16.81                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.57              | 1.15        | 16.72                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.66              | 1.15        | 16.81                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.44              | 1.15        | 16.59                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.62              | 1.15        | 16.77                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 16.00              | 1.15        | 17.15                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 16.01              | 1.15        | 17.16                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 22.88              | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 22.91              | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.00              | 2.06        | 17.06                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 14.92              | 2.06        | 16.98                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 14.31              | 2.06        | 16.37                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.30              | 2.06        | 17.36                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 22.98              | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.41              | 2.11        | 14.52                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 12.80              | 2.11        | 14.91                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 12.64              | 2.11        | 14.75                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.39              | 2.11        | 14.50                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 12.75              | 2.11        | 14.86                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 12.30              | 2.11        | 14.41                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.22              | 2.11        | 14.33                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 12.68              | 2.11        | 14.79                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 12.36              | 2.11        | 14.47                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.62              | 2.11        | 14.73                            | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 12.79              | 2.11        | 14.90                            | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 12.65              | 2.11        | 14.76                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 20.54              | 24.43            | 0.2773         | Complies |
| 40      | 5200            | 20.88              | 24.43            | 0.2773         | Complies |
| 48      | 5240            | 20.62              | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 14.67              | 2.13        | 16.80                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.21              | 2.13        | 17.34                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 14.60              | 2.13        | 16.73                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.04              | 2.13        | 17.17                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 14.70              | 2.13        | 16.83                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.00              | 2.13        | 17.13                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 14.92              | 2.13        | 17.05                            | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 15.51              | 2.13        | 17.64                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 22.88              | 24.43            | 0.2773         | Complies |
| 46      | 5230            | 23.35              | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.20              | 2.22        | 17.42                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 14.90              | 2.22        | 17.12                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 14.95              | 2.22        | 17.17                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 15.44              | 2.22        | 17.66                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 23.37              | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.76               | 0.64        | 7.40                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 6.96               | 0.64        | 7.60                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 6.74               | 0.64        | 7.38                             | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.64               | 0.64        | 7.28                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 6.87               | 0.64        | 7.51                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 6.72               | 0.64        | 7.36                             | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.64               | 0.64        | 7.28                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 6.77               | 0.64        | 7.41                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 6.56               | 0.64        | 7.20                             | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.01               | 0.64        | 7.65                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 7.29               | 0.64        | 7.93                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 7.21               | 0.64        | 7.85                             | 18.41            | 0.0693         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 13.42              | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 13.64              | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 13.47              | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.03              | 1.19        | 11.22                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 9.93               | 1.19        | 11.12                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.94               | 1.19        | 11.13                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 9.67               | 1.19        | 10.86                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.71               | 1.19        | 10.90                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 9.76               | 1.19        | 10.95                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.12              | 1.19        | 11.31                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 10.22              | 1.19        | 11.41                            | 18.41            | 0.0693         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 17.16              | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 17.11              | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.01               | 0.62        | 7.63                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 7.18               | 0.62        | 7.80                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 7.07               | 0.62        | 7.69                             | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.77               | 0.62        | 7.39                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 7.00               | 0.62        | 7.62                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 6.88               | 0.62        | 7.50                             | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.80               | 0.62        | 7.42                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 7.05               | 0.62        | 7.67                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 6.75               | 0.62        | 7.37                             | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 7.34               | 0.62        | 7.96                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 7.37               | 0.62        | 7.99                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 7.39               | 0.62        | 8.01                             | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 13.63              | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 13.80              | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 13.67              | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.13              | 1.15        | 11.28                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 10.10              | 1.15        | 11.25                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.08              | 1.15        | 11.23                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 10.01              | 1.15        | 11.16                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.93               | 1.15        | 11.08                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 9.85               | 1.15        | 11.00                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 10.36              | 1.15        | 11.51                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 10.34              | 1.15        | 11.49                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 17.30              | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 17.25              | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.08               | 2.06        | 11.14                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 8.93               | 2.06        | 10.99                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 8.92               | 2.06        | 10.98                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.31               | 2.06        | 11.37                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 17.14              | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.43               | 2.11        | 8.54                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 6.10               | 2.11        | 8.21                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 6.23               | 2.11        | 8.34                             | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.25               | 2.11        | 8.36                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 5.98               | 2.11        | 8.09                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 6.27               | 2.11        | 8.38                             | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.14               | 2.11        | 8.25                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 5.94               | 2.11        | 8.05                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 6.30               | 2.11        | 8.41                             | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 6.54               | 2.11        | 8.65                             | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 6.41               | 2.11        | 8.52                             | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 6.76               | 2.11        | 8.87                             | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 14.47              | 18.41            | 0.0693         | Complies |
| 60      | 5300            | 14.24              | 18.41            | 0.0693         | Complies |
| 64      | 5320            | 14.52              | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.20               | 2.13        | 11.33                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 9.39               | 2.13        | 11.52                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.18               | 2.13        | 11.31                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 9.17               | 2.13        | 11.30                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.34               | 2.13        | 11.47                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 9.15               | 2.13        | 11.28                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 9.19               | 2.13        | 11.32                            | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 9.37               | 2.13        | 11.50                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 17.38              | 18.41            | 0.0693         | Complies |
| 62      | 5310            | 17.43              | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.38               | 2.22        | 11.60                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.08               | 2.22        | 11.30                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 8.99               | 2.22        | 11.21                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 9.23               | 2.22        | 11.45                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 17.41              | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.08               | 0.64        | 6.72                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 6.75               | 0.64        | 7.39                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 6.82               | 0.64        | 7.46                             | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 5.89               | 0.64        | 6.53                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 6.80               | 0.64        | 7.44                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 6.60               | 0.64        | 7.24                             | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 5.88               | 0.64        | 6.52                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 6.65               | 0.64        | 7.29                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 6.55               | 0.64        | 7.19                             | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.46               | 0.64        | 7.10                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 6.81               | 0.64        | 7.45                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 7.07               | 0.64        | 7.71                             | 18.41            | 0.0693         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 12.74              | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 13.41              | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 13.42              | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.70               | 1.19        | 10.89                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 9.81               | 1.19        | 11.00                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 9.96               | 1.19        | 11.15                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.50               | 1.19        | 10.69                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 9.77               | 1.19        | 10.96                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 10.02              | 1.19        | 11.21                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.27               | 1.19        | 10.46                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 9.70               | 1.19        | 10.89                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 9.81               | 1.19        | 11.00                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.81               | 1.19        | 11.00                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 9.92               | 1.19        | 11.11                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 10.08              | 1.19        | 11.27                            | 18.41            | 0.0693         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 16.79              | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 17.01              | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 17.18              | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.21               | 0.62        | 6.83                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 6.92               | 0.62        | 7.54                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 6.95               | 0.62        | 7.57                             | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.25               | 0.62        | 6.87                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 6.75               | 0.62        | 7.37                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 6.92               | 0.62        | 7.54                             | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.18               | 0.62        | 6.80                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 6.75               | 0.62        | 7.37                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 6.73               | 0.62        | 7.35                             | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.69               | 0.62        | 7.31                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 7.20               | 0.62        | 7.82                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 7.18               | 0.62        | 7.80                             | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 12.98              | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 13.55              | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 13.59              | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.84               | 1.15        | 10.99                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 10.07              | 1.15        | 11.22                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 10.18              | 1.15        | 11.33                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.76               | 1.15        | 10.91                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 9.96               | 1.15        | 11.11                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 9.96               | 1.15        | 11.11                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.56               | 1.15        | 10.71                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 10.00              | 1.15        | 11.15                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 9.88               | 1.15        | 11.03                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 10.16              | 1.15        | 11.31                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 10.17              | 1.15        | 11.32                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 10.37              | 1.15        | 11.52                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 17.01              | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 17.22              | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 17.27              | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 8.80               | 2.06        | 10.86                            | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 8.94               | 2.06        | 11.00                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 8.65               | 2.06        | 10.71                            | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 8.82               | 2.06        | 10.88                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 8.63               | 2.06        | 10.69                            | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 8.75               | 2.06        | 10.81                            | 18.41            | 0.0693         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.25               | 2.06        | 11.31                            | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 9.28               | 2.06        | 11.34                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 16.92              | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 17.03              | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.13               | 2.11        | 8.24                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 5.90               | 2.11        | 8.01                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 5.34               | 2.11        | 7.45                             | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 5.92               | 2.11        | 8.03                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 5.80               | 2.11        | 7.91                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 5.07               | 2.11        | 7.18                             | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 5.93               | 2.11        | 8.04                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 5.85               | 2.11        | 7.96                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 6.00               | 2.11        | 8.11                             | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 6.33               | 2.11        | 8.44                             | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 6.07               | 2.11        | 8.18                             | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 5.56               | 2.11        | 7.67                             | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 14.21              | 18.41            | 0.0693         | Complies |
| 116     | 5580            | 14.04              | 18.41            | 0.0693         | Complies |
| 140     | 5700            | 13.64              | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 8.77               | 2.13        | 10.90                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 8.82               | 2.13        | 10.95                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 9.19               | 2.13        | 11.32                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 8.82               | 2.13        | 10.95                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 8.86               | 2.13        | 10.99                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 9.18               | 2.13        | 11.31                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 8.66               | 2.13        | 10.79                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 8.84               | 2.13        | 10.97                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 9.13               | 2.13        | 11.26                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 9.15               | 2.13        | 11.28                            | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 9.10               | 2.13        | 11.23                            | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 9.54               | 2.13        | 11.67                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 17.01              | 18.41            | 0.0693         | Complies |
| 110     | 5550            | 17.06              | 18.41            | 0.0693         | Complies |
| 134     | 5670            | 17.42              | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.05               | 2.22        | 11.27                            | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 9.05               | 2.22        | 11.27                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 8.95               | 2.22        | 11.17                            | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 8.89               | 2.22        | 11.11                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 8.83               | 2.22        | 11.05                            | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 8.85               | 2.22        | 11.07                            | 18.41            | 0.0693         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 9.27               | 2.22        | 11.49                            | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 9.28               | 2.22        | 11.50                            | 18.41            | 0.0693         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 17.27              | 18.41            | 0.0693         | Complies |
| 122     | 5610            | 17.26              | 18.41            | 0.0693         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.60              | 0.64        | 15.24                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 13.78              | 0.64        | 14.42                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 14.57              | 0.64        | 15.21                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.73              | 0.64        | 14.37                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 13.64              | 0.64        | 14.28                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 13.70              | 0.64        | 14.34                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.38              | 0.64        | 15.02                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 14.43              | 0.64        | 15.07                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 14.17              | 0.64        | 14.81                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 4 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.46              | 0.64        | 15.10                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 15.15              | 0.64        | 15.79                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 14.44              | 0.64        | 15.08                            | 24.43            | 0.2773         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 20.96              | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 20.95              | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 20.89              | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.51              | 1.19        | 16.70                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 15.91              | 1.19        | 17.10                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.49              | 1.19        | 16.68                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 16.10              | 1.19        | 17.29                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 3 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.49              | 1.19        | 16.68                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 16.07              | 1.19        | 17.26                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 4 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 16.05              | 1.19        | 17.24                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 14.88              | 1.19        | 16.07                            | 24.43            | 0.2773         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 22.85              | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 22.98              | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.59              | 0.62        | 15.21                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 14.22              | 0.62        | 14.84                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 14.09              | 0.62        | 14.71                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.34              | 0.62        | 13.96                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 13.02              | 0.62        | 13.64                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 13.08              | 0.62        | 13.70                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.98              | 0.62        | 14.60                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 13.48              | 0.62        | 14.10                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 13.45              | 0.62        | 14.07                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.48              | 0.62        | 15.10                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 14.17              | 0.62        | 14.79                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 13.88              | 0.62        | 14.50                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 20.77              | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 20.40              | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 20.29              | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.35              | 1.15        | 15.50                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 14.74              | 1.15        | 15.89                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.80              | 1.15        | 15.95                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 14.53              | 1.15        | 15.68                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.05              | 1.15        | 16.20                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 14.69              | 1.15        | 15.84                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.47              | 1.15        | 16.62                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 15.00              | 1.15        | 16.15                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 22.11              | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 21.91              | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.69              | 2.06        | 16.75                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 13.39              | 2.06        | 15.45                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.91              | 2.06        | 16.97                            | 24.43            | 0.2773         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 13.84              | 2.06        | 15.90                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 22.33              | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.68              | 2.11        | 16.79                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 14.68              | 2.11        | 16.79                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 14.58              | 2.11        | 16.69                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.49              | 2.11        | 15.60                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 13.57              | 2.11        | 15.68                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 12.98              | 2.11        | 15.09                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.03              | 2.11        | 16.14                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 13.89              | 2.11        | 16.00                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 13.87              | 2.11        | 15.98                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.41              | 2.11        | 16.52                            | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 14.46              | 2.11        | 16.57                            | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 13.89              | 2.11        | 16.00                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 22.30              | 24.43            | 0.2773         | Complies |
| 157     | 5785            | 22.30              | 24.43            | 0.2773         | Complies |
| 165     | 5825            | 22.00              | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.50              | 2.13        | 16.63                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 15.11              | 2.13        | 17.24                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.13              | 2.13        | 17.26                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 14.93              | 2.13        | 17.06                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.11              | 2.13        | 17.24                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 15.12              | 2.13        | 17.25                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.79              | 2.13        | 17.92                            | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 15.77              | 2.13        | 17.90                            | 24.43            | 0.2773         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 23.31              | 24.43            | 0.2773         | Complies |
| 159     | 5795            | 23.40              | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 15.12              | 2.22        | 17.34                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.05              | 2.22        | 16.27                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.96              | 2.22        | 17.18                            | 24.43            | 0.2773         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.62              | 2.22        | 16.84                            | 24.43            | 0.2773         | Complies |


|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 22.95              | 24.43            | 0.2773         | Complies |

## **APPENDIX G - POWER SPECTRAL DENSITY**


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 4.11                             | 0.59        | 4.70                                           | 11.42                | Complies |
| 40      | 5200            | 3.94                             | 0.59        | 4.53                                           | 11.42                | Complies |
| 48      | 5240            | 4.16                             | 0.59        | 4.75                                           | 11.42                | Complies |




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 3.61                             | 0.59        | 4.20                                           | 11.42                | Complies |
| 40      | 5200            | 3.16                             | 0.59        | 3.75                                           | 11.42                | Complies |
| 48      | 5240            | 3.97                             | 0.59        | 4.56                                           | 11.42                | Complies |




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 3 |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 4.24                             | 0.59        | 4.83                                           | 11.42                | Complies |
| 40      | 5200            | 4.39                             | 0.59        | 4.98                                           | 11.42                | Complies |
| 48      | 5240            | 3.72                             | 0.59        | 4.31                                           | 11.42                | Complies |



Date: 20.AUG.2021 14:24:58




Date: 20.AUG.2021 14:25:26




Date: 20.AUG.2021 14:25:52

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 4 |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 3.37                             | 0.59        | 3.96                                           | 11.42                | Complies |
| 40      | 5200            | 4.06                             | 0.59        | 4.65                                           | 11.42                | Complies |
| 48      | 5240            | 3.62                             | 0.59        | 4.21                                           | 11.42                | Complies |



Date: 20.AUG.2021 15:20:22



Date: 20.AUG.2021 15:26:15




Date: 20.AUG.2021 15:26:38

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 10.46                            | 11.42                | Complies |
| 40      | 5200            | 10.52                            | 11.42                | Complies |
| 48      | 5240            | 10.48                            | 11.42                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 4.30                             | 0.62        | 4.92                                           | 11.42                | Complies |
| 40      | 5200            | 4.25                             | 0.62        | 4.87                                           | 11.42                | Complies |
| 48      | 5240            | 4.33                             | 0.62        | 4.95                                           | 11.42                | Complies |



Date: 17.AUG.2021 11:53:43




Date: 17.AUG.2021 11:52:18




Date: 17.AUG.2021 11:56:05

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 3.98                             | 0.62        | 4.60                                           | 11.42                | Complies |
| 40      | 5200            | 3.86                             | 0.62        | 4.48                                           | 11.42                | Complies |
| 48      | 5240            | 4.33                             | 0.62        | 4.95                                           | 11.42                | Complies |



Date: 20.AUG.2021 11:29:42




Date: 20.AUG.2021 11:02:32




Date: 20.AUG.2021 11:04:01

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 3 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 4.09                             | 0.62        | 4.71                                           | 11.42                | Complies |
| 40      | 5200            | 4.16                             | 0.62        | 4.78                                           | 11.42                | Complies |
| 48      | 5240            | 3.30                             | 0.62        | 3.92                                           | 11.42                | Complies |



Date: 20.AUG.2021 14:33:34




Date: 20.AUG.2021 14:33:57




Date: 20.AUG.2021 14:34:19

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 4 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 3.40                             | 0.62        | 4.02                                           | 11.42                | Complies |
| 40      | 5200            | 3.08                             | 0.62        | 3.70                                           | 11.42                | Complies |
| 48      | 5240            | 4.20                             | 0.62        | 4.82                                           | 11.42                | Complies |



Date: 20.AUG.2021 15:33:20



Date: 20.AUG.2021 15:34:49



Date: 20.AUG.2021 15:35:50


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 10.60                            | 11.42                | Complies |
| 40      | 5200            | 10.51                            | 11.42                | Complies |
| 48      | 5240            | 10.71                            | 11.42                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 3.51                             | 1.15        | 4.66                                           | 11.42                | Complies |
| 46      | 5230            | 3.49                             | 1.15        | 4.64                                           | 11.42                | Complies |

CH38



Date: 17.AUG.2021 13:49:27

CH46




Date: 17.AUG.2021 13:51:00

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 2.28                             | 1.15        | 3.43                                           | 11.42                | Complies |
| 46      | 5230            | 1.36                             | 1.15        | 2.51                                           | 11.42                | Complies |

CH38



Date: 20.AUG.2021 11:13:11


CH46




Date: 20.AUG.2021 11:14:14

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 3.00                             | 1.15        | 4.15                                           | 11.42                | Complies |
| 46      | 5230            | 2.39                             | 1.15        | 3.54                                           | 11.42                | Complies |




Date: 20.AUG.2021 14:43:04




Date: 20.AUG.2021 14:43:38

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 3.04                             | 1.15        | 4.19                                           | 11.42                | Complies |
| 46      | 5230            | 3.34                             | 1.15        | 4.49                                           | 11.42                | Complies |



Date: 20.AUG.2021 15:44:04



Date: 20.AUG.2021 15:45:28

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 10.15                            | 11.42                | Complies |
| 46      | 5230            | 9.90                             | 11.42                | Complies |