


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.16	-13	Pass	401
0.15	30	0.01	Peak	0.26	-53.67	-13	Pass	2986
30	500	0.1	Peak	480.1	-43.55	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.69	-13	N/A	5001
1000	10000	1	Peak	7390	-19.54	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.99	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.74	-13	Pass	2986
30	500	0.1	Peak	409.5	-43.13	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.86	-13	N/A	5001
1000	10000	1	Peak	7158	-19.67	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-56.8	-13	Pass	401
0.15	30	0.01	Peak	0.52	-53.64	-13	Pass	2986
30	500	0.1	Peak	364.9	-43.82	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.57	-13	N/A	5001
1000	10000	1	Peak	7224	-19.74	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.2	-13	Pass	401
0.15	30	0.01	Peak	0.45	-59.61	-13	Pass	2986
30	1000	0.1	Peak	798.4	-48.38	-13	Pass	9701
1000	3000	1	Peak	1850	28.85	-13	N/A	2001
3000	20000	1	Peak	19682	-38.27	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.06	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.41	-13	Pass	2986
30	1000	0.1	Peak	879.52	-48.5	-13	Pass	9701
1000	3000	1	Peak	1880	28.49	-13	N/A	2001
3000	20000	1	Peak	19700	-38.2	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.23	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.35	-13	Pass	2986
30	1000	0.1	Peak	836	-48.69	-13	Pass	9701
1000	3000	1	Peak	1910	29.54	-13	N/A	2001
3000	20000	1	Peak	19706	-37.98	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.25	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.07	-13	Pass	2986
30	500	0.1	Peak	364	-43.05	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.4	-13	N/A	5001
1000	10000	1	Peak	6959	-19.7	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.87	-13	Pass	401
0.15	30	0.01	Peak	0.41	-54.02	-13	Pass	2986
30	500	0.1	Peak	496.6	-43.03	-13	Pass	4701
500	1000	0.1	Peak	836.7	27.79	-13	N/A	5001
1000	10000	1	Peak	7215	-20.3	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.63	-13	Pass	401
0.15	30	0.01	Peak	0.22	-53.72	-13	Pass	2986
30	500	0.1	Peak	387.9	-43.42	-13	Pass	4701
500	1000	0.1	Peak	848.7	25.25	-13	N/A	5001
1000	10000	1	Peak	9617	-19.92	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.52	-13	Pass	401
0.15	30	0.01	Peak	0.53	-60.26	-13	Pass	2986
30	1000	0.1	Peak	984.89	-47.81	-13	Pass	9701
1000	3000	1	Peak	1850	27.72	-13	N/A	2001
3000	20000	1	Peak	19985	-37.8	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.36	-13	Pass	401
0.15	30	0.01	Peak	0.43	-59.78	-13	Pass	2986
30	1000	0.1	Peak	860.307	-48.41	-13	Pass	9701
1000	3000	1	Peak	1880	26.22	-13	N/A	2001
3000	20000	1	Peak	19455	-38.16	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.46	-13	Pass	401
0.15	30	0.01	Peak	0.3	-59.53	-13	Pass	2986
30	1000	0.1	Peak	808.1	-48.66	-13	Pass	9701
1000	3000	1	Peak	1910	28.04	-13	N/A	2001
3000	20000	1	Peak	19391	-37.9	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.68	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.04	-13	Pass	2986
30	1000	0.1	Peak	978.085	-52.83	-13	Pass	9701
1000	3000	1	Peak	1854	23.66	-13	N/A	2001
3000	20000	1	Peak	19453	-18.82	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.82	-13	Pass	2986
30	1000	0.1	Peak	853.403	-52.62	-13	Pass	9701
1000	3000	1	Peak	1881	23.97	-13	N/A	2001
3000	20000	1	Peak	19173	-18.95	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.74	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.79	-13	Pass	2986
30	1000	0.1	Peak	927.452	-52.57	-13	Pass	9701
1000	3000	1	Peak	1906	24.01	-13	N/A	2001
3000	20000	1	Peak	19734	-18.96	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-61.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.14	-13	Pass	2986
30	1000	0.1	Peak	876.918	-51.94	-13	Pass	9701
1000	3000	1	Peak	1714	23.8	-13	N/A	2001
3000	20000	1	Peak	19410	-19.1	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-61.48	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.36	-13	Pass	2986
30	1000	0.1	Peak	841.1	-52.42	-13	Pass	9701
1000	3000	1	Peak	1731	23.58	-13	N/A	2001
3000	20000	1	Peak	19982	-19.62	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-59.78	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.25	-13	Pass	2986
30	1000	0.1	Peak	961.875	-53.03	-13	Pass	9701
1000	3000	1	Peak	1751	23.48	-13	N/A	2001
3000	20000	1	Peak	19826	-19.74	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.99	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.32	-13	Pass	2986
30	500	0.1	Peak	476.8	-53.78	-13	Pass	4701
500	1000	0.1	Peak	825.9	17.88	-13	N/A	5001
1000	10000	1	Peak	6961	-30.49	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-61.32	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.24	-13	Pass	2986
30	500	0.1	Peak	397.8	-53.62	-13	Pass	4701
500	1000	0.1	Peak	835.5	19.71	-13	N/A	5001
1000	10000	1	Peak	7682	-30.49	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-60.29	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.28	-13	Pass	2986
30	500	0.1	Peak	266	-53.24	-13	Pass	4701
500	1000	0.1	Peak	846.9	18.18	-13	N/A	5001
1000	10000	1	Peak	7585	-29.93	-13	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-13	Pass	2986
30	1000	0.1	RMS	843.1	-63.66	-13	Pass	9701
1000	1840	1	RMS	1840	-51.62	-13	Pass	841
1840	1920	1	RMS	1850.2	22.15	60	Pass	401
1920	3000	1	RMS	2951	-48.67	-13	Pass	1081
3000	12000	1	RMS	11847	-40.07	-13	Pass	9002
12000	20000	1	RMS	19403	-31.03	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	850.301	-63.63	-13	Pass	9701
1000	1840	1	RMS	1840	-51.87	-13	Pass	841
1840	1920	1	RMS	1850.2	21.21	60	Pass	401
1920	3000	1	RMS	2956	-48.71	-13	Pass	1081
3000	12000	1	RMS	11955	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-31.03	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.6	-13	Pass	9701
1000	1840	1	RMS	1809	-52.18	-13	Pass	841
1840	1920	1	RMS	1879.4	22.68	60	Pass	401
1920	3000	1	RMS	2952	-48.67	-13	Pass	1081
3000	12000	1	RMS	11950	-40.07	-13	Pass	9002
12000	20000	1	RMS	19398	-31.05	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.89	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.15	-13	Pass	2986
30	1000	0.1	RMS	834.9	-63.56	-13	Pass	9701
1000	1840	1	RMS	1808	-52.14	-13	Pass	841
1840	1920	1	RMS	1879.4	21.7	60	Pass	401
1920	3000	1	RMS	2958	-48.67	-13	Pass	1081
3000	12000	1	RMS	11951	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2986
30	1000	0.1	RMS	824.8	-63.57	-13	Pass	9701
1000	1840	1	RMS	1811	-52.13	-13	Pass	841
1840	1920	1	RMS	1908.8	22.77	60	Pass	401
1920	3000	1	RMS	2955	-48.66	-13	Pass	1081
3000	12000	1	RMS	11844	-40.12	-13	Pass	9002
12000	20000	1	RMS	19401	-31.03	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.37	-13	Pass	9701
1000	1840	1	RMS	1807	-52.15	-13	Pass	841
1840	1920	1	RMS	1908.8	21.83	60	Pass	401
1920	3000	1	RMS	2954	-48.69	-13	Pass	1081
3000	12000	1	RMS	11850	-40.09	-13	Pass	9002
12000	20000	1	RMS	19402	-30.97	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-51.4	-13	Pass	841
1840	1920	1	RMS	1850.2	22.04	60	Pass	401
1920	3000	1	RMS	2948	-48.64	-13	Pass	1081
3000	12000	1	RMS	11953	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-31.02	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2986
30	1000	0.1	RMS	974.283	-63.71	-13	Pass	9701
1000	1840	1	RMS	1840	-51.53	-13	Pass	841
1840	1920	1	RMS	1850.2	21.21	60	Pass	401
1920	3000	1	RMS	2958	-48.72	-13	Pass	1081
3000	12000	1	RMS	11950	-40.08	-13	Pass	9002
12000	20000	1	RMS	19394	-31.06	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	827.5	-63.45	-13	Pass	9701
1000	1840	1	RMS	1806	-52.12	-13	Pass	841
1840	1920	1	RMS	1878.6	22.61	60	Pass	401
1920	3000	1	RMS	2952	-48.61	-13	Pass	1081
3000	12000	1	RMS	11950	-40.08	-13	Pass	9002
12000	20000	1	RMS	19403	-31.07	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	843.2	-63.61	-13	Pass	9701
1000	1840	1	RMS	1804	-52.16	-13	Pass	841
1840	1920	1	RMS	1878.6	21.6	60	Pass	401
1920	3000	1	RMS	2957	-48.61	-13	Pass	1081
3000	12000	1	RMS	11845	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-31.02	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.94	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.25	-13	Pass	2986
30	1000	0.1	RMS	848.3	-63.72	-13	Pass	9701
1000	1840	1	RMS	1813	-52.16	-13	Pass	841
1840	1920	1	RMS	1907.2	22.65	60	Pass	401
1920	3000	1	RMS	2963	-48.7	-13	Pass	1081
3000	12000	1	RMS	11850	-40.16	-13	Pass	9002
12000	20000	1	RMS	19402	-31.05	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2986
30	1000	0.1	RMS	846.6	-63.63	-13	Pass	9701
1000	1840	1	RMS	1840	-52.2	-13	Pass	841
1840	1920	1	RMS	1907.2	21.67	60	Pass	401
1920	3000	1	RMS	2954	-48.67	-13	Pass	1081
3000	12000	1	RMS	11950	-40.06	-13	Pass	9002
12000	20000	1	RMS	19405	-31.02	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	861.108	-63.72	-13	Pass	9701
1000	1840	1	RMS	1840	-51.59	-13	Pass	841
1840	1920	1	RMS	1850.2	22.27	60	Pass	401
1920	3000	1	RMS	2954	-48.66	-13	Pass	1081
3000	12000	1	RMS	11850	-40.13	-13	Pass	9002
12000	20000	1	RMS	19399	-31	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	1000	0.1	RMS	863.209	-63.76	-13	Pass	9701
1000	1840	1	RMS	1840	-51.74	-13	Pass	841
1840	1920	1	RMS	1850.2	21.34	60	Pass	401
1920	3000	1	RMS	2957	-48.7	-13	Pass	1081
3000	12000	1	RMS	11851	-40.1	-13	Pass	9002
12000	20000	1	RMS	19401	-31.11	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.03	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.62	-13	Pass	2986
30	1000	0.1	RMS	851.101	-63.62	-13	Pass	9701
1000	1840	1	RMS	1811	-52.2	-13	Pass	841
1840	1920	1	RMS	1877.8	22.69	60	Pass	401
1920	3000	1	RMS	2952	-48.72	-13	Pass	1081
3000	12000	1	RMS	11847	-40.13	-13	Pass	9002
12000	20000	1	RMS	19401	-31.1	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.72	-13	Pass	9701
1000	1840	1	RMS	1812	-52.17	-13	Pass	841
1840	1920	1	RMS	1877.8	21.82	60	Pass	401
1920	3000	1	RMS	2958	-48.7	-13	Pass	1081
3000	12000	1	RMS	11844	-40.14	-13	Pass	9002
12000	20000	1	RMS	19410	-31.02	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	Pass	2986
30	1000	0.1	RMS	859.107	-63.77	-13	Pass	9701
1000	1840	1	RMS	1811	-52.15	-13	Pass	841
1840	1920	1	RMS	1905.2	22.89	60	Pass	401
1920	3000	1	RMS	2947	-48.7	-13	Pass	1081
3000	12000	1	RMS	11849	-40.18	-13	Pass	9002
12000	20000	1	RMS	19708	-31.07	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	1000	0.1	RMS	922.148	-63.56	-13	Pass	9701
1000	1840	1	RMS	1807	-52.19	-13	Pass	841
1840	1920	1	RMS	1905.2	22.04	60	Pass	401
1920	3000	1	RMS	2948	-48.74	-13	Pass	1081
3000	12000	1	RMS	11852	-40.07	-13	Pass	9002
12000	20000	1	RMS	19407	-31.06	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-13	Pass	2986
30	1000	0.1	RMS	842	-63.55	-13	Pass	9701
1000	1840	1	RMS	1840	-48.21	-13	Pass	841
1840	1920	1	RMS	1850.4	22.28	60	Pass	401
1920	3000	1	RMS	2957	-48.66	-13	Pass	1081
3000	12000	1	RMS	11850	-40.13	-13	Pass	9002
12000	20000	1	RMS	19402	-31.07	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.28	-13	Pass	2986
30	1000	0.1	RMS	860.808	-63.57	-13	Pass	9701
1000	1840	1	RMS	1840	-48.43	-13	Pass	841
1840	1920	1	RMS	1850.4	21.44	60	Pass	401
1920	3000	1	RMS	2951	-48.73	-13	Pass	1081
3000	12000	1	RMS	11851	-40.15	-13	Pass	9002
12000	20000	1	RMS	19402	-31.09	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2986
30	1000	0.1	RMS	853.803	-63.66	-13	Pass	9701
1000	1840	1	RMS	1840	-52.04	-13	Pass	841
1840	1920	1	RMS	1875.4	22.71	60	Pass	401
1920	3000	1	RMS	2957	-48.69	-13	Pass	1081
3000	12000	1	RMS	11956	-40.1	-13	Pass	9002
12000	20000	1	RMS	19403	-30.97	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.05	-13	Pass	2986
30	1000	0.1	RMS	860.307	-63.72	-13	Pass	9701
1000	1840	1	RMS	1840	-52.12	-13	Pass	841
1840	1920	1	RMS	1875.4	21.73	60	Pass	401
1920	3000	1	RMS	2957	-48.69	-13	Pass	1081
3000	12000	1	RMS	11954	-40.09	-13	Pass	9002
12000	20000	1	RMS	19399	-31.02	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	1000	0.1	RMS	843.7	-63.6	-13	Pass	9701
1000	1840	1	RMS	1810	-52.16	-13	Pass	841
1840	1920	1	RMS	1900.4	22.9	60	Pass	401
1920	3000	1	RMS	2957	-48.72	-13	Pass	1081
3000	12000	1	RMS	11950	-40.13	-13	Pass	9002
12000	20000	1	RMS	19406	-31.1	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	Pass	2986
30	1000	0.1	RMS	856.105	-63.71	-13	Pass	9701
1000	1840	1	RMS	1808	-52.18	-13	Pass	841
1840	1920	1	RMS	1900.4	21.92	60	Pass	401
1920	3000	1	RMS	2947	-48.69	-13	Pass	1081
3000	12000	1	RMS	11851	-40.11	-13	Pass	9002
12000	20000	1	RMS	19407	-31.1	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	Pass	2986
30	1000	0.1	RMS	864.01	-63.64	-13	Pass	9701
1000	1840	1	RMS	1840	-43.1	-13	Pass	841
1840	1920	1	RMS	1850.8	22.25	60	Pass	401
1920	3000	1	RMS	2954	-48.75	-13	Pass	1081
3000	12000	1	RMS	11957	-40.18	-13	Pass	9002
12000	20000	1	RMS	19401	-31.07	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.69	-13	Pass	9701
1000	1840	1	RMS	1840	-44.5	-13	Pass	841
1840	1920	1	RMS	1850.8	21.45	60	Pass	401
1920	3000	1	RMS	2944	-48.71	-13	Pass	1081
3000	12000	1	RMS	11851	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-31.05	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.14	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.98	-13	Pass	2986
30	1000	0.1	RMS	838.6	-63.72	-13	Pass	9701
1000	1840	1	RMS	1839	-52.19	-13	Pass	841
1840	1920	1	RMS	1873.2	22.66	60	Pass	401
1920	3000	1	RMS	2951	-48.69	-13	Pass	1081
3000	12000	1	RMS	11951	-40.13	-13	Pass	9002
12000	20000	1	RMS	19405	-31.08	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-57.67	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.83	-13	Pass	2986
30	1000	0.1	RMS	860.407	-63.63	-13	Pass	9701
1000	1840	1	RMS	1810	-52.14	-13	Pass	841
1840	1920	1	RMS	1873.2	21.65	60	Pass	401
1920	3000	1	RMS	2953	-48.69	-13	Pass	1081
3000	12000	1	RMS	11949	-40.14	-13	Pass	9002
12000	20000	1	RMS	19401	-31.08	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.6	-13	Pass	9701
1000	1840	1	RMS	1799	-52.17	-13	Pass	841
1840	1920	1	RMS	1895.8	22.84	60	Pass	401
1920	3000	1	RMS	1920	-46.66	-13	Pass	1081
3000	12000	1	RMS	11833	-40.19	-13	Pass	9002
12000	20000	1	RMS	19405	-31.1	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2986
30	1000	0.1	RMS	847.1	-63.71	-13	Pass	9701
1000	1840	1	RMS	1812	-52.18	-13	Pass	841
1840	1920	1	RMS	1895.8	21.89	60	Pass	401
1920	3000	1	RMS	1920	-47.08	-13	Pass	1081
3000	12000	1	RMS	11948	-40.17	-13	Pass	9002
12000	20000	1	RMS	19401	-31.05	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.28	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.21	-13	Pass	2986
30	1000	0.1	RMS	825.3	-63.63	-13	Pass	9701
1000	1840	1	RMS	1840	-44.23	-13	Pass	841
1840	1920	1	RMS	1851	22.2	60	Pass	401
1920	3000	1	RMS	2957	-48.66	-13	Pass	1081
3000	12000	1	RMS	11851	-40.15	-13	Pass	9002
12000	20000	1	RMS	19713	-31.11	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.03	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.1	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.56	-13	Pass	9701
1000	1840	1	RMS	1840	-45.55	-13	Pass	841
1840	1920	1	RMS	1851	21.4	60	Pass	401
1920	3000	1	RMS	2959	-48.72	-13	Pass	1081
3000	12000	1	RMS	11850	-40.08	-13	Pass	9002
12000	20000	1	RMS	19400	-30.96	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.69	-13	Pass	9701
1000	1840	1	RMS	1835	-48.85	-13	Pass	841
1840	1920	1	RMS	1871	22.52	60	Pass	401
1920	3000	1	RMS	2957	-48.66	-13	Pass	1081
3000	12000	1	RMS	11847	-40.12	-13	Pass	9002
12000	20000	1	RMS	19408	-31.05	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-58.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.66	-13	Pass	9701
1000	1840	1	RMS	1835	-49.6	-13	Pass	841
1840	1920	1	RMS	1871	21.58	60	Pass	401
1920	3000	1	RMS	2950	-48.72	-13	Pass	1081
3000	12000	1	RMS	11948	-40.19	-13	Pass	9002
12000	20000	1	RMS	19400	-30.99	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	1000	0.1	RMS	835.1	-63.51	-13	Pass	9701
1000	1840	1	RMS	1746	-51.82	-13	Pass	841
1840	1920	1	RMS	1891	22.86	60	Pass	401
1920	3000	1	RMS	2956	-48.7	-13	Pass	1081
3000	12000	1	RMS	11956	-40.13	-13	Pass	9002
12000	20000	1	RMS	19409	-31.08	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	Pass	2986
30	1000	0.1	RMS	848.9	-63.61	-13	Pass	9701
1000	1840	1	RMS	1763	-52.09	-13	Pass	841
1840	1920	1	RMS	1891	21.83	60	Pass	401
1920	3000	1	RMS	2953	-48.67	-13	Pass	1081
3000	12000	1	RMS	11950	-40.14	-13	Pass	9002
12000	20000	1	RMS	19401	-31.05	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-51.73	-13	Pass	701
1700	1765	1	RMS	1710.238	22.27	60	Pass	401
1765	3000	1	RMS	2958	-48.72	-13	Pass	1236
3000	12000	1	RMS	11949	-40.12	-13	Pass	9002
12000	20000	1	RMS	19400	-31.02	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2986
30	1000	0.1	RMS	854.003	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-51.93	-13	Pass	701
1700	1765	1	RMS	1710.238	21.36	60	Pass	401
1765	3000	1	RMS	2952	-48.62	-13	Pass	1236
3000	12000	1	RMS	11948	-40.15	-13	Pass	9002
12000	20000	1	RMS	19406	-31.04	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2986
30	1000	0.1	RMS	847.8	-63.74	-13	Pass	9701
1000	1700	1	RMS	1699	-52.45	-13	Pass	701
1700	1765	1	RMS	1732.013	22.07	60	Pass	401
1765	3000	1	RMS	2956	-48.73	-13	Pass	1236
3000	12000	1	RMS	11852	-40.06	-13	Pass	9002
12000	20000	1	RMS	19401	-31.03	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	1000	0.1	RMS	866.211	-63.62	-13	Pass	9701
1000	1700	1	RMS	1699	-52.47	-13	Pass	701
1700	1765	1	RMS	1732.013	21.08	60	Pass	401
1765	3000	1	RMS	2956	-48.7	-13	Pass	1236
3000	12000	1	RMS	11849	-40.09	-13	Pass	9002
12000	20000	1	RMS	19407	-31.08	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-59.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	Pass	2986
30	1000	0.1	RMS	829.2	-63.55	-13	Pass	9701
1000	1700	1	RMS	1700	-52.45	-13	Pass	701
1700	1765	1	RMS	1753.788	22.13	60	Pass	401
1765	3000	1	RMS	2950	-48.71	-13	Pass	1236
3000	12000	1	RMS	11954	-40.12	-13	Pass	9002
12000	20000	1	RMS	19412	-31.08	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2986
30	1000	0.1	RMS	857.806	-63.62	-13	Pass	9701
1000	1700	1	RMS	1692	-52.48	-13	Pass	701
1700	1765	1	RMS	1753.788	21.19	60	Pass	401
1765	3000	1	RMS	2947	-48.69	-13	Pass	1236
3000	12000	1	RMS	11850	-40.13	-13	Pass	9002
12000	20000	1	RMS	19408	-31.01	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	839.2	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-51.56	-13	Pass	701
1700	1765	1	RMS	1710.075	22.21	60	Pass	401
1765	3000	1	RMS	2953	-48.74	-13	Pass	1236
3000	12000	1	RMS	11949	-40.07	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	847.9	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-51.7	-13	Pass	701
1700	1765	1	RMS	1710.075	21.41	60	Pass	401
1765	3000	1	RMS	2961	-48.75	-13	Pass	1236
3000	12000	1	RMS	11855	-40.19	-13	Pass	9002
12000	20000	1	RMS	19403	-31.02	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	1000	0.1	RMS	849.3	-63.7	-13	Pass	9701
1000	1700	1	RMS	1697	-52.52	-13	Pass	701
1700	1765	1	RMS	1731.2	22.01	60	Pass	401
1765	3000	1	RMS	2963	-48.7	-13	Pass	1236
3000	12000	1	RMS	11946	-40.12	-13	Pass	9002
12000	20000	1	RMS	19402	-31.04	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2986
30	1000	0.1	RMS	856.605	-63.65	-13	Pass	9701
1000	1700	1	RMS	1700	-52.48	-13	Pass	701
1700	1765	1	RMS	1731.2	21.04	60	Pass	401
1765	3000	1	RMS	2954	-48.71	-13	Pass	1236
3000	12000	1	RMS	11956	-40.18	-13	Pass	9002
12000	20000	1	RMS	19408	-31.05	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2986
30	1000	0.1	RMS	862.509	-63.78	-13	Pass	9701
1000	1700	1	RMS	1683	-52.49	-13	Pass	701
1700	1765	1	RMS	1752.163	22.02	60	Pass	401
1765	3000	1	RMS	2959	-48.74	-13	Pass	1236
3000	12000	1	RMS	11948	-40.12	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-52.49	-13	Pass	701
1700	1765	1	RMS	1752.163	21.11	60	Pass	401
1765	3000	1	RMS	2945	-48.69	-13	Pass	1236
3000	12000	1	RMS	11950	-40.17	-13	Pass	9002
12000	20000	1	RMS	19389	-31.06	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.25	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	Pass	2986
30	1000	0.1	RMS	835.5	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-51.79	-13	Pass	701
1700	1765	1	RMS	1710.238	22.53	60	Pass	401
1765	3000	1	RMS	2950	-48.71	-13	Pass	1236
3000	12000	1	RMS	3421	-39.66	-13	Pass	9002
12000	20000	1	RMS	19402	-31.02	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	1000	0.1	RMS	859.007	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-51.93	-13	Pass	701
1700	1765	1	RMS	1710.238	21.61	60	Pass	401
1765	3000	1	RMS	2959	-48.74	-13	Pass	1236
3000	12000	1	RMS	11950	-40.13	-13	Pass	9002
12000	20000	1	RMS	19401	-31.08	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.81	-13	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	Pass	701
1700	1765	1	RMS	1730.225	22.27	60	Pass	401
1765	3000	1	RMS	2948	-48.73	-13	Pass	1236
3000	12000	1	RMS	11949	-40.1	-13	Pass	9002
12000	20000	1	RMS	19403	-31.01	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.27	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.01	-13	Pass	2986
30	1000	0.1	RMS	858.506	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-52.44	-13	Pass	701
1700	1765	1	RMS	1730.225	21.44	60	Pass	401
1765	3000	1	RMS	2958	-48.69	-13	Pass	1236
3000	12000	1	RMS	11849	-40.15	-13	Pass	9002
12000	20000	1	RMS	19400	-30.98	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2986
30	1000	0.1	RMS	957.372	-63.78	-13	Pass	9701
1000	1700	1	RMS	1697	-52.46	-13	Pass	701
1700	1765	1	RMS	1750.213	22.25	60	Pass	401
1765	3000	1	RMS	2951	-48.75	-13	Pass	1236
3000	12000	1	RMS	3501	-39.96	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.32	-13	Pass	2986
30	1000	0.1	RMS	847.9	-63.72	-13	Pass	9701
1000	1700	1	RMS	1698	-52.44	-13	Pass	701
1700	1765	1	RMS	1750.213	21.47	60	Pass	401
1765	3000	1	RMS	2962	-48.71	-13	Pass	1236
3000	12000	1	RMS	11948	-40.15	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	1000	0.1	RMS	833.7	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-47.57	-13	Pass	701
1700	1765	1	RMS	1710.563	22.58	60	Pass	401
1765	3000	1	RMS	2947	-48.72	-13	Pass	1236
3000	12000	1	RMS	3421	-39.23	-13	Pass	9002
12000	20000	1	RMS	19400	-31.04	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	835.5	-63.52	-13	Pass	9701
1000	1700	1	RMS	1700	-47.8	-13	Pass	701
1700	1765	1	RMS	1710.563	21.75	60	Pass	401
1765	3000	1	RMS	2945	-48.72	-13	Pass	1236
3000	12000	1	RMS	3421	-39.95	-13	Pass	9002
12000	20000	1	RMS	19400	-31.09	-13	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	1000	0.1	RMS	844	-63.8	-13	Pass	9701
1000	1700	1	RMS	1693	-52.32	-13	Pass	701
1700	1765	1	RMS	1727.95	22.44	60	Pass	401
1765	3000	1	RMS	2950	-48.75	-13	Pass	1236
3000	12000	1	RMS	11850	-40.15	-13	Pass	9002
12000	20000	1	RMS	19400	-31.12	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.21	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.55	-13	Pass	2986
30	1000	0.1	RMS	849.8	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-52.45	-13	Pass	701
1700	1765	1	RMS	1727.95	21.43	60	Pass	401
1765	3000	1	RMS	2956	-48.74	-13	Pass	1236
3000	12000	1	RMS	11846	-40.15	-13	Pass	9002
12000	20000	1	RMS	19702	-31.09	-13	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-58.91	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.79	-13	Pass	2986
30	1000	0.1	RMS	857.005	-63.75	-13	Pass	9701
1000	1700	1	RMS	1680	-52.52	-13	Pass	701
1700	1765	1	RMS	1745.5	22.48	60	Pass	401
1765	3000	1	RMS	2956	-48.67	-13	Pass	1236
3000	12000	1	RMS	3491	-39.27	-13	Pass	9002
12000	20000	1	RMS	19400	-31.06	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.61	-13	Pass	9701
1000	1700	1	RMS	1692	-52.51	-13	Pass	701
1700	1765	1	RMS	1745.5	21.53	60	Pass	401
1765	3000	1	RMS	2945	-48.69	-13	Pass	1236
3000	12000	1	RMS	3491	-39.84	-13	Pass	9002
12000	20000	1	RMS	19407	-31.06	-13	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2986
30	1000	0.1	RMS	866.612	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-42.57	-13	Pass	701
1700	1765	1	RMS	1710.725	22.55	60	Pass	401
1765	3000	1	RMS	2951	-48.71	-13	Pass	1236
3000	12000	1	RMS	3422	-39.64	-13	Pass	9002
12000	20000	1	RMS	19400	-31.07	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	Pass	2986
30	1000	0.1	RMS	840.4	-63.6	-13	Pass	9701
1000	1700	1	RMS	1700	-44.09	-13	Pass	701
1700	1765	1	RMS	1710.725	21.76	60	Pass	401
1765	3000	1	RMS	2958	-48.72	-13	Pass	1236
3000	12000	1	RMS	11846	-40.08	-13	Pass	9002
12000	20000	1	RMS	19400	-31.08	-13	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2986
30	1000	0.1	RMS	854.704	-63.6	-13	Pass	9701
1000	1700	1	RMS	1699	-44.05	-13	Pass	701
1700	1765	1	RMS	1725.838	22.42	60	Pass	401
1765	3000	1	RMS	2948	-48.72	-13	Pass	1236
3000	12000	1	RMS	11842	-40.18	-13	Pass	9002
12000	20000	1	RMS	19404	-31.11	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	Pass	2986
30	1000	0.1	RMS	840.4	-63.73	-13	Pass	9701
1000	1700	1	RMS	1699	-45.49	-13	Pass	701
1700	1765	1	RMS	1725.838	21.45	60	Pass	401
1765	3000	1	RMS	2942	-48.74	-13	Pass	1236
3000	12000	1	RMS	11852	-40.17	-13	Pass	9002
12000	20000	1	RMS	19401	-30.99	-13	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-59.38	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.07	-13	Pass	2986
30	1000	0.1	RMS	861.908	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-52.47	-13	Pass	701
1700	1765	1	RMS	1740.788	22.34	60	Pass	401
1765	3000	1	RMS	1767	-32.06	-13	Pass	1236
3000	12000	1	RMS	3482	-40.11	-13	Pass	9002
12000	20000	1	RMS	19402	-31.01	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2986
30	1000	0.1	RMS	839	-63.7	-13	Pass	9701
1000	1700	1	RMS	1688	-52.45	-13	Pass	701
1700	1765	1	RMS	1740.788	21.53	60	Pass	401
1765	3000	1	RMS	1767	-33.1	-13	Pass	1236
3000	12000	1	RMS	11950	-40.16	-13	Pass	9002
12000	20000	1	RMS	19404	-31.12	-13	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.1	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.83	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-44.02	-13	Pass	701
1700	1765	1	RMS	1711.05	22.44	60	Pass	401
1765	3000	1	RMS	1782	-48.02	-13	Pass	1236
3000	12000	1	RMS	3422	-39.37	-13	Pass	9002
12000	20000	1	RMS	19397	-31.01	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	Pass	2986
30	1000	0.1	RMS	853.403	-63.76	-13	Pass	9701
1000	1700	1	RMS	1699	-45.33	-13	Pass	701
1700	1765	1	RMS	1711.05	21.62	60	Pass	401
1765	3000	1	RMS	2957	-48.74	-13	Pass	1236
3000	12000	1	RMS	11850	-40.13	-13	Pass	9002
12000	20000	1	RMS	19399	-31.04	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	1000	0.1	RMS	838.8	-63.77	-13	Pass	9701
1000	1700	1	RMS	1688	-48.95	-13	Pass	701
1700	1765	1	RMS	1723.563	22.4	60	Pass	401
1765	3000	1	RMS	2956	-48.74	-13	Pass	1236
3000	12000	1	RMS	11852	-40.21	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-13	Pass	2986
30	1000	0.1	RMS	846.3	-63.57	-13	Pass	9701
1000	1700	1	RMS	1688	-49.68	-13	Pass	701
1700	1765	1	RMS	1723.563	21.42	60	Pass	401
1765	3000	1	RMS	2947	-48.72	-13	Pass	1236
3000	12000	1	RMS	11847	-40.14	-13	Pass	9002
12000	20000	1	RMS	19403	-30.97	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2986
30	1000	0.1	RMS	968.479	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-43.19	-13	Pass	701
1700	1765	1	RMS	1736.075	22.06	60	Pass	401
1765	3000	1	RMS	1772	-30.93	-13	Pass	1236
3000	12000	1	RMS	11844	-40.17	-13	Pass	9002
12000	20000	1	RMS	19400	-31.07	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.06	-13	Pass	2986
30	1000	0.1	RMS	849.2	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-44.43	-13	Pass	701
1700	1765	1	RMS	1736.075	21.08	60	Pass	401
1765	3000	1	RMS	1772	-32.23	-13	Pass	1236
3000	12000	1	RMS	11950	-40.14	-13	Pass	9002
12000	20000	1	RMS	19406	-31.1	-13	Pass	8001



3. LTE_Band66


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-58.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.56	-13	Pass	2986
30	1000	0.1	RMS	848.2	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-51.79	-13	Pass	701
1700	1790	1	RMS	1710.125	22.67	60	Pass	401
1790	3000	1	RMS	2944	-48.77	-13	Pass	1211
3000	12000	1	RMS	11950	-40.07	-13	Pass	9002
12000	20000	1	RMS	19401	-30.99	-13	Pass	8001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2986
30	1000	0.1	RMS	999.7	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-51.89	-13	Pass	701
1700	1790	1	RMS	1710.125	21.68	60	Pass	401
1790	3000	1	RMS	2958	-48.76	-13	Pass	1211
3000	12000	1	RMS	11953	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	1000	0.1	RMS	835.3	-63.7	-13	Pass	9701
1000	1700	1	RMS	1697	-52.52	-13	Pass	701
1700	1790	1	RMS	1744.55	22.39	60	Pass	401
1790	3000	1	RMS	2957	-48.75	-13	Pass	1211
3000	12000	1	RMS	3489	-39.13	-13	Pass	9002
12000	20000	1	RMS	19702	-31.07	-13	Pass	8001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.02	-13	Pass	2986
30	1000	0.1	RMS	848.2	-63.71	-13	Pass	9701
1000	1700	1	RMS	1698	-52.53	-13	Pass	701
1700	1790	1	RMS	1744.55	21.42	60	Pass	401
1790	3000	1	RMS	2952	-48.73	-13	Pass	1211
3000	12000	1	RMS	3489	-40.04	-13	Pass	9002
12000	20000	1	RMS	19400	-31.08	-13	Pass	8001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-58.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-52.53	-13	Pass	701
1700	1790	1	RMS	1778.75	22.37	60	Pass	401
1790	3000	1	RMS	2951	-48.76	-13	Pass	1211
3000	12000	1	RMS	11957	-40.2	-13	Pass	9002
12000	20000	1	RMS	19402	-31.05	-13	Pass	8001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	852.903	-63.75	-13	Pass	9701
1000	1700	1	RMS	1698	-52.53	-13	Pass	701
1700	1790	1	RMS	1778.75	21.45	60	Pass	401
1790	3000	1	RMS	2955	-48.72	-13	Pass	1211
3000	12000	1	RMS	11944	-40.15	-13	Pass	9002
12000	20000	1	RMS	19395	-31.1	-13	Pass	8001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2986
30	1000	0.1	RMS	842.4	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-51.59	-13	Pass	701
1700	1790	1	RMS	1710.125	22.58	60	Pass	401
1790	3000	1	RMS	2957	-48.7	-13	Pass	1211
3000	12000	1	RMS	11950	-40.17	-13	Pass	9002
12000	20000	1	RMS	19396	-31.13	-13	Pass	8001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	Pass	2986
30	1000	0.1	RMS	846.4	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-51.69	-13	Pass	701
1700	1790	1	RMS	1710.125	21.75	60	Pass	401
1790	3000	1	RMS	2954	-48.71	-13	Pass	1211
3000	12000	1	RMS	11956	-40.17	-13	Pass	9002
12000	20000	1	RMS	19411	-31.05	-13	Pass	8001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2986
30	1000	0.1	RMS	843.2	-63.55	-13	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	Pass	701
1700	1790	1	RMS	1743.65	22.43	60	Pass	401
1790	3000	1	RMS	2950	-48.72	-13	Pass	1211
3000	12000	1	RMS	11949	-40.17	-13	Pass	9002
12000	20000	1	RMS	19395	-31.05	-13	Pass	8001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	1000	0.1	RMS	863.309	-63.63	-13	Pass	9701
1000	1700	1	RMS	1683	-52.52	-13	Pass	701
1700	1790	1	RMS	1743.65	21.44	60	Pass	401
1790	3000	1	RMS	2957	-48.74	-13	Pass	1211
3000	12000	1	RMS	11945	-40.14	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-59.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2986
30	1000	0.1	RMS	854.804	-63.65	-13	Pass	9701
1000	1700	1	RMS	1699	-52.46	-13	Pass	701
1700	1790	1	RMS	1777.175	22.26	60	Pass	401
1790	3000	1	RMS	2957	-48.71	-13	Pass	1211
3000	12000	1	RMS	11850	-40.18	-13	Pass	9002
12000	20000	1	RMS	19404	-31.05	-13	Pass	8001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	1000	0.1	RMS	851.802	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-52.54	-13	Pass	701
1700	1790	1	RMS	1777.175	21.33	60	Pass	401
1790	3000	1	RMS	2948	-48.75	-13	Pass	1211
3000	12000	1	RMS	11953	-40.22	-13	Pass	9002
12000	20000	1	RMS	19401	-31.03	-13	Pass	8001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-51.7	-13	Pass	701
1700	1790	1	RMS	1710.125	22.67	60	Pass	401
1790	3000	1	RMS	2956	-48.75	-13	Pass	1211
3000	12000	1	RMS	3421	-39.37	-13	Pass	9002
12000	20000	1	RMS	19402	-31.04	-13	Pass	8001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2986
30	1000	0.1	RMS	834.2	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-51.87	-13	Pass	701
1700	1790	1	RMS	1710.125	21.74	60	Pass	401
1790	3000	1	RMS	2949	-48.76	-13	Pass	1211
3000	12000	1	RMS	11851	-40.19	-13	Pass	9002
12000	20000	1	RMS	19400	-31.07	-13	Pass	8001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	Pass	2986
30	1000	0.1	RMS	842.1	-63.66	-13	Pass	9701
1000	1700	1	RMS	1690	-52.5	-13	Pass	701
1700	1790	1	RMS	1742.75	22.66	60	Pass	401
1790	3000	1	RMS	2951	-48.69	-13	Pass	1211
3000	12000	1	RMS	3486	-39.55	-13	Pass	9002
12000	20000	1	RMS	19405	-31.06	-13	Pass	8001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.59	-13	Pass	9701
1000	1700	1	RMS	1699	-52.51	-13	Pass	701
1700	1790	1	RMS	1742.75	21.81	60	Pass	401
1790	3000	1	RMS	2954	-48.69	-13	Pass	1211
3000	12000	1	RMS	11950	-40.13	-13	Pass	9002
12000	20000	1	RMS	19400	-31.04	-13	Pass	8001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.72	-13	Pass	401
0.15	30	0.01	RMS	0.51	-72.41	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	Pass	701
1700	1790	1	RMS	1775.15	22.43	60	Pass	401
1790	3000	1	RMS	2946	-48.74	-13	Pass	1211
3000	12000	1	RMS	11852	-40.13	-13	Pass	9002
12000	20000	1	RMS	19402	-31.05	-13	Pass	8001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	1000	0.1	RMS	843.1	-63.64	-13	Pass	9701
1000	1700	1	RMS	1692	-52.51	-13	Pass	701
1700	1790	1	RMS	1775.15	21.69	60	Pass	401
1790	3000	1	RMS	2946	-48.66	-13	Pass	1211
3000	12000	1	RMS	11949	-40.08	-13	Pass	9002
12000	20000	1	RMS	19398	-31.11	-13	Pass	8001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-47.19	-13	Pass	701
1700	1790	1	RMS	1710.575	22.74	60	Pass	401
1790	3000	1	RMS	2954	-48.76	-13	Pass	1211
3000	12000	1	RMS	3421	-38.94	-13	Pass	9002
12000	20000	1	RMS	19405	-31.02	-13	Pass	8001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-47.63	-13	Pass	701
1700	1790	1	RMS	1710.575	21.93	60	Pass	401
1790	3000	1	RMS	2960	-48.7	-13	Pass	1211
3000	12000	1	RMS	3421	-39.63	-13	Pass	9002
12000	20000	1	RMS	19739	-31.04	-13	Pass	8001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2986
30	1000	0.1	RMS	833.7	-63.77	-13	Pass	9701
1000	1700	1	RMS	1690	-52.51	-13	Pass	701
1700	1790	1	RMS	1740.5	22.74	60	Pass	401
1790	3000	1	RMS	2958	-48.71	-13	Pass	1211
3000	12000	1	RMS	3481	-39.28	-13	Pass	9002
12000	20000	1	RMS	19399	-31.06	-13	Pass	8001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2986
30	1000	0.1	RMS	827.8	-63.75	-13	Pass	9701
1000	1700	1	RMS	1696	-52.5	-13	Pass	701
1700	1790	1	RMS	1740.5	21.73	60	Pass	401
1790	3000	1	RMS	2957	-48.73	-13	Pass	1211
3000	12000	1	RMS	11848	-40.13	-13	Pass	9002
12000	20000	1	RMS	19405	-31.04	-13	Pass	8001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.54	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.22	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.66	-13	Pass	9701
1000	1700	1	RMS	1698	-52.5	-13	Pass	701
1700	1790	1	RMS	1770.425	22.6	60	Pass	401
1790	3000	1	RMS	2950	-48.66	-13	Pass	1211
3000	12000	1	RMS	11948	-40.19	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001




3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	Pass	2986
30	1000	0.1	RMS	851.001	-63.76	-13	Pass	9701
1000	1700	1	RMS	1696	-52.52	-13	Pass	701
1700	1790	1	RMS	1770.425	21.69	60	Pass	401
1790	3000	1	RMS	2953	-48.72	-13	Pass	1211
3000	12000	1	RMS	11952	-40.14	-13	Pass	9002
12000	20000	1	RMS	19388	-31.13	-13	Pass	8001




3.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-13	Pass	2986
30	1000	0.1	RMS	831.3	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-41.81	-13	Pass	701
1700	1790	1	RMS	1710.8	22.74	60	Pass	401
1790	3000	1	RMS	2945	-48.76	-13	Pass	1211
3000	12000	1	RMS	3422	-39.51	-13	Pass	9002
12000	20000	1	RMS	19398	-31.08	-13	Pass	8001




3.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.29	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-43.17	-13	Pass	701
1700	1790	1	RMS	1710.8	21.87	60	Pass	401
1790	3000	1	RMS	2955	-48.71	-13	Pass	1211
3000	12000	1	RMS	3422	-40.12	-13	Pass	9002
12000	20000	1	RMS	19399	-31.09	-13	Pass	8001




3.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.77	-13	Pass	9701
1000	1700	1	RMS	1685	-52.47	-13	Pass	701
1700	1790	1	RMS	1738.25	22.63	60	Pass	401
1790	3000	1	RMS	2956	-48.68	-13	Pass	1211
3000	12000	1	RMS	3477	-40.09	-13	Pass	9002
12000	20000	1	RMS	19398	-31.09	-13	Pass	8001




3.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-13	Pass	2986
30	1000	0.1	RMS	837.6	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-52.51	-13	Pass	701
1700	1790	1	RMS	1738.25	21.62	60	Pass	401
1790	3000	1	RMS	2957	-48.7	-13	Pass	1211
3000	12000	1	RMS	11854	-40.16	-13	Pass	9002
12000	20000	1	RMS	19399	-31.11	-13	Pass	8001




3.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.82	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.79	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-52.5	-13	Pass	701
1700	1790	1	RMS	1765.7	22.61	60	Pass	401
1790	3000	1	RMS	1792	-34.84	-13	Pass	1211
3000	12000	1	RMS	11842	-40.2	-13	Pass	9002
12000	20000	1	RMS	19403	-31.1	-13	Pass	8001




3.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2986
30	1000	0.1	RMS	836.4	-63.65	-13	Pass	9701
1000	1700	1	RMS	1695	-52.51	-13	Pass	701
1700	1790	1	RMS	1765.7	21.77	60	Pass	401
1790	3000	1	RMS	1792	-35.7	-13	Pass	1211
3000	12000	1	RMS	11840	-40.16	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001




3.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.08	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.77	-13	Pass	2986
30	1000	0.1	RMS	825.9	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-43.05	-13	Pass	701
1700	1790	1	RMS	1711.025	22.68	60	Pass	401
1790	3000	1	RMS	2947	-48.75	-13	Pass	1211
3000	12000	1	RMS	3422	-39.05	-13	Pass	9002
12000	20000	1	RMS	19398	-31.13	-13	Pass	8001




3.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	1000	0.1	RMS	862.209	-63.8	-13	Pass	9701
1000	1700	1	RMS	1699	-44.54	-13	Pass	701
1700	1790	1	RMS	1711.025	21.84	60	Pass	401
1790	3000	1	RMS	2944	-48.75	-13	Pass	1211
3000	12000	1	RMS	3422	-39.83	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001




3.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2986
30	1000	0.1	RMS	858.806	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-44.72	-13	Pass	701
1700	1790	1	RMS	1736	22.47	60	Pass	401
1790	3000	1	RMS	2963	-48.66	-13	Pass	1211
3000	12000	1	RMS	3472	-40	-13	Pass	9002
12000	20000	1	RMS	19405	-31.08	-13	Pass	8001




3.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-46.25	-13	Pass	701
1700	1790	1	RMS	1736	21.49	60	Pass	401
1790	3000	1	RMS	2956	-48.77	-13	Pass	1211
3000	12000	1	RMS	11852	-40.14	-13	Pass	9002
12000	20000	1	RMS	19698	-31.16	-13	Pass	8001




3.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	835.4	-63.7	-13	Pass	9701
1000	1700	1	RMS	1690	-51.63	-13	Pass	701
1700	1790	1	RMS	1760.975	22.55	60	Pass	401
1790	3000	1	RMS	1797	-38.13	-13	Pass	1211
3000	12000	1	RMS	3522	-40.09	-13	Pass	9002
12000	20000	1	RMS	19400	-31.11	-13	Pass	8001



3.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	833	-63.68	-13	Pass	9701
1000	1700	1	RMS	1690	-52	-13	Pass	701
1700	1790	1	RMS	1760.975	21.56	60	Pass	401
1790	3000	1	RMS	1797	-38.81	-13	Pass	1211
3000	12000	1	RMS	11950	-40.17	-13	Pass	9002
12000	20000	1	RMS	19401	-31.13	-13	Pass	8001



4. LTE_Band38


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.11	-25	Pass	2986
30	1000	0.1	RMS	846.4	-59.81	-25	Pass	9701
1000	2560	1	RMS	2560	-45	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.57	60	Pass	401
2630	3000	1	RMS	2951.9	-44.82	-25	Pass	401
3000	12000	1	RMS	11851	-45.88	-25	Pass	9002
12000	26500	1	RMS	25998	-39.99	-25	Pass	14502




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.93	-25	Pass	2986
30	1000	0.1	RMS	849.6	-59.8	-25	Pass	9701
1000	2560	1	RMS	2560	-45.25	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.16	60	Pass	401
2630	3000	1	RMS	2952.825	-44.78	-25	Pass	401
3000	12000	1	RMS	11851	-45.88	-25	Pass	9002
12000	26500	1	RMS	26001	-40.05	-25	Pass	14502




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.08	-25	Pass	2986
30	1000	0.1	RMS	988.893	-59.69	-25	Pass	9701
1000	2560	1	RMS	2560	-46.18	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.22	60	Pass	401
2630	3000	1	RMS	2950.975	-44.73	-25	Pass	401
3000	12000	1	RMS	11848	-45.86	-25	Pass	9002
12000	26500	1	RMS	26006	-40.01	-25	Pass	14502




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.59	-25	Pass	2986
30	1000	0.1	RMS	858.806	-59.73	-25	Pass	9701
1000	2560	1	RMS	2556	-46.24	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.07	60	Pass	401
2630	3000	1	RMS	2956.525	-44.73	-25	Pass	401
3000	12000	1	RMS	11855	-45.81	-25	Pass	9002
12000	26500	1	RMS	26002	-40.01	-25	Pass	14502




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.75	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.53	-25	Pass	2986
30	1000	0.1	RMS	847.7	-59.74	-25	Pass	9701
1000	2560	1	RMS	2519	-46.33	-25	Pass	1561
2560	2630	1	RMS	2615.3	24.22	60	Pass	401
2630	3000	1	RMS	2632.775	-44.72	-25	Pass	401
3000	12000	1	RMS	11856	-45.87	-25	Pass	9002
12000	26500	1	RMS	26005	-39.98	-25	Pass	14502




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-25	Pass	2986
30	1000	0.1	RMS	849.2	-59.74	-25	Pass	9701
1000	2560	1	RMS	2523	-46.35	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.38	60	Pass	401
2630	3000	1	RMS	2632.775	-44.74	-25	Pass	401
3000	12000	1	RMS	11849	-45.78	-25	Pass	9002
12000	26500	1	RMS	25995	-39.94	-25	Pass	14502




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.33	-25	Pass	2986
30	1000	0.1	RMS	850.401	-59.64	-25	Pass	9701
1000	2560	1	RMS	2560	-42.48	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.49	60	Pass	401
2630	3000	1	RMS	2955.6	-44.75	-25	Pass	401
3000	12000	1	RMS	11850	-45.88	-25	Pass	9002
12000	26500	1	RMS	26008	-39.97	-25	Pass	14502




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-25	Pass	2986
30	1000	0.1	RMS	839.8	-59.74	-25	Pass	9701
1000	2560	1	RMS	2560	-41.24	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.68	60	Pass	401
2630	3000	1	RMS	2951.9	-44.73	-25	Pass	401
3000	12000	1	RMS	11845	-45.85	-25	Pass	9002
12000	26500	1	RMS	26001	-39.95	-25	Pass	14502



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.21	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.11	-25	Pass	2986
30	1000	0.1	RMS	837.8	-59.73	-25	Pass	9701
1000	2560	1	RMS	2560	-46.22	-25	Pass	1561
2560	2630	1	RMS	2590.45	24.11	60	Pass	401
2630	3000	1	RMS	2952.825	-44.76	-25	Pass	401
3000	12000	1	RMS	11849	-45.84	-25	Pass	9002
12000	26500	1	RMS	26006	-39.93	-25	Pass	14502



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-25	Pass	2986
30	1000	0.1	RMS	846.1	-59.66	-25	Pass	9701
1000	2560	1	RMS	2558	-46.21	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.03	60	Pass	401
2630	3000	1	RMS	2956.525	-44.73	-25	Pass	401
3000	12000	1	RMS	11846	-45.74	-25	Pass	9002
12000	26500	1	RMS	26001	-39.91	-25	Pass	14502



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.55	-25	Pass	2986
30	1000	0.1	RMS	850.701	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-46.24	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.1	60	Pass	401
2630	3000	1	RMS	2630	-44.3	-25	Pass	401
3000	12000	1	RMS	11853	-45.82	-25	Pass	9002
12000	26500	1	RMS	26005	-39.94	-25	Pass	14502



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.91	-25	Pass	2986
30	1000	0.1	RMS	841	-59.74	-25	Pass	9701
1000	2560	1	RMS	2559	-46.3	-25	Pass	1561
2560	2630	1	RMS	2610.4	22.85	60	Pass	401
2630	3000	1	RMS	2630	-44.07	-25	Pass	401
3000	12000	1	RMS	11848	-45.85	-25	Pass	9002
12000	26500	1	RMS	25997	-40.01	-25	Pass	14502



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.56	-25	Pass	2986
30	1000	0.1	RMS	833.7	-58.69	-25	Pass	9701
1000	2560	1	RMS	2558	-39.33	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.76	60	Pass	401
2630	3000	1	RMS	2951.9	-44.74	-25	Pass	401
3000	12000	1	RMS	11854	-45.79	-25	Pass	9002
12000	26500	1	RMS	26001	-39.98	-25	Pass	14502



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.23	-25	Pass	2986
30	1000	0.1	RMS	853.403	-59.74	-25	Pass	9701
1000	2560	1	RMS	2559	-40.47	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.35	60	Pass	401
2630	3000	1	RMS	2956.525	-44.72	-25	Pass	401
3000	12000	1	RMS	11848	-45.78	-25	Pass	9002
12000	26500	1	RMS	26002	-39.9	-25	Pass	14502



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.98	-25	Pass	2986
30	1000	0.1	RMS	856.405	-59.55	-25	Pass	9701
1000	2560	1	RMS	2559	-46.23	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.76	60	Pass	401
2630	3000	1	RMS	2956.525	-44.74	-25	Pass	401
3000	12000	1	RMS	11854	-45.81	-25	Pass	9002
12000	26500	1	RMS	26006	-39.94	-25	Pass	14502



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.85	-25	Pass	2986
30	1000	0.1	RMS	847.1	-59.67	-25	Pass	9701
1000	2560	1	RMS	2560	-46.07	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.51	60	Pass	401
2630	3000	1	RMS	2955.6	-44.72	-25	Pass	401
3000	12000	1	RMS	11847	-45.74	-25	Pass	9002
12000	26500	1	RMS	25995	-40	-25	Pass	14502



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	Pass	2986
30	1000	0.1	RMS	850.201	-59.73	-25	Pass	9701
1000	2560	1	RMS	2557	-46.32	-25	Pass	1561
2560	2630	1	RMS	2605.675	23.65	60	Pass	401
2630	3000	1	RMS	2631.85	-32.73	-25	Pass	401
3000	12000	1	RMS	11849	-45.77	-25	Pass	9002
12000	26500	1	RMS	25994	-39.97	-25	Pass	14502



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.29	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.95	-25	Pass	2986
30	1000	0.1	RMS	849.2	-59.68	-25	Pass	9701
1000	2560	1	RMS	2553	-46.32	-25	Pass	1561
2560	2630	1	RMS	2605.675	22.72	60	Pass	401
2630	3000	1	RMS	2631.85	-33.36	-25	Pass	401
3000	12000	1	RMS	11848	-45.79	-25	Pass	9002
12000	26500	1	RMS	26001	-40	-25	Pass	14502



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.14	-25	Pass	2986
30	1000	0.1	RMS	860.007	-59.76	-25	Pass	9701
1000	2560	1	RMS	2560	-40.84	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.16	60	Pass	401
2630	3000	1	RMS	2956.525	-44.74	-25	Pass	401
3000	12000	1	RMS	11843	-45.8	-25	Pass	9002
12000	26500	1	RMS	25994	-39.98	-25	Pass	14502



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.17	-25	Pass	2986
30	1000	0.1	RMS	829.9	-59.6	-25	Pass	9701
1000	2560	1	RMS	2559	-41.01	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.02	60	Pass	401
2630	3000	1	RMS	2950.975	-44.76	-25	Pass	401
3000	12000	1	RMS	11849	-45.81	-25	Pass	9002
12000	26500	1	RMS	25994	-39.93	-25	Pass	14502



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.91	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.15	-25	Pass	2986
30	1000	0.1	RMS	858.006	-59.75	-25	Pass	9701
1000	2560	1	RMS	2551	-43.5	-25	Pass	1561
2560	2630	1	RMS	2586.075	24.06	60	Pass	401
2630	3000	1	RMS	2956.525	-44.76	-25	Pass	401
3000	12000	1	RMS	11856	-45.81	-25	Pass	9002
12000	26500	1	RMS	25998	-39.92	-25	Pass	14502



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.18	-25	Pass	2986
30	1000	0.1	RMS	857.205	-59.63	-25	Pass	9701
1000	2560	1	RMS	2551	-44.29	-25	Pass	1561
2560	2630	1	RMS	2585.9	22.32	60	Pass	401
2630	3000	1	RMS	2951.9	-44.77	-25	Pass	401
3000	12000	1	RMS	11849	-45.83	-25	Pass	9002
12000	26500	1	RMS	26002	-39.99	-25	Pass	14502



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.12	-25	Pass	2986
30	1000	0.1	RMS	847.6	-59.69	-25	Pass	9701
1000	2560	1	RMS	2525	-46.25	-25	Pass	1561
2560	2630	1	RMS	2600.95	24.27	60	Pass	401
2630	3000	1	RMS	2636.475	-32.37	-25	Pass	401
3000	12000	1	RMS	11848	-45.83	-25	Pass	9002
12000	26500	1	RMS	26002	-39.96	-25	Pass	14502



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.14	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.26	-25	Pass	2986
30	1000	0.1	RMS	847.3	-59.68	-25	Pass	9701
1000	2560	1	RMS	1754	-44.58	-25	Pass	1561
2560	2630	1	RMS	2600.95	23.13	60	Pass	401
2630	3000	1	RMS	2636.475	-35.9	-25	Pass	401
3000	12000	1	RMS	11852	-45.85	-25	Pass	9002
12000	26500	1	RMS	25992	-39.98	-25	Pass	14502



5. LTE_Band5


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.13	-13	Pass	7841
814	860	0.1	RMS	824.3	19.48	60	Pass	461
860	1000	0.1	RMS	865.8	-63.81	-13	Pass	1401
1000	3000	1	RMS	2956	-48.74	-13	Pass	2001
3000	10000	1	RMS	6961	-41.35	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.3	-13	Pass	7841
814	860	0.1	RMS	824.3	18.58	60	Pass	461
860	1000	0.1	RMS	998.1	-63.75	-13	Pass	1401
1000	3000	1	RMS	2944	-48.75	-13	Pass	2001
3000	10000	1	RMS	6962	-41.38	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2986
30	814	0.1	RMS	804.1	-64.01	-13	Pass	7841
814	860	0.1	RMS	836.1	19.43	60	Pass	461
860	1000	0.1	RMS	861.4	-63.91	-13	Pass	1401
1000	3000	1	RMS	1672	-48.36	-13	Pass	2001
3000	10000	1	RMS	6963	-41.41	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.96	-13	Pass	2986
30	814	0.1	RMS	805.4	-63.99	-13	Pass	7841
814	860	0.1	RMS	836.1	18.46	60	Pass	461
860	1000	0.1	RMS	860.3	-63.92	-13	Pass	1401
1000	3000	1	RMS	2959	-48.71	-13	Pass	2001
3000	10000	1	RMS	6960	-41.4	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.71	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.74	-13	Pass	2986
30	814	0.1	RMS	813.5	-64.03	-13	Pass	7841
814	860	0.1	RMS	847.8	19.18	60	Pass	461
860	1000	0.1	RMS	860.1	-63.81	-13	Pass	1401
1000	3000	1	RMS	1695	-48.39	-13	Pass	2001
3000	10000	1	RMS	6961	-41.37	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	Pass	2986
30	814	0.1	RMS	811.5	-64.02	-13	Pass	7841
814	860	0.1	RMS	847.9	18.36	60	Pass	461
860	1000	0.1	RMS	860	-63.76	-13	Pass	1401
1000	3000	1	RMS	2956	-48.74	-13	Pass	2001
3000	10000	1	RMS	6960	-41.46	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.61	-13	Pass	7841
814	860	0.1	RMS	824.2	19.56	60	Pass	461
860	1000	0.1	RMS	864.7	-63.84	-13	Pass	1401
1000	3000	1	RMS	2960	-48.74	-13	Pass	2001
3000	10000	1	RMS	6961	-41.42	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.86	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.92	-13	Pass	7841
814	860	0.1	RMS	824.2	18.71	60	Pass	461
860	1000	0.1	RMS	869.3	-63.82	-13	Pass	1401
1000	3000	1	RMS	2956	-48.75	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.95	-13	Pass	7841
814	860	0.1	RMS	835.2	19.42	60	Pass	461
860	1000	0.1	RMS	863.1	-63.73	-13	Pass	1401
1000	3000	1	RMS	1670	-47.7	-13	Pass	2001
3000	10000	1	RMS	6960	-41.33	-13	Pass	7001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	814	0.1	RMS	811.4	-63.99	-13	Pass	7841
814	860	0.1	RMS	835.2	18.55	60	Pass	461
860	1000	0.1	RMS	867.3	-63.83	-13	Pass	1401
1000	3000	1	RMS	1670	-48.55	-13	Pass	2001
3000	10000	1	RMS	6959	-41.42	-13	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2986
30	814	0.1	RMS	727.2	-64.06	-13	Pass	7841
814	860	0.1	RMS	846.2	19.34	60	Pass	461
860	1000	0.1	RMS	867.7	-63.77	-13	Pass	1401
1000	3000	1	RMS	2467	-48.47	-13	Pass	2001
3000	10000	1	RMS	6958	-41.43	-13	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2986
30	814	0.1	RMS	814	-63.99	-13	Pass	7841
814	860	0.1	RMS	846.2	18.37	60	Pass	461
860	1000	0.1	RMS	982.6	-63.86	-13	Pass	1401
1000	3000	1	RMS	2956	-48.7	-13	Pass	2001
3000	10000	1	RMS	6961	-41.45	-13	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.7	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.74	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.08	-13	Pass	7841
814	860	0.1	RMS	824.3	19.9	60	Pass	461
860	1000	0.1	RMS	864.7	-63.79	-13	Pass	1401
1000	3000	1	RMS	1648	-48.68	-13	Pass	2001
3000	10000	1	RMS	6961	-41.4	-13	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.68	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.32	-13	Pass	7841
814	860	0.1	RMS	824.3	18.91	60	Pass	461
860	1000	0.1	RMS	871.8	-63.69	-13	Pass	1401
1000	3000	1	RMS	2957	-48.75	-13	Pass	2001
3000	10000	1	RMS	6964	-41.46	-13	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.46	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.65	-13	Pass	2986
30	814	0.1	RMS	814	-63.96	-13	Pass	7841
814	860	0.1	RMS	834.3	19.7	60	Pass	461
860	1000	0.1	RMS	861.1	-63.73	-13	Pass	1401
1000	3000	1	RMS	1668	-47.72	-13	Pass	2001
3000	10000	1	RMS	6960	-41.37	-13	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2986
30	814	0.1	RMS	805.7	-64.05	-13	Pass	7841
814	860	0.1	RMS	834.3	19.04	60	Pass	461
860	1000	0.1	RMS	881.5	-63.84	-13	Pass	1401
1000	3000	1	RMS	1668	-48.36	-13	Pass	2001
3000	10000	1	RMS	6959	-41.54	-13	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	814	0.1	RMS	808.8	-64.08	-13	Pass	7841
814	860	0.1	RMS	844.3	19.69	60	Pass	461
860	1000	0.1	RMS	860.9	-63.84	-13	Pass	1401
1000	3000	1	RMS	1688	-48.67	-13	Pass	2001
3000	10000	1	RMS	6961	-41.4	-13	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.22	-13	Pass	2986
30	814	0.1	RMS	803.2	-64.01	-13	Pass	7841
814	860	0.1	RMS	844.3	18.88	60	Pass	461
860	1000	0.1	RMS	860.4	-63.84	-13	Pass	1401
1000	3000	1	RMS	2949	-48.74	-13	Pass	2001
3000	10000	1	RMS	6962	-41.28	-13	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.52	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.28	-13	Pass	2986
30	814	0.1	RMS	814	-52.27	-13	Pass	7841
814	860	0.1	RMS	824.6	20.44	60	Pass	461
860	1000	0.1	RMS	876	-63.75	-13	Pass	1401
1000	3000	1	RMS	2954	-48.69	-13	Pass	2001
3000	10000	1	RMS	6959	-41.45	-13	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2986
30	814	0.1	RMS	814	-53.09	-13	Pass	7841
814	860	0.1	RMS	824.6	19.64	60	Pass	461
860	1000	0.1	RMS	877.4	-63.74	-13	Pass	1401
1000	3000	1	RMS	2957	-48.72	-13	Pass	2001
3000	10000	1	RMS	6961	-41.41	-13	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2986
30	814	0.1	RMS	814	-62.81	-13	Pass	7841
814	860	0.1	RMS	832.1	20.37	60	Pass	461
860	1000	0.1	RMS	862.5	-63.78	-13	Pass	1401
1000	3000	1	RMS	2953	-48.71	-13	Pass	2001
3000	10000	1	RMS	6961	-41.45	-13	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.32	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.39	-13	Pass	2986
30	814	0.1	RMS	814	-63.25	-13	Pass	7841
814	860	0.1	RMS	832.1	19.33	60	Pass	461
860	1000	0.1	RMS	878.1	-63.85	-13	Pass	1401
1000	3000	1	RMS	2951	-48.72	-13	Pass	2001
3000	10000	1	RMS	6964	-41.4	-13	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.79	-13	Pass	7841
814	860	0.1	RMS	839.6	20.27	60	Pass	461
860	1000	0.1	RMS	862.2	-63.9	-13	Pass	1401
1000	3000	1	RMS	2956	-48.68	-13	Pass	2001
3000	10000	1	RMS	6959	-41.46	-13	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.74	-13	Pass	7841
814	860	0.1	RMS	839.6	19.48	60	Pass	461
860	1000	0.1	RMS	861.3	-63.82	-13	Pass	1401
1000	3000	1	RMS	2951	-48.76	-13	Pass	2001
3000	10000	1	RMS	6965	-41.4	-13	Pass	7001



6. LTE_Band12


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	689	0.1	RMS	688.6	-64.04	-13	Pass	6591
689	726	0.1	RMS	699.268	20.02	60	Pass	401
726	1000	0.1	RMS	944	-63.56	-13	Pass	2741
1000	3000	1	RMS	1398	-35.29	-13	Pass	2001
3000	10000	1	RMS	6962	-41.47	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	689	0.1	RMS	688.5	-64.23	-13	Pass	6591
689	726	0.1	RMS	699.268	19.13	60	Pass	401
726	1000	0.1	RMS	854.6	-63.63	-13	Pass	2741
1000	3000	1	RMS	1398	-35.51	-13	Pass	2001
3000	10000	1	RMS	6961	-41.42	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.55	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.18	-13	Pass	2986
30	689	0.1	RMS	630.7	-64.48	-13	Pass	6591
689	726	0.1	RMS	707.038	19.99	60	Pass	401
726	1000	0.1	RMS	847.1	-63.39	-13	Pass	2741
1000	3000	1	RMS	1414	-33.75	-13	Pass	2001
3000	10000	1	RMS	6960	-41.31	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2986
30	689	0.1	RMS	495.4	-64.56	-13	Pass	6591
689	726	0.1	RMS	707.038	18.98	60	Pass	401
726	1000	0.1	RMS	842.5	-63.38	-13	Pass	2741
1000	3000	1	RMS	1414	-34.26	-13	Pass	2001
3000	10000	1	RMS	6960	-41.37	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	689	0.1	RMS	496	-64.35	-13	Pass	6591
689	726	0.1	RMS	714.808	19.48	60	Pass	401
726	1000	0.1	RMS	853.7	-63.49	-13	Pass	2741
1000	3000	1	RMS	1429	-38.91	-13	Pass	2001
3000	10000	1	RMS	6960	-41.39	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.64	-13	Pass	2986
30	689	0.1	RMS	491.7	-64.55	-13	Pass	6591
689	726	0.1	RMS	714.808	18.49	60	Pass	401
726	1000	0.1	RMS	832.5	-63.59	-13	Pass	2741
1000	3000	1	RMS	1429	-39.4	-13	Pass	2001
3000	10000	1	RMS	6958	-41.41	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.19	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.75	-13	Pass	6591
689	726	0.1	RMS	699.268	19.88	60	Pass	401
726	1000	0.1	RMS	852	-63.64	-13	Pass	2741
1000	3000	1	RMS	1398	-35.17	-13	Pass	2001
3000	10000	1	RMS	6960	-41.48	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.3	-13	Pass	401
0.15	30	0.01	RMS	0.34	-72.3	-13	Pass	2986
30	689	0.1	RMS	688.5	-64.12	-13	Pass	6591
689	726	0.1	RMS	699.268	19.03	60	Pass	401
726	1000	0.1	RMS	841.8	-63.47	-13	Pass	2741
1000	3000	1	RMS	1398	-35.44	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.38	-13	Pass	2986
30	689	0.1	RMS	492.1	-64.4	-13	Pass	6591
689	726	0.1	RMS	706.205	19.52	60	Pass	401
726	1000	0.1	RMS	828.8	-63.66	-13	Pass	2741
1000	3000	1	RMS	1412	-32.41	-13	Pass	2001
3000	10000	1	RMS	6958	-41.48	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.61	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.55	-13	Pass	2986
30	689	0.1	RMS	495.9	-64.51	-13	Pass	6591
689	726	0.1	RMS	706.205	18.54	60	Pass	401
726	1000	0.1	RMS	845.6	-63.58	-13	Pass	2741
1000	3000	1	RMS	1412	-32.94	-13	Pass	2001
3000	10000	1	RMS	6960	-41.49	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2986
30	689	0.1	RMS	512.8	-64.45	-13	Pass	6591
689	726	0.1	RMS	713.235	19.89	60	Pass	401
726	1000	0.1	RMS	840.5	-63.41	-13	Pass	2741
1000	3000	1	RMS	1426	-39.35	-13	Pass	2001
3000	10000	1	RMS	6960	-41.43	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2986
30	689	0.1	RMS	592.5	-64.49	-13	Pass	6591
689	726	0.1	RMS	713.235	19	60	Pass	401
726	1000	0.1	RMS	854.1	-63.51	-13	Pass	2741
1000	3000	1	RMS	1426	-39.61	-13	Pass	2001
3000	10000	1	RMS	6961	-41.42	-13	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	689	0.1	RMS	688.7	-63.71	-13	Pass	6591
689	726	0.1	RMS	699.36	20.02	60	Pass	401
726	1000	0.1	RMS	843.4	-63.6	-13	Pass	2741
1000	3000	1	RMS	1398	-35.58	-13	Pass	2001
3000	10000	1	RMS	6961	-41.41	-13	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.99	-13	Pass	6591
689	726	0.1	RMS	699.36	19.19	60	Pass	401
726	1000	0.1	RMS	850.8	-63.43	-13	Pass	2741
1000	3000	1	RMS	1398	-35.84	-13	Pass	2001
3000	10000	1	RMS	6960	-41.44	-13	Pass	7001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2986
30	689	0.1	RMS	494	-64.47	-13	Pass	6591
689	726	0.1	RMS	705.373	19.79	60	Pass	401
726	1000	0.1	RMS	830.2	-63.59	-13	Pass	2741
1000	3000	1	RMS	1410	-32.55	-13	Pass	2001
3000	10000	1	RMS	6959	-41.4	-13	Pass	7001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.74	-13	Pass	2986
30	689	0.1	RMS	495.7	-64.4	-13	Pass	6591
689	726	0.1	RMS	705.373	19.01	60	Pass	401
726	1000	0.1	RMS	842	-63.49	-13	Pass	2741
1000	3000	1	RMS	1410	-33.04	-13	Pass	2001
3000	10000	1	RMS	6961	-41.46	-13	Pass	7001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2986
30	689	0.1	RMS	399.8	-64.4	-13	Pass	6591
689	726	0.1	RMS	711.293	19.56	60	Pass	401
726	1000	0.1	RMS	857.8	-63.57	-13	Pass	2741
1000	3000	1	RMS	1422	-36.06	-13	Pass	2001
3000	10000	1	RMS	6963	-41.42	-13	Pass	7001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.29	-13	Pass	2986
30	689	0.1	RMS	496.3	-64.41	-13	Pass	6591
689	726	0.1	RMS	711.385	18.78	60	Pass	401
726	1000	0.1	RMS	854.1	-63.46	-13	Pass	2741
1000	3000	1	RMS	1422	-36.27	-13	Pass	2001
3000	10000	1	RMS	6960	-41.39	-13	Pass	7001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.51	-13	Pass	6591
689	726	0.1	RMS	699.545	19.78	60	Pass	401
726	1000	0.1	RMS	851	-63.43	-13	Pass	2741
1000	3000	1	RMS	1399	-36.32	-13	Pass	2001
3000	10000	1	RMS	6960	-41.43	-13	Pass	7001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.83	-13	Pass	6591
689	726	0.1	RMS	699.545	18.88	60	Pass	401
726	1000	0.1	RMS	830.3	-63.39	-13	Pass	2741
1000	3000	1	RMS	1399	-36.55	-13	Pass	2001
3000	10000	1	RMS	6958	-41.52	-13	Pass	7001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.6	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.14	-13	Pass	2986
30	689	0.1	RMS	485.5	-64.48	-13	Pass	6591
689	726	0.1	RMS	703.06	20.06	60	Pass	401
726	1000	0.1	RMS	847.5	-63.28	-13	Pass	2741
1000	3000	1	RMS	1406	-34.14	-13	Pass	2001
3000	10000	1	RMS	6962	-41.42	-13	Pass	7001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	689	0.1	RMS	491.4	-64.53	-13	Pass	6591
689	726	0.1	RMS	703.06	19.08	60	Pass	401
726	1000	0.1	RMS	843.2	-63.65	-13	Pass	2741
1000	3000	1	RMS	1406	-34.79	-13	Pass	2001
3000	10000	1	RMS	6961	-41.36	-13	Pass	7001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.31	-71.95	-13	Pass	2986
30	689	0.1	RMS	682.5	-64.5	-13	Pass	6591
689	726	0.1	RMS	706.575	20.17	60	Pass	401
726	1000	0.1	RMS	855.5	-63.54	-13	Pass	2741
1000	3000	1	RMS	1413	-33.09	-13	Pass	2001
3000	10000	1	RMS	6958	-41.53	-13	Pass	7001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2986
30	689	0.1	RMS	488.3	-64.39	-13	Pass	6591
689	726	0.1	RMS	706.575	19.28	60	Pass	401
726	1000	0.1	RMS	849.8	-63.66	-13	Pass	2741
1000	3000	1	RMS	1413	-33.62	-13	Pass	2001
3000	10000	1	RMS	6965	-41.51	-13	Pass	7001



7. LTE_Band17


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.29	-13	Pass	6641
694	726	0.1	RMS	704.32	20.37	60	Pass	401
726	1000	0.1	RMS	850.7	-63.7	-13	Pass	2741
1000	3000	1	RMS	1408	-32.7	-13	Pass	2001
3000	10000	1	RMS	6961	-41.51	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.52	-13	Pass	2986
30	694	0.1	RMS	693.7	-63.58	-13	Pass	6641
694	726	0.1	RMS	704.32	19.55	60	Pass	401
726	1000	0.1	RMS	842.6	-63.54	-13	Pass	2741
1000	3000	1	RMS	1408	-33.33	-13	Pass	2001
3000	10000	1	RMS	6961	-41.44	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2986
30	694	0.1	RMS	693.9	-64.26	-13	Pass	6641
694	726	0.1	RMS	707.84	20.43	60	Pass	401
726	1000	0.1	RMS	856.6	-63.53	-13	Pass	2741
1000	3000	1	RMS	1415	-33.12	-13	Pass	2001
3000	10000	1	RMS	6960	-41.53	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2986
30	694	0.1	RMS	693.4	-64.37	-13	Pass	6641
694	726	0.1	RMS	707.84	19.68	60	Pass	401
726	1000	0.1	RMS	882.4	-63.49	-13	Pass	2741
1000	3000	1	RMS	1415	-33.48	-13	Pass	2001
3000	10000	1	RMS	6965	-41.45	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72	-13	Pass	2986
30	694	0.1	RMS	694	-64.4	-13	Pass	6641
694	726	0.1	RMS	711.36	20.13	60	Pass	401
726	1000	0.1	RMS	853.3	-63.38	-13	Pass	2741
1000	3000	1	RMS	1422	-36.06	-13	Pass	2001
3000	10000	1	RMS	6961	-41.49	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.71	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.64	-13	Pass	2986
30	694	0.1	RMS	498	-64.43	-13	Pass	6641
694	726	0.1	RMS	711.36	19.63	60	Pass	401
726	1000	0.1	RMS	842.8	-63.65	-13	Pass	2741
1000	3000	1	RMS	1422	-36.22	-13	Pass	2001
3000	10000	1	RMS	6959	-41.44	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	Pass	2986
30	694	0.1	RMS	694	-50.94	-13	Pass	6641
694	726	0.1	RMS	704.56	20.38	60	Pass	401
726	1000	0.1	RMS	822.7	-63.49	-13	Pass	2741
1000	3000	1	RMS	1409	-33.09	-13	Pass	2001
3000	10000	1	RMS	6963	-41.48	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	Pass	2986
30	694	0.1	RMS	694	-51.48	-13	Pass	6641
694	726	0.1	RMS	704.56	19.59	60	Pass	401
726	1000	0.1	RMS	822.9	-63.37	-13	Pass	2741
1000	3000	1	RMS	1409	-33.61	-13	Pass	2001
3000	10000	1	RMS	6960	-41.5	-13	Pass	7001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.68	-13	Pass	6641
694	726	0.1	RMS	705.6	20.61	60	Pass	401
726	1000	0.1	RMS	850.4	-63.53	-13	Pass	2741
1000	3000	1	RMS	1411	-32.9	-13	Pass	2001
3000	10000	1	RMS	6960	-41.47	-13	Pass	7001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.33	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.02	-13	Pass	6641
694	726	0.1	RMS	705.6	19.61	60	Pass	401
726	1000	0.1	RMS	858.2	-63.43	-13	Pass	2741
1000	3000	1	RMS	1411	-33.49	-13	Pass	2001
3000	10000	1	RMS	6961	-41.48	-13	Pass	7001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	694	0.1	RMS	694	-63.66	-13	Pass	6641
694	726	0.1	RMS	706.56	20.31	60	Pass	401
726	1000	0.1	RMS	844.2	-63.49	-13	Pass	2741
1000	3000	1	RMS	1413	-32.99	-13	Pass	2001
3000	10000	1	RMS	6960	-41.44	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.53	-13	Pass	6641
694	726	0.1	RMS	706.56	19.44	60	Pass	401
726	1000	0.1	RMS	857.2	-63.49	-13	Pass	2741
1000	3000	1	RMS	1413	-33.48	-13	Pass	2001
3000	10000	1	RMS	6961	-41.43	-13	Pass	7001



8. LTE_Band26(part22)


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.03	-13	Pass	7841
814	860	0.1	RMS	824.3	19.54	60	Pass	461
860	1000	0.1	RMS	972.1	-63.78	-13	Pass	1401
1000	3000	1	RMS	2951	-48.72	-13	Pass	2001
3000	10000	1	RMS	6960	-41.4	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.09	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.88	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.23	-13	Pass	7841
814	860	0.1	RMS	824.3	18.57	60	Pass	461
860	1000	0.1	RMS	863.1	-63.78	-13	Pass	1401
1000	3000	1	RMS	2953	-48.77	-13	Pass	2001
3000	10000	1	RMS	6960	-41.43	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	814	0.1	RMS	810	-63.75	-13	Pass	7841
814	860	0.1	RMS	836.1	19.37	60	Pass	461
860	1000	0.1	RMS	944.5	-63.82	-13	Pass	1401
1000	3000	1	RMS	1672	-48.36	-13	Pass	2001
3000	10000	1	RMS	6961	-41.48	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	814	0.1	RMS	810	-63.79	-13	Pass	7841
814	860	0.1	RMS	836.1	18.45	60	Pass	461
860	1000	0.1	RMS	962.6	-63.92	-13	Pass	1401
1000	3000	1	RMS	2953	-48.7	-13	Pass	2001
3000	10000	1	RMS	6963	-41.44	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2986
30	814	0.1	RMS	813.1	-63.88	-13	Pass	7841
814	860	0.1	RMS	847.9	19.24	60	Pass	461
860	1000	0.1	RMS	860.5	-63.88	-13	Pass	1401
1000	3000	1	RMS	1695	-48.35	-13	Pass	2001
3000	10000	1	RMS	6960	-41.45	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.24	-13	Pass	2986
30	814	0.1	RMS	798.7	-64.12	-13	Pass	7841
814	860	0.1	RMS	847.9	18.33	60	Pass	461
860	1000	0.1	RMS	860.3	-63.9	-13	Pass	1401
1000	3000	1	RMS	2952	-48.73	-13	Pass	2001
3000	10000	1	RMS	6960	-41.42	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.58	-13	Pass	7841
814	860	0.1	RMS	824.2	19.66	60	Pass	461
860	1000	0.1	RMS	860.9	-63.86	-13	Pass	1401
1000	3000	1	RMS	2951	-48.71	-13	Pass	2001
3000	10000	1	RMS	6960	-41.44	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.01	-13	Pass	7841
814	860	0.1	RMS	824.2	18.69	60	Pass	461
860	1000	0.1	RMS	875.5	-63.79	-13	Pass	1401
1000	3000	1	RMS	2957	-48.71	-13	Pass	2001
3000	10000	1	RMS	6961	-41.43	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.84	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.81	-13	Pass	2986
30	814	0.1	RMS	813.4	-63.99	-13	Pass	7841
814	860	0.1	RMS	835.2	19.44	60	Pass	461
860	1000	0.1	RMS	868.7	-63.84	-13	Pass	1401
1000	3000	1	RMS	1670	-47.77	-13	Pass	2001
3000	10000	1	RMS	6960	-41.46	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.05	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.08	-13	Pass	7841
814	860	0.1	RMS	835.2	18.48	60	Pass	461
860	1000	0.1	RMS	861.6	-63.59	-13	Pass	1401
1000	3000	1	RMS	1670	-48.54	-13	Pass	2001
3000	10000	1	RMS	6964	-41.46	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.62	-13	Pass	2986
30	814	0.1	RMS	812.6	-64.11	-13	Pass	7841
814	860	0.1	RMS	846.2	19.36	60	Pass	461
860	1000	0.1	RMS	880.8	-63.86	-13	Pass	1401
1000	3000	1	RMS	1692	-48.65	-13	Pass	2001
3000	10000	1	RMS	6960	-41.47	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.67	-13	Pass	2986
30	814	0.1	RMS	812.9	-64.03	-13	Pass	7841
814	860	0.1	RMS	846.2	18.46	60	Pass	461
860	1000	0.1	RMS	947	-63.82	-13	Pass	1401
1000	3000	1	RMS	2950	-48.71	-13	Pass	2001
3000	10000	1	RMS	6962	-41.48	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:26815, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.92	-13	Pass	7841
814	860	0.1	RMS	824.3	19.91	60	Pass	461
860	1000	0.1	RMS	872.5	-63.76	-13	Pass	1401
1000	3000	1	RMS	2955	-48.75	-13	Pass	2001
3000	10000	1	RMS	6961	-41.41	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.19	-13	Pass	7841
814	860	0.1	RMS	824.3	18.98	60	Pass	461
860	1000	0.1	RMS	862.1	-63.76	-13	Pass	1401
1000	3000	1	RMS	2954	-48.74	-13	Pass	2001
3000	10000	1	RMS	6963	-41.44	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:26915, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	Pass	2986
30	814	0.1	RMS	812.6	-63.98	-13	Pass	7841
814	860	0.1	RMS	834.3	19.8	60	Pass	461
860	1000	0.1	RMS	879.5	-63.82	-13	Pass	1401
1000	3000	1	RMS	1668	-47.74	-13	Pass	2001
3000	10000	1	RMS	6960	-41.44	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.98	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.01	-13	Pass	7841
814	860	0.1	RMS	834.3	19.09	60	Pass	461
860	1000	0.1	RMS	863	-63.67	-13	Pass	1401
1000	3000	1	RMS	1668	-48.32	-13	Pass	2001
3000	10000	1	RMS	6959	-41.48	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:27015, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	814	0.1	RMS	812.6	-64.01	-13	Pass	7841
814	860	0.1	RMS	844.3	19.69	60	Pass	461
860	1000	0.1	RMS	868.4	-63.82	-13	Pass	1401
1000	3000	1	RMS	2950	-48.71	-13	Pass	2001
3000	10000	1	RMS	6960	-41.4	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	814	0.1	RMS	799.7	-64	-13	Pass	7841
814	860	0.1	RMS	844.3	18.97	60	Pass	461
860	1000	0.1	RMS	860.3	-63.8	-13	Pass	1401
1000	3000	1	RMS	2957	-48.74	-13	Pass	2001
3000	10000	1	RMS	6961	-41.28	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	Pass	2986
30	814	0.1	RMS	814	-52.79	-13	Pass	7841
814	860	0.1	RMS	824.6	20.45	60	Pass	461
860	1000	0.1	RMS	870.7	-63.6	-13	Pass	1401
1000	3000	1	RMS	2957	-48.67	-13	Pass	2001
3000	10000	1	RMS	6965	-41.44	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.39	-72.54	-13	Pass	2986
30	814	0.1	RMS	814	-52.84	-13	Pass	7841
814	860	0.1	RMS	824.6	19.61	60	Pass	461
860	1000	0.1	RMS	875.5	-63.79	-13	Pass	1401
1000	3000	1	RMS	2961	-48.75	-13	Pass	2001
3000	10000	1	RMS	6961	-41.45	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2986
30	814	0.1	RMS	814	-63.77	-13	Pass	7841
814	860	0.1	RMS	832.1	20.33	60	Pass	461
860	1000	0.1	RMS	879.8	-63.75	-13	Pass	1401
1000	3000	1	RMS	2959	-48.71	-13	Pass	2001
3000	10000	1	RMS	6961	-41.37	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2986
30	814	0.1	RMS	811.2	-63.91	-13	Pass	7841
814	860	0.1	RMS	832.1	19.28	60	Pass	461
860	1000	0.1	RMS	878	-63.73	-13	Pass	1401
1000	3000	1	RMS	2951	-48.74	-13	Pass	2001
3000	10000	1	RMS	6963	-41.41	-13	Pass	7001

