



LTE Band 66_15MHz							
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)			26dB Bandwidth (MHz)		
		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
132047	1717.5	13.4450	13.4450	13.4560	14.4500	14.4700	14.4100
132322	1745	13.4520	13.4410	13.4380	14.4700	14.4400	14.4600
132597	1772.5	13.4050	13.4240	13.4380	14.4200	14.4000	14.4600




LTE Band 66_20MHz							
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)			26dB Bandwidth (MHz)		
		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
132072	1720	17.9130	17.9310	17.9320	19.6000	19.4300	19.4100
132322	1745	17.9390	17.8960	17.8910	19.4300	19.4700	19.2800
132572	1770	17.9080	17.9230	17.9080	19.4900	19.5700	19.5000




APPENDIX C - CONDUCTED SPURIOUS EMISSIONS


WCDMA Band IV_WCDMA_CH1413 Spectrum Plot




LTE Band 4_1.4MHz_CH20175 Spectrum Plot




LTE Band 4_5MHz_CH20175 Spectrum Plot




LTE Band 4_20MHz_CH20175 Spectrum Plot




LTE Band 7_5MHz_CH21100 Spectrum Plot




LTE Band 7_20MHz_CH21100 Spectrum Plot




LTE Band 66_1.4MHz_CH132322 Spectrum Plot



LTE Band 66_5MHz_CH132322 Spectrum Plot




LTE Band 66_20MHz_CH132322 Spectrum Plot



APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1		0.0497	45.56	21.30	66.86	113.68	-46.82	AVG
2	*	0.0750	42.84	21.30	64.14	110.10	-45.96	AVG
3		0.0954	39.89	21.33	61.22	108.01	-46.79	AVG

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1	*	5.6723	17.22	21.44	38.66	69.54	-30.88	QP
2		11.5230	15.31	21.55	36.86	69.54	-32.68	QP
3		17.7914	15.02	21.89	36.91	69.54	-32.63	QP

Test Mode : TX Mode


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1		0.0278	50.65	21.17	71.82	118.72	-46.90	AVG
2	*	0.0571	45.81	21.30	67.11	112.47	-45.36	AVG
3		0.0885	40.32	21.30	61.62	108.67	-47.05	AVG

Test Mode : TX Mode

Ant 90°




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1	*	1.7470	21.54	21.18	42.72	69.54	-26.82	QP
2		6.4782	16.25	21.48	37.73	69.54	-31.81	QP
3		13.8960	15.85	21.74	37.59	69.54	-31.95	QP

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		70.2550	-64.89	6.94	-57.95	-13.00	-44.95	peak	
2		147.8550	-72.81	9.06	-63.75	-13.00	-50.75	peak	
3		166.7700	-73.21	8.98	-64.23	-13.00	-51.23	peak	
4		257.9500	-74.29	7.85	-66.44	-13.00	-53.44	peak	
5		307.4200	-72.53	9.51	-63.02	-13.00	-50.02	peak	
6	*	906.8800	-76.47	19.09	-57.38	-13.00	-44.38	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		70.2550	-73.49	6.94	-66.55	-13.00	-53.55	peak	
2		114.3900	-66.98	6.35	-60.63	-13.00	-47.63	peak	
3		149.7950	-70.01	9.20	-60.81	-13.00	-47.81	peak	
4		197.8100	-69.86	6.04	-63.82	-13.00	-50.82	peak	
5		745.8600	-76.27	18.07	-58.20	-13.00	-45.20	peak	
6	*	942.7700	-75.95	19.48	-56.47	-13.00	-43.47	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		62.4950	-56.78	-3.47	-60.25	-13.00	-47.25	peak	
2		73.1650	-54.66	-5.48	-60.14	-13.00	-47.14	peak	
3		107.1150	-60.98	-6.18	-67.16	-13.00	-54.16	peak	
4		180.8350	-58.54	-4.10	-62.64	-13.00	-49.64	peak	
5		282.2000	-62.19	-2.88	-65.07	-13.00	-52.07	peak	
6	*	693.4800	-64.27	4.92	-59.35	-13.00	-46.35	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		57.6450	-61.98	-2.92	-64.90	-13.00	-51.90	peak	
2		107.6000	-53.18	-6.12	-59.30	-13.00	-46.30	peak	
3		147.8550	-57.46	-2.68	-60.14	-13.00	-47.14	peak	
4		188.5950	-55.70	-5.03	-60.73	-13.00	-47.73	peak	
5		198.2950	-56.90	-5.73	-62.63	-13.00	-49.63	peak	
6	*	773.9900	-64.30	6.51	-57.79	-13.00	-44.79	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		41.1550	-59.50	-2.95	-62.45	-13.00	-49.45	peak	
2		60.5550	-57.58	-3.22	-60.80	-13.00	-47.80	peak	
3		146.8850	-62.62	-2.74	-65.36	-13.00	-52.36	peak	
4		168.2250	-61.80	-2.81	-64.61	-13.00	-51.61	peak	
5		268.6200	-61.12	-3.45	-64.57	-13.00	-51.57	peak	
6	*	563.0150	-60.14	2.89	-57.25	-13.00	-44.25	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		67.8300	-62.30	-4.35	-66.65	-13.00	-53.65	peak	
2		123.6050	-57.03	-4.56	-61.59	-13.00	-48.59	peak	
3		171.6200	-59.95	-3.05	-63.00	-13.00	-50.00	peak	
4		191.0200	-57.84	-5.27	-63.11	-13.00	-50.11	peak	
5		720.1550	-65.08	5.57	-59.51	-13.00	-46.51	peak	
6	*	960.7150	-64.80	7.85	-56.95	-13.00	-43.95	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		58.6150	-56.27	-3.01	-59.28	-13.00	-46.28	peak	
2		145.4300	-60.99	-2.83	-63.82	-13.00	-50.82	peak	
3		170.1650	-61.07	-2.88	-63.95	-13.00	-50.95	peak	
4		307.4200	-62.01	-2.23	-64.24	-13.00	-51.24	peak	
5		661.4700	-63.00	4.63	-58.37	-13.00	-45.37	peak	
6	*	877.2950	-65.28	6.99	-58.29	-13.00	-45.29	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		45.5200	-63.49	-2.59	-66.08	-13.00	-53.08	peak	
2		63.9500	-61.18	-3.68	-64.86	-13.00	-51.86	peak	
3		129.4250	-57.66	-4.04	-61.70	-13.00	-48.70	peak	
4		191.0200	-56.02	-5.27	-61.29	-13.00	-48.29	peak	
5		680.8700	-64.53	4.80	-59.73	-13.00	-46.73	peak	
6	*	841.8900	-64.52	6.65	-57.87	-13.00	-44.87	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		69.7700	-65.96	7.04	-58.92	-13.00	-45.92	peak	
2		180.8350	-70.28	7.64	-62.64	-13.00	-49.64	peak	
3		307.4200	-74.04	9.51	-64.53	-13.00	-51.53	peak	
4		570.7750	-75.51	14.82	-60.69	-13.00	-47.69	peak	
5		803.0900	-75.94	18.32	-57.62	-13.00	-44.62	peak	
6	*	872.4450	-76.00	18.67	-57.33	-13.00	-44.33	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		66.3750	-72.56	7.66	-64.90	-13.00	-51.90	peak	
2		107.6000	-65.92	5.62	-60.30	-13.00	-47.30	peak	
3		139.1250	-69.14	8.48	-60.66	-13.00	-47.66	peak	
4		176.9550	-69.65	8.09	-61.56	-13.00	-48.56	peak	
5		395.2050	-70.81	11.31	-59.50	-13.00	-46.50	peak	
6	*	960.7150	-76.70	19.59	-57.11	-13.00	-44.11	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		41.1550	-71.24	8.79	-62.45	-13.00	-49.45	peak	
2		72.1950	-65.28	6.49	-58.79	-13.00	-45.79	peak	
3		107.6000	-70.58	5.62	-64.96	-13.00	-51.96	peak	
4		168.2250	-73.54	8.93	-64.61	-13.00	-51.61	peak	
5		307.4200	-73.69	9.51	-64.18	-13.00	-51.18	peak	
6	*	563.0150	-71.88	14.63	-57.25	-13.00	-44.25	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		110.0250	-65.65	5.95	-59.70	-13.00	-46.70	peak	
2		140.5800	-68.21	8.59	-59.62	-13.00	-46.62	peak	
3		191.0200	-69.58	6.47	-63.11	-13.00	-50.11	peak	
4		395.2050	-71.68	11.31	-60.37	-13.00	-47.37	peak	
5		790.9650	-76.69	18.29	-58.40	-13.00	-45.40	peak	
6	*	951.0150	-76.74	19.56	-57.18	-13.00	-44.18	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		40.1850	-60.40	-3.03	-63.43	-13.00	-50.43	peak	
2		148.3400	-59.95	-2.63	-62.58	-13.00	-49.58	peak	
3		174.0450	-60.64	-3.32	-63.96	-13.00	-50.96	peak	
4		262.3150	-61.96	-3.74	-65.70	-13.00	-52.70	peak	
5		683.7800	-63.11	4.83	-58.28	-13.00	-45.28	peak	
6 *		866.6250	-63.58	6.86	-56.72	-13.00	-43.72	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		44.5500	-64.53	-2.64	-67.17	-13.00	-54.17	peak	
2		109.0550	-55.17	-5.91	-61.08	-13.00	-48.08	peak	
3		144.9450	-59.19	-2.87	-61.05	-13.00	-48.05	peak	
4		189.0800	-58.24	-5.09	-63.33	-13.00	-50.33	peak	
5		351.0700	-63.03	-1.41	-64.44	-13.00	-51.44	peak	
6 *		770.1100	-64.67	6.50	-58.17	-13.00	-45.17	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		71.2250	-51.80	-5.03	-56.83	-13.00	-43.83	peak	
2		149.3100	-60.66	-2.57	-63.23	-13.00	-50.23	peak	
3		180.8350	-60.49	-4.10	-64.59	-13.00	-51.59	peak	
4		307.4200	-61.64	-2.23	-63.87	-13.00	-50.87	peak	
5		785.1450	-64.48	6.54	-57.94	-13.00	-44.94	peak	
6 *		976.7200	-64.60	7.88	-56.72	-13.00	-43.72	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		64.4350	-61.89	-3.74	-65.63	-13.00	-52.63	peak	
2		112.4500	-55.35	-5.56	-60.91	-13.00	-47.91	peak	
3		139.6100	-58.07	-3.22	-61.29	-13.00	-48.29	peak	
4		186.6550	-56.00	-4.80	-60.80	-13.00	-47.80	peak	
5		395.2050	-59.68	-0.43	-60.11	-13.00	-47.11	peak	
6 *		768.1700	-62.44	6.49	-55.95	-13.00	-42.95	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Test Mode : LTE Band 66_TX CH132322_20MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		41.1550	-59.50	-2.95	-62.45	-13.00	-49.45	peak	
2		72.1950	-53.54	-5.25	-58.79	-13.00	-45.79	peak	
3		107.6000	-58.84	-6.12	-64.96	-13.00	-51.96	peak	
4		168.2250	-61.80	-2.81	-64.61	-13.00	-51.61	peak	
5		307.4200	-61.95	-2.23	-64.18	-13.00	-51.18	peak	
6	*	563.0150	-60.14	2.89	-57.25	-13.00	-44.25	peak	

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		110.0250	-53.91	-5.79	-59.70	-13.00	-46.70	peak	
2		140.5800	-56.47	-3.15	-59.62	-13.00	-46.62	peak	
3		191.0200	-57.84	-5.27	-63.11	-13.00	-50.11	peak	
4		395.2050	-59.94	-0.43	-60.37	-13.00	-47.37	peak	
5		790.9650	-64.95	6.55	-58.40	-13.00	-45.40	peak	
6	*	951.0150	-65.00	7.82	-57.18	-13.00	-44.18	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
		MHz	dBm	dB	dBm	dBm	dB	Detector Comment
1	*	1503.000	-53.77	3.12	-50.65	-13.00	-37.65	peak

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
		MHz	dBm	dB	dBm	dBm	dB	Detector Comment
1	*	1551.000	-53.79	3.25	-50.54	-13.00	-37.54	peak

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
		MHz	dBm	dB	dBm	dBm	dB	Detector Comment
1	*	9652.500	-55.87	7.12	-48.75	-13.00	-35.75	peak

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
		MHz	dBm	dB	dBm	dBm	dB	Detector Comment
1	*	8640.000	-57.02	6.97	-50.05	-13.00	-37.05	peak

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1963.000	-53.99	4.42	-49.57	-13.00	-36.57	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1972.000	-53.64	4.46	-49.18	-13.00	-36.18	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3465.000	-48.55	-2.59	-51.14	-13.00	-38.14	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3465.000	-46.00	-2.59	-48.59	-13.00	-35.59	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	22605.30	-59.25	2.20	-57.05	-13.00	-44.05	peak	

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	21072.32	-57.05	0.67	-56.38	-13.00	-43.38	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1854.000	-53.28	4.12	-49.16	-13.00	-36.16	peak	


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1999.000	-52.67	4.53	-48.14	-13.00	-35.14	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7665.000	-56.82	6.79	-50.03	-13.00	-37.03	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7245.000	-57.13	6.22	-50.91	-13.00	-37.91	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	23317.60	-59.93	3.04	-56.89	-13.00	-43.89	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	21782.50	-58.38	1.15	-57.23	-13.00	-44.23	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1	*	1975.000	-53.27	4.46	-48.81	-13.00	-35.81	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1	*	1511.000	-52.44	3.15	-49.29	-13.00	-36.29	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1	*	8595.000	-56.64	6.95	-49.69	-13.00	-36.69	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz

Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1	*	8872.500	-56.82	7.07	-49.75	-13.00	-36.75	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
1	*	19758.65	-56.15	-0.88	-57.03	-13.00	-44.03	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
1	*	18862.75	-54.91	-1.42	-56.33	-13.00	-43.33	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
1	*	1646.000	-53.20	3.52	-49.68	-13.00	-36.08	peak	


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
1	*	2194.000	-53.14	4.61	-48.33	-13.00	-35.33	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	7447.500	-57.78	6.63	-51.15	-13.00	-38.15	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	10185.000	-55.55	6.92	-48.63	-13.00	-35.63	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	19527.87	-55.94	-1.08	-57.02	-13.00	-44.02	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	21106.75	-56.09	0.71	-55.38	-13.00	-42.38	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2245.000	-53.60	4.89	-48.71	-13.00	-35.71	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2362.000	-53.61	5.06	-48.55	-13.00	-35.55	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	9780.000	-56.24	7.18	-49.06	-13.00	-36.06	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	8295.000	-57.76	6.91	-50.85	-13.00	-37.85	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1944.712	-55.67	-1.12	-56.79	-13.00	-43.79	peak	

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2088.915	-56.37	0.44	-55.93	-13.00	-42.93	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Test Mode : LTE Band 66_TX CH132322_1.4MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2374.000	-53.35	5.07	-48.28	-13.00	-35.28	peak	

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1992.000	-52.57	4.51	-48.06	-13.00	-35.06	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Test Mode : LTE Band 66_TX CH132322_1.4MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	8887.500	-57.28	7.07	-50.21	-13.00	-37.21	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	9270.000	-55.54	7.09	-48.45	-13.00	-35.45	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Test Mode : LTE Band 66_TX CH132322_1.4MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	22706.02	-58.43	2.40	-56.03	-13.00	-43.03	peak	

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	23184.57	-58.22	3.02	-55.20	-13.00	-42.20	peak	