

ANNEX E TEST DATA

For

Project No.:	8236EU011204W
Client:	Shenzhen Intellirocks Tech. Co., Ltd.
Product Name:	RGBIC LED Neon Rope Lights
Model No.:	H61A0
FCC ID:	2AQA6-H61A0A
Technology:	WiFi 2.4G
Test Engineer:	<i>Mikoy zhu</i>
Test Date:	2025-01-09

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Unwanted Emissions In Non-restricted Frequency Bands	Pass



1. Duty Cycle


1.1 Test Result


1.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	32.953	32.973	99.94	0.00	0.01
		2437	32.954	32.974	99.94	0.00	0.00
		2462	32.954	32.974	99.94	0.00	0.00
802.11g	SISO	2412	5.484	5.510	99.53	0.02	0.00
		2437	5.484	5.510	99.53	0.02	0.00
		2462	5.486	5.510	99.56	0.02	0.00
802.11n (HT20)	SISO	2412	5.079	5.104	99.51	0.02	0.00
		2437	5.080	5.105	99.51	0.02	0.00
		2462	5.080	5.105	99.51	0.02	0.00


1.2 Test Graph


1.2.1 Ant1











2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	13.045	/	Pass
		2437	1	13.041	/	Pass
		2462	1	13.036	/	Pass
802.11g	SISO	2412	1	17.183	/	Pass
		2437	1	17.155	/	Pass
		2462	1	17.143	/	Pass
802.11n (HT20)	SISO	2412	1	17.767	/	Pass
		2437	1	17.770	/	Pass
		2462	1	17.776	/	Pass


2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	10.073	≥ 0.5	Pass
		2437	1	10.060	≥ 0.5	Pass
		2462	1	9.671	≥ 0.5	Pass
802.11g	SISO	2412	1	16.785	≥ 0.5	Pass
		2437	1	16.726	≥ 0.5	Pass
		2462	1	16.732	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	17.612	≥ 0.5	Pass
		2437	1	17.561	≥ 0.5	Pass
		2462	1	17.537	≥ 0.5	Pass


2.2 Test Graph


2.2.1 OBW
















2.2.2 6dB BW











3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	15.42	<=30	Pass
		2437	13.86	<=30	Pass
		2462	14.23	<=30	Pass
802.11g	SISO	2412	15.30	<=30	Pass
		2437	14.63	<=30	Pass
		2462	14.76	<=30	Pass
802.11n (HT20)	SISO	2412	14.16	<=30	Pass
		2437	13.68	<=30	Pass
		2462	13.76	<=30	Pass

4. Maximum Power Spectral Density


4.1 Test Result


4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	-13.83	<=8	Pass
		2437	-15.50	<=8	Pass
		2462	-13.83	<=8	Pass
802.11g	SISO	2412	-18.22	<=8	Pass
		2437	-17.89	<=8	Pass
		2462	-18.17	<=8	Pass
802.11n (HT20)	SISO	2412	-18.20	<=8	Pass
		2437	-18.80	<=8	Pass
		2462	-18.68	<=8	Pass


4.2 Test Graph


4.2.1 PSD











5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	0.65
		2437	1	-0.56
		2462	1	-0.19
802.11g	SISO	2412	1	-3.83
		2437	1	-4.15
		2462	1	-4.27
802.11n (HT20)	SISO	2412	1	-4.88
		2437	1	-5.67
		2462	1	-5.33

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


5.1.2 CSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	0.65	-19.35	Pass
		2437	1	-0.56	-20.56	Pass
		2462	1	-0.19	-20.19	Pass
802.11g	SISO	2412	1	-3.83	-23.83	Pass
		2437	1	-4.15	-24.15	Pass
		2462	1	-4.27	-24.27	Pass
802.11n (HT20)	SISO	2412	1	-4.88	-24.88	Pass
		2437	1	-5.67	-25.67	Pass
		2462	1	-5.33	-25.33	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


5.2 Test Graph


5.2.1 Ref
















5.2.2 CSE



























































----- End of Report -----