



Appendix for Test report

Appendix A: DTS (6 dB) Bandwidth

In this document, the "DTS6dBBW" refers to the measured "DTS (6 dB) Bandwidth" value. In this Appendix, the "fc(DTS6dBBW)" refers to the centre of the measured "DTS6dBBW". The introduction of the "fc(DTS6dBBW)" is due to that other measurements use it as the spectrum analyzer setting.

For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain, and used as respective results for each chain.

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	DTS6dBBW[MHz]	Verdict
11B	L	2412	Ant 1	8.58	pass
11B	M	2437	Ant 1	8.13	pass
11B	H	2457	Ant 1	8.13	pass
11B	H	2462	Ant 1	8.58	pass
11G	L	2412	Ant 1	16.44	pass
11G	L	2417	Ant 1	16.39	pass
11G	M	2437	Ant 1	16.41	pass
11G	H	2457	Ant 1	16.41	pass
11G	H	2462	Ant 1	16.41	pass
11N20	L	2412	Ant 1	17.63	pass
11N20	L	2417	Ant 1	17.59	pass
11N20	M	2437	Ant 1	17.61	pass
11N20	H	2457	Ant 1	17.62	pass
11N20	H	2462	Ant 1	17.62	pass
11N40	L	2422	Ant 1	35.22	pass
11N40	L	2427	Ant 1	35.19	pass
11N40	M	2437	Ant 1	35.22	pass
11N40	H	2447	Ant 1	35.70	pass
11N40	H	2452	Ant 1	35.80	pass

Part II - Test Plots

2.1 11B_L_2412@Ant 1





2.2 11B_M_2437@Ant 1





2.3 11B_M_2457@Ant 1






2.4 11B_H_2462@Ant 1






2.5 11G_L_2412@Ant 1






2.6 11G_M_2417@Ant 1






2.7 11G_M_2437@Ant 1





2.8 11G_H_2457@Ant 1






2.9 11G_H_2462@Ant 1






2.10 11N20_L_2412@Ant 1






2.11 11N20_L_2417@Ant 1






2.12 11N20_M_2437@Ant 1






2.13 11N20_H_2457@Ant 1




2.14 11N20_H_2462@Ant 1






2.15 11N40_L_2422@Ant 1






2.16 11N40_L_2427@Ant 1






2.17 11N40_M_2437@Ant 1






2.18 11N40_H_2447@Ant 1





2.19 11N40_H_2452@Ant 1





Appendix B: Occupied Bandwidth

For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain, and used as respective results for each chain.


Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Occupied Bandwidth [MHz]	Verdict
11B	L	2412	Ant 1	10.81	pass
11B	M	2437	Ant 1	10.76	pass
11B	H	2457	Ant 1	10.63	pass
11B	H	2462	Ant 1	11.10	pass
11G	L	2412	Ant 1	16.53	pass
11G	L	2417	Ant 1	16.53	pass
11G	M	2437	Ant 1	16.46	pass
11G	H	2457	Ant 1	16.51	pass
11G	H	2462	Ant 1	16.50	pass
11N20	L	2412	Ant 1	17.63	pass
11N20	L	2417	Ant 1	17.63	pass
11N20	M	2437	Ant 1	17.59	pass
11N20	H	2457	Ant 1	17.61	pass
11N20	H	2462	Ant 1	17.60	pass
11N40	L	2422	Ant 1	35.89	pass
11N40	L	2427	Ant 1	38.80	pass
11N40	M	2437	Ant 1	35.78	pass
11N40	H	2447	Ant 1	35.96	pass
11N40	H	2452	Ant 1	36.02	pass




Part II - Test Plots

2.1 11B_L_2412@Ant 1






2.2 11B_M_2437@Ant 1






2.3 11B_H_2457@Ant 1






2.4 11B_H_2462@Ant 1






2.5 11G_L_2412@Ant 1






2.6 11G_M_2417@Ant 1






2.7 11G_M_2437@Ant 1






2.8 11G_H_2457@Ant 1






2.9 11G_H_2462@Ant 1






2.10 11N20_L_2412@Ant 1






2.11 11N20_M_2417@Ant 1






2.12 11N20_M_2437@Ant 1






2.13 11N20_H_2457@Ant 1




2.14 11N20_H_2462@Ant 1






2.15 11N40_L_2422@Ant 1






2.16 11N40_L_2427@Ant 1




2.17 11N40_M_2437@Ant 1






2.19 11N40_M_2447@Ant 1





2.18 11N40_H_2452@Ant 1





Appendix C: Duty Cycle


Part I - Test Results

Test Mode	TX Freq. [MHz]	Ant	Duty cycle [%]
11B	CH1,CH6,CH10,CH11	Ant 1	99.5
11G	CH1,CH2,CH6,CH10,CH11	Ant 1	97.6
11N20	CH1,CH2,CH6,CH10,CH11	Ant 1	98.2
11N40	CH3,CH4,CH6,CH8,CH9	Ant 1	96.5




Part II - Test Plots

11B_ANT1






11G_ANT1






11N20_ANT1





11N40_ANT1





Appendix D: Maximum Conducted Average Output Power

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Duty Cycle	Power[dBm]	Verdict
11B	L	2412	Ant 1	99.5	15.26	pass
11B	M	2437	Ant 1	99.5	15.76	pass
11B	H	2457	Ant 1	99.5	15.25	pass
11B	H	2462	Ant 1	99.5	12.63	pass
11G	L	2412	Ant 1	97.6	13.03	pass
11G	L	2417	Ant 1	97.6	13.26	pass
11G	M	2437	Ant 1	97.6	13.68	pass
11G	H	2457	Ant 1	97.6	13.95	pass
11G	H	2462	Ant 1	97.6	10.22	pass
11N20	L	2412	Ant 1	98.2	12.07	pass
11N20	L	2417	Ant 1	98.2	11.43	pass
11N20	M	2437	Ant 1	98.2	11.83	pass
11N20	H	2457	Ant 1	98.2	12.11	pass
11N20	H	2462	Ant 1	98.2	9.32	pass



Test Mode	Test Channel	Frequency[MHz]	Ant	Duty Cycle	Power[dBm]	Verdict
11N40	L	2422	Ant 1	96.5	9.91	pass
11N40	L	2427	Ant 1	96.5	12.17	pass
11N40	M	2437	Ant 1	96.5	11.39	pass
11N40	H	2447	Ant 1	96.5	12.62	pass
11N40	H	2452	Ant 1	96.5	9.79	pass



Part II - Test Plots

2.1 11B_L_2412@Ant 1





2.2 11B_M_2437@Ant 1





2.3 11B_H_2457@Ant 1






2.4 11B_H_2462@Ant 1





2.5 11G_L_2412@Ant 1





2.6 11G_M_2417@Ant 1





2.7 11G_M_2437@Ant 1





2.8 11G_M_2457@Ant 1






2.9 11G_H_2462@Ant 1






2.10 11N20_L_2412@Ant 1






2.1111N20_M_2417@Ant 1






2.12 11N20_M_2437@Ant 1






2.13 11N20_H_2457@Ant 1






2.14 11N20_H_2462@Ant 1






2.15 11N40_L_2422@Ant 1






2.1611N40_M_2427@Ant 1






2.17 11N40_M_2437@Ant 1






2.18 11N40_H_2447@Ant 1





2.19 11N40_H_2452@Ant 1





Appendix E: Maximum Power Spectral Density Level

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Duty Cycle [%]	PSD[dBm/10 kHz]	Verdict
11B	L	2412	Ant 1	99.5	-12.59	pass
11B	M	2437	Ant 1	99.5	-10.45	pass
11B	H	2457	Ant 1	99.5	-11.19	pass
11B	H	2462	Ant 1	99.5	-13.57	pass
11G	L	2412	Ant 1	97.6	-16.22	pass
11G	L	2417	Ant 1	97.6	-15.49	pass
11G	M	2437	Ant 1	97.6	-15.83	pass
11G	H	2457	Ant 1	97.6	-15.42	pass
11G	H	2462	Ant 1	97.6	-19.14	pass
11N20	L	2412	Ant 1	98.2	-17.43	pass
11N20	L	2417	Ant 1	98.2	-17.66	pass
11N20	M	2437	Ant 1	98.2	-17.82	pass
11N20	H	2457	Ant 1	98.2	-17.41	pass
11N20	H	2462	Ant 1	98.2	-20.13	pass
11N40	L	2422	Ant 1	96.5	-21.57	pass



Test Mode	Test Channel	Frequency[MHz]	Ant	Duty Cycle [%]	PSD[dBm/10 kHz]	Verdict
11N40	L	2427	Ant 1	96.5	-19.51	pass
11N40	M	2437	Ant 1	96.5	-20.38	pass
11N40	H	2437	Ant 1	96.5	-19.59	pass
11N40	H	2452	Ant 1	96.5	-22.46	pass



Part II - Test Plots

2.1 11B_L_2412@Ant 1





2.2 11B_M_2437@Ant 1





2.3 11B_H_2457@Ant 1





2.4 11B_H_2462@Ant 1





2.5 11G_L_2412@Ant 1





Agilent Spectrum Analyzer - The duty cycle factor .11 dB added.

RL RF 50 Ω AC SENSE:INT ALIGN: AUTO 10:47:33 AM Jul 19, 2018

Center Freq 2.417000000 GHz #Avg Type: RMS AvgHold: 200/200

PNO: Wide → Trg: Free Run IFGain: Low Atten: 30 dB

TRACE 1 2 3 4 5 6 TYPE A W W W W W W W W DET A A A A A A


Ref Offset 0.41 dB **Mkr1 2.424 505 GHz**
Ref 20.00 dBm **-15.489 dBm**

10 dB/div Log

Start 2.39700 GHz #Res BW 10 kHz #VBW 100 kHz* Stop 2.43700 GHz Sweep 477 ms (8190 pts)

MSG STATUS

2.7 11G_M_2437@Ant 1





Agilent Spectrum Analyzer - The duty cycle factor .11 dB added.

RL RF 50 Ω AC SENSE:INT ALIGN: AUTO 10:58:34 AM Jul 19, 2018

Center Freq 2.457000000 GHz #Avg Type: RMS Avg/Hold: 200/200

PNO: Wide IF Gain: Low Trig: Free Run Atten: 30 dB

TRACE 1 2 3 4 5 6 TYPE A A A A A A A DET A A A A A A A

Ref Offset 0.41 dB Ref 20.00 dBm

Mkr1 2.464 491 GHz -15.415 dBm

10 dB/div Log

Start 2.43700 GHz #Res BW 10 kHz #VBW 100 kHz* Stop 2.47700 GHz Sweep 477 ms (8190 pts)

MSG STATUS

Frequency

Auto Tune

Center Freq 2.457000000 GHz

Start Freq 2.437000000 GHz

Stop Freq 2.477000000 GHz


CF Step 4.000000 MHz Man

Auto

Freq Offset 0 Hz



2.9 11G_H_2462@Ant 1





2.10 11N20_L_2412@Ant 1






2.11 11N20_M_2417@Ant 1





2.12 11N20_M_2437@Ant 1






2.14 11N20_H_2462@Ant 1






2.15 11N40_L_2422@Ant 1






2.16 11N40_M_2427@Ant 1




2.17 11N40_M_2437@Ant 1






2.18 11N40_H_2447@Ant 1





2.19 11N40_H_2452@Ant 1



Appendix F: Band Edges Compliance

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Carrier Power[dBm]	Max.Spurious Level[dBm]	Verdict
11B	L	2412	Ant 1	7.63	-40.71	pass
11B	H	2457	Ant 1	6.96	-50.66	pass
11B	H	2462	Ant 1	4.31	-50.83	pass
11G	L	2412	Ant 1	1.63	-39.58	pass
11G	L	2417	Ant 1	2.28	-40.82	pass
11G	H	2457	Ant 1	2.44	-40.17	pass
11G	H	2462	Ant 1	-1.08	-47.56	pass
11N20	L	2412	Ant 1	0.85	-41.22	pass
11N20	L	2417	Ant 1	0.68	-44.19	pass
11N20	H	2457	Ant 1	0.56	-49.96	pass
11N20	H	2462	Ant 1	-1.96	-48.88	pass
11N40	L	2422	Ant 1	-5.09	-46.05	pass
11N40	L	2427	Ant 1	-1.52	-44.81	pass
11N40	H	2447	Ant 1	-1.87	-47.01	pass
11N40	H	2452	Ant 1	-4.63	-47.26	pass



Part II - Test Plots

2.1 11B_L_2412@Ant 1





Agilent Spectrum Analyzer - Swept SA

Center Freq 2.471500000 GHz

Avg Type: Log-Pwr
AvgHold: 100/100

Trig: Free Run
Atten: 40 dB

Ref Offset 0.3 dB
Ref 30.00 dBm

Mkr2 2.483 50 GHz
-50.655 dBm

Start 2.44650 GHz
#Res BW 100 kHz

Stop 2.49650 GHz
#Sweep 100 ms (1001 pts)

#VBW 300 kHz

MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.458 00 GHz	6.955 dBm			
2	N	1	f	2.483 50 GHz	-50.655 dBm			
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								

Frequency

Auto Tune

Center Freq
2.471500000 GHz

Start Freq
2.446500000 GHz

Stop Freq
2.496500000 GHz

CF Step
5.000000 MHz
Man

Freq Offset
0 Hz

Auto

STATUS



2.3 11B_H_2462@Ant 1





2.4 11G_L_2412@Ant 1






2.5 11G_H_2417@Ant 1





2.6 11G_H_2457@Ant 1





2.7 11G_H_2462@Ant 1





2.8 11N20_L_2412@Ant 1





2.9 11N20_H_2417@Ant 1





2.10 11N20_H_2457@Ant 1





2.11 11N20_H_2462@Ant 1





2.12 11N40_L_2422@Ant 1






2.13 11N40_H_2427@Ant 1





2.14 11N40_H_2447@Ant 1





2.15 11N40_H_2452@Ant 1



Appendix G: Unwanted Emissions into Non-Restricted Frequency

Bands

In this Appendix, the "Pref", which is used as the reference level, refers to the peak power level in any 100 kHz bandwidth within the fundamental emission, the "Puw" refers to the maximum emission power in 100 kHz band segments outside of the authorized frequency band.

Considering that the higher ratio of RBW to the span for the frequency ranges below 30 MHz makes the results determination be complicated, a narrower RBW other than 100 kHz is used for these ranges. The measured value should add a RBW correction factor (RBWCF) where $RBWCF [dB] = 10 \times \lg(100 [kHz]/\text{narrower RBW} [kHz])$. As to this Appendix, the narrower RBW is 1 kHz and RBWCF is 20 dB for the frequency 9 kHz to 150 kHz, and the narrower RBW is 10 kHz and RBWCF is 10 dB for the frequency 150 kHz to 30 MHz.

For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain and used as respective results for each chain, due to the relative-limit requirement.

In the result table, the "< Limit" denotes that "The Puw [dBm] is less than Pref[dBm]-30[dBm], see test plots for detailed".



Part I - Test Results


Test Mode	Test Channel	Frequency[MHz]	Ant	Pref[dBm]	Puw[dBm]	Verdict
11B	L	2412	Ant 1	7.61	<limit	pass
11B	M	2437	Ant 1	7.46	<limit	pass
11B	H	2457	Ant 1	7.05	<limit	pass
11B	H	2462	Ant 1	4.44	<limit	pass
11G	L	2412	Ant 1	1.81	<limit	pass
11G	L	2417	Ant 1	2.26	<limit	pass
11G	M	2437	Ant 1	2.15	<limit	pass
11G	H	2457	Ant 1	2.56	<limit	pass
11G	H	2462	Ant 1	-0.94	<limit	pass
11N20	L	2412	Ant 1	0.61	<limit	pass
11N20	L	2417	Ant 1	0.79	<limit	pass
11N20	M	2437	Ant 1	0.64	<limit	pass
11N20	H	2457	Ant 1	0.67	<limit	pass
11N20	H	2462	Ant 1	-1.87	<limit	pass
11N40	L	2422	Ant 1	-3.30	<limit	pass
11N40	L	2427	Ant 1	-1.08	<limit	pass
11N40	M	2437	Ant 1	-2.38	<limit	pass
11N40	H	2447	Ant 1	-1.23	<limit	pass
11N40	H	2452	Ant 1	-4.26	<limit	pass



Part II - Test Plots

2.1 11B_L_2412@Ant 1

Pref:





P_uw:

