



**Part 0: SAR and Power Density Characterization  
EUT RF Exposure Compliance Test Report**

*For*  
**SMARTPHONE**

**FCC ID: BCG-E4003A  
Model Name: A2484**

**Report Number: 13573771-S4V1  
Issue Date: 8/3/2021**

*Prepared for*  
**APPLE INC.  
1 APPLE PARK WAY  
CUPERTINO, CA 95014-2084**

*Prepared by*  
**UL VERIFICATION SERVICES INC.  
47173 BENICIA STREET  
FREMONT, CA 94538, U.S.A.  
TEL: (510) 319-4000  
FAX: (510) 661-0888**



**Revision History**

| Rev. | Date     | Revisions     | Revised By |
|------|----------|---------------|------------|
| V1   | 8/3/2021 | Initial Issue | --         |
|      |          |               |            |
|      |          |               |            |
|      |          |               |            |

## Table of Contents

|           |                                                   |           |
|-----------|---------------------------------------------------|-----------|
| <b>1.</b> | <b>Introduction .....</b>                         | <b>4</b>  |
| <b>2.</b> | <b>SAR Characterization .....</b>                 | <b>4</b>  |
| 2.1.      | Worst-case SAR Determination .....                | 4         |
| 2.2.      | Usage Scenarios in SAR Evaluation .....           | 5         |
| 2.3.      | SAR <sub>Design Target</sub> .....                | 6         |
| 2.4.      | SAR Characterization .....                        | 7         |
| <b>3.</b> | <b>Power Density Characterization .....</b>       | <b>9</b>  |
| 3.1.      | Exposure Scenarios in PD Evaluation .....         | 10        |
| 3.2.      | PD Characterization Overview .....                | 10        |
| 3.3.      | EUT Codebook .....                                | 11        |
| 3.4.      | Simulation and modeling validation .....          | 13        |
| 3.4.1.    | Modeling for Simulation .....                     | 13        |
| 3.4.2.    | Modeling Validation .....                         | 13        |
| 3.4.3.    | Simulation for power density .....                | 15        |
| 3.5.      | PD <sub>Design Target</sub> .....                 | 16        |
| 3.6.      | Worst-case Housing Influence Determination .....  | 17        |
| 3.7.      | PD Characterization .....                         | 17        |
| 3.7.1.    | Scaling Factor for Single Beams .....             | 17        |
| 3.7.2.    | Scaling Factor for Beam Pairs .....               | 18        |
| 3.7.3.    | Input Power Limit .....                           | 18        |
| <b>A</b>  | <b>Worst Phase Derivation for Beam Pair .....</b> | <b>23</b> |
| <b>B</b>  | <b>Simulated Input Power Limit .....</b>          | <b>24</b> |

## Figures

|                                                                           |    |
|---------------------------------------------------------------------------|----|
| Figure 2-1: SAR evaluation for smartphone application .....               | 4  |
| Figure 2-2: Worst-case SAR determination based on DSI .....               | 5  |
| Figure 3-1: EUT surface definition .....                                  | 10 |
| Figure 3-2 High level flow chart for power density characterization ..... | 11 |

## Tables

|                                                                                                                                    |    |
|------------------------------------------------------------------------------------------------------------------------------------|----|
| Table 2-1: Usage/Exposure Scenario .....                                                                                           | 6  |
| Table 2-2: Worst-case <i>reported</i> SAR .....                                                                                    | 7  |
| Table 2-3: SAR Characterization .....                                                                                              | 8  |
| Table 3-1: EUT Codebook .....                                                                                                      | 11 |
| Table 3-2: Beams and surfaces selection for PD correlation .....                                                                   | 14 |
| Table 3-3: Measured and simulated 4 cm <sup>2</sup> averaged PD for selected beams with 6 dBm input power for selected bands ..... | 15 |
| Table 3-4: PD evaluation plane .....                                                                                               | 16 |
| Table 3-5: $\Delta_{min}$ for ANT M1, ANT M0, and ANT M2 .....                                                                     | 17 |
| Table 3-6: <i>input.power.limit</i> calculation .....                                                                              | 19 |
| Table 3-7: PD Characterization .....                                                                                               | 20 |
| Table B-1: Simulated <i>input.power.limit</i> for bands n258, n260, and n261 .....                                                 | 24 |

## 1. Introduction

The equipment under test (EUT) is a smart phone. It contains the Qualcomm modem supporting 2G/3G/4G WWAN technologies and mmW 5G NR bands. These WWAN modems enable Qualcomm's Smart Transmit feature to control and manage transmitting power, in real time, and to ensure the time-averaged RF exposure is always in compliance with the FCC requirement.

In this report, Part 0, the EUT SAR and power density (PD) are characterized for WWAN radios (2G/3G/4G/5G mmW NR) to determine the power limit that corresponds to the exposure design target after accounting for all device design related uncertainties, i.e.,  $SAR_{Design\ Target}$  ( $< FCC\ SAR\ limit$ ) for Sub-6 GHz radio and  $PD_{Design\ Target}$  ( $< FCC\ PD\ limit$ ) for mmW radio. The SAR Characterization and PD Characterization are denoted as *SAR Char* and *PD Char*.

*SAR Char* and *PD Char* will be used as input for Qualcomm Smart Transmit to operate. Both *SAR Char* and *PD Char* will be loaded and stored in the EUT via the *Embedded File System* (EFS).

The EUT supports WLAN/BT radio(s) as well, but the WLAN/BT modem is not enabled with Qualcomm's Smart Transmit feature.

All Sub-6 GHz SAR data referenced within this report has been extracted from UL's SAR report: 13573771-S1.

## 2. SAR Characterization

*SAR Char* is generated to cover all radio configurations and usage scenarios that are reported in the initial FCC submission.

### 2.1. Worst-case SAR Determination

Based on FCC KDBs, in general, for a smartphone, the SAR evaluation is required for the exposure scenarios shown in Figure 2-1.




Figure 2-1: SAR evaluation for smartphone application

The *Device State Index* (DSI) used in Figure 2-2 represents each exposure scenario. Depending on the detection scheme implemented in the smartphone, the worst-case SAR is further grouped and determined for each or combined exposure scenario(s). Note, for the 1-g SAR versus 10-g SAR exposure scenario, the worst-case is determined in term of exposure ratio (i.e., exposure level relative to the corresponding 1-g or 10-g SAR limit).

- If the device does not have any detection mechanism (**all “no”** in Figure 2-2), then the worst-case SAR is determined by taking the maximum SAR value among all exposure scenarios, i.e., worst-case SAR =  $\max\{SAR_{head}, SAR_{body}, SAR_{hotspot/extremity}\}$
- If the device can distinguish each of the above scenarios (**all “yes”** in Figure 2-2), then the worst-case SAR for each individual exposure scenario is given by corresponding  $SAR_{head}$ ,  $SAR_{body}$ , and  $SAR_{hotspot/extremity}$
- If the device can only distinguish a subset of the scenarios (**some “yes”, some “no”** in Figure 2-2), then the worst-case SAR is given by:
  - Corresponding SAR for each exposure scenario that can be distinguished (DSI=yes)
  - Worst-case SAR among all other exposure scenario(s) that cannot be distinguished (DSI=no)




Figure 2-2: Worst-case SAR determination based on DSI

## 2.2. Usage Scenarios in SAR Evaluation

The EUT has a detection mechanism to distinguish Head, Body-worn, and Hotspot exposure conditions, which is represented using *DSI 0* and *1*. These *DSI* states were used to determine the power limit for Smart Transmit to operate; where the exposure scenario is managed as same *DSI* state, all other exposures which cannot be distinguished, in this particular instance and based on the worst-case SAR determination criteria described in §2.1, the maximum SAR (or the minimum  $P_{limit}$ ) among all remaining exposure scenarios (i.e., Body-worn 1-g SAR evaluation at a specified test separation distance, phablet extremity 10-g SAR evaluation at a specified test separation distance, and maximum RF tune-up power ( $P_{max}$ ) supported by the device if SAR measurement is not performed for this tech/band/antenna because of meeting SAR test exclusion criteria) is used to determine the power limit for Smart Transmit to operate.

The corresponding usage scenarios supported by EUT are summarized in Table 2-1:

Table 2-1: Usage/Exposure Scenario

| Scenario          | DSI State | Description                                                                                                                                                                                                                                                      | SAR Definition                                                                                                                                  | Worst-case SAR      |
|-------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| Head              | 0         | <ul style="list-style-type: none"> <li>Device positioned next to head</li> <li>1-g SAR evaluated in four positions (left/right touch/tilt)</li> </ul>                                                                                                            | $SAR_{head} = \max \{SAR_{LC}, SAR_{LT}, SAR_{RC}, SAR_{RT}\}$                                                                                  | $SAR_{head}$        |
| Body-worn/Hotspot | 1         | <ul style="list-style-type: none"> <li>Device state is either Body-worn or Hotspot at 5 mm</li> <li>1-g SAR is evaluated for all six surfaces of the EUT (S1-S6 as shown in Figure 2-1) at 5 mm test separation distance relative to the flat phantom</li> </ul> | $SAR_{body\_DSI=1} = \max \{SAR_{body\_DSI=1}, SAR_{body\_DSI=1}, SAR_{body\_DSI=1}, SAR_{body\_DSI=1}, SAR_{body\_DSI=1}, SAR_{body\_DSI=1}\}$ | $SAR_{body\_DSI=1}$ |

### 2.3. SAR<sub>Design Target</sub>

The total device design and related uncertainties of the EUT is shown below (in dB), which includes TxAGC and device to device variation.

To account for the total uncertainty,  $SAR_{Design Target}$  needs to be:

$$SAR_{Design Target} < SAR_{Design Limit} \times 10^{\frac{-total\ uncertainty}{10}}$$

For the FCC SAR requirement of 1.6 W/kg and 4.0 W/kg, 1-g and 10-g SAR respectively, the  $SAR_{Design Target}$  for the EUT is determined as:

| Total Uncertainty (dB) | $SAR_{Design Target}$ (1-g W/kg) | $SAR_{Design Target}$ (10-g W/kg) | $SAR_{Design Limit}$ (1-g W/kg) | $SAR_{Design Limit}$ (10-g W/kg) |
|------------------------|----------------------------------|-----------------------------------|---------------------------------|----------------------------------|
| 1.00                   | 0.8                              | 2.0                               | 1.0                             | 2.5                              |

## 2.4. SAR Characterization

Referring to the initial FCC submission, the worst-case *reported* SAR for each antenna/technology/band/DSI is summarized in Table 2-2:

**Table 2-2: Worst-case reported SAR**

| Tech/Band        | Antenna |           |         | Worst-case SAR (W/kg) |           |         | P <sub>limit</sub> Max Tune-up Power (dBm) |           |         |
|------------------|---------|-----------|---------|-----------------------|-----------|---------|--------------------------------------------|-----------|---------|
|                  | Head    | Body-worn | Hotspot | Head                  | Body-worn | Hotspot | Head                                       | Body-worn | Hotspot |
|                  | DSI: 0  | DSI: 1    | DSI: 1  | DSI: 0                | DSI: 1    | DSI: 1  | DSI: 0                                     | DSI: 1    | DSI: 1  |
| GSM 850 2 slots  | ANT2    | ANT1      | ANT1    | 0.674                 | 0.557     | 0.557   | 30.50                                      | 31.00     | 31.00   |
| GSM 1900 2 slots | ANT2    | ANT3      | ANT3    | 0.952                 | 0.957     | 0.957   | 26.00                                      | 26.30     | 26.30   |
| W-CDMA B2        | ANT4    | ANT3      | ANT1    | 0.958                 | 0.954     | 0.959   | 20.30                                      | 20.30     | 21.80   |
| W-CDMA B4        | ANT2    | ANT2      | ANT2    | 0.930                 | 0.959     | 0.959   | 23.50                                      | 23.50     | 23.50   |
| W-CDMA B5        | ANT2    | ANT1      | ANT1    | 0.953                 | 0.958     | 0.958   | 24.50                                      | 25.00     | 25.00   |
| CDMA BC0         | ANT2    | ANT1      | ANT1    | 0.950                 | 0.567     | 0.567   | 23.00                                      | 23.50     | 23.50   |
| CDMA BC1         | ANT2    | ANT1      | ANT1    | 0.921                 | 0.897     | 0.951   | 20.00                                      | 21.80     | 21.80   |
| CDMA BC10        | ANT2    | ANT1      | ANT1    | 0.867                 | 0.845     | 0.845   | 24.50                                      | 25.00     | 25.00   |
| LTE Band 5       | ANT2    | ANT1      | ANT1    | 0.915                 | 0.919     | 0.919   | 24.50                                      | 25.00     | 25.00   |
| LTE Band 7       | ANT4    | ANT2      | ANT3    | 0.958                 | 0.897     | 0.957   | 19.50                                      | 19.50     | 19.30   |
| LTE Band 12/17   | ANT2    | ANT1      | ANT1    | 0.841                 | 0.524     | 0.705   | 24.70                                      | 25.70     | 25.70   |
| LTE Band 13      | ANT2    | ANT1      | ANT1    | 0.882                 | 0.627     | 0.627   | 24.70                                      | 25.70     | 25.70   |
| LTE Band 14      | ANT2    | ANT1      | ANT1    | 0.935                 | 0.688     | 0.688   | 24.70                                      | 25.70     | 25.70   |
| LTE Band 25/2    | ANT4    | ANT2      | ANT4    | 0.953                 | 0.926     | 0.958   | 20.30                                      | 19.80     | 20.80   |
| LTE Band 26      | ANT2    | ANT1      | ANT1    | 0.926                 | 0.876     | 0.876   | 24.50                                      | 25.00     | 25.00   |
| LTE Band 30      | ANT4    | ANT2      | ANT4    | 0.946                 | 0.940     | 0.952   | 20.30                                      | 21.00     | 20.00   |
| LTE Band 41      | ANT2    | ANT2      | ANT3    | 0.959                 | 0.914     | 0.958   | 20.30                                      | 21.50     | 21.30   |
| LTE Band 48      | ANT4    | ANT7      | ANT7    | 0.951                 | 0.956     | 0.956   | 19.50                                      | 22.80     | 22.80   |
| LTE Band 66/4    | ANT4    | ANT2      | ANT1    | 0.959                 | 0.879     | 0.959   | 19.80                                      | 23.50     | 19.30   |
| LTE Band 71      | ANT2    | ANT2      | ANT2    | 0.824                 | 0.495     | 0.495   | 24.70                                      | 24.70     | 24.70   |
| NR n5            | ANT2    | ANT1      | ANT1    | 0.613                 | 0.633     | 0.633   | 24.50                                      | 25.00     | 25.00   |
| NR n7            | ANT4    | ANT3      | ANT1    | 0.901                 | 0.741     | 0.883   | 19.50                                      | 19.30     | 20.00   |
| NR n12           | ANT2    | ANT1      | ANT1    | 0.619                 | 0.370     | 0.410   | 24.70                                      | 25.70     | 25.70   |
| NR n25/2         | ANT4    | ANT3      | ANT1    | 0.945                 | 0.856     | 0.950   | 20.30                                      | 20.30     | 21.80   |
| NR n30           | ANT4    | ANT2      | ANT1    | 0.842                 | 0.873     | 0.913   | 20.30                                      | 21.00     | 20.50   |
| NR n41           | ANT4    | ANT2      | ANT4    | 0.903                 | 0.729     | 0.762   | 17.50                                      | 19.50     | 18.80   |
| NR n66           | ANT4    | ANT3      | ANT1    | 0.886                 | 0.805     | 0.955   | 19.80                                      | 21.80     | 19.30   |
| NR n71           | ANT2    | ANT2      | ANT2    | 0.400                 | 0.367     | 0.367   | 24.70                                      | 24.70     | 24.70   |
| NR n77           | ANT4    | ANT7      | ANT8    | 0.951                 | 0.956     | 0.959   | 19.20                                      | 21.00     | 20.50   |

Using the reported SAR listed in Table 2-2, and following the procedure described in §3.1, the SAR Char of this EUT, i.e.,  $P_{limit}$  corresponding to SAR<sub>Design Target</sub>, is determined for each supported antenna/technology/band/DSI as:

1. For DSI = 0,  $P_{limit}$  is calculated based on 1-g SAR head exposure evaluation.
2. For DSI = 1,  $P_{limit}$  is calculated based on 1-g SAR body-worn/hotspot exposure evaluation at 5 mm spacing.

$$P_{limit} = \min\{P_{limit} \text{ corresponding to body worn 1gSAR evaluation at 5mm spacing, } P_{limit} \text{ corresponding to 10-g SAR extremity evaluation at 2mm spacing, } P_{max} \text{ maximum RF tuneup power for the case that the SAR test is excluded}\}$$

The SAR Char is listed in Table 2-3.

Table 2-3: SAR Characterization

| Exposure Scenario |                  |            | Head                         |                                         |                              |                                         | Body-worn                    |                                         |                              |                                         | Hotspot                      |                                         |                              |                                         | P <sub>max</sub><br>(dBm) |               |
|-------------------|------------------|------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|---------------------------|---------------|
| Spatial-average   |                  |            | 1-g                          |                                         |                              |                                         | 1-g                          |                                         |                              |                                         | 1-g                          |                                         |                              |                                         |                           |               |
| Test Distance     |                  |            | 0 mm                         |                                         |                              |                                         | 5 mm                         |                                         |                              |                                         | 5 mm                         |                                         |                              |                                         |                           |               |
| Power Mode (DSI)  |                  |            | DSI: 0                       |                                         |                              |                                         | DSI: 1                       |                                         |                              |                                         | DSI: 1                       |                                         |                              |                                         |                           |               |
| Antenna           | Tech/Band        | Duty Cycle | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) |                           |               |
|                   |                  |            | Burst Average                |                                         | Frame Average                |                                         | Burst Average                |                                         | Frame Average                |                                         | Burst Average                |                                         | Frame Average                |                                         | Burst Average             | Frame Average |
| ANT1              | GSM 850 2 slots  | 25.0%      | 42.07                        | 32.50                                   | 36.04                        | 26.48                                   | 33.54                        | 31.00                                   | 27.52                        | 24.98                                   | 33.54                        | 31.00                                   | 27.52                        | 24.98                                   | 32.50                     | 26.48         |
|                   | GSM 1900 2 slots | 25.0%      | 35.49                        | 31.00                                   | 29.47                        | 24.98                                   | 29.47                        | 27.80                                   | 23.45                        | 21.78                                   | 28.04                        | 27.80                                   | 22.02                        | 21.78                                   | 31.00                     | 24.98         |
|                   | W-CDMA B2        | 100.0%     | 29.26                        | 25.70                                   | 29.26                        | 25.70                                   | 22.08                        | 21.80                                   | 22.08                        | 21.80                                   | 21.98                        | 21.80                                   | 21.98                        | 21.80                                   | 25.70                     | 25.70         |
|                   | W-CDMA B4        | 100.0%     | 31.16                        | 25.70                                   | 31.16                        | 25.70                                   | 20.54                        | 19.30                                   | 20.54                        | 19.30                                   | 19.50                        | 19.30                                   | 19.50                        | 19.30                                   | 25.70                     | 25.70         |
|                   | W-CDMA B5        | 100.0%     | 33.76                        | 25.70                                   | 33.76                        | 25.70                                   | 25.19                        | 25.00                                   | 25.19                        | 25.00                                   | 25.19                        | 25.00                                   | 25.19                        | 25.00                                   | 25.70                     | 25.70         |
|                   | CDMA BC0         | 100.0%     | 30.22                        | 23.50                                   | 30.22                        | 23.50                                   | 25.97                        | 23.50                                   | 25.97                        | 23.50                                   | 25.97                        | 23.50                                   | 25.97                        | 23.50                                   | 23.50                     | 23.50         |
|                   | CDMA BC1         | 100.0%     | 29.24                        | 25.70                                   | 29.24                        | 25.70                                   | 22.27                        | 21.80                                   | 22.27                        | 21.80                                   | 22.02                        | 21.80                                   | 22.02                        | 21.80                                   | 25.70                     | 25.70         |
|                   | CDMA BC10        | 100.0%     | 33.02                        | 25.70                                   | 33.02                        | 25.70                                   | 25.73                        | 25.00                                   | 25.73                        | 25.00                                   | 25.73                        | 25.00                                   | 25.73                        | 25.00                                   | 25.70                     | 25.70         |
|                   | LTE Band 5       | 100.0%     | 32.59                        | 25.70                                   | 32.59                        | 25.70                                   | 25.37                        | 25.00                                   | 25.37                        | 25.00                                   | 25.37                        | 25.00                                   | 25.37                        | 25.00                                   | 25.70                     | 25.70         |
|                   | LTE Band 7       | 100.0%     | 30.59                        | 25.70                                   | 30.59                        | 25.70                                   | 21.55                        | 20.00                                   | 21.55                        | 20.00                                   | 20.35                        | 20.00                                   | 20.35                        | 20.00                                   | 25.70                     | 25.70         |
|                   | LTE Band 12/17   | 100.0%     | 32.80                        | 25.70                                   | 32.80                        | 25.70                                   | 28.51                        | 25.70                                   | 28.51                        | 25.70                                   | 27.22                        | 25.70                                   | 27.22                        | 25.70                                   | 25.70                     | 25.70         |
|                   | LTE Band 13      | 100.0%     | 31.90                        | 25.70                                   | 31.90                        | 25.70                                   | 27.73                        | 25.70                                   | 27.73                        | 25.70                                   | 27.73                        | 25.70                                   | 27.73                        | 25.70                                   | 25.70                     | 25.70         |
|                   | LTE Band 14      | 100.0%     | 33.64                        | 25.70                                   | 33.64                        | 25.70                                   | 27.33                        | 25.70                                   | 27.33                        | 25.70                                   | 27.33                        | 25.70                                   | 27.33                        | 25.70                                   | 25.70                     | 25.70         |
|                   | LTE Band 25/2    | 100.0%     | 29.43                        | 25.70                                   | 29.43                        | 25.70                                   | 22.97                        | 21.80                                   | 22.97                        | 21.80                                   | 22.00                        | 21.80                                   | 22.00                        | 21.80                                   | 25.70                     | 25.70         |
|                   | LTE Band 26      | 100.0%     | 33.40                        | 25.70                                   | 33.40                        | 25.70                                   | 25.58                        | 25.00                                   | 25.58                        | 25.00                                   | 25.58                        | 25.00                                   | 25.58                        | 25.00                                   | 25.70                     | 25.70         |
|                   | LTE Band 30      | 100.0%     | 27.70                        | 25.00                                   | 27.70                        | 25.00                                   | 23.53                        | 20.50                                   | 23.53                        | 20.50                                   | 20.76                        | 20.50                                   | 20.76                        | 20.50                                   | 25.00                     | 25.00         |
|                   | LTE Band 41      | 63.3%      | 32.61                        | 25.70                                   | 30.62                        | 23.71                                   | 26.12                        | 23.00                                   | 24.13                        | 21.01                                   | 23.20                        | 23.00                                   | 21.21                        | 21.01                                   | 25.70                     | 23.71         |
|                   | LTE Band 66/4    | 100.0%     | 31.94                        | 25.70                                   | 31.94                        | 25.70                                   | 20.98                        | 19.30                                   | 20.98                        | 19.30                                   | 19.48                        | 19.30                                   | 19.48                        | 19.30                                   | 25.70                     | 25.70         |
|                   | LTE Band 71      | 100.0%     | 34.26                        | 25.70                                   | 34.26                        | 25.70                                   | 29.20                        | 25.70                                   | 29.20                        | 25.70                                   | 28.82                        | 25.70                                   | 28.82                        | 25.70                                   | 25.70                     | 25.70         |
|                   | NR n5            | 100.0%     | 34.54                        | 25.70                                   | 34.54                        | 25.70                                   | 26.98                        | 25.00                                   | 26.98                        | 25.00                                   | 26.98                        | 25.00                                   | 26.98                        | 25.00                                   | 25.70                     | 25.70         |
|                   | NR n7            | 100.0%     | 30.68                        | 25.70                                   | 30.68                        | 25.70                                   | 21.33                        | 20.00                                   | 21.33                        | 20.00                                   | 20.54                        | 20.00                                   | 20.54                        | 20.00                                   | 25.70                     | 25.70         |
|                   | NR n12           | 100.0%     | 35.17                        | 25.70                                   | 35.17                        | 25.70                                   | 30.02                        | 25.70                                   | 30.02                        | 25.70                                   | 29.57                        | 25.70                                   | 29.57                        | 25.70                                   | 25.70                     | 25.70         |
|                   | NR n25/2         | 100.0%     | 30.32                        | 25.70                                   | 30.32                        | 25.70                                   | 23.06                        | 21.80                                   | 23.06                        | 21.80                                   | 22.02                        | 21.80                                   | 22.02                        | 21.80                                   | 25.70                     | 25.70         |
|                   | NR n30           | 100.0%     | 28.21                        | 25.00                                   | 28.21                        | 25.00                                   | 23.35                        | 20.50                                   | 23.35                        | 20.50                                   | 20.90                        | 20.50                                   | 20.90                        | 20.50                                   | 25.00                     | 25.00         |
|                   | NR n41           | 63.3%      | 32.63                        | 25.70                                   | 30.64                        | 23.71                                   | 24.42                        | 21.00                                   | 22.44                        | 19.01                                   | 24.42                        | 21.00                                   | 22.44                        | 19.01                                   | 25.70                     | 23.71         |
|                   | NR n66           | 100.0%     | 33.35                        | 25.70                                   | 33.35                        | 25.70                                   | 21.30                        | 19.30                                   | 21.30                        | 19.30                                   | 19.50                        | 19.30                                   | 19.50                        | 19.30                                   | 25.70                     | 25.70         |
|                   | NR n71           | 100.0%     | 35.23                        | 25.70                                   | 35.23                        | 25.70                                   | 30.38                        | 25.70                                   | 30.38                        | 25.70                                   | 30.19                        | 25.70                                   | 30.19                        | 25.70                                   | 25.70                     | 25.70         |
| ANT2              | GSM 850 2 slots  | 25.0%      | 32.21                        | 30.50                                   | 26.19                        | 24.48                                   | 36.66                        | 31.00                                   | 30.64                        | 24.98                                   | 36.66                        | 31.00                                   | 30.64                        | 24.98                                   | 31.00                     | 24.98         |
|                   | GSM 1900 2 slots | 25.0%      | 26.21                        | 26.00                                   | 20.19                        | 19.98                                   | 26.10                        | 25.80                                   | 20.08                        | 19.78                                   | 26.10                        | 25.80                                   | 20.08                        | 19.78                                   | 28.50                     | 22.48         |
|                   | W-CDMA B2        | 100.0%     | 20.21                        | 20.00                                   | 20.21                        | 20.00                                   | 20.59                        | 19.80                                   | 20.59                        | 19.80                                   | 20.33                        | 19.80                                   | 20.33                        | 19.80                                   | 23.70                     | 23.70         |
|                   | W-CDMA B4        | 100.0%     | 23.81                        | 23.50                                   | 23.81                        | 23.50                                   | 23.68                        | 23.50                                   | 23.68                        | 23.50                                   | 23.68                        | 23.50                                   | 23.68                        | 23.50                                   | 23.70                     | 23.70         |
|                   | W-CDMA B5        | 100.0%     | 24.71                        | 24.50                                   | 24.71                        | 24.50                                   | 27.67                        | 24.70                                   | 27.67                        | 24.70                                   | 27.67                        | 24.70                                   | 27.67                        | 24.70                                   | 24.70                     | 24.70         |
|                   | CDMA BC0         | 100.0%     | 23.22                        | 23.00                                   | 23.22                        | 23.00                                   | 26.66                        | 23.00                                   | 26.66                        | 23.00                                   | 26.66                        | 23.00                                   | 26.66                        | 23.00                                   | 23.00                     | 23.00         |
|                   | CDMA BC1         | 100.0%     | 20.36                        | 20.00                                   | 20.36                        | 20.00                                   | 20.29                        | 19.80                                   | 20.29                        | 19.80                                   | 20.29                        | 19.80                                   | 20.29                        | 19.80                                   | 23.70                     | 23.70         |
|                   | CDMA BC10        | 100.0%     | 25.12                        | 24.50                                   | 25.12                        | 24.50                                   | 28.99                        | 24.70                                   | 28.99                        | 24.70                                   | 28.99                        | 24.70                                   | 28.99                        | 24.70                                   | 24.70                     | 24.70         |
|                   | LTE Band 5       | 100.0%     | 24.89                        | 24.50                                   | 24.89                        | 24.50                                   | 25.57                        | 24.70                                   | 25.57                        | 24.70                                   | 25.57                        | 24.70                                   | 25.57                        | 24.70                                   | 24.70                     | 24.70         |
|                   | LTE Band 7       | 100.0%     | 19.74                        | 19.50                                   | 19.74                        | 19.50                                   | 19.97                        | 19.50                                   | 19.97                        | 19.50                                   | 19.87                        | 19.50                                   | 19.87                        | 19.50                                   | 23.20                     | 23.20         |
|                   | LTE Band 12/17   | 100.0%     | 25.45                        | 24.70                                   | 25.45                        | 24.70                                   | 28.01                        | 24.70                                   | 28.01                        | 24.70                                   | 28.01                        | 24.70                                   | 28.01                        | 24.70                                   | 24.70                     | 24.70         |
|                   | LTE Band 13      | 100.0%     | 25.25                        | 24.70                                   | 25.25                        | 24.70                                   | 27.22                        | 24.70                                   | 27.22                        | 24.70                                   | 27.22                        | 24.70                                   | 27.22                        | 24.70                                   | 24.70                     | 24.70         |
|                   | LTE Band 14      | 100.0%     | 24.99                        | 24.70                                   | 24.99                        | 24.70                                   | 27.31                        | 24.70                                   | 27.31                        | 24.70                                   | 27.31                        | 24.70                                   | 27.31                        | 24.70                                   | 24.70                     | 24.70         |
|                   | LTE Band 25/2    | 100.0%     | 20.23                        | 20.00                                   | 20.23                        | 20.00                                   | 20.13                        | 19.80                                   | 20.13                        | 19.80                                   | 20.13                        | 19.80                                   | 20.13                        | 19.80                                   | 23.70                     | 23.70         |
|                   | LTE Band 26      | 100.0%     | 24.83                        | 24.50                                   | 24.83                        | 24.50                                   | 28.51                        | 24.70                                   | 28.51                        | 24.70                                   | 28.51                        | 24.70                                   | 28.51                        | 24.70                                   | 24.70                     | 24.70         |
|                   | LTE Band 30      | 100.0%     | 19.11                        | 18.80                                   | 19.11                        | 18.80                                   | 21.27                        | 21.00                                   | 21.27                        | 21.00                                   | 21.27                        | 21.00                                   | 21.27                        | 21.00                                   | 23.20                     | 23.20         |
|                   | LTE Band 41      | 63.3%      | 20.48                        | 20.30                                   | 18.49                        | 18.31                                   | 21.89                        | 21.50                                   | 19.90                        | 19.51                                   | 21.89                        | 21.50                                   | 19.90                        | 19.51                                   | 25.00                     | 23.01         |
|                   | LTE Band 66/4    | 100.0%     | 23.69                        | 23.50                                   | 23.69                        | 23.50                                   | 24.06                        | 23.50                                   | 24.06                        | 23.50                                   | 24.06                        | 23.50                                   | 24.06                        | 23.50                                   | 23.70                     | 23.70         |
|                   | LTE Band 71      | 100.0%     | 25.54                        | 24.70                                   | 25.54                        | 24.70                                   | 27.75                        | 24.70                                   | 27.75                        | 24.70                                   | 27.75                        | 24.70                                   | 27.75                        | 24.70                                   | 24.70                     | 24.70         |
|                   | NR n5            | 100.0%     | 26.63                        | 24.50                                   | 26.63                        | 24.50                                   | 27.51                        | 24.70                                   | 27.51                        | 24.70                                   | 27.51                        | 24.70                                   | 27.51                        | 24.70                                   | 24.70                     | 24.70         |
|                   | NR n7            | 100.0%     | 20.51                        | 19.50                                   | 20.51                        | 19.50                                   | 21.44                        | 19.50                                   | 21.44                        | 19.50                                   | 21.14                        | 19.50                                   | 21.14                        | 19.50                                   | 23.20                     | 23.20         |
|                   | NR n12           | 100.0%     | 26.78                        | 24.70                                   | 26.78                        | 24.70                                   | 30.46                        | 24.70                                   | 30.46                        | 24.70                                   | 30.46                        | 24.70                                   | 30.46                        | 24.70                                   | 24.70                     | 24.70         |
|                   | NR n25/2         | 100.0%     | 20.92                        | 20.00                                   | 20.92                        | 20.00                                   | 20.94                        | 19.80                                   | 20.94                        | 19.80                                   | 20.94                        | 19.80                                   | 20.94                        | 19.80                                   | 23.70                     | 23.70         |
|                   | NR n30           | 100.0%     | 19.81                        | 18.80                                   | 19.81                        | 18.80                                   | 21.59                        | 21.00                                   | 21.59                        | 21.00                                   | 21.59                        | 21.00                                   | 21.59                        | 21.00                                   | 23.20                     | 23.20         |
|                   | NR n41           | 63.3%      | 19.29                        | 18.30                                   | 17.30                        | 16.31                                   | 20.87                        | 19.50                                   | 18.88                        | 17.51                                   | 20.87                        | 19.50                                   | 18.88                        | 17.51                                   | 25.70                     | 23.71         |
|                   | NR n66           | 100.0%     | 24.43                        | 23.50                                   | 24.43                        | 23.50                                   | 24.54                        | 23.50                                   | 24.54                        | 23.50                                   | 24.54                        | 23.50                                   | 24.54                        | 23.50                                   | 23.70                     | 23.70         |
|                   | NR n71           | 100.0%     | 28.68                        | 24.70                                   | 28.68                        | 24.70                                   | 29.06                        | 24.70                                   | 29.06                        | 24.70                                   | 29.06                        | 24.70                                   | 29.06                        | 24.70                                   | 24.70                     | 24.70         |

| Exposure Scenario |                  | Duty Cycle | Head                         |                                         |                              |                                         | Body-worn                    |                                         |                              |                                         | Hotspot                      |                                         |                              |                                         | P <sub>max</sub><br>(dBm) |               |
|-------------------|------------------|------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|------------------------------|-----------------------------------------|---------------------------|---------------|
| Spatial-average   |                  |            | 1-g                          |                                         |                              |                                         | 1-g                          |                                         |                              |                                         | 1-g                          |                                         |                              |                                         |                           |               |
| Test Distance     |                  |            | 0 mm                         |                                         |                              |                                         | 5 mm                         |                                         |                              |                                         | 5 mm                         |                                         |                              |                                         |                           |               |
| Power Mode (DS)   |                  |            | DS: 0                        |                                         |                              |                                         | DS: 1                        |                                         |                              |                                         | DS: 1                        |                                         |                              |                                         |                           |               |
| Antenna           | Tech/Band        |            | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) | P <sub>design</sub><br>(dBm) | P <sub>limit</sub> + Tolerance<br>(dBm) |                           |               |
|                   |                  |            | Burst Average                |                                         | Frame Average                |                                         | Burst Average                |                                         | Frame Average                |                                         | Burst Average                |                                         | Frame Average                |                                         | Burst Average             | Frame Average |
| ANT3              | GSM 1900 2 slots | 25.0%      | 33.91                        | 29.50                                   | 27.89                        | 23.48                                   | 26.49                        | 26.30                                   | 20.47                        | 20.28                                   | 26.49                        | 26.30                                   | 20.47                        | 20.28                                   | 30.00                     | 23.98         |
|                   | W-CDMA B2        | 100.0%     | 26.59                        | 24.00                                   | 26.59                        | 24.00                                   | 20.50                        | 20.30                                   | 20.50                        | 20.30                                   | 20.50                        | 20.30                                   | 20.50                        | 20.30                                   | 25.20                     | 25.20         |
|                   | W-CDMA B4        | 100.0%     | 29.77                        | 23.80                                   | 29.77                        | 23.80                                   | 22.01                        | 21.80                                   | 22.01                        | 21.80                                   | 22.01                        | 21.80                                   | 22.01                        | 21.80                                   | 25.20                     | 25.20         |
|                   | LTE Band 7       | 100.0%     | 27.30                        | 23.30                                   | 27.30                        | 23.30                                   | 20.62                        | 19.30                                   | 20.62                        | 19.30                                   | 19.49                        | 19.30                                   | 19.49                        | 19.30                                   | 25.20                     | 25.20         |
|                   | LTE Band 25/2    | 100.0%     | 27.17                        | 24.00                                   | 27.17                        | 24.00                                   | 21.33                        | 20.30                                   | 21.33                        | 20.30                                   | 20.57                        | 20.30                                   | 20.57                        | 20.30                                   | 25.20                     | 25.20         |
|                   | LTE Band 30      | 100.0%     | 26.96                        | 22.30                                   | 26.96                        | 22.30                                   | 23.12                        | 20.30                                   | 23.12                        | 20.30                                   | 20.51                        | 20.30                                   | 20.51                        | 20.30                                   | 23.00                     | 23.00         |
|                   | LTE Band 41      | 63.3%      | 29.10                        | 23.50                                   | 27.11                        | 21.51                                   | 22.09                        | 21.30                                   | 20.11                        | 19.31                                   | 21.49                        | 21.30                                   | 19.50                        | 19.31                                   | 25.70                     | 23.71         |
|                   | LTE Band 66/4    | 100.0%     | 29.96                        | 23.80                                   | 29.96                        | 23.80                                   | 218.63                       | 218.00                                  | 218.63                       | 218.00                                  | 218.20                       | 218.00                                  | 218.20                       | 218.00                                  | 25.20                     | 25.20         |
|                   | NR n7            | 100.0%     | 27.33                        | 23.30                                   | 27.33                        | 23.30                                   | 20.60                        | 19.30                                   | 20.60                        | 19.30                                   | 20.60                        | 19.30                                   | 20.60                        | 19.30                                   | 25.20                     | 25.20         |
|                   | NR n25/2         | 100.0%     | 27.23                        | 24.00                                   | 27.23                        | 24.00                                   | 20.98                        | 20.30                                   | 20.98                        | 20.30                                   | 20.68                        | 20.30                                   | 20.68                        | 20.30                                   | 25.20                     | 25.20         |
|                   | NR n30           | 100.0%     | 27.35                        | 22.30                                   | 27.35                        | 22.30                                   | 23.94                        | 20.30                                   | 23.94                        | 20.30                                   | 20.73                        | 20.30                                   | 20.73                        | 20.30                                   | 23.00                     | 23.00         |
|                   | NR n41           | 63.3%      | 27.72                        | 21.50                                   | 25.73                        | 19.51                                   | 20.94                        | 19.30                                   | 18.96                        | 17.31                                   | 20.94                        | 19.30                                   | 18.96                        | 17.31                                   | 24.70                     | 22.71         |
|                   | NR n66           | 100.0%     | 30.16                        | 23.80                                   | 30.16                        | 23.80                                   | 22.74                        | 21.80                                   | 22.74                        | 21.80                                   | 22.09                        | 21.80                                   | 22.09                        | 21.80                                   | 25.20                     | 25.20         |
| ANT4              | GSM 1900 2 slots | 25.0%      | 26.70                        | 26.30                                   | 20.68                        | 20.28                                   | 28.99                        | 26.80                                   | 22.97                        | 20.78                                   | 27.00                        | 26.80                                   | 20.98                        | 20.78                                   | 28.00                     | 21.98         |
|                   | W-CDMA B2        | 100.0%     | 20.49                        | 20.30                                   | 20.49                        | 20.30                                   | 21.30                        | 20.80                                   | 21.30                        | 20.80                                   | 20.99                        | 20.80                                   | 20.99                        | 20.80                                   | 23.70                     | 23.70         |
|                   | W-CDMA B4        | 100.0%     | 20.53                        | 19.80                                   | 20.53                        | 19.80                                   | 23.82                        | 21.30                                   | 23.82                        | 21.30                                   | 21.69                        | 21.30                                   | 21.69                        | 21.30                                   | 23.70                     | 23.70         |
|                   | LTE Band 7       | 100.0%     | 19.69                        | 19.50                                   | 19.69                        | 19.50                                   | 20.20                        | 19.50                                   | 20.20                        | 19.50                                   | 20.20                        | 19.50                                   | 20.20                        | 19.50                                   | 23.20                     | 23.20         |
|                   | LTE Band 25/2    | 100.0%     | 20.51                        | 20.30                                   | 20.51                        | 20.30                                   | 22.10                        | 20.80                                   | 22.10                        | 20.80                                   | 20.99                        | 20.80                                   | 20.99                        | 20.80                                   | 23.70                     | 23.70         |
|                   | LTE Band 30      | 100.0%     | 20.54                        | 20.30                                   | 20.54                        | 20.30                                   | 20.60                        | 20.00                                   | 20.60                        | 20.00                                   | 20.21                        | 20.00                                   | 20.21                        | 20.00                                   | 23.20                     | 23.20         |
|                   | LTE Band 41      | 63.3%      | 20.90                        | 19.50                                   | 18.91                        | 17.51                                   | 23.80                        | 20.80                                   | 21.81                        | 18.81                                   | 22.25                        | 20.80                                   | 20.27                        | 18.81                                   | 25.00                     | 23.01         |
|                   | LTE Band 48      | 63.3%      | 19.72                        | 19.50                                   | 17.73                        | 17.51                                   | 23.66                        | 20.30                                   | 21.67                        | 18.31                                   | 20.56                        | 20.30                                   | 18.57                        | 18.31                                   | 21.70                     | 19.71         |
|                   | LTE Band 66/4    | 100.0%     | 19.98                        | 19.80                                   | 19.98                        | 19.80                                   | 22.66                        | 21.30                                   | 22.66                        | 21.30                                   | 21.69                        | 21.30                                   | 21.69                        | 21.30                                   | 23.70                     | 23.70         |
|                   | NR n7            | 100.0%     | 19.95                        | 19.50                                   | 19.95                        | 19.50                                   | 21.17                        | 19.50                                   | 21.17                        | 19.50                                   | 20.40                        | 19.50                                   | 20.40                        | 19.50                                   | 23.20                     | 23.20         |
|                   | NR n25/2         | 100.0%     | 20.54                        | 20.30                                   | 20.54                        | 20.30                                   | 22.39                        | 20.80                                   | 22.39                        | 20.80                                   | 21.12                        | 20.80                                   | 21.12                        | 20.80                                   | 23.70                     | 23.70         |
|                   | NR n30           | 100.0%     | 21.05                        | 20.30                                   | 21.05                        | 20.30                                   | 21.42                        | 20.00                                   | 21.42                        | 20.00                                   | 20.80                        | 20.00                                   | 20.80                        | 20.00                                   | 23.20                     | 23.20         |
|                   | NR n41           | 63.3%      | 17.94                        | 17.50                                   | 15.96                        | 15.51                                   | 22.78                        | 18.80                                   | 20.79                        | 16.81                                   | 19.98                        | 18.80                                   | 18.00                        | 16.81                                   | 25.70                     | 23.71         |
|                   | NR n66           | 100.0%     | 20.32                        | 19.80                                   | 20.32                        | 19.80                                   | 23.43                        | 21.30                                   | 23.43                        | 21.30                                   | 21.86                        | 21.30                                   | 21.86                        | 21.30                                   | 23.70                     | 23.70         |
|                   | NR n77           | 63.3%      | 19.42                        | 19.20                                   | 17.43                        | 17.21                                   | 20.22                        | 19.50                                   | 18.23                        | 17.51                                   | 19.71                        | 19.50                                   | 17.73                        | 17.51                                   | 24.00                     | 22.01         |
| ANT7              | LTE Band 48      | 63.3%      | 33.33                        | 24.80                                   | 31.34                        | 22.81                                   | 23.00                        | 22.80                                   | 21.01                        | 20.81                                   | 23.00                        | 22.80                                   | 21.01                        | 20.81                                   | 24.80                     | 22.81         |
|                   | NR n77           | 63.3%      | 31.33                        | 25.70                                   | 29.34                        | 23.71                                   | 21.20                        | 21.00                                   | 19.21                        | 19.01                                   | 21.20                        | 21.00                                   | 19.21                        | 19.01                                   | 25.70                     | 23.71         |
| ANT8              | LTE Band 48      | 63.3%      | 22.95                        | 22.50                                   | 20.97                        | 20.51                                   | 24.45                        | 23.00                                   | 22.47                        | 21.01                                   | 23.22                        | 23.00                                   | 21.24                        | 21.01                                   | 23.00                     | 21.01         |
|                   | NR n77           | 63.3%      | 20.45                        | 20.20                                   | 18.46                        | 18.21                                   | 21.98                        | 20.50                                   | 19.99                        | 18.51                                   | 20.68                        | 20.50                                   | 18.70                        | 18.51                                   | 24.50                     | 22.51         |
| ANT9              | LTE Band 48      | 63.3%      | 36.81                        | 25.20                                   | 34.82                        | 23.21                                   | 26.90                        | 25.20                                   | 24.91                        | 23.21                                   | 26.90                        | 25.20                                   | 24.91                        | 23.21                                   | 25.20                     | 23.21         |
|                   | NR n77           | 63.3%      | 35.58                        | 25.70                                   | 33.59                        | 23.71                                   | 22.79                        | 22.50                                   | 20.80                        | 20.51                                   | 22.79                        | 22.50                                   | 20.80                        | 20.51                                   | 25.70                     | 23.71         |

### 3. Power Density Characterization

The EUT's 5G mmW NR contains two Qualcomm SDX-60M mmW antenna modules (module 0 and 1), denoted as ANT M1 and ANT M0 (module 0), and ANT M2 (module 1), which are installed at three different locations as shown in the operational description. There is a total of 135 antenna array configurations per band. In this chapter, a hybrid approach of using electromagnetic (EM) simulation and actual measurements to efficiently, and conservatively, characterize the power density profile for the EUT.

### 3.1. Exposure Scenarios in PD Evaluation

In general, for a smartphone operating at frequencies > 6 GHz, the PD is required to be assessed for all antenna configurations (beams) from all mmW antenna modules installed inside the device. Furthermore, this PD evaluation should be performed at low, mid, and high channels for each supported mmW band.

For this EUT, the 4cm<sup>2</sup> spatially-averaged PD is evaluated along the surfaces (S1=front, S2=back, S3=left, S4=right, S5=top, and S6=bottom as shown in Figure 3-1) and the worst-case PD is determined by taking the maximum PD among all the evaluated surfaces for each beam/band.




Figure 3-1: EUT surface definition

### 3.2. PD Characterization Overview

Parameters used in PD Characterization:

- The EUT supports a total of 135 beams per band, where 90 beams are single beams (SISO) and 45 are beam pairs (MIMO) where 2 single beams are excited at the same time.
- **PD<sub>Design Target</sub>**: The design target for PD compliance as defined in the summary report. It should be less than the FCC PD limit to account for all device design related uncertainties.
- **input.power.limit**: For a PD characterized wireless device, the input power level at antenna port(s) for each beam corresponding to *PD<sub>design target</sub>*.
- **PD Characterization**: The table that contains the *input.power.limit* fed to antenna port(s) for all supported beams.

Figure 3-2 outlines the PD Char process.




Figure 3-2 High level flow chart for power density characterization

### 3.3. EUT Codebook

In general, all the beams that the smartphone supports are specified in the pre-defined codebook. The codebook is device design specific and generated after evaluating radiation coverage from this specific device.

Table 3-1 shows all the beams and their relevant information.

The PD evaluation needs to be performed for all the beams listed in Table 3-1.

Table 3-1: EUT Codebook

| Band | Beam ID | Paired With | Module | Ant Type | # of Elements | Band | Beam ID | Paired With | Module | Ant Type | # of Elements | Band | Beam ID | Paired With | Module | Ant Type | # of Elements |
|------|---------|-------------|--------|----------|---------------|------|---------|-------------|--------|----------|---------------|------|---------|-------------|--------|----------|---------------|
| 258  | 0       | 128         | M1     | PATCH    | 1             | 260  | 0       | 128         | M1     | PATCH    | 1             | 261  | 0       | 128         | M1     | PATCH    | 1             |
|      | 1       | 129         | M0     | PATCH    | 1             |      | 1       | 129         | M0     | PATCH    | 1             |      | 1       | 129         | M0     | PATCH    | 1             |
|      | 2       | 130         | M2     | PATCH    | 1             |      | 2       | 130         | M2     | PATCH    | 1             |      | 2       | 130         | M2     | PATCH    | 1             |
|      | 3       | 131         | M1     | PATCH    | 1             |      | 3       | 131         | M1     | PATCH    | 1             |      | 3       | 131         | M1     | PATCH    | 1             |
|      | 4       | 132         | M0     | PATCH    | 1             |      | 4       | 132         | M0     | PATCH    | 1             |      | 4       | 132         | M0     | PATCH    | 1             |
|      | 5       | 133         | M2     | PATCH    | 1             |      | 5       | 133         | M2     | PATCH    | 1             |      | 5       | 133         | M2     | PATCH    | 1             |
|      | 6       | 134         | M1     | PATCH    | 2             |      | 6       | 134         | M1     | PATCH    | 2             |      | 6       | 134         | M1     | PATCH    | 2             |
|      | 7       | 135         | M1     | PATCH    | 2             |      | 7       | 135         | M1     | PATCH    | 2             |      | 7       | 135         | M1     | PATCH    | 2             |
|      | 8       | 136         | M1     | PATCH    | 2             |      | 8       | 136         | M1     | PATCH    | 2             |      | 8       | 136         | M1     | PATCH    | 2             |
|      | 9       | 137         | M1     | PATCH    | 2             |      | 9       | 137         | M1     | PATCH    | 2             |      | 9       | 137         | M1     | PATCH    | 2             |
|      | 10      | 138         | M0     | PATCH    | 2             |      | 10      | 138         | M0     | PATCH    | 2             |      | 10      | 138         | M0     | PATCH    | 2             |

| Band | Beam ID | Paired With | Module | Ant Type | # of Elements | Band | Beam ID | Paired With | Module | Ant Type | # of Elements | Band | Beam ID | Paired With | Module | Ant Type | # of Elements |
|------|---------|-------------|--------|----------|---------------|------|---------|-------------|--------|----------|---------------|------|---------|-------------|--------|----------|---------------|
| 258  | 11      | 139         | M0     | PATCH    | 2             | 260  | 11      | 139         | M0     | PATCH    | 2             | 261  | 11      | 139         | M0     | PATCH    | 2             |
|      | 12      | 140         | M0     | PATCH    | 2             |      | 12      | 140         | M0     | PATCH    | 2             |      | 12      | 140         | M0     | PATCH    | 2             |
|      | 13      | 141         | M0     | PATCH    | 2             |      | 13      | 141         | M0     | PATCH    | 2             |      | 13      | 141         | M0     | PATCH    | 2             |
|      | 14      | 142         | M2     | PATCH    | 2             |      | 14      | 142         | M2     | PATCH    | 2             |      | 14      | 142         | M2     | PATCH    | 2             |
|      | 15      | 143         | M2     | PATCH    | 2             |      | 15      | 143         | M2     | PATCH    | 2             |      | 15      | 143         | M2     | PATCH    | 2             |
|      | 16      | 144         | M2     | PATCH    | 2             |      | 16      | 144         | M2     | PATCH    | 2             |      | 16      | 144         | M2     | PATCH    | 2             |
|      | 17      | 145         | M2     | PATCH    | 2             |      | 17      | 145         | M2     | PATCH    | 2             |      | 17      | 145         | M2     | PATCH    | 2             |
|      | 18      | 146         | M1     | PATCH    | 2             |      | 18      | 146         | M1     | PATCH    | 2             |      | 18      | 146         | M1     | PATCH    | 2             |
|      | 19      | 147         | M1     | PATCH    | 2             |      | 19      | 147         | M1     | PATCH    | 2             |      | 19      | 147         | M1     | PATCH    | 2             |
|      | 20      | 148         | M1     | PATCH    | 2             |      | 20      | 148         | M1     | PATCH    | 2             |      | 20      | 148         | M1     | PATCH    | 2             |
|      | 21      | 149         | M0     | PATCH    | 2             |      | 21      | 149         | M0     | PATCH    | 2             |      | 21      | 149         | M0     | PATCH    | 2             |
|      | 22      | 150         | M0     | PATCH    | 2             |      | 22      | 150         | M0     | PATCH    | 2             |      | 22      | 150         | M0     | PATCH    | 2             |
|      | 23      | 151         | M0     | PATCH    | 2             |      | 23      | 151         | M0     | PATCH    | 2             |      | 23      | 151         | M0     | PATCH    | 2             |
|      | 24      | 152         | M2     | PATCH    | 2             |      | 24      | 152         | M2     | PATCH    | 2             |      | 24      | 152         | M2     | PATCH    | 2             |
|      | 25      | 153         | M2     | PATCH    | 2             |      | 25      | 153         | M2     | PATCH    | 2             |      | 25      | 153         | M2     | PATCH    | 2             |
|      | 26      | 154         | M2     | PATCH    | 2             |      | 26      | 154         | M2     | PATCH    | 2             |      | 26      | 154         | M2     | PATCH    | 2             |
|      | 27      | 155         | M1     | PATCH    | 4             |      | 27      | 155         | M1     | PATCH    | 4             |      | 27      | 155         | M1     | PATCH    | 4             |
|      | 28      | 156         | M1     | PATCH    | 4             |      | 28      | 156         | M1     | PATCH    | 4             |      | 28      | 156         | M1     | PATCH    | 4             |
|      | 29      | 157         | M1     | PATCH    | 4             |      | 29      | 157         | M1     | PATCH    | 4             |      | 29      | 157         | M1     | PATCH    | 4             |
|      | 30      | 158         | M1     | PATCH    | 4             |      | 30      | 158         | M1     | PATCH    | 4             |      | 30      | 158         | M1     | PATCH    | 4             |
|      | 31      | 159         | M1     | PATCH    | 4             |      | 31      | 159         | M1     | PATCH    | 4             |      | 31      | 159         | M1     | PATCH    | 4             |
|      | 32      | 160         | M2     | PATCH    | 4             |      | 32      | 160         | M2     | PATCH    | 4             |      | 32      | 160         | M2     | PATCH    | 4             |
|      | 33      | 161         | M2     | PATCH    | 4             |      | 33      | 161         | M2     | PATCH    | 4             |      | 33      | 161         | M2     | PATCH    | 4             |
|      | 34      | 162         | M2     | PATCH    | 4             |      | 34      | 162         | M2     | PATCH    | 4             |      | 34      | 162         | M2     | PATCH    | 4             |
|      | 35      | 163         | M2     | PATCH    | 4             |      | 35      | 163         | M2     | PATCH    | 4             |      | 35      | 163         | M2     | PATCH    | 4             |
|      | 36      | 164         | M2     | PATCH    | 4             |      | 36      | 164         | M2     | PATCH    | 4             |      | 36      | 164         | M2     | PATCH    | 4             |
|      | 37      | 165         | M1     | PATCH    | 4             |      | 37      | 165         | M1     | PATCH    | 4             |      | 37      | 165         | M1     | PATCH    | 4             |
|      | 38      | 166         | M1     | PATCH    | 4             |      | 38      | 166         | M1     | PATCH    | 4             |      | 38      | 166         | M1     | PATCH    | 4             |
|      | 39      | 167         | M1     | PATCH    | 4             |      | 39      | 167         | M1     | PATCH    | 4             |      | 39      | 167         | M1     | PATCH    | 4             |
|      | 40      | 168         | M1     | PATCH    | 4             |      | 40      | 168         | M1     | PATCH    | 4             |      | 40      | 168         | M1     | PATCH    | 4             |
|      | 41      | 169         | M2     | PATCH    | 4             |      | 41      | 169         | M2     | PATCH    | 4             |      | 41      | 169         | M2     | PATCH    | 4             |
|      | 42      | 170         | M2     | PATCH    | 4             |      | 42      | 170         | M2     | PATCH    | 4             |      | 42      | 170         | M2     | PATCH    | 4             |
|      | 43      | 171         | M2     | PATCH    | 4             |      | 43      | 171         | M2     | PATCH    | 4             |      | 43      | 171         | M2     | PATCH    | 4             |
|      | 44      | 172         | M2     | PATCH    | 4             |      | 44      | 172         | M2     | PATCH    | 4             |      | 44      | 172         | M2     | PATCH    | 4             |
|      | 128     | 0           | M1     | PATCH    | 1             |      | 128     | 0           | M1     | PATCH    | 1             |      | 128     | 0           | M1     | PATCH    | 1             |
|      | 129     | 1           | M0     | PATCH    | 1             |      | 129     | 1           | M0     | PATCH    | 1             |      | 129     | 1           | M0     | PATCH    | 1             |
|      | 130     | 2           | M2     | PATCH    | 1             |      | 130     | 2           | M2     | PATCH    | 1             |      | 130     | 2           | M2     | PATCH    | 1             |
|      | 131     | 3           | M1     | PATCH    | 1             |      | 131     | 3           | M1     | PATCH    | 1             |      | 131     | 3           | M1     | PATCH    | 1             |
|      | 132     | 4           | M0     | PATCH    | 1             |      | 132     | 4           | M0     | PATCH    | 1             |      | 132     | 4           | M0     | PATCH    | 1             |
|      | 133     | 5           | M2     | PATCH    | 1             |      | 133     | 5           | M2     | PATCH    | 1             |      | 133     | 5           | M2     | PATCH    | 1             |
|      | 134     | 6           | M1     | PATCH    | 2             |      | 134     | 6           | M1     | PATCH    | 2             |      | 134     | 6           | M1     | PATCH    | 2             |
|      | 135     | 7           | M1     | PATCH    | 2             |      | 135     | 7           | M1     | PATCH    | 2             |      | 135     | 7           | M1     | PATCH    | 2             |
|      | 136     | 8           | M1     | PATCH    | 2             |      | 136     | 8           | M1     | PATCH    | 2             |      | 136     | 8           | M1     | PATCH    | 2             |
|      | 137     | 9           | M1     | PATCH    | 2             |      | 137     | 9           | M1     | PATCH    | 2             |      | 137     | 9           | M1     | PATCH    | 2             |
|      | 138     | 10          | M0     | PATCH    | 2             |      | 138     | 10          | M0     | PATCH    | 2             |      | 138     | 10          | M0     | PATCH    | 2             |
|      | 139     | 11          | M0     | PATCH    | 2             |      | 139     | 11          | M0     | PATCH    | 2             |      | 139     | 11          | M0     | PATCH    | 2             |
|      | 140     | 12          | M0     | PATCH    | 2             |      | 140     | 12          | M0     | PATCH    | 2             |      | 140     | 12          | M0     | PATCH    | 2             |
|      | 141     | 13          | M0     | PATCH    | 2             |      | 141     | 13          | M0     | PATCH    | 2             |      | 141     | 13          | M0     | PATCH    | 2             |
|      | 142     | 14          | M2     | PATCH    | 2             |      | 142     | 14          | M2     | PATCH    | 2             |      | 142     | 14          | M2     | PATCH    | 2             |
|      | 143     | 15          | M2     | PATCH    | 2             |      | 143     | 15          | M2     | PATCH    | 2             |      | 143     | 15          | M2     | PATCH    | 2             |
|      | 144     | 16          | M2     | PATCH    | 2             |      | 144     | 16          | M2     | PATCH    | 2             |      | 144     | 16          | M2     | PATCH    | 2             |
|      | 145     | 17          | M2     | PATCH    | 2             |      | 145     | 17          | M2     | PATCH    | 2             |      | 145     | 17          | M2     | PATCH    | 2             |
|      | 146     | 18          | M1     | PATCH    | 2             |      | 146     | 18          | M1     | PATCH    | 2             |      | 146     | 18          | M1     | PATCH    | 2             |
|      | 147     | 19          | M1     | PATCH    | 2             |      | 147     | 19          | M1     | PATCH    | 2             |      | 147     | 19          | M1     | PATCH    | 2             |
|      | 148     | 20          | M1     | PATCH    | 2             |      | 148     | 20          | M1     | PATCH    | 2             |      | 148     | 20          | M1     | PATCH    | 2             |
|      | 149     | 21          | M0     | PATCH    | 2             |      | 149     | 21          | M0     | PATCH    | 2             |      | 149     | 21          | M0     | PATCH    | 2             |
|      | 150     | 22          | M0     | PATCH    | 2             |      | 150     | 22          | M0     | PATCH    | 2             |      | 150     | 22          | M0     | PATCH    | 2             |
|      | 151     | 23          | M0     | PATCH    | 2             |      | 151     | 23          | M0     | PATCH    | 2             |      | 151     | 23          | M0     | PATCH    | 2             |
|      | 152     | 24          | M2     | PATCH    | 2             |      | 152     | 24          | M2     | PATCH    | 2             |      | 152     | 24          | M2     | PATCH    | 2             |
|      | 153     | 25          | M2     | PATCH    | 2             |      | 153     | 25          | M2     | PATCH    | 2             |      | 153     | 25          | M2     | PATCH    | 2             |
|      | 154     | 26          | M2     | PATCH    | 2             |      | 154     | 26          | M2     | PATCH    | 2             |      | 154     | 26          | M2     | PATCH    | 2             |
|      | 155     | 27          | M1     | PATCH    | 4             |      | 155     | 27          | M1     | PATCH    | 4             |      | 155     | 27          | M1     | PATCH    | 4             |
|      | 156     | 28          | M1     | PATCH    | 4             |      | 156     | 28          | M1     | PATCH    | 4             |      | 156     | 28          | M1     | PATCH    | 4             |
|      | 157     | 29          | M1     | PATCH    | 4             |      | 157     | 29          | M1     | PATCH    | 4             |      | 157     | 29          | M1     | PATCH    | 4             |
|      | 158     | 30          | M1     | PATCH    | 4             |      | 158     | 30          | M1     | PATCH    | 4             |      | 158     | 30          | M1     | PATCH    | 4             |
|      | 159     | 31          | M1     | PATCH    | 4             |      | 159     | 31          | M1     | PATCH    | 4             |      | 159     | 31          | M1     | PATCH    | 4             |
|      | 160     | 32          | M2     | PATCH    | 4             |      | 160     | 32          | M2     | PATCH    | 4             |      | 160     | 32          | M2     | PATCH    | 4             |
|      | 161     | 33          | M2     | PATCH    | 4             |      | 161     | 33          | M2     | PATCH    | 4             |      | 161     | 33          | M2     | PATCH    | 4             |
|      | 162     | 34          | M2     | PATCH    | 4             |      | 162     | 34          | M2     | PATCH    | 4             |      | 162     | 34          | M2     | PATCH    | 4             |
|      | 163     | 35          | M2     | PATCH    | 4             |      | 163     | 35          | M2     | PATCH    | 4             |      | 163     | 35          | M2     | PATCH    | 4             |
|      | 164     | 36          | M2     | PATCH    | 4             |      | 164     | 36          | M2     | PATCH    | 4             |      | 164     | 36          | M2     | PATCH    | 4             |
|      | 165     | 37          | M1     | PATCH    | 4             |      | 165     | 37          | M1     | PATCH    | 4             |      | 165     | 37          | M1     | PATCH    | 4             |
|      | 166     | 38          | M1     | PATCH    | 4             |      | 166     | 38          | M1     | PATCH    | 4             |      | 166     | 38          | M1     | PATCH    | 4             |
|      | 167     | 39          | M1     | PATCH    | 4             |      | 167     | 39          | M1     | PATCH    | 4             |      | 167     | 39          | M1     | PATCH    | 4             |
|      | 168     | 40          | M1     | PATCH    | 4             |      | 168     | 40          | M1     | PATCH    | 4             |      | 168     | 40          | M1     | PATCH    | 4             |
|      | 169     | 41          | M2     | PATCH    | 4             |      | 169     | 41          | M2     | PATCH    | 4             |      | 169     | 41          | M2     | PATCH    | 4             |
|      | 170     | 42          | M2     | PATCH    | 4             |      | 170     | 42          | M2     | PATCH    | 4             |      | 170     | 42          | M2     | PATCH    | 4             |
|      | 171     | 43          | M2     | PATCH    | 4             |      | 171     | 43          | M2     | PATCH    | 4             |      | 171     | 43          | M2     | PATCH    | 4             |
|      | 172     | 44          | M2     | PATCH    | 4             |      | 172     | 44          | M2     | PATCH    | 4             |      | 172     | 44          | M2     | PATCH    | 4             |

### 3.4. Simulation and modeling validation

#### 3.4.1. Modeling for Simulation

Device modeling is described in the operational description.

#### 3.4.2. Modeling Validation

To validate modeling and simulation:

1. Select one beam (i.e., antenna array configuration) per antenna type (dipole/patch) and per antenna module. All three antennas contain only patch arrays. Therefore, the beam selection criteria for each mmW antenna are:

- a) Two beams from each antenna module.

Note: Since the relative phase between two single beams in a beam pair is uncontrolled and could vary from run to run, for the validation purpose, the selection is limited to the single beam antenna array configuration. Additionally, single beam containing a higher number of active antenna elements is selected. For example, a single beam with four active patches should be selected over beam with a single active patch antenna beam. The beams selected for modeling validation are highlighted in grey in Table 3-1.

2. For a given input power, perform both PD simulation and PD measurement to obtain the simulated PD distributions and measured PD distributions on the surface in front of the antenna array.
3. Validate modeling and simulation by correlating the simulated PD distribution and measured PD distribution for all antenna array configurations selected in Step 1 and for all surfaces selected in Step 2.
4. The modeling validation is performed through correlating the simulated 4 cm<sup>2</sup>-average PD distribution to measured 4 cm<sup>2</sup>-average PD distribution.
5. These discrepancies in PD magnitude will be used to determine the worst-case housing influence (due to non-metal material property uncertainty) in §4.6. The worst-case housing influence will be accounted for in PD Characterization generation for conservative RF exposure assessment, see §4.7 for details.

Based on the selection criteria described in Step 1 and Step 2, the beams and surfaces selected for modeling validation of the EUT are listed in Table 3-2.

**Table 3-2: Beams and surfaces selection for PD correlation**

| Band | Beam ID | Antenna | Pol | Surface |
|------|---------|---------|-----|---------|
| n258 | 38      | M1      | V   | Back    |
|      | 158     |         | H   | Back    |
|      | 22      | M0      | V   | Back    |
|      | 140     |         | H   | Back    |
|      | 43      | M2      | V   | Right   |
|      | 163     |         | H   | Right   |
| n260 | 38      | M1      | V   | Back    |
|      | 167     |         | H   | Back    |
|      | 12      | M0      | V   | Back    |
|      | 140     |         | H   | Back    |
|      | 34      | M2      | V   | Right   |
|      | 162     |         | H   | Right   |
| n261 | 29      | M1      | V   | Back    |
|      | 167     |         | H   | Back    |
|      | 12      | M0      | V   | Back    |
|      | 151     |         | H   | Back    |
|      | 43      | M2      | V   | Right   |
|      | 171     |         | H   | Right   |

With an input power of 6.0 dBm (which will be referred to as  $P_{ref}$ ) for bands n258, n260, and n261 PD measurement and PD simulation are conducted for all beams and surfaces listed in Table 3-2. Both PD measurement and PD simulation are performed at mid channel of each mmW beam, PD measurement is conducted with CW modulation.

- PD distribution:

Please refer to the operational description.

- 4cm<sup>2</sup>-averaged PD value

Table 3-3 lists the measured 4cm<sup>2</sup>-averaged PD and simulated 4cm<sup>2</sup>-averaged PD for all selected beams and surfaces for n258, n260, n261 bands. The discrepancy between simulated and measured PD value will be used to determine worst-case housing influence for conservative assessment (see §4.6).

**Table 3-3: Measured and simulated 4 cm<sup>2</sup> averaged PD for selected beams with 6 dBm input power for selected bands**

| Band | Beam ID | Antenna | Pol | Surface | 4cm <sup>2</sup> avg. PD (W/m <sup>2</sup> ) |       | Delta <sup>1</sup> |
|------|---------|---------|-----|---------|----------------------------------------------|-------|--------------------|
|      |         |         |     |         | Meas.                                        | Sim   |                    |
| n258 | 38      | M1      | V   | Back    | 13.50                                        | 21.57 | <b>2.04</b>        |
|      | 158     |         | H   | Back    | 16.60                                        | 17.31 | <b>0.18</b>        |
|      | 22      | M0      | V   | Back    | 3.98                                         | 5.73  | <b>1.58</b>        |
|      | 140     |         | H   | Back    | 6.77                                         | 5.93  | <b>-0.58</b>       |
|      | 43      | M2      | V   | Right   | 13.70                                        | 20.48 | <b>1.75</b>        |
|      | 163     |         | H   | Right   | 12.50                                        | 17.02 | <b>1.34</b>        |
| n260 | 38      | M1      | V   | Back    | 10.60                                        | 13.19 | <b>0.95</b>        |
|      | 167     |         | H   | Back    | 13.20                                        | 14.31 | <b>0.35</b>        |
|      | 12      | M0      | V   | Back    | 3.22                                         | 3.72  | <b>0.63</b>        |
|      | 140     |         | H   | Back    | 3.57                                         | 4.36  | <b>0.87</b>        |
|      | 34      | M2      | V   | Right   | 15.80                                        | 17.06 | <b>0.33</b>        |
|      | 162     |         | H   | Right   | 17.10                                        | 15.49 | <b>-0.43</b>       |
| n261 | 29      | M1      | V   | Back    | 10.50                                        | 17.50 | <b>2.22</b>        |
|      | 167     |         | H   | Back    | 12.20                                        | 15.79 | <b>1.12</b>        |
|      | 12      | M0      | V   | Back    | 3.89                                         | 4.78  | <b>0.89</b>        |
|      | 151     |         | H   | Back    | 5.64                                         | 4.77  | <b>-0.73</b>       |
|      | 43      | M2      | V   | Right   | 14.90                                        | 21.69 | <b>1.63</b>        |
|      | 171     |         | H   | Right   | 16.40                                        | 18.08 | <b>0.42</b>        |

<sup>1</sup>Delta = Sim - Meas (dB)

### 3.4.3. Simulation for power density

The model is validated in §4.4.3, the PD exposure of EUT can be reliably assessed using the validated simulation approach.

In general, all six surfaces of the EUT, as shown in Figure 3-1, should be assessed for RF exposure from the mmW radio and the worst-case PD should be determined by:

$$PD_{\text{worst-case}} = \max \{PD_{S1}, PD_{S2}, PD_{S3}, PD_{S4}, PD_{S5}, PD_{S6}\} \quad (1)$$

where  $PD_{S1}$ ,  $PD_{S2}$ ,  $PD_{S3}$ ,  $PD_{S4}$ ,  $PD_{S5}$ ,  $PD_{S6}$  are the highest 4cm<sup>2</sup>-averaged PD on surface S1, S2, S3, S4, S5 and S6 of the device. respectively.

However, depending on the location of the mmW module and the antenna array orientation relative to the surface of the device, one or more surface(s) can be excluded for PD calculation as the PD value(s) on the excluded surface(s) will be undoubtedly lower when comparing to other surfaces; thus, the exclusion will have no impact for the worst-case PD determined using Equation 1.

For this EUT, based on the location of M1, M0, and M2 (shown in the operational description) and the type of antenna array (containing in each a millimeter wave antenna), the surface planes identified for PD evaluation to determine the worst-case PD are selected and listed in Table 3-4.

Table 3-4: PD evaluation plane

| n258 | Front | Back | Left | Right | Top | Bottom |
|------|-------|------|------|-------|-----|--------|
|      | S1    | S2   | S3   | S4    | S5  | S6     |
| M1   | No    | Yes  | Yes  | No    | No  | No     |
| M0   | No    | Yes  | Yes  | No    | Yes | No     |
| M2   | Yes   | Yes  | No   | Yes   | No  | No     |

| n260 | Front | Back | Left | Right | Top | Bottom |
|------|-------|------|------|-------|-----|--------|
|      | S1    | S2   | S3   | S4    | S5  | S6     |
| M1   | No    | Yes  | Yes  | No    | No  | No     |
| M0   | No    | Yes  | Yes  | No    | Yes | No     |
| M2   | Yes   | Yes  | No   | Yes   | No  | No     |

| n261 | Front | Back | Left | Right | Top | Bottom |
|------|-------|------|------|-------|-----|--------|
|      | S1    | S2   | S3   | S4    | S5  | S6     |
| M1   | No    | Yes  | Yes  | No    | No  | No     |
| M0   | No    | Yes  | Yes  | No    | Yes | No     |
| M2   | Yes   | Yes  | No   | Yes   | No  | No     |

The EM simulation is performed to characterize PD at low, mid, and high channels for each supported band. The simulation setup (mesh, convergence criteria, and radiation boundary settings) as described in the operational description, ensures the accurate and reliable result for PD simulation on the planes identified. Both point PD and 4cm<sup>2</sup>-averaged PD distributions on the worst surface plane (i.e., the surface having highest PD value for the beam tested) are plotted and provided in the operational description to show that the PD hotspots are captured in this analysis.

### 3.5. PD<sub>Design Target</sub>

The manufacturer has their own internal controls for managing uncertainty and declared 2.20 dB uncertainty for use in determining the PD<sub>Design Target</sub> using Qualcomm's SDX-60M modem.

To account for the total design related uncertainty, PD<sub>Design Target</sub> needs to be:

$$PD_{Design Target} < PD_{Design Limit} \times 10^{\frac{-total\ uncertainty}{10}}$$

With FCC's 4cm<sup>2</sup>-averaged PD requirement of 10 W/m<sup>2</sup> and with the manufacturer's declared device design related uncertainty, the PD<sub>Design Target</sub> is determined as:

| Total Uncertainty (dB) | PD <sub>Design Target</sub> (W/m <sup>2</sup> ) | PD <sub>Design Limit</sub> (W/m <sup>2</sup> ) |
|------------------------|-------------------------------------------------|------------------------------------------------|
| 2.20                   | 6.0                                             | 10.0                                           |

### 3.6. Worst-case Housing Influence Determination

For non-metal material, the material property cannot be accurately characterized at mmW frequencies to date. The estimated material property for the device housing is used in the simulation model, which could influence the accuracy in simulation for PD amplitude quantification. Since the housing influence on PD could vary from surface to surface where the EM field propagates through, the most underestimated surface is used to quantify the worst-case housing influence for conservative assessment.

Since the mmW antenna modules are placed at different locations, as shown in the operational description, only material/housing have an impact on EM field propagation, and, in turn, impact on power density. Furthermore, depending on the type of antenna array, i.e., dipole antenna array or patch antenna array, the nature of EM field propagation in the near field is different. Therefore, the worst-case housing influence is determined per antenna module and per antenna type.

For this EUT, when comparing a simulated 4cm<sup>2</sup>-averaged PD and measured 4 cm<sup>2</sup>-averaged PD, the worst error introduced for each type of antenna array and antenna module when using the estimated material property in the simulation is accented in bold numbers in Table 3-5. Thus, the worst-case housing influence, denoted as  $\Delta_{min}$  = Sim. PD – Meas. PD, is determined as:

**Table 3-5:  $\Delta_{min}$  for ANT M1, ANT M0, and ANT M2**

| Band | Ant                | Pol | $\Delta_{min}$ (dB) |
|------|--------------------|-----|---------------------|
| n258 | M1<br>(Patch Beam) | V   | <b>2.04</b>         |
|      |                    | H   | <b>0.18</b>         |
|      | M0<br>(Patch Beam) | V   | <b>1.58</b>         |
|      |                    | H   | <b>-0.58</b>        |
|      | M2<br>(Patch Beam) | V   | <b>1.75</b>         |
|      |                    | H   | <b>1.34</b>         |
| n260 | M1<br>(Patch Beam) | V   | <b>0.95</b>         |
|      |                    | H   | <b>0.35</b>         |
|      | M0<br>(Patch Beam) | V   | <b>0.63</b>         |
|      |                    | H   | <b>0.87</b>         |
|      | M2<br>(Patch Beam) | V   | <b>0.33</b>         |
|      |                    | H   | <b>-0.43</b>        |
| n261 | M1<br>(Patch Beam) | V   | <b>2.22</b>         |
|      |                    | H   | <b>1.12</b>         |
|      | M0<br>(Patch Beam) | V   | <b>0.89</b>         |
|      |                    | H   | <b>-0.73</b>        |
|      | M2<br>(Patch Beam) | V   | <b>1.63</b>         |
|      |                    | H   | <b>0.42</b>         |

$\Delta_{min}$  represents the worst case where RF exposure is underestimated the most in simulation when using the estimated material property for glass/plastics of the housing. For conservative assessment, the  $\Delta_{min}$  is used as the worst-case factor and applied to all the beams in the corresponding beam group to determine input power limits in PD char for compliance (see §4.7.3 for details).

### 3.7. PD Characterization

This section describes the PD Characterization generation that complies with the  $PD_{Design\ Target}$  determined in §4.5 and complies the regulatory power density limit.

#### 3.7.1. Scaling Factor for Single Beams

To determine the input power limit at each antenna port, perform the simulation at low, mid, and high channel for each mmW band supported, with a given input power per active port:

1. Obtain  $PD_{surface}$  value (the worst PD among all identified surfaces of the EUT) at all three channels for all single beams specified in the codebook of Table 3-1.
2. Derive a scaling factor at low, mid and high channel,  $s(i)_{low\_or\_mid\_or\_high}$ , by:

$$s(i)_{low\_or\_mid\_or\_high} = \frac{PD\ design\ target}{sim.PD_{surface}(i)}, i \in single\ beams \quad (2)$$

3. Determine the worst-case scaling factor,  $s(i)$ , among low, mid and high channels:

$$s(i) = \min\{s_{low}(i), s_{mid}(i), s_{high}(i)\}, i \in single\ beams \quad (3)$$

and this scaling factor applies to the input power at each antenna port.

### 3.7.2. Scaling Factor for Beam Pairs

The relative phase between beam pair is not controlled in the EUT and could vary from run to run. Therefore, for a beam pair, based on the simulation results, the worst-case scaling factor needs to be determined mathematically to ensure compliance.

For a beam pair, extract the E-fields and H-fields from the corresponding single beams at low, mid, and high channel for each supported band and for all identified surfaces of the EUT.

For a given beam pair containing  $beam_a$  and  $beam_b$ , and for a given channel, let relative phase between  $beam_a$  and  $beam_b = \emptyset$ , and the total PD of the beam pair can be expressed as:

$$\begin{aligned} total\ PD(\emptyset) &= \frac{1}{2} \sqrt{Re\{PD_x(\emptyset)\}^2 + Re\{PD_y(\emptyset)\}^2 + Re\{PD_z(\emptyset)\}^2} \\ &= \frac{1}{2} Re\left\{\left(\vec{E}_a + \vec{E}_b e^{j\omega\emptyset}\right) \times \left(\vec{H}_a + \vec{H}_b e^{j\omega\emptyset}\right)^*\right\} \quad (4) \end{aligned}$$

where,  $PD_x(\emptyset)$ ,  $PD_y(\emptyset)$ , and  $PD_z(\emptyset)$  are the three components of the  $total\ PD(\emptyset)$ ;  $E_a$  and  $H_a$  are the extracted E-fields and H-fields of  $beam_a$ , while  $E_b$  and  $H_b$  are the extracted E-fields and H-fields of  $beam_b$ .

Sweep  $\emptyset$  with a  $5^\circ$  step from  $0^\circ$  to  $360^\circ$  to determine the worst-case,  $\emptyset_{worstcase}$ , which results in the highest  $total\ PD(\emptyset)$  among all identified surfaces for this beam pair at this channel. For details on the worst case  $total\ PD(\emptyset)$  derivation, see Appendix A.

Follow the above procedure to determine  $\emptyset_{worstcase}$  for all three channels to obtain the scaling factor given by the equation below for low, mid, and high channels:

$$s(i)_{low\_or\_mid\_or\_high} = \frac{PD\ design\ target}{total\ PD(\emptyset(i)_{worstcase})}, i \in beam\ pairs \quad (5)$$

The  $\emptyset_{worstcase}$  varies with channel and beam pair, the lowest scaling factor among all three channels,  $s(i)$ , is determined for the beam pair  $i$ :

$$s(i) = \min\{s_{low}(i), s_{mid}(i), s_{high}(i)\}, i \in beam\ pairs \quad (6)$$

### 3.7.3. Input Power Limit

The PD Characterization specifies the limit of input power at an antenna port that corresponds to  $PD_{Design\ Target}$  for all beams.

Ideally, if there is no uncertainty associated with hardware design, the input power limit, denoted as  $input.power.limit(i)$ , for beam  $i$  can be obtained after accounting for the housing influence ( $\Delta_{min}$ ) determined in Table 3-6 of §4.6, given by:

$$input.power.limit(i) = P_{ref} + 10 * \log(s(i)) + \Delta_{min}, i \in all\ beams \quad (7)$$

where  $P_{ref}$  is the input power using in simulation;  $s(i)$  is the scaling factor obtained from Eq. (3) or Eq. (6) for beam  $i$ ;  $\Delta_{min}$  is the worst-case housing influence factor (determined in Table 3-6) for beam  $i$ .

If simulation overestimates the housing influence, then  $\Delta_{min}$  (= simulated PD – measured PD) is negative, which means that the measured PD would be higher than the simulated PD. The input power to antenna elements determined via simulation must be decreased for compliance.

Similarly, if simulation underestimates the loss, then  $\Delta_{min}$  is positive (measured PD would be lower than the simulated value). Input power to antenna elements determined via simulation can be increased and still be PD compliant.

The hardware design has uncertainty which must be properly considered. In §4.6, the TxAGC uncertainty is embedded in the process of  $\Delta_{min}$  determination. Since TxAGC uncertainty is already accounted for in  $PD_{Design\ Target}$  (see §4.5), it needs to be removed to avoid double counting this uncertainty.

Thus, Equation 7 is modified to:

**If** -TxAGC uncertainty <  $\Delta_{min}$  < TxAGC uncertainty,

$$input.power.limit(i) = P_{ref} + 10 * \log(s(i)), i \in all\ beams \quad (8)$$

**else if**  $\Delta_{min}$  < -TxAGC uncertainty,

$$input.power.limit(i) = P_{ref} + 10 * \log(s(i)) + \Delta_{min}, i \in all\ beams \quad (9)$$

**else if**  $\Delta_{min}$  > TxAGC uncertainty,

$$input.power.limit(i) = P_{ref} + 10 * \log(s(i)) + (\Delta_{min} - TxAGC\ uncertainty), i \in all\ beams \quad (10)$$

Following the logic above, the *input.power.limit* for this EUT can be calculated using Equations (8), (9) and (10), i.e.,

**Table 3-6: *input.power.limit* calculation**

| Band | Ant                | Pol | $\Delta_{min}$ (dB) | <i>Input.power.limit</i> Equation (dBm) | Notes        |
|------|--------------------|-----|---------------------|-----------------------------------------|--------------|
| n258 | M1<br>(Patch Beam) | V   | <b>2.04</b>         | 6 dBm + 10 * log(s(i)) + 1.04           | Using Eq. 10 |
|      |                    | H   | <b>0.18</b>         | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
|      | M0<br>(Patch Beam) | V   | <b>1.58</b>         | 6 dBm + 10 * log(s(i)) + 0.58           | Using Eq. 10 |
|      |                    | H   | <b>-0.58</b>        | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
|      | M2<br>(Patch Beam) | V   | <b>1.75</b>         | 6 dBm + 10 * log(s(i)) + 0.75           | Using Eq. 10 |
|      |                    | H   | <b>1.34</b>         | 6 dBm + 10 * log(s(i)) + 0.34           | Using Eq. 10 |
| n260 | M1<br>(Patch Beam) | V   | <b>0.95</b>         | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
|      |                    | H   | <b>0.35</b>         | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
|      | M0<br>(Patch Beam) | V   | <b>0.63</b>         | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
|      |                    | H   | <b>0.87</b>         | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
|      | M2<br>(Patch Beam) | V   | <b>0.33</b>         | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
|      |                    | H   | <b>-0.43</b>        | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
| n261 | M1<br>(Patch Beam) | V   | <b>2.22</b>         | 6 dBm + 10 * log(s(i)) + 1.22           | Using Eq. 10 |
|      |                    | H   | <b>1.12</b>         | 6 dBm + 10 * log(s(i)) + 0.12           | Using Eq. 10 |
|      | M0<br>(Patch Beam) | V   | <b>0.89</b>         | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
|      |                    | H   | <b>-0.73</b>        | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |
|      | M2<br>(Patch Beam) | V   | <b>1.63</b>         | 6 dBm + 10 * log(s(i)) + 0.63           | Using Eq. 10 |
|      |                    | H   | <b>0.42</b>         | 6 dBm + 10 * log(s(i))                  | Using Eq. 8  |

Thus, the EUT PD Char for n258, n260, and n261 bands are as shown in Table 3-7.

**Table 3-7: PD Characterization**

| n258                     |         |                            | n260                     |         |                            | n261                     |         |                            |
|--------------------------|---------|----------------------------|--------------------------|---------|----------------------------|--------------------------|---------|----------------------------|
| Paired ID<br>(Beam Pair) | Beam ID | Input Power<br>Limit (dBm) | Paired ID<br>(Beam Pair) | Beam ID | Input Power<br>Limit (dBm) | Paired ID<br>(Beam Pair) | Beam ID | Input Power<br>Limit (dBm) |
| N/A                      | 0       | 8.1                        | N/A                      | 0       | 7.8                        | N/A                      | 0       | 8.0                        |
|                          | 1       | 9.2                        |                          | 1       | 13.4                       |                          | 1       | 8.3                        |
|                          | 2       | 7.5                        |                          | 2       | 7.1                        |                          | 2       | 7.2                        |
|                          | 3       | 7.6                        |                          | 3       | 9.1                        |                          | 3       | 9.3                        |
|                          | 4       | 9.6                        |                          | 4       | 9.5                        |                          | 4       | 8.7                        |
|                          | 5       | 6.4                        |                          | 5       | 7.4                        |                          | 5       | 6.6                        |
|                          | 6       | 5.2                        |                          | 6       | 6.2                        |                          | 6       | 6.6                        |
|                          | 7       | 4.5                        |                          | 7       | 5.0                        |                          | 7       | 4.6                        |
|                          | 8       | 4.0                        |                          | 8       | 5.4                        |                          | 8       | 5.5                        |
|                          | 9       | 5.5                        |                          | 9       | 5.1                        |                          | 9       | 6.0                        |
|                          | 10      | 6.6                        |                          | 10      | 8.3                        |                          | 10      | 6.0                        |
|                          | 11      | 6.7                        |                          | 11      | 8.3                        |                          | 11      | 6.0                        |
|                          | 12      | 6.1                        |                          | 12      | 8.1                        |                          | 12      | 7.0                        |
|                          | 13      | 6.2                        |                          | 13      | 8.1                        |                          | 13      | 6.9                        |
|                          | 14      | 4.1                        |                          | 14      | 4.1                        |                          | 14      | 4.1                        |
|                          | 15      | 3.6                        |                          | 15      | 4.3                        |                          | 15      | 4.2                        |
|                          | 16      | 4.1                        |                          | 16      | 4.8                        |                          | 16      | 3.8                        |
|                          | 17      | 4.1                        |                          | 17      | 5.1                        |                          | 17      | 4.1                        |
|                          | 18      | 5.7                        |                          | 18      | 5.2                        |                          | 18      | 5.2                        |
|                          | 19      | 3.9                        |                          | 19      | 4.8                        |                          | 19      | 4.5                        |
|                          | 20      | 4.7                        |                          | 20      | 4.9                        |                          | 20      | 5.6                        |
|                          | 21      | 6.6                        |                          | 21      | 8.3                        |                          | 21      | 5.9                        |
|                          | 22      | 6.8                        |                          | 22      | 8.2                        |                          | 22      | 6.4                        |
|                          | 23      | 5.8                        |                          | 23      | 8.1                        |                          | 23      | 7.1                        |
|                          | 24      | 4.1                        |                          | 24      | 4.8                        |                          | 24      | 3.4                        |
|                          | 25      | 4.2                        |                          | 25      | 4.6                        |                          | 25      | 3.4                        |
|                          | 26      | 3.5                        |                          | 26      | 5.0                        |                          | 26      | 3.8                        |
|                          | 27      | 3.1                        |                          | 27      | 2.9                        |                          | 27      | 2.7                        |
|                          | 28      | 1.9                        |                          | 28      | 2.4                        |                          | 28      | 2.4                        |
|                          | 29      | 1.5                        |                          | 29      | 2.4                        |                          | 29      | 2.6                        |
|                          | 30      | 1.0                        |                          | 30      | 2.4                        |                          | 30      | 2.0                        |
|                          | 31      | 2.0                        |                          | 31      | 3.1                        |                          | 31      | 2.1                        |
|                          | 32      | 0.6                        |                          | 32      | 2.0                        |                          | 32      | 0.8                        |
|                          | 33      | 1.2                        |                          | 33      | 1.6                        |                          | 33      | 0.8                        |
|                          | 34      | 1.4                        |                          | 34      | 1.5                        |                          | 34      | 1.0                        |
|                          | 35      | 0.8                        |                          | 35      | 2.5                        |                          | 35      | 0.7                        |
|                          | 36      | 0.6                        |                          | 36      | 2.0                        |                          | 36      | 0.5                        |
|                          | 37      | 2.7                        |                          | 37      | 3.2                        |                          | 37      | 2.3                        |
|                          | 38      | 1.5                        |                          | 38      | 2.6                        |                          | 38      | 2.4                        |
|                          | 39      | 1.3                        |                          | 39      | 2.2                        |                          | 39      | 2.3                        |
|                          | 40      | 1.4                        |                          | 40      | 2.6                        |                          | 40      | 1.8                        |
|                          | 41      | 0.7                        |                          | 41      | 2.1                        |                          | 41      | 0.4                        |
|                          | 42      | 1.3                        |                          | 42      | 1.4                        |                          | 42      | 1.0                        |
|                          | 43      | 1.4                        |                          | 43      | 1.9                        |                          | 43      | 1.0                        |
|                          | 44      | 0.6                        |                          | 44      | 2.2                        |                          | 44      | 0.3                        |
|                          | 128     | 7.2                        |                          | 128     | 7.1                        |                          | 128     | 7.3                        |
|                          | 129     | 8.7                        |                          | 129     | 9.8                        |                          | 129     | 10.0                       |
|                          | 130     | 6.3                        |                          | 130     | 7.1                        |                          | 130     | 5.7                        |

| n258                     |         |                            | n260                     |         |                            | n261                     |         |                            |
|--------------------------|---------|----------------------------|--------------------------|---------|----------------------------|--------------------------|---------|----------------------------|
| Paired ID<br>(Beam Pair) | Beam ID | Input Power<br>Limit (dBm) | Paired ID<br>(Beam Pair) | Beam ID | Input Power<br>Limit (dBm) | Paired ID<br>(Beam Pair) | Beam ID | Input Power<br>Limit (dBm) |
| N/A                      | 131     | 6.7                        | N/A                      | 131     | 8.6                        | N/A                      | 131     | 8.4                        |
|                          | 132     | 8.6                        |                          | 132     | 10.9                       |                          | 132     | 9.3                        |
|                          | 133     | 7.1                        |                          | 133     | 6.6                        |                          | 133     | 6.9                        |
|                          | 134     | 4.2                        |                          | 134     | 4.8                        |                          | 134     | 5.4                        |
|                          | 135     | 4.3                        |                          | 135     | 5.1                        |                          | 135     | 4.0                        |
|                          | 136     | 3.9                        |                          | 136     | 5.0                        |                          | 136     | 4.4                        |
|                          | 137     | 3.9                        |                          | 137     | 4.1                        |                          | 137     | 4.1                        |
|                          | 138     | 6.3                        |                          | 138     | 7.3                        |                          | 138     | 6.1                        |
|                          | 139     | 6.0                        |                          | 139     | 7.3                        |                          | 139     | 6.7                        |
|                          | 140     | 6.1                        |                          | 140     | 7.4                        |                          | 140     | 6.9                        |
|                          | 141     | 6.8                        |                          | 141     | 7.4                        |                          | 141     | 6.9                        |
|                          | 142     | 3.6                        |                          | 142     | 4.1                        |                          | 142     | 3.0                        |
|                          | 143     | 4.1                        |                          | 143     | 4.4                        |                          | 143     | 3.6                        |
|                          | 144     | 4.0                        |                          | 144     | 4.5                        |                          | 144     | 3.4                        |
|                          | 145     | 3.7                        |                          | 145     | 4.8                        |                          | 145     | 2.9                        |
|                          | 146     | 3.6                        |                          | 146     | 5.3                        |                          | 146     | 4.6                        |
|                          | 147     | 3.7                        |                          | 147     | 4.6                        |                          | 147     | 4.1                        |
|                          | 148     | 3.5                        |                          | 148     | 5.8                        |                          | 148     | 3.9                        |
|                          | 149     | 6.4                        |                          | 149     | 7.3                        |                          | 149     | 6.2                        |
|                          | 150     | 5.8                        |                          | 150     | 7.8                        |                          | 150     | 6.7                        |
|                          | 151     | 6.6                        |                          | 151     | 7.2                        |                          | 151     | 7.0                        |
|                          | 152     | 3.8                        |                          | 152     | 5.1                        |                          | 152     | 3.1                        |
|                          | 153     | 4.2                        |                          | 153     | 4.5                        |                          | 153     | 3.5                        |
|                          | 154     | 3.8                        |                          | 154     | 3.9                        |                          | 154     | 3.1                        |
|                          | 155     | 0.3                        |                          | 155     | 2.3                        |                          | 155     | 0.6                        |
|                          | 156     | 0.7                        |                          | 156     | 2.0                        |                          | 156     | 1.6                        |
|                          | 157     | 1.6                        |                          | 157     | 1.9                        |                          | 157     | 2.0                        |
|                          | 158     | 1.4                        |                          | 158     | 1.9                        |                          | 158     | 2.0                        |
|                          | 159     | 0.1                        |                          | 159     | 2.2                        |                          | 159     | 1.2                        |
|                          | 160     | 0.0                        |                          | 160     | 2.5                        |                          | 160     | 0.0                        |
|                          | 161     | 1.2                        |                          | 161     | 2.5                        |                          | 161     | 0.7                        |
|                          | 162     | 1.6                        |                          | 162     | 1.9                        |                          | 162     | 1.1                        |
|                          | 163     | 1.8                        |                          | 163     | 2.4                        |                          | 163     | 1.1                        |
|                          | 164     | 0.3                        |                          | 164     | 1.7                        |                          | 164     | 0.0                        |
|                          | 165     | 0.2                        |                          | 165     | 2.3                        |                          | 165     | 0.8                        |
|                          | 166     | 1.2                        |                          | 166     | 1.9                        |                          | 166     | 2.0                        |
|                          | 167     | 1.6                        |                          | 167     | 2.2                        |                          | 167     | 1.9                        |
|                          | 168     | 0.7                        |                          | 168     | 2.0                        |                          | 168     | 1.7                        |
|                          | 169     | 0.4                        |                          | 169     | 3.0                        |                          | 169     | 0.0                        |
|                          | 170     | 1.5                        |                          | 170     | 2.1                        |                          | 170     | 0.9                        |
|                          | 171     | 1.9                        |                          | 171     | 1.9                        |                          | 171     | 1.2                        |
|                          | 172     | 1.1                        |                          | 172     | 2.0                        |                          | 172     | 0.3                        |
| 128                      | 0       | 3.6                        | 128                      | 0       | 4.2                        | 128                      | 0       | 3.8                        |
| 129                      | 1       | 5.1                        | 129                      | 1       | 7.7                        | 129                      | 1       | 5.5                        |
| 130                      | 2       | 3.6                        | 130                      | 2       | 4.0                        | 130                      | 2       | 3.1                        |
| 131                      | 3       | 3.3                        | 131                      | 3       | 5.6                        | 131                      | 3       | 5.0                        |
| 132                      | 4       | 5.4                        | 132                      | 4       | 6.6                        | 132                      | 4       | 5.2                        |
| 133                      | 5       | 3.5                        | 133                      | 5       | 3.5                        | 133                      | 5       | 3.0                        |
| 134                      | 6       | 0.7                        | 134                      | 6       | 2.5                        | 134                      | 6       | 1.9                        |
| 135                      | 7       | 0.4                        | 135                      | 7       | 2.0                        | 135                      | 7       | 0.3                        |
| 136                      | 8       | 0.2                        | 136                      | 8       | 1.8                        | 136                      | 8       | 1.0                        |
| 137                      | 9       | 1.0                        | 137                      | 9       | 1.2                        | 137                      | 9       | 1.9                        |
| 138                      | 10      | 2.7                        | 138                      | 10      | 4.5                        | 138                      | 10      | 2.8                        |
| 139                      | 11      | 2.4                        | 139                      | 11      | 4.2                        | 139                      | 11      | 2.4                        |

| n258                     |         |                            | n260                     |         |                            | n261                     |         |                            |
|--------------------------|---------|----------------------------|--------------------------|---------|----------------------------|--------------------------|---------|----------------------------|
| Paired ID<br>(Beam Pair) | Beam ID | Input Power<br>Limit (dBm) | Paired ID<br>(Beam Pair) | Beam ID | Input Power<br>Limit (dBm) | Paired ID<br>(Beam Pair) | Beam ID | Input Power<br>Limit (dBm) |
| 140                      | 12      | 2.3                        | 140                      | 12      | 3.9                        | 140                      | 12      | 2.7                        |
| 141                      | 13      | 2.8                        | 141                      | 13      | 4.7                        | 141                      | 13      | 3.1                        |
| 142                      | 14      | 0.5                        | 142                      | 14      | 0.3                        | 142                      | 14      | -0.1                       |
| 143                      | 15      | 0.9                        | 143                      | 15      | 0.9                        | 143                      | 15      | 0.7                        |
| 144                      | 16      | 0.3                        | 144                      | 16      | 1.4                        | 144                      | 16      | 0.0                        |
| 145                      | 17      | 0.5                        | 145                      | 17      | 1.6                        | 145                      | 17      | 0.2                        |
| 146                      | 18      | 1.4                        | 146                      | 18      | 1.9                        | 146                      | 18      | 0.8                        |
| 147                      | 19      | 0.1                        | 147                      | 19      | 1.4                        | 147                      | 19      | 0.4                        |
| 148                      | 20      | -0.1                       | 148                      | 20      | 2.1                        | 148                      | 20      | 1.2                        |
| 149                      | 21      | 2.5                        | 149                      | 21      | 4.2                        | 149                      | 21      | 2.5                        |
| 150                      | 22      | 2.4                        | 150                      | 22      | 3.8                        | 150                      | 22      | 2.5                        |
| 151                      | 23      | 2.6                        | 151                      | 23      | 4.2                        | 151                      | 23      | 2.9                        |
| 152                      | 24      | 0.5                        | 152                      | 24      | 1.5                        | 152                      | 24      | -0.4                       |
| 153                      | 25      | 0.4                        | 153                      | 25      | 1.2                        | 153                      | 25      | 0.3                        |
| 154                      | 26      | 0.0                        | 154                      | 26      | 2.1                        | 154                      | 26      | -0.2                       |
| 155                      | 27      | -2.2                       | 155                      | 27      | -1.0                       | 155                      | 27      | -2.4                       |
| 156                      | 28      | -2.7                       | 156                      | 28      | -1.0                       | 156                      | 28      | -1.7                       |
| 157                      | 29      | -2.2                       | 157                      | 29      | -1.2                       | 157                      | 29      | -1.5                       |
| 158                      | 30      | -2.5                       | 158                      | 30      | -1.0                       | 158                      | 30      | -1.8                       |
| 159                      | 31      | -2.7                       | 159                      | 31      | -0.6                       | 159                      | 31      | -2.1                       |
| 160                      | 32      | -3.2                       | 160                      | 32      | -1.0                       | 160                      | 32      | -3.4                       |
| 161                      | 33      | -2.5                       | 161                      | 33      | -1.8                       | 161                      | 33      | -3.1                       |
| 162                      | 34      | -2.2                       | 162                      | 34      | -1.7                       | 162                      | 34      | -2.7                       |
| 163                      | 35      | -2.3                       | 163                      | 35      | -1.0                       | 163                      | 35      | -2.9                       |
| 164                      | 36      | -3.1                       | 164                      | 36      | -1.7                       | 164                      | 36      | -3.5                       |
| 165                      | 37      | -2.6                       | 165                      | 37      | -0.6                       | 165                      | 37      | -2.2                       |
| 166                      | 38      | -2.5                       | 166                      | 38      | -1.0                       | 166                      | 38      | -1.6                       |
| 167                      | 39      | -2.3                       | 167                      | 39      | -1.2                       | 167                      | 39      | -1.8                       |
| 168                      | 40      | -2.6                       | 168                      | 40      | -1.2                       | 168                      | 40      | -2.0                       |
| 169                      | 41      | -3.1                       | 169                      | 41      | -1.1                       | 169                      | 41      | -3.7                       |
| 170                      | 42      | -2.4                       | 170                      | 42      | -2.1                       | 170                      | 42      | -2.8                       |
| 171                      | 43      | -1.9                       | 171                      | 43      | -1.2                       | 171                      | 43      | -2.6                       |
| 172                      | 44      | -2.8                       | 172                      | 44      | -1.3                       | 172                      | 44      | -3.5                       |

## A Worst Phase Derivation for Beam Pair

For beam pairs, since the relative phase between two beams is unknown, finding the worst-case PD by sweeping the relative phase for all possible angles is required for conservative assessment.

Assuming E-field and H-field of  $beam_a$  are  $\{Ex_a, Ey_a, Ez_a\}$  and  $\{Hx_a, Hy_a, Hz_a\}$ , respectively; E-field and H-field of  $beam_b$  are  $\{Ex_b, Ey_b, Ez_b\}$  and  $\{Hx_b, Hy_b, Hz_b\}$ , respectively; and the relative phase is  $\emptyset$ , for beam pair consisting of  $beam_a$  and  $beam_b$ , the combined E- and H-fields,  $\{Ex_{pair_i}, Ey_{pair_i}, Ez_{pair_i}\}$  and  $\{Hx_{pair_i}, Hy_{pair_i}, Hz_{pair_i}\}$ , can be expressed as:

$$Ex(\emptyset)_{pair_i} = Ex_a + Ex_b \times e^{-j\omega\emptyset}$$

$$Ey(\emptyset)_{pair_i} = Ey_a + Ey_b \times e^{-j\omega\emptyset}$$

$$Ez(\emptyset)_{pair_i} = Ez_a + Ez_b \times e^{-j\omega\emptyset}$$

$$Hx(\emptyset)_{pair_i} = Hx_a + Hx_b \times e^{-j\omega\emptyset}$$

$$Hy(\emptyset)_{pair_i} = Hy_a + Hy_b \times e^{-j\omega\emptyset}$$

$$Hz(\emptyset)_{pair_i} = Hz_a + Hz_b \times e^{-j\omega\emptyset}$$

The combined PD can then be calculated:

$$PDx(\emptyset)_{pair_i} = Ey(\emptyset)_{pair_i} \times Hz(\emptyset)_{pair_i}^* - Ez(\emptyset)_{pair_i} \times Hy(\emptyset)_{pair_i}^*$$

$$PDy(\emptyset)_{pair_i} = Ez(\emptyset)_{pair_i} \times Hx(\emptyset)_{pair_i}^* - Ex(\emptyset)_{pair_i} \times Hz(\emptyset)_{pair_i}^*$$

$$PDz(\emptyset)_{pair_i} = Ex(\emptyset)_{pair_i} \times Hy(\emptyset)_{pair_i}^* - Ey(\emptyset)_{pair_i} \times Hx(\emptyset)_{pair_i}^*$$

$$PD(\emptyset) = \frac{1}{2} \sqrt{Re\{PDx(\emptyset)\}_{pair_i}^2 + Re\{PDy(\emptyset)\}_{pair_i}^2 + Re\{PDz(\emptyset)\}_{pair_i}^2}$$

Sweep  $\emptyset$  from 0 degree to 360 degree to find the highest PD (out of low, mid, and high channel) and its corresponding  $\emptyset$ ,  $\emptyset_{worstcase}$ , for all the beam pairs specified in the *codebook\_sim*. The worst-case scaling factor  $s(i)$  for beam pair should be determined with  $\emptyset(i)_{worstcase}$ .

## B Simulated Input Power Limit

Table B-1 lists input power limit per channel per band for all the beams that EUT supports.

**Table B-1: Simulated *input.power.limit* for bands n258, n260, and n261**

| n258                     |         |       |       |       | n260                     |         |       |       |       | n261                     |         |       |       |       |
|--------------------------|---------|-------|-------|-------|--------------------------|---------|-------|-------|-------|--------------------------|---------|-------|-------|-------|
| Paired ID<br>(Beam Pair) | Beam ID | Low   | Mid   | High  | Paired ID<br>(Beam Pair) | Beam ID | Low   | Mid   | High  | Paired ID<br>(Beam Pair) | Beam ID | Low   | Mid   | High  |
| N/A                      | 0       | 4.72  | 4.61  | 3.66  | N/A                      | 0       | 3.92  | 2.92  | 3.03  | N/A                      | 0       | 4.98  | 4.22  | 3.65  |
|                          | 1       | 1.64  | 3.28  | 2.15  |                          | 1       | 1.08  | 0.76  | 0.65  |                          | 1       | 3.51  | 1.92  | 1.10  |
|                          | 2       | 3.20  | 4.99  | 4.86  |                          | 2       | 3.24  | 4.65  | 4.05  |                          | 2       | 3.42  | 5.28  | 5.03  |
|                          | 3       | 4.87  | 5.32  | 4.31  |                          | 3       | 2.92  | 2.59  | 2.51  |                          | 3       | 3.73  | 3.43  | 3.01  |
|                          | 4       | 2.26  | 2.96  | 2.97  |                          | 4       | 2.66  | 2.42  | 1.15  |                          | 4       | 1.90  | 3.20  | 2.01  |
|                          | 5       | 6.48  | 5.27  | 5.58  |                          | 5       | 3.47  | 4.30  | 4.34  |                          | 5       | 3.34  | 6.08  | 5.07  |
|                          | 6       | 7.02  | 9.16  | 7.01  |                          | 6       | 5.67  | 5.56  | 5.30  |                          | 6       | 6.46  | 5.99  | 6.87  |
|                          | 7       | 10.36 | 10.73 | 9.10  |                          | 7       | 7.64  | 6.29  | 5.28  |                          | 7       | 10.88 | 9.22  | 7.47  |
|                          | 8       | 12.10 | 11.38 | 8.70  |                          | 8       | 6.94  | 6.41  | 4.95  |                          | 8       | 8.86  | 7.47  | 6.95  |
|                          | 9       | 7.81  | 8.52  | 6.68  |                          | 9       | 7.43  | 5.32  | 5.49  |                          | 9       | 8.01  | 6.87  | 5.38  |
|                          | 10      | 3.81  | 5.96  | 5.25  |                          | 10      | 3.52  | 3.14  | 1.17  |                          | 10      | 5.98  | 5.36  | 3.08  |
|                          | 11      | 3.79  | 5.81  | 4.48  |                          | 11      | 3.55  | 3.32  | 1.45  |                          | 11      | 6.00  | 4.81  | 2.67  |
|                          | 12      | 4.13  | 6.66  | 3.79  |                          | 12      | 3.72  | 3.07  | 2.38  |                          | 12      | 4.78  | 4.15  | 2.62  |
|                          | 13      | 4.05  | 6.55  | 5.82  |                          | 13      | 3.72  | 2.81  | 1.81  |                          | 13      | 4.75  | 4.83  | 3.09  |
|                          | 14      | 5.46  | 9.89  | 10.91 |                          | 14      | 5.95  | 9.30  | 9.37  |                          | 14      | 8.11  | 10.52 | 10.81 |
|                          | 15      | 11.78 | 9.51  | 12.41 |                          | 15      | 6.79  | 8.62  | 8.89  |                          | 15      | 10.51 | 10.61 | 9.87  |
|                          | 16      | 7.18  | 9.03  | 11.01 |                          | 16      | 6.74  | 7.95  | 6.90  |                          | 16      | 8.72  | 11.39 | 8.67  |
|                          | 17      | 7.13  | 8.21  | 11.15 |                          | 17      | 6.42  | 7.36  | 7.43  |                          | 17      | 10.01 | 10.75 | 10.10 |
|                          | 18      | 8.19  | 7.70  | 7.00  |                          | 18      | 7.14  | 5.63  | 5.02  |                          | 18      | 9.50  | 8.75  | 8.19  |
|                          | 19      | 12.32 | 11.31 | 9.30  |                          | 19      | 7.96  | 6.29  | 5.81  |                          | 19      | 11.34 | 8.97  | 8.08  |
|                          | 20      | 10.19 | 10.17 | 7.57  |                          | 20      | 7.81  | 5.53  | 5.87  |                          | 20      | 8.71  | 7.16  | 5.96  |
|                          | 21      | 3.84  | 5.93  | 4.89  |                          | 21      | 3.51  | 3.27  | 1.28  |                          | 21      | 6.10  | 5.20  | 2.91  |
|                          | 22      | 3.67  | 5.73  | 3.86  |                          | 22      | 3.65  | 3.34  | 2.05  |                          | 22      | 5.42  | 4.22  | 2.52  |
|                          | 23      | 4.53  | 7.11  | 5.16  |                          | 23      | 3.72  | 2.89  | 2.24  |                          | 23      | 4.71  | 4.48  | 2.83  |
|                          | 24      | 6.00  | 10.53 | 10.99 |                          | 24      | 6.36  | 7.32  | 7.99  |                          | 24      | 8.76  | 12.70 | 7.94  |
|                          | 25      | 7.03  | 9.70  | 10.75 |                          | 25      | 6.91  | 8.19  | 7.18  |                          | 25      | 9.85  | 12.67 | 7.90  |
|                          | 26      | 8.14  | 12.57 | 11.04 |                          | 26      | 6.57  | 7.59  | 7.01  |                          | 26      | 8.02  | 11.60 | 9.17  |
|                          | 27      | 12.77 | 14.75 | 13.46 |                          | 27      | 12.33 | 9.68  | 9.98  |                          | 27      | 16.95 | 14.57 | 13.00 |
|                          | 28      | 19.28 | 19.80 | 15.71 |                          | 28      | 13.61 | 11.68 | 9.51  |                          | 28      | 18.33 | 15.81 | 15.47 |
|                          | 29      | 21.24 | 18.72 | 16.64 |                          | 29      | 13.83 | 11.81 | 10.60 |                          | 29      | 17.50 | 15.94 | 15.66 |
|                          | 30      | 23.88 | 21.12 | 18.04 |                          | 30      | 13.69 | 10.82 | 9.59  |                          | 30      | 19.76 | 16.70 | 15.45 |
|                          | 31      | 19.04 | 17.65 | 11.83 |                          | 31      | 11.66 | 10.06 | 9.88  |                          | 31      | 19.67 | 13.43 | 10.12 |
|                          | 32      | 17.81 | 21.10 | 24.86 |                          | 32      | 10.13 | 13.28 | 15.03 |                          | 32      | 16.87 | 23.04 | 20.74 |
|                          | 33      | 18.13 | 21.05 | 21.74 |                          | 33      | 13.54 | 16.48 | 16.00 |                          | 33      | 20.11 | 22.97 | 16.12 |
|                          | 34      | 17.27 | 19.55 | 20.52 |                          | 34      | 14.33 | 17.06 | 15.03 |                          | 34      | 17.26 | 21.79 | 14.64 |
|                          | 35      | 17.26 | 23.44 | 22.87 |                          | 35      | 10.48 | 13.41 | 12.20 |                          | 35      | 19.71 | 23.54 | 16.01 |
|                          | 36      | 15.78 | 22.77 | 24.89 |                          | 36      | 9.89  | 15.05 | 14.80 |                          | 36      | 21.99 | 24.52 | 19.63 |
|                          | 37      | 14.65 | 16.41 | 14.85 |                          | 37      | 11.50 | 10.51 | 9.69  |                          | 37      | 18.65 | 14.27 | 14.41 |
|                          | 38      | 21.57 | 18.94 | 16.57 |                          | 38      | 13.19 | 11.10 | 9.78  |                          | 38      | 18.18 | 16.27 | 15.44 |
|                          | 39      | 22.35 | 19.83 | 16.29 |                          | 39      | 14.52 | 12.22 | 10.52 |                          | 39      | 18.52 | 15.72 | 16.21 |
|                          | 40      | 21.72 | 19.87 | 15.04 |                          | 40      | 13.00 | 10.12 | 9.63  |                          | 40      | 20.71 | 16.63 | 14.26 |
|                          | 41      | 18.57 | 21.86 | 24.05 |                          | 41      | 11.83 | 14.04 | 14.74 |                          | 41      | 21.21 | 25.40 | 18.33 |
|                          | 42      | 17.70 | 20.26 | 21.11 |                          | 42      | 13.52 | 17.46 | 16.64 |                          | 42      | 18.47 | 22.06 | 15.28 |
|                          | 43      | 16.72 | 20.48 | 19.75 |                          | 43      | 12.96 | 15.38 | 12.45 |                          | 43      | 17.91 | 21.69 | 14.98 |
|                          | 44      | 16.89 | 24.63 | 24.95 |                          | 44      | 10.02 | 14.31 | 14.20 |                          | 44      | 23.06 | 26.01 | 19.41 |
|                          | 128     | 4.44  | 4.57  | 3.85  |                          | 128     | 4.67  | 4.22  | 3.81  |                          | 128     | 4.62  | 3.54  | 3.28  |
|                          | 129     | 1.99  | 3.21  | 3.20  |                          | 129     | 2.53  | 2.17  | 1.87  |                          | 129     | 2.40  | 2.16  | 2.13  |
|                          | 130     | 2.19  | 3.17  | 6.10  |                          | 130     | 3.50  | 4.61  | 4.34  |                          | 130     | 4.59  | 6.39  | 4.99  |
|                          | 131     | 4.78  | 5.09  | 3.83  |                          | 131     | 3.27  | 2.71  | 2.53  |                          | 131     | 3.58  | 2.94  | 3.28  |
|                          | 132     | 3.32  | 2.30  | 2.12  |                          | 132     | 1.57  | 1.94  | 1.58  |                          | 132     | 2.78  | 2.29  | 2.81  |
|                          | 133     | 2.02  | 5.09  | 5.06  |                          | 133     | 4.87  | 5.24  | 3.40  |                          | 133     | 3.39  | 4.83  | 3.74  |
|                          | 134     | 8.86  | 9.15  | 6.70  |                          | 134     | 7.90  | 7.20  | 6.25  |                          | 134     | 7.15  | 6.03  | 6.22  |
|                          | 135     | 8.88  | 8.72  | 6.79  |                          | 135     | 7.44  | 6.00  | 5.26  |                          | 135     | 9.85  | 8.80  | 8.30  |
|                          | 136     | 9.23  | 9.69  | 8.37  |                          | 136     | 7.53  | 7.19  | 5.97  |                          | 136     | 8.98  | 6.57  | 6.80  |
|                          | 137     | 8.70  | 9.71  | 7.89  |                          | 137     | 9.29  | 8.19  | 7.17  |                          | 137     | 9.57  | 6.37  | 6.21  |
|                          | 138     | 4.81  | 5.06  | 5.63  |                          | 138     | 4.44  | 3.34  | 2.17  |                          | 138     | 5.86  | 3.98  | 5.05  |
|                          | 139     | 5.96  | 5.76  | 5.43  |                          | 139     | 4.46  | 3.38  | 2.31  |                          | 139     | 5.12  | 4.25  | 4.88  |
|                          | 140     | 5.93  | 5.85  | 4.95  |                          | 140     | 3.59  | 4.36  | 4.30  |                          | 140     | 4.84  | 4.58  | 4.81  |
|                          | 141     | 4.39  | 4.92  | 4.96  |                          | 141     | 3.49  | 4.39  | 4.03  |                          | 141     | 4.49  | 4.83  | 4.76  |
|                          | 142     | 5.18  | 7.33  | 11.22 |                          | 142     | 7.18  | 9.34  | 6.79  |                          | 142     | 8.02  | 12.08 | 11.52 |
|                          | 143     | 4.63  | 6.97  | 10.03 |                          | 143     | 6.96  | 8.64  | 6.21  |                          | 143     | 7.61  | 10.50 | 6.87  |
|                          | 144     | 4.92  | 5.83  | 10.30 |                          | 144     | 8.02  | 7.41  | 8.54  |                          | 144     | 7.73  | 10.95 | 9.66  |
|                          | 145     | 5.12  | 6.00  | 10.93 |                          | 145     | 7.89  | 7.09  | 7.68  |                          | 145     | 9.03  | 12.19 | 10.60 |
|                          | 146     | 9.68  | 10.35 | 7.99  |                          | 146     | 7.13  | 6.42  | 5.82  |                          | 146     | 8.51  | 6.70  | 6.35  |
|                          | 147     | 10.26 | 9.69  | 9.20  |                          | 147     | 8.26  | 7.88  | 6.53  |                          | 147     | 9.49  | 8.98  | 7.68  |
|                          | 148     | 10.54 | 10.58 | 7.31  |                          | 148     | 6.27  | 6.04  | 5.52  |                          | 148     | 9.89  | 7.84  | 6.19  |
|                          | 149     | 5.53  | 5.45  | 5.49  |                          | 149     | 4.43  | 3.44  | 2.46  |                          | 149     | 5.76  | 3.74  | 5.02  |
|                          | 150     | 6.29  | 6.06  | 5.11  |                          | 150     | 4.00  | 3.93  | 3.53  |                          | 150     | 5.05  | 4.38  | 4.86  |

| n258                     |         |       |       |       | n260                     |         |       |       |       | n261                     |         |       |       |       |
|--------------------------|---------|-------|-------|-------|--------------------------|---------|-------|-------|-------|--------------------------|---------|-------|-------|-------|
| Paired ID<br>(Beam Pair) | Beam ID | Low   | Mid   | High  | Paired ID<br>(Beam Pair) | Beam ID | Low   | Mid   | High  | Paired ID<br>(Beam Pair) | Beam ID | Low   | Mid   | High  |
| N/A                      | 151     | 4.96  | 5.28  | 4.75  | N/A                      | 151     | 3.44  | 4.54  | 4.52  | N/A                      | 151     | 4.71  | 4.65  | 4.77  |
|                          | 152     | 4.88  | 7.47  | 10.76 |                          | 152     | 7.18  | 6.04  | 7.35  |                          | 152     | 7.57  | 11.74 | 7.00  |
|                          | 153     | 4.75  | 5.99  | 9.77  |                          | 153     | 7.81  | 6.78  | 8.53  |                          | 153     | 9.11  | 10.61 | 10.68 |
|                          | 154     | 6.21  | 8.92  | 10.71 |                          | 154     | 6.96  | 9.71  | 7.89  |                          | 154     | 7.54  | 11.69 | 9.88  |
|                          | 155     | 19.05 | 22.26 | 13.82 |                          | 155     | 13.91 | 13.24 | 12.24 |                          | 155     | 21.59 | 14.55 | 14.08 |
|                          | 156     | 20.21 | 18.42 | 14.14 |                          | 156     | 15.01 | 12.48 | 11.12 |                          | 156     | 16.84 | 13.43 | 13.99 |
|                          | 157     | 16.67 | 15.67 | 14.79 |                          | 157     | 15.47 | 13.89 | 12.05 |                          | 157     | 15.52 | 13.63 | 13.25 |
|                          | 158     | 16.89 | 17.31 | 16.37 |                          | 158     | 15.29 | 14.06 | 10.81 |                          | 158     | 15.32 | 13.61 | 13.55 |
|                          | 159     | 20.10 | 23.51 | 15.87 |                          | 159     | 14.40 | 13.04 | 12.64 |                          | 159     | 18.78 | 15.00 | 13.17 |
|                          | 160     | 12.45 | 16.29 | 25.93 |                          | 160     | 11.34 | 13.50 | 12.30 |                          | 160     | 15.03 | 23.72 | 17.42 |
|                          | 161     | 11.58 | 14.72 | 19.47 |                          | 161     | 13.56 | 13.30 | 10.91 |                          | 161     | 15.30 | 20.55 | 17.27 |
|                          | 162     | 10.06 | 12.21 | 17.85 |                          | 162     | 14.09 | 14.98 | 15.49 |                          | 162     | 13.84 | 18.61 | 15.74 |
|                          | 163     | 11.20 | 13.01 | 17.02 |                          | 163     | 13.81 | 12.71 | 13.83 |                          | 163     | 14.78 | 18.68 | 16.13 |
|                          | 164     | 12.43 | 16.20 | 24.32 |                          | 164     | 13.02 | 16.18 | 14.61 |                          | 164     | 16.90 | 24.12 | 18.94 |
|                          | 165     | 22.58 | 20.91 | 13.92 |                          | 165     | 14.19 | 13.04 | 11.84 |                          | 165     | 20.33 | 14.19 | 14.14 |
|                          | 166     | 18.05 | 16.64 | 14.61 |                          | 166     | 15.57 | 13.37 | 11.81 |                          | 166     | 15.52 | 13.56 | 13.41 |
|                          | 167     | 16.43 | 16.20 | 15.33 |                          | 167     | 14.31 | 13.79 | 11.51 |                          | 167     | 15.79 | 13.95 | 13.39 |
|                          | 168     | 18.75 | 20.46 | 17.02 |                          | 168     | 14.90 | 13.06 | 12.06 |                          | 168     | 16.78 | 14.22 | 13.57 |
|                          | 169     | 12.74 | 16.60 | 23.71 |                          | 169     | 11.98 | 11.83 | 10.59 |                          | 169     | 17.25 | 23.68 | 18.71 |
|                          | 170     | 10.67 | 13.25 | 18.27 |                          | 170     | 14.05 | 14.70 | 13.00 |                          | 170     | 14.05 | 19.24 | 16.17 |
|                          | 171     | 10.29 | 12.18 | 16.81 |                          | 171     | 14.41 | 14.12 | 15.56 |                          | 171     | 14.36 | 18.08 | 15.71 |
|                          | 172     | 12.77 | 14.75 | 20.27 |                          | 172     | 13.81 | 15.15 | 14.16 |                          | 172     | 16.32 | 22.14 | 18.14 |
| 128                      | 0       | 9.87  | 10.47 | 8.03  | 128                      | 0       | 9.16  | 7.53  | 7.37  | 128                      | 0       | 10.17 | 8.53  | 7.46  |
| 129                      | 1       | 4.12  | 7.31  | 6.52  | 129                      | 1       | 4.04  | 3.57  | 3.16  | 129                      | 1       | 6.71  | 4.59  | 4.06  |
| 130                      | 2       | 8.47  | 10.10 | 11.29 | 130                      | 2       | 8.02  | 9.61  | 9.25  | 130                      | 2       | 10.33 | 11.74 | 10.28 |
| 131                      | 3       | 10.21 | 11.07 | 8.83  | 131                      | 3       | 6.52  | 5.64  | 5.47  | 131                      | 3       | 7.78  | 6.66  | 6.91  |
| 132                      | 4       | 6.04  | 5.77  | 6.86  | 132                      | 4       | 5.18  | 5.05  | 3.23  | 132                      | 4       | 5.86  | 7.22  | 5.58  |
| 133                      | 5       | 9.97  | 11.27 | 11.50 | 133                      | 5       | 9.64  | 10.64 | 8.74  | 133                      | 5       | 9.89  | 11.92 | 9.63  |
| 134                      | 6       | 17.25 | 20.24 | 15.38 | 134                      | 6       | 13.19 | 13.31 | 11.80 | 134                      | 6       | 15.92 | 12.99 | 14.60 |
| 135                      | 7       | 19.80 | 21.96 | 17.28 | 135                      | 7       | 14.92 | 12.69 | 10.75 | 135                      | 7       | 22.74 | 19.70 | 16.67 |
| 136                      | 8       | 22.64 | 21.99 | 17.74 | 136                      | 8       | 15.85 | 14.86 | 12.04 | 136                      | 8       | 19.68 | 15.05 | 14.14 |
| 137                      | 9       | 16.94 | 18.89 | 14.86 | 137                      | 9       | 17.98 | 14.41 | 13.22 | 137                      | 9       | 15.94 | 12.36 | 10.98 |
| 138                      | 10      | 9.42  | 12.72 | 12.94 | 138                      | 10      | 8.54  | 7.40  | 4.05  | 138                      | 10      | 12.67 | 10.74 | 8.54  |
| 139                      | 11      | 9.83  | 13.63 | 12.76 | 139                      | 11      | 9.15  | 8.10  | 4.88  | 139                      | 11      | 13.86 | 12.15 | 10.14 |
| 140                      | 12      | 11.59 | 14.02 | 12.31 | 140                      | 12      | 9.77  | 9.35  | 8.06  | 140                      | 12      | 12.79 | 11.92 | 9.60  |
| 141                      | 13      | 9.34  | 12.05 | 12.52 | 141                      | 13      | 7.71  | 8.17  | 6.99  | 141                      | 13      | 11.80 | 11.81 | 8.74  |
| 142                      | 14      | 12.66 | 21.59 | 22.77 | 142                      | 14      | 15.07 | 22.24 | 17.41 | 142                      | 14      | 18.92 | 24.18 | 21.82 |
| 143                      | 15      | 16.05 | 16.31 | 21.24 | 143                      | 15      | 16.96 | 19.50 | 16.70 | 143                      | 15      | 17.76 | 20.54 | 15.84 |
| 144                      | 16      | 17.61 | 16.35 | 23.98 | 144                      | 16      | 16.29 | 17.37 | 17.23 | 144                      | 16      | 19.13 | 24.10 | 18.25 |
| 145                      | 17      | 16.06 | 14.75 | 23.26 | 145                      | 17      | 15.50 | 15.30 | 16.71 | 145                      | 17      | 20.92 | 22.90 | 21.46 |
| 146                      | 18      | 17.25 | 16.50 | 13.75 | 146                      | 18      | 15.25 | 13.81 | 12.33 | 146                      | 18      | 20.21 | 16.52 | 15.52 |
| 147                      | 19      | 23.10 | 22.76 | 20.55 | 147                      | 19      | 17.22 | 14.66 | 13.62 | 147                      | 19      | 22.32 | 19.90 | 17.64 |
| 148                      | 20      | 24.28 | 22.06 | 16.75 | 148                      | 20      | 14.70 | 11.98 | 11.88 | 148                      | 20      | 18.75 | 15.95 | 12.84 |
| 149                      | 21      | 9.72  | 13.35 | 12.87 | 149                      | 21      | 9.00  | 7.88  | 4.63  | 149                      | 21      | 13.31 | 10.96 | 8.96  |
| 150                      | 22      | 10.80 | 13.68 | 12.10 | 150                      | 22      | 10.06 | 9.07  | 6.81  | 150                      | 22      | 13.51 | 11.94 | 9.93  |
| 151                      | 23      | 10.90 | 13.16 | 12.56 | 151                      | 23      | 8.98  | 9.06  | 8.13  | 151                      | 23      | 12.29 | 11.96 | 9.19  |
| 152                      | 24      | 14.16 | 22.72 | 23.27 | 152                      | 24      | 15.98 | 16.43 | 17.03 | 152                      | 24      | 21.84 | 26.18 | 15.83 |
| 153                      | 25      | 17.49 | 18.20 | 23.57 | 153                      | 25      | 16.82 | 16.18 | 18.07 | 153                      | 25      | 17.39 | 22.28 | 17.84 |
| 154                      | 26      | 14.97 | 25.86 | 21.70 | 154                      | 26      | 11.76 | 14.60 | 14.07 | 154                      | 26      | 17.70 | 24.92 | 19.06 |
| 155                      | 27      | 38.83 | 39.97 | 33.39 | 155                      | 27      | 30.19 | 25.44 | 25.58 | 155                      | 27      | 42.52 | 33.00 | 29.57 |
| 156                      | 28      | 44.12 | 44.21 | 31.92 | 156                      | 28      | 29.85 | 26.45 | 24.33 | 156                      | 28      | 36.21 | 31.12 | 30.55 |
| 157                      | 29      | 39.28 | 36.26 | 33.94 | 157                      | 29      | 31.35 | 26.65 | 24.07 | 157                      | 29      | 34.36 | 31.60 | 30.27 |
| 158                      | 30      | 42.12 | 41.41 | 36.98 | 158                      | 30      | 29.86 | 26.01 | 22.91 | 158                      | 30      | 37.26 | 32.00 | 32.29 |
| 159                      | 31      | 44.98 | 44.21 | 32.93 | 159                      | 31      | 27.49 | 24.85 | 23.97 | 159                      | 31      | 39.77 | 32.63 | 24.79 |
| 160                      | 32      | 37.12 | 43.39 | 53.99 | 160                      | 32      | 25.58 | 30.05 | 29.63 | 160                      | 32      | 39.50 | 52.73 | 40.78 |
| 161                      | 33      | 39.80 | 45.23 | 46.45 | 161                      | 33      | 34.01 | 35.94 | 31.27 | 161                      | 33      | 48.05 | 48.74 | 34.30 |
| 162                      | 34      | 36.43 | 38.57 | 42.99 | 162                      | 34      | 35.32 | 35.53 | 33.30 | 162                      | 34      | 40.78 | 44.43 | 30.88 |
| 163                      | 35      | 35.64 | 44.12 | 42.72 | 163                      | 35      | 24.92 | 28.35 | 30.15 | 163                      | 35      | 43.47 | 46.36 | 34.95 |
| 164                      | 36      | 33.65 | 45.76 | 53.03 | 164                      | 36      | 25.81 | 35.28 | 34.54 | 164                      | 36      | 48.53 | 53.59 | 41.50 |
| 165                      | 37      | 43.29 | 43.21 | 32.63 | 165                      | 37      | 27.66 | 27.69 | 25.96 | 165                      | 37      | 41.12 | 32.93 | 29.75 |
| 166                      | 38      | 42.31 | 38.46 | 32.55 | 166                      | 38      | 30.38 | 26.11 | 22.40 | 166                      | 38      | 35.10 | 32.18 | 30.40 |
| 167                      | 39      | 40.68 | 38.32 | 34.08 | 167                      | 39      | 31.21 | 27.50 | 23.63 | 167                      | 39      | 37.06 | 31.98 | 31.58 |
| 168                      | 40      | 42.92 | 43.31 | 36.35 | 168                      | 40      | 31.39 | 27.94 | 25.73 | 168                      | 40      | 39.32 | 33.28 | 31.02 |
| 169                      | 41      | 40.76 | 47.51 | 52.65 | 169                      | 41      | 28.44 | 30.66 | 27.47 | 169                      | 41      | 51.39 | 55.66 | 39.14 |
| 170                      | 42      | 38.32 | 41.92 | 44.92 | 170                      | 42      | 34.75 | 38.48 | 34.40 | 170                      | 42      | 43.45 | 46.04 | 32.33 |
| 171                      | 43      | 34.50 | 39.29 | 39.89 | 171                      | 43      | 31.32 | 31.21 | 31.05 | 171                      | 43      | 41.21 | 43.23 | 32.31 |
| 172                      | 44      | 36.10 | 47.29 | 49.33 | 172                      | 44      | 26.02 | 32.06 | 32.47 | 172                      | 44      | 50.18 | 53.48 | 40.51 |