






































ANT B



Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	92.57	0.34	0.48
NVNT	a	5580	92.59	0.33	0.48
NVNT	a	5700	92.93	0.32	0.49
NVNT	n20	5500	92.75	0.33	0.52
NVNT	n20	5580	92.32	0.35	0.52
NVNT	n20	5700	92.65	0.33	0.52
NVNT	n40	5510	85.63	0.67	1.06
NVNT	n40	5550	85.85	0.66	1.06
NVNT	n40	5670	85.56	0.68	1.05
NVNT	ac20	5500	91.66	0.38	0.52
NVNT	ac20	5580	92.34	0.35	0.52
NVNT	ac20	5700	91.59	0.38	0.52
NVNT	ac40	5510	83.85	0.76	1.05
NVNT	ac40	5550	84.47	0.73	1.05
NVNT	ac40	5670	84.36	0.74	1.04
NVNT	ac80	5530	72.6	1.39	2.17

































ANT A



Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	92.54	0.34	0.48
NVNT	a	5785	93.56	0.29	0.49
NVNT	a	5825	93.28	0.3	0.49
NVNT	n20	5745	93.01	0.31	0.52
NVNT	n20	5785	92.36	0.35	0.52
NVNT	n20	5825	92.51	0.34	0.52
NVNT	n40	5755	85.92	0.66	1.05
NVNT	n40	5795	85.93	0.66	1.06
NVNT	ac20	5745	92.05	0.36	0.52
NVNT	ac20	5785	91.44	0.39	0.52
NVNT	ac20	5825	91.87	0.37	0.52
NVNT	ac40	5755	83.83	0.77	1.05
NVNT	ac40	5795	84.17	0.75	1.05
NVNT	ac80	5775	72.54	1.39	2.17






























ANT B



Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	93.43	0.3	0.49
NVNT	a	5785	92.78	0.33	0.48
NVNT	a	5825	93.56	0.29	0.48
NVNT	n20	5745	92.72	0.33	0.52
NVNT	n20	5785	92.87	0.32	0.52
NVNT	n20	5825	92.62	0.33	0.52
NVNT	n40	5755	85.95	0.66	1.05
NVNT	n40	5795	85.57	0.68	1.06
NVNT	ac20	5745	91.47	0.39	0.52
NVNT	ac20	5785	91.48	0.39	0.52
NVNT	ac20	5825	91.57	0.38	0.52
NVNT	ac40	5755	84.33	0.74	1.05
NVNT	ac40	5795	84.38	0.74	1.05
NVNT	ac80	5775	73.17	1.36	2.17




















15. Antenna Requirement

15.1 Limit

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.


15.2 Test Result

The EUT antenna is FPC antenna (5.1G&5.3G antenna gain (A&B): 3.21dBi; 5.6G&5.8G antenna gain (A&B): 3.39dBi,). It comply with the standard requirement.




16. EUT Photographs

EUT Photo 1



EUT Photo 2



NOTE: Appendix-Photographs Of EUT Constructional Details


17. EUT Test Setup Photographs

Conducted emissions



Radiated Measurement Photos





STATEMENT

1. The equipment lists are traceable to the national reference standards.
2. The test report can not be partially copied unless prior written approval is issued from our lab.
3. The test report is invalid without the "special seal for inspection and testing".
4. The test report is invalid without the signature of the approver.
5. The test process and test result is only related to the Unit Under Test.
6. Sample information is provided by the client and the laboratory is not responsible for its authenticity.
7. The quality system of our laboratory is in accordance with ISO/IEC17025.
8. If there is any objection to this test report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Zhancheng, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL: 400-788-9558

P.C.: 518103

FAX: 0755-33229357

Website: <http://www.chnbctc.com>

E-Mail: bctc@bctc-lab.com.cn

***** END *****