

EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS


EUT View 1	 A black PRT (Personal Rapid Tester) device is shown next to a black USB cable and two black power adapters. A ruler is placed vertically to the left of the device for scale. The device has a small screen and buttons. The USB cable is coiled. The power adapters are standard two-pronged plugs.
EUT View 2	 A black PRT (Personal Rapid Tester) device is shown next to a ruler for scale. The device is black with a small screen and buttons. The ruler is placed vertically to the left of the device.

EUT View 3



EUT View 4



EUT View 5	 A black handheld electronic device, likely a portable tester or meter, is shown from a side-top perspective. It has a rectangular shape with rounded edges. A small screen is visible on the top face, and several buttons are located below it. The device is placed on a light blue textured surface next to a black ruler with white markings. The ruler is oriented vertically, showing measurements in centimeters and millimeters. The device's length is approximately 10 cm.
EUT View 6	 A black handheld electronic device, similar to the one in View 5, is shown from a side-bottom perspective. It has a rectangular shape with rounded edges. A small screen is visible on the top face, and several buttons are located below it. The device is placed on a light blue textured surface next to a black ruler with white markings. The ruler is oriented vertically, showing measurements in centimeters and millimeters. The device's length is approximately 10 cm.

EUT View 7	 A black handheld electronic device, likely a handheld tester or meter, is shown from a top-down perspective. It has a small LCD screen on the left side and a series of buttons on the right. The device is placed on a blue textured surface next to a black ruler with white markings. The ruler is oriented vertically, with the 0 mark at the top. The device is approximately 10 cm long and 5 cm wide.
	 A side view of the black handheld electronic device. It shows a large, rectangular opening on the side, possibly for a probe or connector. The device has a smooth, rounded design. It is placed on a blue textured surface.