


5.2G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	97.6	0.11
NVNT	a	5200	Ant1	97.6	0.11
NVNT	a	5240	Ant1	97.6	0.11
NVNT	ac20	5180	Ant1	97.44	0.11
NVNT	ac20	5200	Ant1	97.46	0.11
NVNT	ac20	5240	Ant1	97.45	0.11
NVNT	ac40	5190	Ant1	95.13	0.22
NVNT	ac40	5230	Ant1	95.12	0.22
NVNT	ac80	5210	Ant1	90.77	0.42
NVNT	n20	5180	Ant1	97.41	0.11
NVNT	n20	5200	Ant1	97.41	0.11
NVNT	n20	5240	Ant1	97.44	0.11
NVNT	n40	5190	Ant1	95.07	0.22
NVNT	n40	5230	Ant1	95.09	0.22


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	9.312	0.11	9.422	24	Pass
NVNT	a	5200	Ant1	9.716	0.11	9.826	24	Pass
NVNT	a	5240	Ant1	9.181	0.11	9.291	24	Pass
NVNT	ac20	5180	Ant1	9.805	0.11	9.915	24	Pass
NVNT	ac20	5200	Ant1	9.706	0.11	9.816	24	Pass
NVNT	ac20	5240	Ant1	9.159	0.11	9.269	24	Pass
NVNT	ac40	5190	Ant1	9.526	0.22	9.746	24	Pass
NVNT	ac40	5230	Ant1	8.424	0.22	8.644	24	Pass
NVNT	ac80	5210	Ant1	9.121	0.42	9.541	24	Pass
NVNT	n20	5180	Ant1	9.701	0.11	9.811	24	Pass
NVNT	n20	5200	Ant1	9.678	0.11	9.788	24	Pass
NVNT	n20	5240	Ant1	9.173	0.11	9.283	24	Pass
NVNT	n40	5190	Ant1	9.565	0.22	9.785	24	Pass
NVNT	n40	5230	Ant1	8.406	0.22	8.626	24	Pass


-26dB Bandwidth and Occupied Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	99% OBW (MHz)	Verdict
NVNT	a	5180	Ant1	19.607	16.376	Pass
NVNT	a	5200	Ant1	19.623	16.405	Pass
NVNT	a	5240	Ant1	19.701	16.408	Pass
NVNT	ac20	5180	Ant1	19.877	17.547	Pass
NVNT	ac20	5200	Ant1	19.899	17.535	Pass
NVNT	ac20	5240	Ant1	19.849	17.555	Pass
NVNT	ac40	5190	Ant1	40.179	35.923	Pass
NVNT	ac40	5230	Ant1	40.033	35.959	Pass
NVNT	ac80	5210	Ant1	80.196	75.21	Pass
NVNT	n20	5180	Ant1	19.943	17.529	Pass
NVNT	n20	5200	Ant1	20.145	17.562	Pass
NVNT	n20	5240	Ant1	19.962	17.555	Pass
NVNT	n40	5190	Ant1	40.843	35.961	Pass
NVNT	n40	5230	Ant1	40.263	35.952	Pass


-26dB Bandwidth and OBW NVNT and OBW NVNT a 5180MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT a 5200MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT a 5240MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac20 5180MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac20 5200MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac20 5240MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac40 5190MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac40 5230MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac80 5210MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT n20 5180MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT n20 5200MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT n20 5240MHz Ant1



-26dB Bandwidth and OBW NVNT and OBW NVNT n40 5190MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Duty Factor (dB)	Max PSD (dBm)	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	0.11	-0.167	-0.057	11	Pass
NVNT	a	5200	Ant1	0.11	-0.017	0.093	11	Pass
NVNT	a	5240	Ant1	0.11	-0.499	-0.389	11	Pass
NVNT	ac20	5180	Ant1	0.11	-0.129	-0.019	11	Pass
NVNT	ac20	5200	Ant1	0.11	0.087	0.197	11	Pass
NVNT	ac20	5240	Ant1	0.11	-0.907	-0.797	11	Pass
NVNT	ac40	5190	Ant1	0.22	-3.204	-2.984	11	Pass
NVNT	ac40	5230	Ant1	0.22	-4.046	-3.826	11	Pass
NVNT	ac80	5210	Ant1	0.42	-6.585	-6.165	11	Pass
NVNT	n20	5180	Ant1	0.11	-0.099	0.011	11	Pass
NVNT	n20	5200	Ant1	0.11	-0.02	0.09	11	Pass
NVNT	n20	5240	Ant1	0.11	-1.209	-1.099	11	Pass
NVNT	n40	5190	Ant1	0.22	-3.644	-3.424	11	Pass
NVNT	n40	5230	Ant1	0.22	-4.751	-4.531	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-42.39	-27	Pass
NVNT	a	5240	Ant1	-46.88	-27	Pass
NVNT	ac20	5180	Ant1	-35.31	-27	Pass
NVNT	ac20	5240	Ant1	-46.52	-27	Pass
NVNT	ac40	5190	Ant1	-30.84	-27	Pass
NVNT	ac40	5230	Ant1	-50.81	-27	Pass
NVNT	ac80	5210	Ant1	-43.88	-27	Pass
NVNT	ac80	5210	Ant1	-29.88	-27	Pass
NVNT	n20	5180	Ant1	-31.2	-27	Pass
NVNT	n20	5240	Ant1	-46.35	-27	Pass
NVNT	n40	5190	Ant1	-33.52	-27	Pass
NVNT	n40	5230	Ant1	-44.94	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT ac80 5210MHz Low Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-36.54	-27	Pass
NVNT	a	5200	Ant1	-36.96	-27	Pass
NVNT	a	5240	Ant1	-36.74	-27	Pass
NVNT	ac20	5180	Ant1	-43	-27	Pass
NVNT	ac20	5200	Ant1	-38.77	-27	Pass
NVNT	ac20	5240	Ant1	-38.64	-27	Pass
NVNT	ac40	5190	Ant1	-30.48	-27	Pass
NVNT	ac40	5230	Ant1	-47.22	-27	Pass
NVNT	ac80	5210	Ant1	-45.57	-27	Pass
NVNT	n20	5180	Ant1	-36.66	-27	Pass
NVNT	n20	5200	Ant1	-34.05	-27	Pass
NVNT	n20	5240	Ant1	-36.89	-27	Pass
NVNT	n40	5190	Ant1	-36.89	-27	Pass
NVNT	n40	5230	Ant1	-36.6	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




5.3G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5260	Ant1	97.61	0.11
NVNT	a	5280	Ant1	97.64	0.1
NVNT	a	5320	Ant1	97.62	0.1
NVNT	ac20	5260	Ant1	97.46	0.11
NVNT	ac20	5280	Ant1	97.47	0.11
NVNT	ac20	5320	Ant1	97.43	0.11
NVNT	ac40	5270	Ant1	95.14	0.22
NVNT	ac40	5310	Ant1	95.12	0.22
NVNT	ac80	5290	Ant1	90.74	0.42
NVNT	n20	5260	Ant1	97.42	0.11
NVNT	n20	5280	Ant1	97.44	0.11
NVNT	n20	5320	Ant1	97.44	0.11
NVNT	n40	5270	Ant1	95.1	0.22
NVNT	n40	5310	Ant1	95.11	0.22


Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1




Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac80 5290MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1




Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1



Duty Cycle NVNT n40 5270MHz Ant1



Duty Cycle NVNT n40 5310MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	9.456	0.11	9.566	24	Pass
NVNT	a	5280	Ant1	9.37	0.1	9.47	24	Pass
NVNT	a	5320	Ant1	9.598	0.1	9.698	24	Pass
NVNT	ac20	5260	Ant1	9.122	0.11	9.232	24	Pass
NVNT	ac20	5280	Ant1	9.067	0.11	9.177	24	Pass
NVNT	ac20	5320	Ant1	9.091	0.11	9.201	24	Pass
NVNT	ac40	5270	Ant1	9.528	0.22	9.748	24	Pass
NVNT	ac40	5310	Ant1	9.453	0.22	9.673	24	Pass
NVNT	ac80	5290	Ant1	9.266	0.42	9.686	24	Pass
NVNT	n20	5260	Ant1	9.153	0.11	9.263	24	Pass
NVNT	n20	5280	Ant1	9.212	0.11	9.322	24	Pass
NVNT	n20	5320	Ant1	9.55	0.11	9.66	24	Pass
NVNT	n40	5270	Ant1	8.895	0.22	9.115	24	Pass
NVNT	n40	5310	Ant1	9.42	0.22	9.64	24	Pass


-26dB Bandwidth and Occupied Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	99% OBW (MHz)	Verdict
NVNT	a	5260	Ant1	19.847	16.39	Pass
NVNT	a	5280	Ant1	19.762	16.394	Pass
NVNT	a	5320	Ant1	19.692	16.394	Pass
NVNT	ac20	5260	Ant1	20.128	17.523	Pass
NVNT	ac20	5280	Ant1	20.098	17.542	Pass
NVNT	ac20	5320	Ant1	19.875	17.538	Pass
NVNT	ac40	5270	Ant1	40.232	30.034	Pass
NVNT	ac40	5310	Ant1	40.156	35.996	Pass
NVNT	ac80	5290	Ant1	89.683	75.296	Pass
NVNT	n20	5260	Ant1	20.046	17.558	Pass
NVNT	n20	5280	Ant1	21.991	17.582	Pass
NVNT	n20	5320	Ant1	20.018	17.585	Pass
NVNT	n40	5270	Ant1	40.253	35.976	Pass
NVNT	n40	5310	Ant1	40.495	36.028	Pass


-26dB Bandwidth and OBW NVNT and OBW NVNT a 5260MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT a 5280MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT a 5320MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac20 5260MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac20 5280MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac20 5320MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac40 5270MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac40 5310MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT ac80 5290MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT n20 5260MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT n20 5280MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT n20 5320MHz Ant1



-26dB Bandwidth and OBW NVNT and OBW NVNT n40 5270MHz Ant1




-26dB Bandwidth and OBW NVNT and OBW NVNT n40 5310MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Duty Factor (dB)	Max PSD (dBm)	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	0.11	-0.21	-0.1	11	Pass
NVNT	a	5280	Ant1	0.1	-0.344	-0.244	11	Pass
NVNT	a	5320	Ant1	0.1	-0.087	0.013	11	Pass
NVNT	ac20	5260	Ant1	0.11	-0.411	-0.301	11	Pass
NVNT	ac20	5280	Ant1	0.11	-0.672	-0.562	11	Pass
NVNT	ac20	5320	Ant1	0.11	-0.847	-0.737	11	Pass
NVNT	ac40	5270	Ant1	0.22	-3.272	-3.052	11	Pass
NVNT	ac40	5310	Ant1	0.22	-3.292	-3.072	11	Pass
NVNT	ac80	5290	Ant1	0.42	-6.622	-6.202	11	Pass
NVNT	n20	5260	Ant1	0.11	-0.427	-0.317	11	Pass
NVNT	n20	5280	Ant1	0.11	-0.488	-0.378	11	Pass
NVNT	n20	5320	Ant1	0.11	-0.492	-0.382	11	Pass
NVNT	n40	5270	Ant1	0.22	-4.442	-4.222	11	Pass
NVNT	n40	5310	Ant1	0.22	-3.431	-3.211	11	Pass


PSD NVNT a 5260MHz Ant1




PSD NVNT a 5280MHz Ant1




PSD NVNT a 5320MHz Ant1




PSD NVNT ac20 5260MHz Ant1




PSD NVNT ac20 5280MHz Ant1




PSD NVNT ac20 5320MHz Ant1



PSD NVNT ac40 5270MHz Ant1




PSD NVNT ac40 5310MHz Ant1




PSD NVNT ac80 5290MHz Ant1




PSD NVNT n20 5260MHz Ant1




PSD NVNT n20 5280MHz Ant1




PSD NVNT n20 5320MHz Ant1



PSD NVNT n40 5270MHz Ant1




PSD NVNT n40 5310MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-48.52	-27	Pass
NVNT	a	5320	Ant1	-34.11	-27	Pass
NVNT	ac20	5260	Ant1	-52.14	-27	Pass
NVNT	ac20	5320	Ant1	-35.61	-27	Pass
NVNT	ac40	5270	Ant1	-46.47	-27	Pass
NVNT	ac40	5310	Ant1	-29.92	-27	Pass
NVNT	ac80	5290	Ant1	-29.64	-27	Pass
NVNT	ac80	5290	Ant1	-42.44	-27	Pass
NVNT	n20	5260	Ant1	-47.22	-27	Pass
NVNT	n20	5320	Ant1	-31.72	-27	Pass
NVNT	n40	5270	Ant1	-46.24	-27	Pass
NVNT	n40	5310	Ant1	-27.27	-27	Pass


Band Edge NVNT a 5260MHz Low Ant1




Band Edge NVNT a 5320MHz High Ant1




Band Edge NVNT ac20 5260MHz Low Ant1




Band Edge NVNT ac20 5320MHz High Ant1




Band Edge NVNT ac40 5270MHz Low Ant1




Band Edge NVNT ac40 5310MHz High Ant1




Band Edge NVNT ac80 5290MHz High Ant1




Band Edge NVNT ac80 5290MHz Low Ant1




Band Edge NVNT n20 5260MHz Low Ant1




Band Edge NVNT n20 5320MHz High Ant1



Band Edge NVNT n40 5270MHz Low Ant1




Band Edge NVNT n40 5310MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-36.65	-27	Pass
NVNT	a	5280	Ant1	-36.93	-27	Pass
NVNT	a	5320	Ant1	-36.57	-27	Pass
NVNT	ac20	5260	Ant1	-36.95	-27	Pass
NVNT	ac20	5280	Ant1	-37.13	-27	Pass
NVNT	ac20	5320	Ant1	-36.87	-27	Pass
NVNT	ac40	5270	Ant1	-35.76	-27	Pass
NVNT	ac40	5310	Ant1	-36.79	-27	Pass
NVNT	ac80	5290	Ant1	-36.85	-27	Pass
NVNT	n20	5260	Ant1	-36.69	-27	Pass
NVNT	n20	5280	Ant1	-36.85	-27	Pass
NVNT	n20	5320	Ant1	-36.7	-27	Pass
NVNT	n40	5270	Ant1	-36.6	-27	Pass
NVNT	n40	5310	Ant1	-36.55	-27	Pass


Tx. Spurious NVNT a 5260MHz Ant1 Emission




Tx. Spurious NVNT a 5280MHz Ant1 Emission




Tx. Spurious NVNT a 5320MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission




Tx. Spurious NVNT ac40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac80 5290MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




Tx. Spurious NVNT n20 5280MHz Ant1 Emission



Tx. Spurious NVNT n20 5320MHz Ant1 Emission



Tx. Spurious NVNT n40 5270MHz Ant1 Emission



Tx. Spurious NVNT n40 5310MHz Ant1 Emission

