

# **FCC REPORT**

## **(LTE)**

**Applicant:** Prometheus Group LLC

**Address of Applicant:** P.O. Box 130100 birmingham, Alabama 35213-0100 USA.

**Equipment Under Test (EUT)**

Product Name: Hunting Camera

Model No.: BTC-DWC-VZW, BTC-SFW-VZW

Trade mark: BROWNING

**FCC ID:** 2ALGTBTC-DWC-VZW

**Applicable standards:** FCC CFR Title 47 Part 2  
FCC CFR Title 47 Part 27 Subpart L  
FCC CFR Title 47 Part 27 Subpart E

**Date of sample receipt:** 19 Nov., 2019

**Date of Test:** 20 Nov., to 09 Dec., 2019

**Date of report issued:** 10 Dec., 2019

**Test Result:** PASS\*

\*In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Bruce Zhang  
Laboratory Manager

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the CCIS product certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## 2. Version

| Version No. | Date          | Description |
|-------------|---------------|-------------|
| 00          | 10 Dec., 2019 | Original    |
|             |               |             |
|             |               |             |
|             |               |             |
|             |               |             |

Tested by:

*Tanet Wei*

Date:

10 Dec., 2019

**Test Engineer**

Reviewed by:

*Winner Zhang*

Date:

10 Dec., 2019

**Project Engineer**

### 3. Contents

|                                                                  | Page |
|------------------------------------------------------------------|------|
| 1. COVER PAGE.....                                               | 1    |
| 2. VERSION.....                                                  | 2    |
| 3. CONTENTS.....                                                 | 3    |
| 4. TEST SUMMARY.....                                             | 4    |
| 5. GENERAL INFORMATION.....                                      | 5    |
| 5.1 CLIENT INFORMATION.....                                      | 5    |
| 5.2 GENERAL DESCRIPTION OF E.U.T.....                            | 5    |
| 5.3 TEST ENVIRONMENT AND MODE.....                               | 8    |
| 5.4 DESCRIPTION OF SUPPORT UNITS.....                            | 8    |
| 5.5 MEASUREMENT UNCERTAINTY.....                                 | 8    |
| 5.6 RELATED SUBMITTAL(S) / GRANT (S).....                        | 8    |
| 5.7 ADDITIONS TO, DEVIATIONS, OR EXCLUSIONS FROM THE METHOD..... | 8    |
| 5.8 LABORATORY FACILITY.....                                     | 8    |
| 5.9 LABORATORY LOCATION.....                                     | 9    |
| 5.10 TEST INSTRUMENTS LIST.....                                  | 9    |
| 6. TEST RESULTS.....                                             | 10   |
| 6.1 CONDUCTED OUTPUT POWER, ERP AND EIRP.....                    | 10   |
| 6.2 PEAK-TO-AVERAGE RATIO.....                                   | 15   |
| 6.3 OCCUPY BANDWIDTH.....                                        | 18   |
| 6.4 OUT OF BAND EMISSION AT ANTENNA TERMINALS.....               | 35   |
| 6.5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT.....        | 52   |
| 6.6 FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT.....        | 61   |
| 6.7 FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT.....            | 64   |
| 7. TEST SETUP PHOTO.....                                         | 66   |
| 8. EUT CONSTRUCTIONAL DETAILS.....                               | 67   |

#### 4. Test Summary

| Test Items                                                                                                                                                                                                                        | Section in CFR 47                                      | Result                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|----------------------------------------|
| RF Exposure (SAR)                                                                                                                                                                                                                 | Part 1.1307<br>Part 2.1093                             | Passed<br>(Please refer to SAR Report) |
| RF Output Power                                                                                                                                                                                                                   | Part 2.1046<br>Part 27.50 (d)(4)<br>Part 27.50 (b)(10) | Pass                                   |
| Peak-to-Average Ratio                                                                                                                                                                                                             | Part 27.50(d)(5)                                       | Pass                                   |
| Modulation Characteristics                                                                                                                                                                                                        | Part 2.1047                                            | Pass                                   |
| 99% & -26 dB Occupied Bandwidth                                                                                                                                                                                                   | Part 2.1049<br>Part 27.53(h)<br>Part 27.53(c)          | Pass                                   |
| Out of band emission at antenna terminals                                                                                                                                                                                         | Part 2.1053<br>Part 27.53 (h)<br>Part 27.53(c)         | Pass                                   |
| Field strength of spurious radiation                                                                                                                                                                                              | Part 27.53 (h)<br>Part 27.53(c)(f)                     | Pass                                   |
| Frequency stability vs. temperature                                                                                                                                                                                               | Part 27.54<br>Part 2.1055(a)(1)(b)                     | Pass                                   |
| Frequency stability vs. voltage                                                                                                                                                                                                   | Part 27.54<br>Part 2.1055(d)(2)                        | Pass                                   |
| <b>Remark:</b><br>1. Pass: The EUT complies with the essential requirements in the standard.<br>2. The cable insertion loss used by "RF Output Power" and other conduction measurement items is 0.5dB (provided by the customer). |                                                        |                                        |
| <b>Test Method:</b>                                                                                                                                                                                                               | ANSI/TIA-603-E-2016<br>ANSI C63.26-2015                |                                        |

## 5. General Information

### 5.1 Client Information

|               |                                                                                    |
|---------------|------------------------------------------------------------------------------------|
| Applicant:    | Prometheus Group LLC                                                               |
| Address:      | P.O. Box 130100 birmingham, Alabama 35213-0100 USA.                                |
| Manufacturer: | Systech Electronics Limited                                                        |
| Address:      | Unit 802, 8/F, Sunbeam Centre, 27 Shing Yip Street, Kwun Tong, Kowloon, Hong Kong. |

### 5.2 General Description of E.U.T.

|                            |                                                                                                                                                                                                         |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name:              | Hunting Camera                                                                                                                                                                                          |
| Model No.:                 | BTC-DWC-VZW, BTC-SFW-VZW                                                                                                                                                                                |
| Operation Frequency range: | LTE Band 4:TX: 1710MHz-1755MHz, RX: 2110MHz-2155MHz<br>LTE Band 13: TX:777MHz-787MHz, RX: 746MHz-756MHz                                                                                                 |
| Modulation type:           | QPSK, 16QAM                                                                                                                                                                                             |
| Antenna type:              | Internal Antenna                                                                                                                                                                                        |
| Antenna gain:              | LTE Band4:1.93dBi<br>LTE Band 13:1.03dBi                                                                                                                                                                |
| Power supply:              | DC12V OR POWER SOURCE: 8x1.5AA x 2 Battery                                                                                                                                                              |
| Test Sample Condition:     | The applicant provided engineering samples for staying in continuously transmitting for testing.                                                                                                        |
| Remark:                    | The No.: BTC-DWC-VZW, BTC-SFW-VZW were identical inside, the electrical circuit design, layout, components used and internal wiring, with only model number is different for the marketing requirement. |

## Operation Frequency List:

| LTE Band 4(1.4MHz) |                 | LTE Band 4(3MHz)  |                 |
|--------------------|-----------------|-------------------|-----------------|
| Channel            | Frequency (MHz) | Channel           | Frequency (MHz) |
| 19957              | 1710.70         | 19965             | 1711.50         |
| 19958              | 1710.80         | 19966             | 1711.60         |
| ....               | ....            | ....              | ....            |
| 20174              | 1732.40         | 20174             | 1732.40         |
| 20175              | 1732.50         | 20175             | 1732.50         |
| 20176              | 1732.60         | 20176             | 1732.60         |
| ...                | ...             | ...               | ...             |
| 20392              | 1754.20         | 20384             | 1753.40         |
| 20393              | 1754.30         | 20385             | 1753.50         |
| LTE Band 4(5MHz)   |                 | LTE Band 4(10MHz) |                 |
| Channel            | Frequency (MHz) | Channel           | Frequency (MHz) |
| 19975              | 1712.50         | 20000             | 1715.00         |
| 19976              | 1712.60         | 20001             | 1715.10         |
| ....               | ....            | ....              | ....            |
| 20174              | 1732.40         | 20174             | 1732.40         |
| 20175              | 1732.50         | 20175             | 1732.50         |
| 20176              | 1732.60         | 20176             | 1732.60         |
| ...                | ...             | ...               | ...             |
| 20374              | 1752.40         | 20349             | 1749.90         |
| 20375              | 1752.50         | 20350             | 1750.00         |
| LTE Band 4(15MHz)  |                 | LTE Band 4(20MHz) |                 |
| Channel            | Frequency (MHz) | Channel           | Frequency (MHz) |
| 20025              | 1717.50         | 20050             | 1720.00         |
| 20026              | 1717.60         | 20051             | 1720.10         |
| ....               | ....            | ....              | ....            |
| 20174              | 1732.40         | 20174             | 1732.40         |
| 20175              | 1732.50         | 20175             | 1732.50         |
| 20176              | 1732.60         | 20176             | 1732.60         |
| ...                | ...             | ...               | ...             |
| 20324              | 1747.40         | 20299             | 1744.90         |
| 20325              | 1747.50         | 20300             | 1745.00         |

| LTE Band 13(5MHz) |                 | LTE Band 13(10MHz) |                 |
|-------------------|-----------------|--------------------|-----------------|
| Channel           | Frequency (MHz) | Channel            | Frequency (MHz) |
| 23205             | 779.50          | /                  | /               |
| 23206             | 779.60          | /                  | /               |
| ....              | ....            | /                  | /               |
| 23229             | 781.90          | /                  | /               |
| 23230             | 782.00          | 23230              | 782.00          |
| 23231             | 782.10          | /                  | /               |
| ...               | ...             | /                  | /               |
| 23255             | 784.50          | /                  | /               |
| 23256             | 784.60          | /                  | /               |

Regards to the operating frequency range, the lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channels as below:

| LTE Band 4(1.4MHz) |       |                 | LTE Band 4(3MHz)  |       |                 |
|--------------------|-------|-----------------|-------------------|-------|-----------------|
| Channel:           |       | Frequency (MHz) | Channel           |       | Frequency (MHz) |
| Lowest channel     | 19957 | 1710.70         | Lowest channel    | 19965 | 1711.50         |
| Middle channel     | 20175 | 1732.50         | Middle channel    | 20175 | 1732.50         |
| Highest channel    | 20393 | 1754.30         | Highest channel   | 20385 | 1753.50         |
| LTE Band 4(5MHz)   |       |                 | LTE Band 4(10MHz) |       |                 |
| Channel            |       | Frequency (MHz) | Channel           |       | Frequency (MHz) |
| Lowest channel     | 19975 | 1712.50         | Lowest channel    | 20000 | 1715.00         |
| Middle channel     | 20175 | 1732.50         | Middle channel    | 20175 | 1732.50         |
| Highest channel    | 20375 | 1752.50         | Highest channel   | 20350 | 1750.00         |
| LTE Band 4(15MHz)  |       |                 | LTE Band 4(20MHz) |       |                 |
| Channel            |       | Frequency (MHz) | Channel           |       | Frequency (MHz) |
| Lowest channel     | 20025 | 1717.50         | Lowest channel    | 20050 | 1720.00         |
| Middle channel     | 20175 | 1732.50         | Middle channel    | 20175 | 1732.50         |
| Highest channel    | 20325 | 1747.50         | Highest channel   | 20300 | 1745.00         |

| LTE Band 13(5MHz) |       |                 | LTE Band 13(10MHz) |       |                 |
|-------------------|-------|-----------------|--------------------|-------|-----------------|
| Channel           |       | Frequency (MHz) | Channel            |       | Frequency (MHz) |
| Lowest channel    | 23205 | 779.5           | Lowest channel     | /     | /               |
| Middle channel    | 23230 | 782.0           | Middle channel     | 23230 | 782.00          |
| Highest channel   | 23255 | 784.5           | Highest channel    | /     | /               |

### 5.3 Test environment and mode

| Operating Environment:                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| Temperature:                                                                                                                                                                                                                                                                                                                                                                                                                 | Normal: 15°C ~ 35°C, Extreme: -30°C ~ +50°C                      |
| Humidity:                                                                                                                                                                                                                                                                                                                                                                                                                    | 20 % ~ 75 % RH                                                   |
| Atmospheric Pressure:                                                                                                                                                                                                                                                                                                                                                                                                        | 1008 mbar                                                        |
| Voltage:                                                                                                                                                                                                                                                                                                                                                                                                                     | Nominal: 12Vdc, Extreme: Low 11.2Vdc, High 12.8Vdc               |
| Test mode:                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                  |
| LTE QPSKmode                                                                                                                                                                                                                                                                                                                                                                                                                 | Keep the EUT communication with simulated station in QPSK mode   |
| LTE 16-QAMmode                                                                                                                                                                                                                                                                                                                                                                                                               | Keep the EUT communication with simulated station in 16-QAM mode |
| Remark: The EUT has been tested under continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing. The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for these modes with power adaptor, earphone and Data cable. Just the worst case position (H mode) shown in report. |                                                                  |

### 5.4 Description of Support Units

| Test Equipment    | Manufacturer | Model No. | Serial No. |
|-------------------|--------------|-----------|------------|
| Simulated Station | Anritsu      | MT8820C   | 6201026545 |

### 5.5 Measurement Uncertainty

| Parameters                          | Expanded Uncertainty |
|-------------------------------------|----------------------|
| Radiated Emission (9kHz ~ 30MHz)    | ±3.12 dB (k=2)       |
| Radiated Emission (30MHz ~ 1000MHz) | ±4.32 dB (k=2)       |
| Radiated Emission (1GHz ~ 18GHz)    | ±5.38 dB (k=2)       |
| Radiated Emission (18GHz ~ 40GHz)   | ±3.36 dB (k=2)       |

### 5.6 Related Submittal(s) / Grant (s)

|                                                              |
|--------------------------------------------------------------|
| This is an original grant, no related submittals and grants. |
|--------------------------------------------------------------|

### 5.7 Additions to, deviations, or exclusions from the method

|    |
|----|
| No |
|----|

### 5.8 Laboratory Facility

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>The test facility is recognized, certified, or accredited by the following organizations:</p> <ul style="list-style-type: none"> <li>● <b>FCC - Designation No.: CN1211</b><br/>Shenzhen ZhongjianNanfang Testing Co., Ltd. has been accredited as a testing laboratory by FCC (Federal Communications Commission). The test firm Registration No. is 727551.</li> <li>● <b>ISED-CAB identifier.: CN0021</b><br/>The 3m Semi-anechoic chamber of Shenzhen ZhongjianNanfang Testing Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1.</li> <li>● <b>CNAS - Registration No.: CNAS L6048</b><br/>Shenzhen ZhongjianNanfang Testing Co., Ltd. is accredited to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration laboratories for the competence of testing. The Registration No. is CNAS L6048.</li> <li>● <b>A2LA - Registration No.: 4346.01</b><br/>This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: <a href="https://portal.a2la.org/scopepdf/4346-01.pdf">https://portal.a2la.org/scopepdf/4346-01.pdf</a></li> </ul> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



## 5.9 Laboratory Location


Shenzhen ZhongjianNanfang Testing Co., Ltd.  
 Address: No.B-C, 1/F., Building 2, Laodong No.2 Industrial Park, Xixiang Road,  
 Bao'an District, Shenzhen, Guangdong, China  
 Tel: +86-755-23118282, Fax:+86-755-23116366  
 Email: info@ccis-cb.com, Website: <http://www.ccis-cb.com>

## 5.10 Test Instruments list

| Test Equipment               | Manufacturer    | Model No.     | Serial No.         | Cal.Date<br>(mm-dd-yy) | Cal.Due date<br>(mm-dd-yy) |
|------------------------------|-----------------|---------------|--------------------|------------------------|----------------------------|
| 3m SAC                       | SAEMC           | 9m*6m*6m      | 966                | 07-22-2017             | 07-21-2020                 |
| BiConiLog Antenna            | SCHWARZBECK     | VULB9163      | 497                | 03-18-2019             | 03-17-2020                 |
| Biconical Antenna            | SCHWARZBECK     | VUBA9117      | 359                | 06-22-2017             | 06-21-2020                 |
| Horn Antenna                 | SCHWARZBECK     | BBHA9120D     | 916                | 03-18-2019             | 03-17-2020                 |
| Horn Antenna                 | SCHWARZBECK     | BBHA9120D     | 1805               | 06-22-2017             | 06-21-2020                 |
| Horn Antenna                 | SCHWARZBECK     | BBHA 9170     | BBHA9170582        | 11-21-2019             | 11-20-2020                 |
| EMI Test Software            | AUDIX           | E3            | Version: 6.110919b |                        |                            |
| Pre-amplifier                | HP              | 8447D         | 2944A09358         | 03-18-2019             | 03-17-2020                 |
| Pre-amplifier                | CD              | PAP-1G18      | 11804              | 03-18-2019             | 03-17-2020                 |
| Spectrum analyzer            | Rohde & Schwarz | FSP30         | 101454             | 03-18-2019             | 03-17-2020                 |
| EMI Test Receiver            | Rohde & Schwarz | ESRP7         | 101070             | 03-18-2019             | 03-17-2020                 |
| Spectrum Analyzer            | Agilent         | N9020A        | MY50510123         | 10-29-2019             | 10-28-2020                 |
| Signal Generator             | Rohde & Schwarz | SMX           | 835454/016         | 03-18-2019             | 03-17-2020                 |
| Signal Generator             | R&S             | SMR20         | 1008100050         | 03-18-2019             | 03-17-2020                 |
| RF Switch Unit               | MWRFTTEST       | MW200         | N/A                | N/A                    | N/A                        |
| Test Software                | MWRFTTEST       | MTS8200       | Version: 2.0.0.0   |                        |                            |
| Cable                        | ZDECL           | Z108-NJ-NJ-81 | 1608458            | 03-18-2019             | 03-17-2020                 |
| Cable                        | MICRO-COAX      | MFR64639      | K10742-5           | 03-18-2019             | 03-17-2020                 |
| Cable                        | SUHNER          | SUCOFLEX100   | 58193/4PE          | 03-18-2019             | 03-17-2020                 |
| DC Power Supply              | XinNuoEr        | WYK-10020K    | 1409050110020      | 10-31-2019             | 10-30-2020                 |
| Temperature Humidity Chamber | HengPu          | HPGDS-500     | 20140828008        | 09-24-2019             | 09-23-2020                 |
| Simulated Station            | Rohde & Schwarz | CMW500        | 140493             | 07-16-2019             | 07-15-2020                 |

## 6. Test results

### 6.1 Conducted Output Power, ERP and EIRP

|                   |                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 27.50(d)(4), Part 27.50 (b)(10)                                                                                                                                                                                                                                                                                                                                                                         |
| Limit:            | LTE Band 4: 1W, LTE Band 13: 3W                                                                                                                                                                                                                                                                                                                                                                              |
| Test Setup:       |  <p>The diagram illustrates the test setup. On the left is a blue rectangular box labeled 'System simulator'. A line connects its right side to a small black rectangle labeled 'ATT' (attenuator). Another line connects the right side of the 'ATT' to a black rectangular box labeled 'EUT' (Equipment Under Test).</p> |
| Test Procedure:   | The transmitter output was connected to a calibrated attenuator, the other end of which was connected to the CMW500. Transmitter output power was read off in dBm.                                                                                                                                                                                                                                           |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                            |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                             |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                       |

## Measurement Data:


| LTE Band                                                     | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |           |           |
|--------------------------------------------------------------|-----------------|--------------------|---------|-----------|---------------------|-----------|-----------|
|                                                              |                 |                    |         |           | 19957               | 20175     | 20393     |
|                                                              |                 |                    |         |           | 1710.7MHz           | 1732.5MHz | 1754.3MHz |
| 4                                                            | 1.4             | QPSK               | 1       | 0         | 22.37               | 22.31     | 22.18     |
|                                                              |                 |                    | 1       | 2         | 22.41               | 22.28     | 22.08     |
|                                                              |                 |                    | 1       | 5         | 22.47               | 22.22     | 21.85     |
|                                                              |                 |                    | 3       | 0         | 22.34               | 22.27     | 22.09     |
|                                                              |                 |                    | 3       | 1         | 22.36               | 22.31     | 22.05     |
|                                                              |                 |                    | 3       | 2         | 22.39               | 22.28     | 22.08     |
|                                                              |                 |                    | 6       | 0         | 21.36               | 21.35     | 21.12     |
|                                                              |                 | Antenna Gain(dBi): |         |           | 1.93                |           |           |
|                                                              |                 | Max. EIRP (dBm):   |         |           | 24.40               |           |           |
|                                                              |                 | EIRP Limit (dBm):  |         |           | 30.00               |           |           |
|                                                              |                 | 16QAM              | 1       | 0         | 21.72               | 21.91     | 21.64     |
|                                                              |                 |                    | 1       | 2         | 21.75               | 21.80     | 21.51     |
|                                                              |                 |                    | 1       | 5         | 21.76               | 21.73     | 21.43     |
|                                                              |                 |                    | 3       | 0         | 21.49               | 21.52     | 21.53     |
|                                                              |                 |                    | 3       | 1         | 21.53               | 21.51     | 21.45     |
|                                                              |                 |                    | 3       | 2         | 21.81               | 21.61     | 21.41     |
|                                                              |                 |                    | 6       | 0         | 20.41               | 20.28     | 20.20     |
| Antenna Gain(dBi):                                           |                 |                    | 1.93    |           |                     |           |           |
| Max. EIRP (dBm):                                             |                 |                    | 23.84   |           |                     |           |           |
| EIRP Limit (dBm):                                            |                 |                    | 30.00   |           |                     |           |           |
|                                                              |                 |                    |         |           |                     |           |           |
| LTE Band                                                     | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |           |           |
|                                                              |                 |                    |         |           | 19965               | 20175     | 20385     |
|                                                              |                 |                    |         |           | 1711.5MHz           | 1732.5MHz | 1753.5MHz |
| 4                                                            | 3               | QPSK               | 1       | 0         | 22.81               | 22.67     | 23.47     |
|                                                              |                 |                    | 1       | 7         | 23.12               | 22.72     | 23.41     |
|                                                              |                 |                    | 1       | 14        | 23.16               | 22.65     | 23.11     |
|                                                              |                 |                    | 8       | 0         | 22.04               | 21.60     | 22.37     |
|                                                              |                 |                    | 8       | 4         | 22.15               | 21.56     | 22.41     |
|                                                              |                 |                    | 8       | 7         | 22.25               | 21.58     | 22.23     |
|                                                              |                 |                    | 15      | 0         | 22.03               | 21.51     | 22.21     |
|                                                              |                 | Antenna Gain(dBi): |         |           | 1.93                |           |           |
|                                                              |                 | Max. EIRP (dBm):   |         |           | 25.40               |           |           |
|                                                              |                 | EIRP Limit (dBm):  |         |           | 30.00               |           |           |
|                                                              |                 | 16QAM              | 1       | 0         | 22.38               | 22.03     | 22.74     |
|                                                              |                 |                    | 1       | 7         | 22.57               | 22.28     | 22.84     |
|                                                              |                 |                    | 1       | 14        | 22.72               | 22.15     | 22.48     |
|                                                              |                 |                    | 8       | 0         | 21.16               | 20.73     | 21.57     |
|                                                              |                 |                    | 8       | 4         | 21.22               | 20.81     | 21.54     |
|                                                              |                 |                    | 8       | 7         | 21.15               | 20.73     | 21.41     |
|                                                              |                 |                    | 15      | 0         | 21.04               | 20.59     | 21.40     |
| Antenna Gain(dBi):                                           |                 |                    | 1.93    |           |                     |           |           |
| Max. EIRP (dBm):                                             |                 |                    | 24.77   |           |                     |           |           |
| EIRP Limit (dBm):                                            |                 |                    | 30.00   |           |                     |           |           |
| Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi). |                 |                    |         |           |                     |           |           |

| LTE Band                                                     | Bandwidth<br>(MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |           |           |  |
|--------------------------------------------------------------|--------------------|--------------------|---------|-----------|---------------------|-----------|-----------|--|
|                                                              |                    |                    |         |           | 19975               | 20175     | 20375     |  |
|                                                              |                    |                    |         |           | 1712.5MHz           | 1732.5MHz | 1752.5MHz |  |
| 4                                                            | 5                  | QPSK               | 1       | 0         | 22.53               | 22.44     | 22.96     |  |
|                                                              |                    |                    | 1       | 12        | 22.96               | 22.72     | 22.97     |  |
|                                                              |                    |                    | 1       | 24        | 22.74               | 22.24     | 22.18     |  |
|                                                              |                    |                    | 12      | 0         | 21.96               | 21.63     | 22.02     |  |
|                                                              |                    |                    | 12      | 6         | 21.94               | 21.72     | 22.01     |  |
|                                                              |                    |                    | 12      | 11        | 21.93               | 21.63     | 21.79     |  |
|                                                              |                    |                    | 25      | 0         | 21.85               | 21.53     | 21.89     |  |
|                                                              |                    | Antenna Gain(dBi): |         |           |                     | 1.93      |           |  |
|                                                              |                    | Max. EIRP (dBm):   |         |           |                     | 24.90     |           |  |
|                                                              |                    | EIRP Limit (dBm):  |         |           |                     | 30.00     |           |  |
|                                                              |                    | 16QAM              | 1       | 0         | 21.91               | 21.86     | 22.24     |  |
|                                                              |                    |                    | 1       | 12        | 22.49               | 21.87     | 22.27     |  |
|                                                              |                    |                    | 1       | 24        | 21.98               | 21.57     | 21.86     |  |
|                                                              |                    |                    | 12      | 0         | 20.83               | 20.64     | 20.99     |  |
|                                                              |                    |                    | 12      | 6         | 20.95               | 20.55     | 21.04     |  |
|                                                              |                    |                    | 12      | 11        | 20.97               | 20.58     | 20.85     |  |
|                                                              |                    |                    | 25      | 0         | 20.82               | 20.55     | 20.87     |  |
|                                                              |                    | Antenna Gain(dBi): |         |           |                     | 1.93      |           |  |
|                                                              |                    | Max. EIRP (dBm):   |         |           |                     | 24.42     |           |  |
| EIRP Limit (dBm):                                            |                    |                    |         | 30.00     |                     |           |           |  |
|                                                              |                    |                    |         |           |                     |           |           |  |
| LTE Band                                                     | Bandwidth<br>(MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |           |           |  |
|                                                              |                    |                    |         |           | 20000               | 20175     | 20350     |  |
|                                                              |                    |                    |         |           | 1715.0MHz           | 1732.5MHz | 1750.0MHz |  |
| 4                                                            | 10                 | QPSK               | 1       | 0         | 22.35               | 23.15     | 23.71     |  |
|                                                              |                    |                    | 1       | 24        | 23.01               | 23.50     | 24.32     |  |
|                                                              |                    |                    | 1       | 49        | 22.28               | 22.75     | 23.23     |  |
|                                                              |                    |                    | 25      | 0         | 21.77               | 22.13     | 22.98     |  |
|                                                              |                    |                    | 25      | 12        | 21.89               | 22.08     | 23.07     |  |
|                                                              |                    |                    | 25      | 24        | 21.73               | 21.87     | 22.79     |  |
|                                                              |                    |                    | 50      | 0         | 21.70               | 22.53     | 22.81     |  |
|                                                              |                    | Antenna Gain(dBi): |         |           |                     | 1.93      |           |  |
|                                                              |                    | Max. EIRP (dBm):   |         |           |                     | 26.25     |           |  |
|                                                              |                    | EIRP Limit (dBm):  |         |           |                     | 30.00     |           |  |
|                                                              |                    | 16QAM              | 1       | 0         | 21.93               | 22.45     | 22.92     |  |
|                                                              |                    |                    | 1       | 24        | 22.33               | 22.73     | 23.72     |  |
|                                                              |                    |                    | 1       | 49        | 21.77               | 22.20     | 22.67     |  |
|                                                              |                    |                    | 25      | 0         | 21.23               | 21.22     | 21.49     |  |
|                                                              |                    |                    | 25      | 12        | 21.47               | 21.16     | 21.62     |  |
|                                                              |                    |                    | 25      | 24        | 21.42               | 21.02     | 21.60     |  |
|                                                              |                    |                    | 50      | 0         | /                   | /         | /         |  |
|                                                              |                    | Antenna Gain(dBi): |         |           |                     | 1.93      |           |  |
|                                                              |                    | Max. EIRP (dBm):   |         |           |                     | 25.65     |           |  |
| EIRP Limit (dBm):                                            |                    |                    |         | 30.00     |                     |           |           |  |
| Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi). |                    |                    |         |           |                     |           |           |  |

| LTE Band                                                     | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |           |           |
|--------------------------------------------------------------|-----------------|--------------------|---------|-----------|---------------------|-----------|-----------|
|                                                              |                 |                    |         |           | 20025               | 20175     | 20325     |
|                                                              |                 |                    |         |           | 1717.5MHz           | 1732.5MHz | 1747.5MHz |
| 4                                                            | 15              | QPSK               | 1       | 0         | 23.83               | 23.87     | 22.82     |
|                                                              |                 |                    | 1       | 37        | 23.72               | 23.72     | 22.87     |
|                                                              |                 |                    | 1       | 74        | 23.45               | 23.71     | 23.02     |
|                                                              |                 |                    | 36      | 0         | 22.95               | 22.59     | 22.75     |
|                                                              |                 |                    | 36      | 16        | 22.81               | 22.55     | 23.45     |
|                                                              |                 |                    | 36      | 35        | 22.46               | 22.35     | 24.22     |
|                                                              |                 |                    | 75      | 0         | 22.65               | 22.44     | 23.83     |
|                                                              |                 | Antenna Gain(dBi): |         |           | 1.93                |           |           |
|                                                              |                 | Max. EIRP (dBm):   |         |           | 26.15               |           |           |
|                                                              |                 | EIRP Limit (dBm):  |         |           | 30.00               |           |           |
|                                                              |                 | 16QAM              | 1       | 0         | 23.54               | 23.26     | 23.42     |
|                                                              |                 |                    | 1       | 37        | 23.38               | 23.15     | 23.74     |
|                                                              |                 |                    | 1       | 74        | 23.08               | 23.39     | 23.22     |
|                                                              |                 |                    | 36      | 0         | /                   | /         | /         |
|                                                              |                 |                    | 36      | 16        | /                   | /         | /         |
|                                                              |                 |                    | 36      | 35        | /                   | /         | /         |
|                                                              |                 |                    | 75      | 0         | /                   | /         | /         |
| Antenna Gain(dBi):                                           |                 |                    | 1.93    |           |                     |           |           |
| Max. EIRP (dBm):                                             |                 |                    | 25.67   |           |                     |           |           |
| EIRP Limit (dBm):                                            |                 |                    | 30.00   |           |                     |           |           |
|                                                              |                 |                    |         |           |                     |           |           |
| LTE Band                                                     | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |           |           |
|                                                              |                 |                    |         |           | 20050               | 20175     | 20300     |
|                                                              |                 |                    |         |           | 1720.0MHz           | 1732.5MHz | 1745.0MHz |
| 4                                                            | 20              | QPSK               | 1       | 0         | 24.17               | 23.87     | 24.02     |
|                                                              |                 |                    | 1       | 49        | 23.27               | 23.22     | 23.67     |
|                                                              |                 |                    | 1       | 99        | 23.75               | 23.93     | 23.75     |
|                                                              |                 |                    | 50      | 0         | 22.73               | 22.61     | 22.60     |
|                                                              |                 |                    | 50      | 24        | 22.54               | 22.30     | 22.64     |
|                                                              |                 |                    | 50      | 49        | 22.63               | 22.44     | 22.87     |
|                                                              |                 |                    | 100     | 0         | 22.72               | 22.59     | 22.76     |
|                                                              |                 | Antenna Gain(dBi): |         |           | 1.93                |           |           |
|                                                              |                 | Max. EIRP (dBm):   |         |           | 26.10               |           |           |
|                                                              |                 | EIRP Limit (dBm):  |         |           | 30.00               |           |           |
|                                                              |                 | 16QAM              | 1       | 0         | 23.71               | 23.39     | 23.33     |
|                                                              |                 |                    | 1       | 49        | 22.99               | 22.55     | 23.11     |
|                                                              |                 |                    | 1       | 99        | 23.33               | 23.41     | 23.21     |
|                                                              |                 |                    | 50      | 0         | /                   | /         | /         |
|                                                              |                 |                    | 50      | 24        | /                   | /         | /         |
|                                                              |                 |                    | 50      | 49        | /                   | /         | /         |
|                                                              |                 |                    | 100     | 0         | /                   | /         | /         |
| Antenna Gain(dBi):                                           |                 |                    | 1.93    |           |                     |           |           |
| Max. EIRP (dBm):                                             |                 |                    | 25.64   |           |                     |           |           |
| EIRP Limit (dBm):                                            |                 |                    | 30.00   |           |                     |           |           |
| Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi). |                 |                    |         |           |                     |           |           |

| LTE Band                                                                                             | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |          |          |  |
|------------------------------------------------------------------------------------------------------|-----------------|--------------------|---------|-----------|---------------------|----------|----------|--|
|                                                                                                      |                 |                    |         |           | 23205               | 23230    | 23255    |  |
|                                                                                                      |                 |                    |         |           | 779.5MHz            | 782.0MHz | 784.5MHz |  |
| 13                                                                                                   | 5               | QPSK               | 1       | 0         | 23.30               | 23.26    | 23.36    |  |
|                                                                                                      |                 |                    | 1       | 12        | 23.31               | 23.42    | 23.40    |  |
|                                                                                                      |                 |                    | 1       | 24        | 23.35               | 23.25    | 23.75    |  |
|                                                                                                      |                 |                    | 12      | 0         | 22.42               | 22.26    | 22.30    |  |
|                                                                                                      |                 |                    | 12      | 6         | 22.35               | 22.39    | 22.36    |  |
|                                                                                                      |                 |                    | 12      | 11        | 22.33               | 22.40    | 22.70    |  |
|                                                                                                      |                 |                    | 25      | 0         | 22.35               | 22.35    | 22.31    |  |
|                                                                                                      |                 | Antenna Gain(dBi): |         |           |                     | 1.03     |          |  |
|                                                                                                      |                 | Max. ERP (dBm):    |         |           |                     | 22.63    |          |  |
|                                                                                                      |                 | ERP Limit (dBm):   |         |           |                     | 34.77    |          |  |
|                                                                                                      |                 | 16QAM              | 1       | 0         | 22.86               | 22.81    | 22.83    |  |
|                                                                                                      |                 |                    | 1       | 12        | 22.87               | 22.77    | 22.73    |  |
|                                                                                                      |                 |                    | 1       | 24        | 22.55               | 22.82    | 23.06    |  |
|                                                                                                      |                 |                    | 12      | 0         | 21.36               | 21.26    | 21.25    |  |
|                                                                                                      |                 |                    | 12      | 6         | 21.31               | 21.41    | 21.25    |  |
|                                                                                                      |                 |                    | 12      | 11        | 21.34               | 21.57    | 21.71    |  |
|                                                                                                      |                 |                    | 25      | 0         | 21.43               | 21.50    | 21.25    |  |
| Antenna Gain(dBi):                                                                                   |                 |                    |         | 1.03      |                     |          |          |  |
| Max. ERP (dBm):                                                                                      |                 |                    |         | 21.94     |                     |          |          |  |
| ERP Limit (dBm):                                                                                     |                 |                    |         | 34.77     |                     |          |          |  |
|                                                                                                      |                 |                    |         |           |                     |          |          |  |
| LTE Band                                                                                             | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |          |          |  |
|                                                                                                      |                 |                    |         |           |                     | 23230    |          |  |
|                                                                                                      |                 |                    |         |           |                     | 782.0MHz |          |  |
| 13                                                                                                   | 10              | QPSK               | 1       | 0         | /                   | 22.88    | /        |  |
|                                                                                                      |                 |                    | 1       | 24        | /                   | 23.50    | /        |  |
|                                                                                                      |                 |                    | 1       | 49        | /                   | 22.72    | /        |  |
|                                                                                                      |                 |                    | 25      | 0         | /                   | 22.36    | /        |  |
|                                                                                                      |                 |                    | 25      | 12        | /                   | 22.40    | /        |  |
|                                                                                                      |                 |                    | 25      | 24        | /                   | 22.83    | /        |  |
|                                                                                                      |                 |                    | 50      | 0         | /                   | 22.12    | /        |  |
|                                                                                                      |                 | Antenna Gain(dBi): |         |           |                     | 1.03     |          |  |
|                                                                                                      |                 | Max. ERP (dBm):    |         |           |                     | 22.38    |          |  |
|                                                                                                      |                 | ERP Limit (dBm):   |         |           |                     | 34.77    |          |  |
|                                                                                                      |                 | 16QAM              | 1       | 0         | /                   | 22.67    | /        |  |
|                                                                                                      |                 |                    | 1       | 24        | /                   | 22.82    | /        |  |
|                                                                                                      |                 |                    | 1       | 49        | /                   | 23.17    | /        |  |
|                                                                                                      |                 |                    | 25      | 0         | /                   | 22.41    | /        |  |
|                                                                                                      |                 |                    | 25      | 12        | /                   | 22.63    | /        |  |
|                                                                                                      |                 |                    | 25      | 24        | /                   | 22.47    | /        |  |
|                                                                                                      |                 |                    | 50      | 0         | /                   | /        | /        |  |
| Antenna Gain(dBi):                                                                                   |                 |                    |         | 1.03      |                     |          |          |  |
| Max. ERP (dBm):                                                                                      |                 |                    |         | 22.05     |                     |          |          |  |
| ERP Limit (dBm):                                                                                     |                 |                    |         | 34.77     |                     |          |          |  |
| Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).<br>ERP (dBm ) = EIRP (dBm) - 2.15 (dB). |                 |                    |         |           |                     |          |          |  |

## 6.2 Peak-to-Average Ratio


|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 27.50(d)(5)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Limit:            | The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Test Setup:       |  <p>The diagram illustrates the test setup. On the left, there are two blue rectangular units: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a single output port. These two ports are connected to a single input port of a white rectangular unit labeled 'Splitter'. The 'Splitter' has two output ports. One output port is connected to a black rectangular unit labeled 'ATT' (Attenuator). The other output port of the 'Splitter' is connected to the input port of a black rectangular unit labeled 'EUT' (Equipment Under Test).</p> |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.</li> <li>2 Set the CCDF option in spectrum analyzer, <math>RBW \geq OBW</math>,</li> <li>3 Set the EUT working in highest power level, measured and recorded the 0.1% as PAPR level.</li> <li>4 Repeat step 1~3 at other frequency and modulations.</li> </ol>                                                                                                                                                                                                                                                                            |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

## Measurement Data (Worst case):


| Bandwidth                    | Modulation | RB Size | RB Offset | PAPR |
|------------------------------|------------|---------|-----------|------|
| LTE Band 4 (Middle Channel)  |            |         |           |      |
| 20MHz                        | QPSK       | 100     | 0         | 5.71 |
|                              | 16QAM      | 27      | 0         | 5.57 |
| LTE Band 13 (Middle Channel) |            |         |           |      |
| 10MHz                        | QPSK       | 50      | 0         | 5.65 |
|                              | 16QAM      | 27      | 0         | 6.32 |



Test plots as below:



### 6.3 Occupy Bandwidth

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 27.53(h), Part 27.53(c)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Test Setup:       |  <p>The diagram illustrates the test setup. On the left, there are two blue rectangular units: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a single output port. These two ports are connected to a single input port of a white rectangular unit labeled 'Splitter'. The 'Splitter' has two output ports. One output port is connected to a black rectangular unit labeled 'ATT' (Attenuator). The other output port is connected to a black rectangular unit labeled 'EUT' (Equipment Under Test).</p> |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1. The EUT's output RF connector was connected with a short cable to the spectrum analyzer</li> <li>2. RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW.</li> <li>3. -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.</li> </ol>                                                                                                                                                                                                                         |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |


## Measurement Data:

| LTE Band 4 |         |                |            |               |                 |
|------------|---------|----------------|------------|---------------|-----------------|
| Bandwidth  | Channel | Frequency(MHz) | Modulation | 99% OBW (kHz) | -26dBcEBW (kHz) |
| 1.4MHz     | 19957   | 1710.7         | 16QAM      | 1110          | 1338            |
|            |         |                | QPSK       | 1104          | 1374            |
|            | 20175   | 1732.5         | 16QAM      | 1110          | 1368            |
|            |         |                | QPSK       | 1104          | 1392            |
|            | 20393   | 1754.3         | 16QAM      | 1110          | 1356            |
|            |         |                | QPSK       | 1104          | 1368            |
| 3MHz       | 19965   | 1711.5         | 16QAM      | 2748          | 3120            |
|            |         |                | QPSK       | 2748          | 3168            |
|            | 20175   | 1732.5         | 16QAM      | 2748          | 3144            |
|            |         |                | QPSK       | 2760          | 3132            |
|            | 20385   | 1750.5         | 16QAM      | 2736          | 3156            |
|            |         |                | QPSK       | 2748          | 3144            |
| 5MHz       | 19975   | 1712.5         | 16QAM      | 4560          | 5820            |
|            |         |                | QPSK       | 4560          | 5780            |
|            | 20175   | 1732.5         | 16QAM      | 4560          | 5760            |
|            |         |                | QPSK       | 4560          | 5900            |
|            | 20375   | 1752.5         | 16QAM      | 4580          | 5720            |
|            |         |                | QPSK       | 4560          | 5640            |
| 10MHz      | 20000   | 1715.0         | 16QAM      | /             | /               |
|            |         |                | QPSK       | 9320          | 11840           |
|            | 20175   | 1732.5         | 16QAM      | /             | /               |
|            |         |                | QPSK       | 9240          | 11640           |
|            | 20350   | 1750.0         | 16QAM      | /             | /               |
|            |         |                | QPSK       | 9320          | 11800           |
| 15MHz      | 20025   | 1717.5         | 16QAM      | /             | /               |
|            |         |                | QPSK       | 13680         | 16620           |
|            | 20175   | 1732.5         | 16QAM      | /             | /               |
|            |         |                | QPSK       | 13680         | 16440           |
|            | 20325   | 1747.5         | 16QAM      | /             | /               |
|            |         |                | QPSK       | 13620         | 16320           |
| 20MHz      | 20050   | 1720.0         | 16QAM      | /             | /               |
|            |         |                | QPSK       | 18160         | 20800           |
|            | 20175   | 1732.5         | 16QAM      | /             | /               |
|            |         |                | QPSK       | 18160         | 20720           |
|            | 20300   | 1745.0         | 16QAM      | /             | /               |
|            |         |                | QPSK       | 18080         | 20720           |


| LTE Band 13 |         |                |            |               |                 |
|-------------|---------|----------------|------------|---------------|-----------------|
| Bandwidth   | Channel | Frequency(MHz) | Modulation | 99% OBW (kHz) | -26dBcEBW (kHz) |
| 5MHz        | 23205   | 779.5          | 16QAM      | 4580          | 5500            |
|             |         |                | QPSK       | 4580          | 5700            |
|             | 23230   | 782.0          | 16QAM      | 4580          | 5820            |
|             |         |                | QPSK       | 4580          | 5860            |
|             | 23255   | 784.5          | 16QAM      | 4520          | 5740            |
|             |         |                | QPSK       | 4560          | 5680            |
| 10MHz       | 23230   | 782.0          | 16QAM      | /             | /               |
|             |         |                | QPSK       | 9440          | 11960           |

Test plot as follows:  
LTE Band 4 part:

## LTE Band 4: 99% Occupy bandwidth BW: 1.4MHz




Date: 30.NOV.2019 14:04:53




Date: 30.NOV.2019 14:04:18

## Lowest channel




Date: 30.NOV.2019 14:03:43




Date: 30.NOV.2019 14:03:31

## Middle channel



Date: 30.NOV.2019 14:06:10




Date: 30.NOV.2019 14:05:26

## Highest channel


LTE Band 4: 99% Occupancy bandwidth  
BW: 3MHz

## 16QAM



Date: 30.NOV.2019 14:07:58


## QPSK



Date: 30.NOV.2019 14:07:10


## Lowest channel

## 16QAM



Date: 30.NOV.2019 14:10:08


## QPSK



Date: 30.NOV.2019 14:09:35


## Middle channel

## 16QAM



Date: 30.NOV.2019 14:09:08

## QPSK




Date: 30.NOV.2019 14:08:29

## Highest channel


LTE Band 4: 99% Occupancy bandwidth  
BW: 5MHz

## 16QAM



Date: 24.NOV.2019 15:24:52


## QPSK



Date: 24.NOV.2019 15:24:39


## Lowest channel

## 16QAM



Date: 24.NOV.2019 15:27:07


## QPSK



Date: 24.NOV.2019 15:26:55


## Middle channel

## 16QAM



Date: 24.NOV.2019 15:28:48

## QPSK




Date: 24.NOV.2019 15:27:48

## Highest channel


## LTE Band 4: 99% Occupancy bandwidth

BW: 10MHz  
QPSK



Date: 24.NOV.2019 15:34:33


BW: 15MHz  
QPSK



Date: 24.NOV.2019 15:38:59


## Lowest channel

QPSK



Date: 24.NOV.2019 15:35:49


QPSK



Date: 24.NOV.2019 15:40:02


## Middle channel

QPSK



Date: 24.NOV.2019 15:37:21


QPSK



Date: 24.NOV.2019 15:40:53


## Highest channel



LTE Band 4: 99% Occupy bandwidth  
BW: 20MHz


Date: 24.NOV.2019 15:43:00

Lowest channel



Date: 24.NOV.2019 15:43:33

Middle channel




Date: 24.NOV.2019 15:44:41

Highest channel


LTE Band 4: -26dBc bandwidth  
BW: 1.4MHz

## 16QAM



Date: 30.NOV.2019 14:04:37


## QPSK



Date: 30.NOV.2019 14:04:30


## Lowest channel

## 16QAM



Date: 30.NOV.2019 14:02:53


## QPSK



Date: 30.NOV.2019 14:02:36


## Middle channel

## 16QAM



Date: 30.NOV.2019 14:05:55

## QPSK




Date: 30.NOV.2019 14:05:39

## Highest channel


LTE Band 4: -26dBc bandwidth  
BW: 3MHz

## 16QAM



Date: 30.NOV.2019 14:07:45


## QPSK



Date: 30.NOV.2019 14:07:37


## Lowest channel

## 16QAM



Date: 30.NOV.2019 14:09:56


## QPSK



Date: 30.NOV.2019 14:09:46


## Middle channel

## 16QAM



Date: 30.NOV.2019 14:08:56

## QPSK




Date: 30.NOV.2019 14:08:45

## Highest channel


LTE Band 4: -26dBc bandwidth  
BW: 5MHz

## 16QAM



Date: 24.NOV.2019 15:25:08


## QPSK



Date: 24.NOV.2019 15:24:08


## Lowest channel

## 16QAM



Date: 24.NOV.2019 15:25:49


## QPSK



Date: 24.NOV.2019 15:22:27


## Middle channel

## 16QAM



Date: 24.NOV.2019 15:29:03


## QPSK




Date: 24.NOV.2019 15:28:05

## Highest channel

LTE Band 4: -26dBc bandwidth




Date: 24.NOV.2019 15:30:22




Date: 24.NOV.2019 15:39:18

Lowest channel




Date: 24.NOV.2019 15:36:21




Date: 24.NOV.2019 15:39:48

Middle channel



Date: 24.NOV.2019 15:37:02




Date: 24.NOV.2019 15:41:12

## Highest channel


## LTE Band 4: -26dBc bandwidth

QPSK



Date: 24.NOV.2019 15:42:19


Lowest channel



Date: 24.NOV.2019 15:43:54

Middle channel

QPSK




Date: 24.NOV.2019 15:44:23

Highest channel

## LTE Band 13 part:


LTE Band 13: 99% Occupy bandwidth  
BW: 5MHz

## 16QAM



Date: 24.NOV.2019 15:49:58


## QPSK



Date: 24.NOV.2019 15:49:50


## Lowest channel

## 16QAM



Date: 24.NOV.2019 15:47:26


## QPSK



Date: 24.NOV.2019 15:47:16


## Middle channel

## 16QAM



Date: 24.NOV.2019 15:50:59


## QPSK



Date: 24.NOV.2019 15:50:48

## Highest channel

LTE Band 13: 99% Occupy bandwidth  
BW: 10MHz  
QPSK




Date: 24.NOV.2019 15:53:20

### Middle channel




LTE Band 13: -26dBc bandwidth  
BW: 5MHz

## 16QAM



Date: 24.NOV.2019 15:49:34


## QPSK



Date: 24.NOV.2019 15:49:26


## Lowest channel

## 16QAM



Date: 24.NOV.2019 15:48:08


## QPSK



Date: 24.NOV.2019 15:47:50


## Middle channel

## 16QAM



Date: 24.NOV.2019 15:51:43


## QPSK



Date: 24.NOV.2019 15:51:15

## Highest channel


LTE Band 13: -26dBc bandwidth  
BW: 10MHz  
QPSK



Date: 24.NOV.2019 15:53:00


Middle channel

## 6.4 Out of band emission at antenna terminals

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | part 27.53(h), Part 27.53(c)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Limit:            | <p>LTE Band4:<br/>The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least <math>43 + 10 \log_{10}(P)</math> dB (-13 dBm).</p> <p>LTE Band13:<br/>The power of any emission shall be attenuated outside the band below the transmitter power (P) by at least <math>43 + 10 \log(P)</math> dB (-13 dBm).<br/>For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals.</p>                                                                                                                                                                                                                       |
| Test Setup:       |  <p>The diagram shows a test setup where a System simulator and a Spectrum Analyzer are connected to a Splitter. The Splitter is connected to an ATT (Attenuator) and then to the EUT (Equipment Under Test).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.</li> <li>2 The resolution bandwidth of the spectrum analyzer was set at 100 kHz when below 1GHz, 1MHz when above 1 GHz; sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.</li> <li>3 For the out of band: Set the RBW=100 kHz, VBW=300 kHz when below 1 GHz, RBW =1 MHz, VBW=3 MHz when above 1 GHz, Start=30MHz, Stop= 10th harmonic.</li> <li>4 Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.</li> </ol> |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Remark:           | Pre-scan all RB Size and offset, and found the RB Size and offset of worst case, so the report shows only the worst case test data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |


Test plots as follows (Conducted spurious emission) (worst case):  
LTE Band 4 part:

LTE Band 4: 16 QAM & RB Size 1  
BW: 1.4MHz  
Lowest channel



Date: 24.NOV.2019 16:38:16


30MHz~1GHz



Date: 24.NOV.2019 16:41:45


1GHz~25GHz

Middle channel



Date: 24.NOV.2019 16:37:37


30MHz~1GHz



Date: 24.NOV.2019 16:40:43


1GHz~25GHz

High channel



Date: 24.NOV.2019 16:38:50


30MHz~1GHz



Date: 24.NOV.2019 16:42:32


1GHz~25GHz

## LTE Band 4: QPSK &RB Size 1 BW: 1.4MHz Lowest channel



Date: 24.NOV.2019 16:38:03


30MHz~1GHz



Date: 24.NOV.2019 16:41:16


1GHz~25GHz

## Middle channel



Date: 24.NOV.2019 16:37:25


30MHz~1GHz



Date: 24.NOV.2019 16:40:21


1GHz~25GHz

## High channel



Date: 24.NOV.2019 16:38:38


30MHz~1GHz



Date: 24.NOV.2019 16:42:15


1GHz~25GHz

LTE Band 4: 16 QAM &RB Size 1  
BW: 20MHz  
Lowest channel



Date: 24.NOV.2019 16:33:43


30MHz~1GHz



Date: 24.NOV.2019 16:46:37


1GHz~25GHz

Middle channel



Date: 24.NOV.2019 16:33:02


30MHz~1GHz



Date: 24.NOV.2019 16:47:24


1GHz~25GHz

High channel



Date: 24.NOV.2019 16:32:19


30MHz~1GHz



Date: 24.NOV.2019 16:48:28


1GHz~25GHz

LTE Band 4: QPSK &RB Size 1  
BW: 20MHz  
Lowest channel



Date: 24.NOV.2019 16:33:29


30MHz~1GHz



Date: 24.NOV.2019 16:46:15


1GHz~25GHz

Middle channel



Date: 24.NOV.2019 16:32:52


30MHz~1GHz



Date: 24.NOV.2019 16:47:07


1GHz~25GHz

High channel



Date: 24.NOV.2019 16:32:08


30MHz~1GHz



Date: 24.NOV.2019 16:47:59


1GHz~25GHz

## LTE Band 13 part:

LTE Band 13: 16 QAM &RB Size 1  
BW: 5MHz  
Lowest channel

Date: 24.NOV.2019 17:35:35


30MHz~1GHz



Date: 24.NOV.2019 16:57:27


1GHz~9GHz

## Middle channel



Date: 24.NOV.2019 17:34:41


30MHz~1GHz



Date: 24.NOV.2019 16:56:36


1GHz~9GHz

## High channel



Date: 24.NOV.2019 17:36:20

30MHz~1GHz




Date: 24.NOV.2019 17:30:45

1GHz~9GHz




LTE Band 13: QPSK &RB Size 1  
BW: 5MHz  
Lowest channel



Date: 24.NOV.2019 17:35:17


30MHz~1GHz



Date: 24.NOV.2019 16:57:07


1GHz~9GHz

Middle channel



Date: 24.NOV.2019 17:34:22


30MHz~1GHz



Date: 24.NOV.2019 16:55:49


1GHz~9GHz

High channel



Date: 24.NOV.2019 17:36:05


30MHz~1GHz



Date: 24.NOV.2019 17:30:21


1GHz~9GHz

LTE Band 13: 16 QAM &RB Size 1  
BW: 10MHz  
Middle channel



Date: 24.NOV.2019 17:33:38


30MHz~1GHz



Date: 24.NOV.2019 17:32:02


1GHz~9GHz

LTE Band 13: QPSK &RB Size 1  
BW: 10MHz  
Lowest channel



Date: 24.NOV.2019 17:35:17


30MHz~1GHz



Date: 24.NOV.2019 16:57:07


1GHz~9GHz

Middle channel



Date: 24.NOV.2019 17:34:22


30MHz~1GHz



Date: 24.NOV.2019 16:55:49


1GHz~9GHz

High channel




Date: 24.NOV.2019 17:36:05

30MHz~1GHz




Date: 24.NOV.2019 17:30:21

1GHz~9GHz

**Band edge emission:****LTE Band 4 part:****LTE Band 4, BW: 1.4MHz  
16QAM & RB Size 1**


Date: 30.NOV.2019 14:31:24

Lowest channel




Date: 30.NOV.2019 14:32:08

Highest channel

**16QAM & RB Size 6**

Date: 30.NOV.2019 14:33:41


Lowest channel



Date: 30.NOV.2019 14:33:07


Highest channel

## LTE Band 4, BW: 1.4MHz QPSK&RB Size 1



Date: 30.NOV.2019 14:31:04


Lowest channel



Date: 30.NOV.2019 14:32:25


Highest channel

## QPSK&RB Size6



Date: 30.NOV.2019 14:33:54


Lowest channel



Date: 30.NOV.2019 14:32:52


Highest channel

## LTE Band 4, BW: 20MHz 16QAM &RB Size 1




Date: 24.NOV.2019 16:28:18

Lowest channel




Date: 24.NOV.2019 16:29:17

Highest channel

LTE Band 4, BW: 20MHz  
QPSK &RB Size 1

Date: 24.NOV.2019 16:27:57


Lowest channel



Date: 24.NOV.2019 16:29:02


Highest channel

## QPSK &amp;RB Size 100



Date: 30.NOV.2019 14:39:52


Lowest channel



Date: 30.NOV.2019 14:42:03


Highest channel

## LTE Band 13 part:

LTE Band 13, BW: 5MHz  
16QAM &RB Size 1

Date: 24.NOV.2019 15:57:15


Lowest channel



Date: 24.NOV.2019 15:59:17


Highest channel

## 16QAM &amp;RB Size 25



Date: 30.NOV.2019 14:25:07


Lowest channel



Date: 30.NOV.2019 14:27:34


Highest channel



LTE Band 13, BW: 5MHz  
QPSK &RB Size 1

Date: 24.NOV.2019 15:56:39


Lowest channel



Date: 24.NOV.2019 15:59:03


Highest channel

## QPSK &amp;RB Size 25



Date: 30.NOV.2019 14:24:13


Lowest channel



Date: 30.NOV.2019 14:27:56

Highest channel

LTE Band 13, BW: 10MHz  
16QAM &RB Size 1




Date: 30.NOV.2019 14:20:28

Middle Channel

## LTE Band 13, BW: 10MHz

### QPSK &RB Size 1




| Start [Hz] | Stop [Hz] | RBW [Hz] | Freq [Hz]    | PwrAbs [dBm] | ΔLimit [dB] |
|------------|-----------|----------|--------------|--------------|-------------|
| 771.500 M  | 775.000 M | 8.50 k   | 773.221774 M | -56.98       | -21.98      |
| 775.000 M  | 776.000 M | 100.00 k | 775.700000 M | -28.79       | -15.79      |
| 776.000 M  | 777.000 M | 30.00 k  | 776.991935 M | -21.16       | -8.16       |
| 777.000 M  | 787.000 M | 100.00 k | 777.564516 M | -21.67       | -11.33      |
| 787.000 M  | 788.000 M | 30.00 k  | 787.169355 M | -39.81       | -26.81      |
| 788.000 M  | 793.000 M | 100.00 k | 788.000000 M | -41.76       | -28.76      |
| 793.000 M  | 796.500 M | 8.50 k   | 795.229839 M | -50.20       | -15.20      |

Date: 30.NOV.2019 14:18:00

Middle Channel

### QPSK &RB Size 50





| Start [Hz] | Stop [Hz] | RBW [Hz] | Freq [Hz]    | PwrAbs [dBm] | ΔLimit [dB] |
|------------|-----------|----------|--------------|--------------|-------------|
| 771.500 M  | 775.000 M | 8.50 k   | 774.717742 M | -48.46       | -13.46      |
| 775.000 M  | 776.000 M | 100.00 k | 775.918000 M | -24.76       | -11.76      |
| 776.000 M  | 777.000 M | 30.00 k  | 776.975806 M | -29.44       | -16.44      |
| 777.000 M  | 787.000 M | 100.00 k | 779.016129 M | 4.50         | -28.50      |
| 787.000 M  | 788.000 M | 30.00 k  | 787.040323 M | -29.88       | -16.88      |
| 788.000 M  | 793.000 M | 100.00 k | 788.120968 M | -31.83       | -18.83      |
| 793.000 M  | 796.500 M | 8.50 k   | 793.310488 M | -48.62       | -13.62      |

Date: 30.NOV.2019 14:18:32

Middle Channel

## 6.5 Field strength of spurious radiation measurement

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 27.53(h), Part 27.53(c)(f)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Limit:            | <p>LTE Band4:<br/>The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least <math>43 + 10 \log_{10}(P)</math> dB (-13 dBm).</p> <p>LTE Band13:<br/>The power of any emission shall be attenuated outside the band below the transmitter power (P) by at least <math>43 + 10 \log(P)</math> dB(-13 dBm).</p> <p>For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals.</p>                                                                                                                                                                                                                                                                                                                                                     |
| Test setup:       | <p>Below 1GHz</p>  <p>Above 1GHz</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1. The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.</li> <li>2. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.</li> <li>3. The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.</li> <li>4. The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.</li> </ol> |

|                   |                                                                         |
|-------------------|-------------------------------------------------------------------------|
|                   | ERP / EIRP = S.G. output (dBm) + Antenna Gain(dB/dBi) – Cable Loss (dB) |
| Test Instruments: | Refer to section 5.10 for details                                       |
| Test mode:        | Refer to section 5.3 for details.                                       |
| Test results:     | Passed                                                                  |

**Measurement Data:****LTE Band 4 part:**

| LTE Band 4, WB: 1.4MHz                                                                                                                                                                                       |                   |             |             |        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------|-------------|--------|
| RB size 1 & RB offset 0                                                                                                                                                                                      |                   |             |             |        |
| Frequency (MHz)                                                                                                                                                                                              | Spurious Emission |             | Limit (dBm) | Result |
|                                                                                                                                                                                                              | Polarization      | Level (dBm) |             |        |
| Lowest Channel                                                                                                                                                                                               |                   |             |             |        |
| 3421.40                                                                                                                                                                                                      | Vertical          | -40.46      | -13.00      | Pass   |
| 5132.10                                                                                                                                                                                                      | V                 | -45.72      |             |        |
| 6842.80                                                                                                                                                                                                      | V                 | -39.89      |             |        |
| 3421.40                                                                                                                                                                                                      | Horizontal        | -42.44      |             |        |
| 5132.10                                                                                                                                                                                                      | H                 | -45.90      |             |        |
| 6842.80                                                                                                                                                                                                      | H                 | -40.23      |             |        |
| Middle Channel                                                                                                                                                                                               |                   |             |             |        |
| 3465.00                                                                                                                                                                                                      | Vertical          | -40.81      | -13.00      | Pass   |
| 5197.50                                                                                                                                                                                                      | V                 | -45.59      |             |        |
| 6930.00                                                                                                                                                                                                      | V                 | -40.16      |             |        |
| 3465.00                                                                                                                                                                                                      | Horizontal        | -42.78      |             |        |
| 5197.50                                                                                                                                                                                                      | H                 | -45.88      |             |        |
| 6930.00                                                                                                                                                                                                      | H                 | -39.84      |             |        |
| Highest Channel                                                                                                                                                                                              |                   |             |             |        |
| 3508.60                                                                                                                                                                                                      | Vertical          | -40.11      | -13.00      | Pass   |
| 5262.90                                                                                                                                                                                                      | V                 | -45.63      |             |        |
| 7017.20                                                                                                                                                                                                      | V                 | -39.58      |             |        |
| 3508.60                                                                                                                                                                                                      | Horizontal        | -42.31      |             |        |
| 5262.90                                                                                                                                                                                                      | H                 | -45.46      |             |        |
| 7017.20                                                                                                                                                                                                      | H                 | -40.51      |             |        |
| Note:<br>1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.<br>2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report. |                   |             |             |        |

| LTE Band 4, WB: 3MHz                                                                             |                   |             |             |        |
|--------------------------------------------------------------------------------------------------|-------------------|-------------|-------------|--------|
| RB size 1 & RB offset 0                                                                          |                   |             |             |        |
| Frequency (MHz)                                                                                  | Spurious Emission |             | Limit (dBm) | Result |
|                                                                                                  | Polarization      | Level (dBm) |             |        |
| Lowest Channel                                                                                   |                   |             |             |        |
| 3423.00                                                                                          | Vertical          | -41.12      | -13.00      | Pass   |
| 5134.50                                                                                          | V                 | -45.97      |             |        |
| 6846.00                                                                                          | V                 | -39.69      |             |        |
| 3423.00                                                                                          | Horizontal        | -43.10      |             |        |
| 5134.50                                                                                          | H                 | -46.35      |             |        |
| 6846.00                                                                                          | H                 | -39.41      |             |        |
| Middle Channel                                                                                   |                   |             |             |        |
| 3465.00                                                                                          | Vertical          | -39.64      | -13.00      | Pass   |
| 5197.50                                                                                          | V                 | -46.06      |             |        |
| 6930.00                                                                                          | V                 | -39.32      |             |        |
| 3465.00                                                                                          | Horizontal        | -41.99      |             |        |
| 5197.50                                                                                          | H                 | -45.57      |             |        |
| 6930.00                                                                                          | H                 | -40.87      |             |        |
| Highest Channel                                                                                  |                   |             |             |        |
| 3507.00                                                                                          | Vertical          | -40.92      | -13.00      | Pass   |
| 5260.50                                                                                          | V                 | -45.26      |             |        |
| 7014.00                                                                                          | V                 | -40.51      |             |        |
| 3507.00                                                                                          | Horizontal        | -43.01      |             |        |
| 5260.50                                                                                          | H                 | -45.65      |             |        |
| 7014.00                                                                                          | H                 | -40.20      |             |        |
| Note:                                                                                            |                   |             |             |        |
| 1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report. |                   |             |             |        |
| 2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.  |                   |             |             |        |

| LTE Band 4, WB: 5MHz                                                                             |                   |             |             |        |
|--------------------------------------------------------------------------------------------------|-------------------|-------------|-------------|--------|
| RB size 1 & RB offset 0                                                                          |                   |             |             |        |
| Frequency (MHz)                                                                                  | Spurious Emission |             | Limit (dBm) | Result |
|                                                                                                  | Polarization      | Level (dBm) |             |        |
| Lowest Channel                                                                                   |                   |             |             |        |
| 3425.00                                                                                          | Vertical          | -40.13      | -13.00      | Pass   |
| 5137.50                                                                                          | V                 | -45.61      |             |        |
| 6850.00                                                                                          | V                 | -39.45      |             |        |
| 3425.00                                                                                          | Horizontal        | -42.04      |             |        |
| 5137.50                                                                                          | H                 | -45.88      |             |        |
| 6850.00                                                                                          | H                 | -39.83      |             |        |
| Middle Channel                                                                                   |                   |             |             |        |
| 3465.00                                                                                          | Vertical          | -40.04      | -13.00      | Pass   |
| 5197.50                                                                                          | V                 | -45.54      |             |        |
| 6930.00                                                                                          | V                 | -39.60      |             |        |
| 3465.00                                                                                          | Horizontal        | -42.36      |             |        |
| 5197.50                                                                                          | H                 | -46.18      |             |        |
| 6930.00                                                                                          | H                 | -39.99      |             |        |
| Highest Channel                                                                                  |                   |             |             |        |
| 3505.00                                                                                          | Vertical          | -40.34      | -13.00      | Pass   |
| 5257.50                                                                                          | V                 | -45.21      |             |        |
| 7010.00                                                                                          | V                 | -39.21      |             |        |
| 3505.00                                                                                          | Horizontal        | -42.39      |             |        |
| 5257.50                                                                                          | H                 | -45.71      |             |        |
| 7010.00                                                                                          | H                 | -40.10      |             |        |
| Note:                                                                                            |                   |             |             |        |
| 1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report. |                   |             |             |        |
| 2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.  |                   |             |             |        |

| LTE Band 4, WB: 10MHz                                                                            |                   |             |             |        |
|--------------------------------------------------------------------------------------------------|-------------------|-------------|-------------|--------|
| RB size 1 & RB offset 0                                                                          |                   |             |             |        |
| Frequency (MHz)                                                                                  | Spurious Emission |             | Limit (dBm) | Result |
|                                                                                                  | Polarization      | Level (dBm) |             |        |
| Lowest Channel                                                                                   |                   |             |             |        |
| 3430.00                                                                                          | Vertical          | -40.82      | -13.00      | Pass   |
| 5145.00                                                                                          | V                 | -45.97      |             |        |
| 6860.00                                                                                          | V                 | -39.56      |             |        |
| 3430.00                                                                                          | Horizontal        | -42.33      |             |        |
| 5145.00                                                                                          | H                 | -45.76      |             |        |
| 6860.00                                                                                          | H                 | -40.40      |             |        |
| Middle Channel                                                                                   |                   |             |             |        |
| 3465.00                                                                                          | Vertical          | -41.01      | -13.00      | Pass   |
| 5197.50                                                                                          | V                 | -46.20      |             |        |
| 6930.00                                                                                          | V                 | -39.55      |             |        |
| 3465.00                                                                                          | Horizontal        | -42.81      |             |        |
| 5197.50                                                                                          | H                 | -45.76      |             |        |
| 6930.00                                                                                          | H                 | -40.19      |             |        |
| Highest Channel                                                                                  |                   |             |             |        |
| 3500.00                                                                                          | Vertical          | -41.48      | -13.00      | Pass   |
| 5250.00                                                                                          | V                 | -46.64      |             |        |
| 7000.00                                                                                          | V                 | -39.91      |             |        |
| 3500.00                                                                                          | Horizontal        | -42.81      |             |        |
| 5250.00                                                                                          | H                 | -45.33      |             |        |
| 7000.00                                                                                          | H                 | -40.64      |             |        |
| Note:                                                                                            |                   |             |             |        |
| 1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report. |                   |             |             |        |
| 2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.  |                   |             |             |        |



| LTE Band 4, WB: 15MHz                                                                            |                   |             |             |        |
|--------------------------------------------------------------------------------------------------|-------------------|-------------|-------------|--------|
| RB size 1 & RB offset 0                                                                          |                   |             |             |        |
| Frequency (MHz)                                                                                  | Spurious Emission |             | Limit (dBm) | Result |
|                                                                                                  | Polarization      | Level (dBm) |             |        |
| Lowest Channel                                                                                   |                   |             |             |        |
| 3435.00                                                                                          | Vertical          | -40.29      | -13.00      | Pass   |
| 5152.50                                                                                          | V                 | -45.80      |             |        |
| 6870.00                                                                                          | V                 | -39.47      |             |        |
| 3435.00                                                                                          | Horizontal        | -42.48      |             |        |
| 5152.50                                                                                          | H                 | -45.65      |             |        |
| 6870.00                                                                                          | H                 | -40.70      |             |        |
| Middle Channel                                                                                   |                   |             |             |        |
| 3465.00                                                                                          | Vertical          | -39.94      | -13.00      | Pass   |
| 5197.50                                                                                          | V                 | -45.96      |             |        |
| 6930.00                                                                                          | V                 | -39.65      |             |        |
| 3465.00                                                                                          | Horizontal        | -42.67      |             |        |
| 5197.50                                                                                          | H                 | -45.55      |             |        |
| 6930.00                                                                                          | H                 | -40.95      |             |        |
| Highest Channel                                                                                  |                   |             |             |        |
| 3495.00                                                                                          | Vertical          | -40.10      | -13.00      | Pass   |
| 5242.50                                                                                          | V                 | -44.74      |             |        |
| 6990.00                                                                                          | V                 | -39.59      |             |        |
| 3495.00                                                                                          | Horizontal        | -42.46      |             |        |
| 5242.50                                                                                          | H                 | -45.55      |             |        |
| 6990.00                                                                                          | H                 | -39.83      |             |        |
| Note:                                                                                            |                   |             |             |        |
| 1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report. |                   |             |             |        |
| 2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.  |                   |             |             |        |


| LTE Band 4, WB: 20MHz                                                                            |                   |             |             |        |
|--------------------------------------------------------------------------------------------------|-------------------|-------------|-------------|--------|
| RB size 1 & RB offset 0                                                                          |                   |             |             |        |
| Frequency (MHz)                                                                                  | Spurious Emission |             | Limit (dBm) | Result |
|                                                                                                  | Polarization      | Level (dBm) |             |        |
| Lowest Channel                                                                                   |                   |             |             |        |
| 3440.00                                                                                          | Vertical          | -39.98      | -13.00      | Pass   |
| 5160.00                                                                                          | V                 | -46.28      |             |        |
| 6880.00                                                                                          | V                 | -39.24      |             |        |
| 3440.00                                                                                          | Horizontal        | -42.61      |             |        |
| 5160.00                                                                                          | H                 | -45.44      |             |        |
| 6880.00                                                                                          | H                 | -41.06      |             |        |
| Middle Channel                                                                                   |                   |             |             |        |
| 3465.00                                                                                          | Vertical          | -40.50      | -13.00      | Pass   |
| 5197.50                                                                                          | V                 | -46.46      |             |        |
| 6930.00                                                                                          | V                 | -39.07      |             |        |
| 3465.00                                                                                          | Horizontal        | -42.03      |             |        |
| 5197.50                                                                                          | H                 | -45.77      |             |        |
| 6930.00                                                                                          | H                 | -40.90      |             |        |
| Highest Channel                                                                                  |                   |             |             |        |
| 3490.00                                                                                          | Vertical          | -40.74      | -13.00      | Pass   |
| 5235.00                                                                                          | V                 | -46.73      |             |        |
| 6980.00                                                                                          | V                 | -39.17      |             |        |
| 3490.00                                                                                          | Horizontal        | -42.39      |             |        |
| 5235.00                                                                                          | H                 | -45.44      |             |        |
| 6980.00                                                                                          | H                 | -41.35      |             |        |
| Note:                                                                                            |                   |             |             |        |
| 1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report. |                   |             |             |        |
| 2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.  |                   |             |             |        |

## LTE Band 13 part:

| LTE Band 13, WB: 5MHz                                                                            |                   |             |             |        |
|--------------------------------------------------------------------------------------------------|-------------------|-------------|-------------|--------|
| RB size 1 & RB offset 0                                                                          |                   |             |             |        |
| Frequency (MHz)                                                                                  | Spurious Emission |             | Limit (dBm) | Result |
|                                                                                                  | Polarization      | Level (dBm) |             |        |
| Lowest Channel                                                                                   |                   |             |             |        |
| 1559.00                                                                                          | Vertical          | -41.92      | -13.00      | Pass   |
| 2338.50                                                                                          | V                 | -46.88      |             |        |
| 3118.00                                                                                          | V                 | -52.58      |             |        |
| 1559.00                                                                                          | Horizontal        | -40.09      |             |        |
| 2338.50                                                                                          | H                 | -51.84      |             |        |
| 3118.00                                                                                          | H                 | -51.79      |             |        |
| Middle Channel                                                                                   |                   |             |             |        |
| 1564.00                                                                                          | Vertical          | -41.64      | -13.00      | Pass   |
| 2346.00                                                                                          | V                 | -46.40      |             |        |
| 3128.00                                                                                          | V                 | -52.35      |             |        |
| 1564.00                                                                                          | Horizontal        | -39.83      |             |        |
| 2346.00                                                                                          | H                 | -51.75      |             |        |
| 3128.00                                                                                          | H                 | -52.15      |             |        |
| Highest Channel                                                                                  |                   |             |             |        |
| 1569.00                                                                                          | Vertical          | -41.42      | -13.00      | Pass   |
| 2353.50                                                                                          | V                 | -45.94      |             |        |
| 3138.00                                                                                          | V                 | -52.63      |             |        |
| 1569.00                                                                                          | Horizontal        | -39.76      |             |        |
| 2353.50                                                                                          | H                 | -52.02      |             |        |
| 3138.00                                                                                          | H                 | -51.99      |             |        |
| Note:                                                                                            |                   |             |             |        |
| 1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report. |                   |             |             |        |
| 2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.  |                   |             |             |        |

| LTE Band 13, WB: 10MHz                                                                           |                   |             |             |        |
|--------------------------------------------------------------------------------------------------|-------------------|-------------|-------------|--------|
| RB size 1 & RB offset 0                                                                          |                   |             |             |        |
| Frequency (MHz)                                                                                  | Spurious Emission |             | Limit (dBm) | Result |
|                                                                                                  | Polarization      | Level (dBm) |             |        |
| Lowest Channel                                                                                   |                   |             |             |        |
| 1564.00                                                                                          | Vertical          | -41.61      | -13.00      | Pass   |
| 2346.00                                                                                          | V                 | -47.30      |             |        |
| 3128.00                                                                                          | V                 | -52.21      |             |        |
| 1564.00                                                                                          | Horizontal        | -40.25      |             |        |
| 2346.00                                                                                          | H                 | -52.17      |             |        |
| 3128.00                                                                                          | H                 | -51.94      |             |        |
| Middle Channel                                                                                   |                   |             |             |        |
| 1564.00                                                                                          | Vertical          | -41.80      | -13.00      | Pass   |
| 2346.00                                                                                          | V                 | -47.08      |             |        |
| 3128.00                                                                                          | V                 | -52.47      |             |        |
| 1564.00                                                                                          | Horizontal        | -40.64      |             |        |
| 2346.00                                                                                          | H                 | -51.80      |             |        |
| 3128.00                                                                                          | H                 | -51.67      |             |        |
| Highest Channel                                                                                  |                   |             |             |        |
| 1564.00                                                                                          | Vertical          | -42.27      | -13.00      | Pass   |
| 2346.00                                                                                          | V                 | -47.25      |             |        |
| 3128.00                                                                                          | V                 | -52.12      |             |        |
| 1564.00                                                                                          | Horizontal        | -40.86      |             |        |
| 2346.00                                                                                          | H                 | -51.48      |             |        |
| 3128.00                                                                                          | H                 | -51.42      |             |        |
| Note:                                                                                            |                   |             |             |        |
| 1. The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report. |                   |             |             |        |
| 2. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.  |                   |             |             |        |

## 6.6 Frequency stability V.S. Temperature measurement

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 27.54, Part 2.1055(a)(1)(b)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Limit:            | $\pm 2.5\text{ppm}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Test setup:       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Test procedure:   | <ol style="list-style-type: none"> <li>1. The equipment under test was connected to an external DC power supply and input rated voltage.</li> <li>2. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators.</li> <li>3. The EUT was placed inside the temperature chamber.</li> <li>4. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency.</li> <li>5. Turn EUT off and set the chamber temperature to <math>-30^{\circ}\text{C}</math>. After the temperature stabilized for approximately 30 minutes recorded the frequency.</li> <li>6. Repeat step measure with <math>10^{\circ}\text{C}</math> increased per stage until the highest temperature of <math>+50^{\circ}\text{C}</math> reached</li> </ol> |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Measurement Data (worst case):


## LTE Band 4 part:

| Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 channel=1732.50MHz |                  |                 |          |             |        |
|--------------------------------------------------------------------------------|------------------|-----------------|----------|-------------|--------|
| Power supplied<br>(Vdc)                                                        | Temperature (°C) | Frequency error |          | Limit (ppm) | Result |
|                                                                                |                  | Hz              | ppm      |             |        |
| QPSK                                                                           |                  |                 |          |             |        |
| 3.80                                                                           | -30              | 178             | 0.102742 | ±2.5        | Pass   |
|                                                                                | -20              | 164             | 0.094661 |             |        |
|                                                                                | -10              | 158             | 0.091198 |             |        |
|                                                                                | 0                | 150             | 0.086580 |             |        |
|                                                                                | 10               | 143             | 0.082540 |             |        |
|                                                                                | 20               | 136             | 0.078499 |             |        |
|                                                                                | 30               | 129             | 0.074459 |             |        |
|                                                                                | 40               | 120             | 0.069264 |             |        |
|                                                                                | 50               | 116             | 0.066955 |             |        |
| 16QAM                                                                          |                  |                 |          |             |        |
| 3.80                                                                           | -30              | 170             | 0.098124 | ±2.5        | Pass   |
|                                                                                | -20              | 162             | 0.093506 |             |        |
|                                                                                | -10              | 157             | 0.090620 |             |        |
|                                                                                | 0                | 149             | 0.086003 |             |        |
|                                                                                | 10               | 140             | 0.080808 |             |        |
|                                                                                | 20               | 133             | 0.076768 |             |        |
|                                                                                | 30               | 126             | 0.072727 |             |        |
|                                                                                | 40               | 117             | 0.067532 |             |        |
|                                                                                | 50               | 110             | 0.063492 |             |        |
| Note: Only the worst case shown in the report.                                 |                  |                 |          |             |        |

## LTE Band 13 part:

| Reference Frequency: LTE Band 13(10MHz) Middle channel=23230 channel=782.00MHz |                  |                 |          |             |        |
|--------------------------------------------------------------------------------|------------------|-----------------|----------|-------------|--------|
| Power supplied<br>(Vdc)                                                        | Temperature (°C) | Frequency error |          | Limit (ppm) | Result |
|                                                                                |                  | Hz              | ppm      |             |        |
| QPSK                                                                           |                  |                 |          |             |        |
| 3.80                                                                           | -30              | 177             | 0.226343 | ±2.5        | Pass   |
|                                                                                | -20              | 161             | 0.205882 |             |        |
|                                                                                | -10              | 153             | 0.195652 |             |        |
|                                                                                | 0                | 146             | 0.186701 |             |        |
|                                                                                | 10               | 137             | 0.175192 |             |        |
|                                                                                | 20               | 130             | 0.166240 |             |        |
|                                                                                | 30               | 124             | 0.158568 |             |        |
|                                                                                | 40               | 118             | 0.150895 |             |        |
|                                                                                | 50               | 109             | 0.139386 |             |        |
| 16QAM                                                                          |                  |                 |          |             |        |
| 3.80                                                                           | -30              | 175             | 0.223785 | ±2.5        | Pass   |
|                                                                                | -20              | 160             | 0.204604 |             |        |
|                                                                                | -10              | 152             | 0.194373 |             |        |
|                                                                                | 0                | 147             | 0.187980 |             |        |
|                                                                                | 10               | 139             | 0.177749 |             |        |
|                                                                                | 20               | 130             | 0.166240 |             |        |
|                                                                                | 30               | 121             | 0.154731 |             |        |
|                                                                                | 40               | 113             | 0.144501 |             |        |
|                                                                                | 50               | 108             | 0.138107 |             |        |
| Note: Only the worst case shown in the report.                                 |                  |                 |          |             |        |

## 6.7 Frequency stability V.S. Voltage measurement

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 27.54, Part 2.1055(d)(2)                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Limit:            | $\pm 2.5\text{ppm}$                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Test setup:       |  <p>The diagram illustrates the test setup. A Spectrum Analyzer (SA) and a Signal Source (SS) are connected to a Divider. The Divider is connected to the EUT (Equipment Under Test) inside a Temperature &amp; Humidity Chamber. A Power Source is also connected to the EUT.</p>                                                                           |
| Test procedure:   | <ol style="list-style-type: none"> <li>1. Set chamber temperature to 25°C. Use a variable DC power source to power the EUT and set the voltage to rated voltage.</li> <li>2. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.</li> <li>3. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.</li> </ol> |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                              |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                               |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                         |



## Measurement Data(worst case):

## LTE Band 4 part:

| Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 channel=1732.50MHz |                      |                 |          |             |        |
|--------------------------------------------------------------------------------|----------------------|-----------------|----------|-------------|--------|
| Temperature (°C)                                                               | Power supplied (Vdc) | Frequency error |          | Limit (ppm) | Result |
|                                                                                |                      | Hz              | ppm      |             |        |
| QPSK                                                                           |                      |                 |          |             |        |
| 25                                                                             | 4.35                 | 83              | 0.047908 | ±2.5        | Pass   |
|                                                                                | 3.80                 | 70              | 0.040404 |             |        |
|                                                                                | 3.50                 | 58              | 0.033478 |             |        |
| 16QAM                                                                          |                      |                 |          |             |        |
| 25                                                                             | 4.35                 | 79              | 0.045599 | ±2.5        | Pass   |
|                                                                                | 3.80                 | 60              | 0.034632 |             |        |
|                                                                                | 3.50                 | 56              | 0.032323 |             |        |
| Note: Only the worst case shown in the report.                                 |                      |                 |          |             |        |

## LTE Band 13 part:

| Reference Frequency: LTE Band 13(10MHz) Middle channel=23230 channel=728.00MHz |                      |                 |          |             |        |
|--------------------------------------------------------------------------------|----------------------|-----------------|----------|-------------|--------|
| Temperature (°C)                                                               | Power supplied (Vdc) | Frequency error |          | Limit (ppm) | Result |
|                                                                                |                      | Hz              | ppm      |             |        |
| QPSK                                                                           |                      |                 |          |             |        |
| 25                                                                             | 4.35                 | 88              | 0.120879 | ±2.5        | Pass   |
|                                                                                | 3.80                 | 73              | 0.100275 |             |        |
|                                                                                | 3.50                 | 66              | 0.090659 |             |        |
| 16QAM                                                                          |                      |                 |          |             |        |
| 25                                                                             | 4.35                 | 86              | 0.118132 | ±2.5        | Pass   |
|                                                                                | 3.80                 | 70              | 0.096154 |             |        |
|                                                                                | 3.50                 | 59              | 0.081044 |             |        |
| Note: Only the worst case shown in the report.                                 |                      |                 |          |             |        |