Applica	ant/Grantee	Doodle Labs (SG) Pte Ltd				
FCC II):	2AG87RM2450-2L				
Section 15.212 Modular Transmitters /						
VF	Request for Mo		uest for Limited Modular Approval			
		Requirements	Device Conditions	Comply (Y/N)		
Single Modular Approval Requirements The radio elements must have the radio The module has its own RF shielding."						
1	frequency circ Physical/discr may be locate	cuitry must be shielded. rete and tuning capacitors d external to the shield, but e module assembly.	The module has its own RF shielding." Shield Casing is employed on the board structure, please see exhibition External Photo, the emission measurement was conducted without further shielding added.	Y		
2	modulation/da provided) to e comply with t applicable RS	hall have buffered ata input(s) (if such inputs an ensure that the module will he requirements set out in th S standard under conditions lata rates or over-modulation	inputs, it is integrated on the RF chip	Y		
3	supply regulat ensure that the the requirement standard regan power supply device which Requirements standard regan design of the	hall have its own power tion on the module. This is t e module will comply with nts set out in the applicable rdless of the design of the ing circuitry in the host houses the module. set out in the applicable rdless of the power supplying circuitry in e which houses the module.	voltage variations (on board DC-DC and LDOs) Frequencies are determined by Crystal.	Y		
4	provisions for and antennas Equipment ce contain a deta	hall comply with the external power amplifiers detailed in this standard. The rtification submission shall iled description of the of all antennas that will be module.	The modular has two external Antenna which comply with the antenna requirement of Section 15.203.	Y		
5	with the appli alone configu	hall be tested for compliance cable standard in a stand- ration, i.e. the module must another device during testing	stand-alone configuration via a Data/ Control Interface.	Y		
6		hall comply with the uipment labelling	In the exhibition OEM manual, there are Instructions given to the OEM on how to label the end product.	Y		

7	The modular transmitter complies with all specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer will provide adequate instructions along with the module to explain any such	Instructions in User Manual	Y			
	requirements. A copy of these instructions is included in this application for equipment authorization:					
	Address compliance with the Commission's RF exposure limits in	Please refer the Maximum Permissible Exposure Information.				
8a	Sections 1.1310 and 2.1093. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF exposure compliance in accordance with Section 15.247(b)(4).		Y			
	ed modular approval may be granted for sir	0 1	1 /			
all of the above requirements, <i>e.g.</i> , shielding, minimum signaling amplitude, buffered modulation/data inputs, or power supply regulation, if the manufacturer can demonstrate by alternative means in the application for						
equipment authorization that the modular transmitter meets all the applicable Part 15 requirements under the						
operating conditions in which the transmitter will be used. Limited modular approval also may be granted in						
those instances where compliance with RF exposure rules is demonstrated only for particular product						
configu	configurations. The applicant for certification must state how control of the end product into which the module					

will be installed will be maintained such that full compliance of the end product is always ensured.

Mingay Malam

Signature Name/Title: Sanjay Malani / Product Engineering Manager Company Name: Doodle Labs (SG) Pte Ltd Date: 04/07/2025