

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.16	-13	Pass	2985
30	1000	0.1	RMS	849.184	-54.22	-13	Pass	9700
1000	1830	1	RMS	1827.998	-43.46	-13	Pass	830
1830	1920	1	RMS	1850.25	22.29	60	Pass	601
1920	3000	1	RMS	2768.786	-38.56	-13	Pass	1080
3000	12000	1	RMS	11992.999	-45.22	-13	Pass	9000
12000	20000	1	RMS	19847.981	-31.41	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.07	-13	Pass	2985
30	1000	0.1	RMS	909.691	-54.3	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.42	-13	Pass	830
1830	1920	1	RMS	1851.15	22.43	60	Pass	601
1920	3000	1	RMS	2760.778	-38.55	-13	Pass	1080
3000	12000	1	RMS	11965.996	-45.23	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.19	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.57	-13	Pass	2985
30	1000	0.1	RMS	867.886	-54.33	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.46	-13	Pass	830
1830	1920	1	RMS	1850.25	21.46	60	Pass	601
1920	3000	1	RMS	2767.785	-38.6	-13	Pass	1080
3000	12000	1	RMS	11991.999	-45.28	-13	Pass	9000
12000	20000	1	RMS	19847.981	-31.3	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.3	-13	Pass	2985
30	1000	0.1	RMS	903.19	-53.87	-13	Pass	9700
1000	1830	1	RMS	1787.949	-43.44	-13	Pass	830
1830	1920	1	RMS	1851.15	21.29	60	Pass	601
1920	3000	1	RMS	2770.788	-38.6	-13	Pass	1080
3000	12000	1	RMS	11993.999	-45.18	-13	Pass	9000
12000	20000	1	RMS	19847.981	-31.31	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-46.79	-13	Pass	2985
30	1000	0.1	RMS	932.293	-54.19	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.39	-13	Pass	830
1830	1920	1	RMS	1879.5	22.72	60	Pass	601
1920	3000	1	RMS	2766.784	-38.54	-13	Pass	1080
3000	12000	1	RMS	11998	-45.27	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.17	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.88	-13	Pass	2985
30	1000	0.1	RMS	982.298	-54.29	-13	Pass	9700
1000	1830	1	RMS	1817.986	-43.42	-13	Pass	830
1830	1920	1	RMS	1880.4	22.7	60	Pass	601
1920	3000	1	RMS	2768.786	-38.59	-13	Pass	1080
3000	12000	1	RMS	11996	-45.17	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.38	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.33	-13	Pass	601
0.15	30	0.01	RMS	0.17	-48.22	-13	Pass	2985
30	1000	0.1	RMS	985.198	-54.17	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.4	-13	Pass	830
1830	1920	1	RMS	1879.5	22.3	60	Pass	601
1920	3000	1	RMS	2769.787	-38.56	-13	Pass	1080
3000	12000	1	RMS	11989.999	-45.12	-13	Pass	9000
12000	20000	1	RMS	19846.981	-31.33	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.1	-13	Pass	601
0.15	30	0.01	RMS	0.17	-48.99	-13	Pass	2985
30	1000	0.1	RMS	927.092	-53.98	-13	Pass	9700
1000	1830	1	RMS	1792.955	-43.43	-13	Pass	830
1830	1920	1	RMS	1880.4	22.06	60	Pass	601
1920	3000	1	RMS	2766.784	-38.58	-13	Pass	1080
3000	12000	1	RMS	11964.996	-45.29	-13	Pass	9000
12000	20000	1	RMS	19850.981	-31.33	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.6	-13	Pass	2985
30	1000	0.1	RMS	894.089	-54.27	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.37	-13	Pass	830
1830	1920	1	RMS	1908.9	22.66	60	Pass	601
1920	3000	1	RMS	2766.784	-38.52	-13	Pass	1080
3000	12000	1	RMS	5726.303	-43.16	-13	Pass	9000
12000	20000	1	RMS	19847.981	-31.31	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.81	-13	Pass	2985
30	1000	0.1	RMS	869.487	-54.4	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.45	-13	Pass	830
1830	1920	1	RMS	1909.8	22.71	60	Pass	601
1920	3000	1	RMS	2768.786	-38.6	-13	Pass	1080
3000	12000	1	RMS	5729.303	-42.33	-13	Pass	9000
12000	20000	1	RMS	19850.981	-31.22	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.75	-13	Pass	2985
30	1000	0.1	RMS	922.292	-54.31	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.43	-13	Pass	830
1830	1920	1	RMS	1908.9	21.88	60	Pass	601
1920	3000	1	RMS	2763.781	-38.61	-13	Pass	1080
3000	12000	1	RMS	5726.303	-44.3	-13	Pass	9000
12000	20000	1	RMS	19852.982	-31.33	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.21	-13	Pass	2985
30	1000	0.1	RMS	998.5	-54.09	-13	Pass	9700
1000	1830	1	RMS	1797.961	-43.44	-13	Pass	830
1830	1920	1	RMS	1909.8	22.02	60	Pass	601
1920	3000	1	RMS	2769.787	-38.57	-13	Pass	1080
3000	12000	1	RMS	5729.303	-43.41	-13	Pass	9000
12000	20000	1	RMS	19843.98	-31.34	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-46.91	-13	Pass	2985
30	1000	0.1	RMS	902.19	-54.24	-13	Pass	9700
1000	1830	1	RMS	1816.984	-43.47	-13	Pass	830
1830	1920	1	RMS	1850.25	22.27	60	Pass	601
1920	3000	1	RMS	2769.787	-38.5	-13	Pass	1080
3000	12000	1	RMS	11958.995	-45.31	-13	Pass	9000
12000	20000	1	RMS	19840.98	-31.18	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.25	-13	Pass	2985
30	1000	0.1	RMS	993.999	-54.28	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.4	-13	Pass	830
1830	1920	1	RMS	1852.8	22.26	60	Pass	601
1920	3000	1	RMS	2768.786	-38.62	-13	Pass	1080
3000	12000	1	RMS	11986.999	-45.21	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.29	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.19	-13	Pass	601
0.15	30	0.01	RMS	0.16	-48.91	-13	Pass	2985
30	1000	0.1	RMS	918.392	-54.16	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.45	-13	Pass	830
1830	1920	1	RMS	1850.25	21.02	60	Pass	601
1920	3000	1	RMS	2769.787	-38.59	-13	Pass	1080
3000	12000	1	RMS	11993.999	-45.15	-13	Pass	9000
12000	20000	1	RMS	19847.981	-31.29	-13	Pass	8000



1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-46.86	-13	Pass	2985
30	1000	0.1	RMS	888.789	-54.26	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.45	-13	Pass	830
1830	1920	1	RMS	1852.8	20.8	60	Pass	601
1920	3000	1	RMS	2769.787	-38.61	-13	Pass	1080
3000	12000	1	RMS	11966.996	-45.04	-13	Pass	9000
12000	20000	1	RMS	19843.98	-31.29	-13	Pass	8000



1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.31	-13	Pass	2985
30	1000	0.1	RMS	898.089	-53.91	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.44	-13	Pass	830
1830	1920	1	RMS	1878.75	23.2	60	Pass	601
1920	3000	1	RMS	2770.788	-38.61	-13	Pass	1080
3000	12000	1	RMS	11976.997	-45.23	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.27	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.21	-13	Pass	2985
30	1000	0.1	RMS	983.698	-54.12	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.43	-13	Pass	830
1830	1920	1	RMS	1881.3	22.94	60	Pass	601
1920	3000	1	RMS	2768.786	-38.55	-13	Pass	1080
3000	12000	1	RMS	11996	-45.26	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.29	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.24	-13	Pass	2985
30	1000	0.1	RMS	955.695	-53.96	-13	Pass	9700
1000	1830	1	RMS	1826.996	-43.44	-13	Pass	830
1830	1920	1	RMS	1878.75	22.58	60	Pass	601
1920	3000	1	RMS	2770.788	-38.59	-13	Pass	1080
3000	12000	1	RMS	11994.999	-45.2	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.16	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.62	-13	Pass	2985
30	1000	0.1	RMS	905.29	-54.19	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.46	-13	Pass	830
1830	1920	1	RMS	1881.3	22.59	60	Pass	601
1920	3000	1	RMS	2768.786	-38.54	-13	Pass	1080
3000	12000	1	RMS	11982.998	-45.15	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.44	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.31	-13	Pass	2985
30	1000	0.1	RMS	935.093	-54.03	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.4	-13	Pass	830
1830	1920	1	RMS	1907.25	22.8	60	Pass	601
1920	3000	1	RMS	2769.787	-38.57	-13	Pass	1080
3000	12000	1	RMS	5721.302	-44.43	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.3	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.54	-13	Pass	2985
30	1000	0.1	RMS	929.193	-54.3	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.44	-13	Pass	830
1830	1920	1	RMS	1909.8	22.8	60	Pass	601
1920	3000	1	RMS	2766.784	-38.59	-13	Pass	1080
3000	12000	1	RMS	5729.303	-41.82	-13	Pass	9000
12000	20000	1	RMS	19845.981	-31.3	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.38	-13	Pass	2985
30	1000	0.1	RMS	991.499	-53.83	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.44	-13	Pass	830
1830	1920	1	RMS	1907.25	21.43	60	Pass	601
1920	3000	1	RMS	2770.788	-38.58	-13	Pass	1080
3000	12000	1	RMS	11961.996	-45.23	-13	Pass	9000
12000	20000	1	RMS	19846.981	-31.29	-13	Pass	8000



1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.19	-13	Pass	2985
30	1000	0.1	RMS	892.589	-53.89	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.43	-13	Pass	830
1830	1920	1	RMS	1909.8	21.51	60	Pass	601
1920	3000	1	RMS	2769.787	-38.6	-13	Pass	1080
3000	12000	1	RMS	5729.303	-43	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.31	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.33	-13	Pass	2985
30	1000	0.1	RMS	853.785	-54.43	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.42	-13	Pass	830
1830	1920	1	RMS	1850.4	22.14	60	Pass	601
1920	3000	1	RMS	2769.787	-38.61	-13	Pass	1080
3000	12000	1	RMS	11981.998	-45.12	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.2	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-13	Pass	601
0.15	30	0.01	RMS	0.16	-47.71	-13	Pass	2985
30	1000	0.1	RMS	979.498	-54.18	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.44	-13	Pass	830
1830	1920	1	RMS	1854.6	22.31	60	Pass	601
1920	3000	1	RMS	2768.786	-38.6	-13	Pass	1080
3000	12000	1	RMS	11999	-45.3	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.32	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.81	-13	Pass	2985
30	1000	0.1	RMS	891.289	-54.31	-13	Pass	9700
1000	1830	1	RMS	1817.986	-43.48	-13	Pass	830
1830	1920	1	RMS	1850.25	20.95	60	Pass	601
1920	3000	1	RMS	2762.78	-38.6	-13	Pass	1080
3000	12000	1	RMS	11991.999	-45.18	-13	Pass	9000
12000	20000	1	RMS	19850.981	-31.25	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.53	-13	Pass	2985
30	1000	0.1	RMS	885.188	-54.13	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.48	-13	Pass	830
1830	1920	1	RMS	1854.6	20.71	60	Pass	601
1920	3000	1	RMS	2769.787	-38.58	-13	Pass	1080
3000	12000	1	RMS	11982.998	-45.22	-13	Pass	9000
12000	20000	1	RMS	19850.981	-31.3	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2985
30	1000	0.1	RMS	939.994	-53.99	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.43	-13	Pass	830
1830	1920	1	RMS	1877.85	22.81	60	Pass	601
1920	3000	1	RMS	2767.785	-38.57	-13	Pass	1080
3000	12000	1	RMS	11977.998	-45.32	-13	Pass	9000
12000	20000	1	RMS	19852.982	-31.14	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.44	-13	Pass	2985
30	1000	0.1	RMS	900.59	-54.09	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.45	-13	Pass	830
1830	1920	1	RMS	1882.2	22.81	60	Pass	601
1920	3000	1	RMS	2766.784	-38.6	-13	Pass	1080
3000	12000	1	RMS	11993.999	-45.28	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.38	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.38	-13	Pass	2985
30	1000	0.1	RMS	991.999	-54.35	-13	Pass	9700
1000	1830	1	RMS	1801.966	-43.37	-13	Pass	830
1830	1920	1	RMS	1877.85	22.28	60	Pass	601
1920	3000	1	RMS	2768.786	-38.54	-13	Pass	1080
3000	12000	1	RMS	11999	-45.24	-13	Pass	9000
12000	20000	1	RMS	19841.98	-31.31	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.28	-13	Pass	2985
30	1000	0.1	RMS	927.693	-54.22	-13	Pass	9700
1000	1830	1	RMS	1822.992	-43.44	-13	Pass	830
1830	1920	1	RMS	1882.2	22.06	60	Pass	601
1920	3000	1	RMS	2767.785	-38.59	-13	Pass	1080
3000	12000	1	RMS	11978.998	-45.3	-13	Pass	9000
12000	20000	1	RMS	19844.981	-31.36	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.63	-13	Pass	2985
30	1000	0.1	RMS	977.898	-53.93	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.44	-13	Pass	830
1830	1920	1	RMS	1905.3	22.63	60	Pass	601
1920	3000	1	RMS	2769.787	-38.61	-13	Pass	1080
3000	12000	1	RMS	5716.302	-43.39	-13	Pass	9000
12000	20000	1	RMS	19846.981	-31.3	-13	Pass	8000



1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	601
0.15	30	0.01	RMS	0.16	-47.73	-13	Pass	2985
30	1000	0.1	RMS	996	-54.24	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.47	-13	Pass	830
1830	1920	1	RMS	1909.65	22.82	60	Pass	601
1920	3000	1	RMS	2769.787	-38.59	-13	Pass	1080
3000	12000	1	RMS	5729.303	-42.46	-13	Pass	9000
12000	20000	1	RMS	19843.98	-31.32	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.97	-13	Pass	2985
30	1000	0.1	RMS	899.69	-53.88	-13	Pass	9700
1000	1830	1	RMS	1797.961	-43.45	-13	Pass	830
1830	1920	1	RMS	1905.3	21.46	60	Pass	601
1920	3000	1	RMS	2769.787	-38.52	-13	Pass	1080
3000	12000	1	RMS	5716.302	-44.72	-13	Pass	9000
12000	20000	1	RMS	19847.981	-31.34	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.61	-13	Pass	2985
30	1000	0.1	RMS	871.287	-54.06	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.43	-13	Pass	830
1830	1920	1	RMS	1909.65	21.69	60	Pass	601
1920	3000	1	RMS	2769.787	-38.61	-13	Pass	1080
3000	12000	1	RMS	5729.303	-44.22	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.09	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.3	-13	Pass	2985
30	1000	0.1	RMS	985.098	-54.14	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.47	-13	Pass	830
1830	1920	1	RMS	1850.55	22.34	60	Pass	601
1920	3000	1	RMS	2768.786	-38.54	-13	Pass	1080
3000	12000	1	RMS	11999	-45.29	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.06	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.13	-13	Pass	2985
30	1000	0.1	RMS	901.59	-54.18	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.42	-13	Pass	830
1830	1920	1	RMS	1859.4	22.54	60	Pass	601
1920	3000	1	RMS	2769.787	-38.6	-13	Pass	1080
3000	12000	1	RMS	11997	-45.23	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.27	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.94	-13	Pass	2985
30	1000	0.1	RMS	864.586	-54.32	-13	Pass	9700
1000	1830	1	RMS	1825.995	-43.45	-13	Pass	830
1830	1920	1	RMS	1850.55	21.17	60	Pass	601
1920	3000	1	RMS	2767.785	-38.59	-13	Pass	1080
3000	12000	1	RMS	11981.998	-45.3	-13	Pass	9000
12000	20000	1	RMS	19850.981	-31.29	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.55	-13	Pass	2985
30	1000	0.1	RMS	889.189	-54.15	-13	Pass	9700
1000	1830	1	RMS	1818.987	-43.43	-13	Pass	830
1830	1920	1	RMS	1859.4	21.14	60	Pass	601
1920	3000	1	RMS	2765.783	-38.51	-13	Pass	1080
3000	12000	1	RMS	11999	-45.17	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.3	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.16	-13	Pass	2985
30	1000	0.1	RMS	931.893	-54.22	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.42	-13	Pass	830
1830	1920	1	RMS	1875.6	22.95	60	Pass	601
1920	3000	1	RMS	2769.787	-38.51	-13	Pass	1080
3000	12000	1	RMS	11996	-45.13	-13	Pass	9000
12000	20000	1	RMS	19845.981	-31.29	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.18	-13	Pass	601
0.15	30	0.01	RMS	0.16	-48.98	-13	Pass	2985
30	1000	0.1	RMS	985.198	-54.14	-13	Pass	9700
1000	1830	1	RMS	1816.984	-43.4	-13	Pass	830
1830	1920	1	RMS	1884.45	23.02	60	Pass	601
1920	3000	1	RMS	2769.787	-38.59	-13	Pass	1080
3000	12000	1	RMS	11971.997	-45.21	-13	Pass	9000
12000	20000	1	RMS	19844.981	-31.2	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.51	-13	Pass	2985
30	1000	0.1	RMS	897.189	-54.27	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.42	-13	Pass	830
1830	1920	1	RMS	1875.6	22.34	60	Pass	601
1920	3000	1	RMS	2839.852	-38.6	-13	Pass	1080
3000	12000	1	RMS	11997	-45.22	-13	Pass	9000
12000	20000	1	RMS	19847.981	-31.27	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.41	-13	Pass	2985
30	1000	0.1	RMS	907.79	-54.28	-13	Pass	9700
1000	1830	1	RMS	1791.954	-43.49	-13	Pass	830
1830	1920	1	RMS	1884.45	22.22	60	Pass	601
1920	3000	1	RMS	2766.784	-38.62	-13	Pass	1080
3000	12000	1	RMS	11986.999	-45.22	-13	Pass	9000
12000	20000	1	RMS	19853.982	-31.31	-13	Pass	8000



1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.79	-13	Pass	2985
30	1000	0.1	RMS	911.691	-54.32	-13	Pass	9700
1000	1830	1	RMS	1817.986	-43.44	-13	Pass	830
1830	1920	1	RMS	1900.65	22.59	60	Pass	601
1920	3000	1	RMS	2763.781	-38.6	-13	Pass	1080
3000	12000	1	RMS	5701.3	-44.4	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.26	-13	Pass	8000



1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.53	-13	Pass	601
0.15	30	0.01	RMS	0.61	-48.13	-13	Pass	2985
30	1000	0.1	RMS	952.795	-54.21	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.44	-13	Pass	830
1830	1920	1	RMS	1909.35	22.73	60	Pass	601
1920	3000	1	RMS	2769.787	-38.56	-13	Pass	1080
3000	12000	1	RMS	5728.303	-42.38	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.12	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.45	-13	Pass	2985
30	1000	0.1	RMS	844.384	-54.36	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.46	-13	Pass	830
1830	1920	1	RMS	1900.65	21.75	60	Pass	601
1920	3000	1	RMS	2768.786	-38.61	-13	Pass	1080
3000	12000	1	RMS	5701.3	-44.94	-13	Pass	9000
12000	20000	1	RMS	19846.981	-31.35	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.54	-13	Pass	2985
30	1000	0.1	RMS	945.394	-54.36	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.43	-13	Pass	830
1830	1920	1	RMS	1909.35	21.95	60	Pass	601
1920	3000	1	RMS	2769.787	-38.63	-13	Pass	1080
3000	12000	1	RMS	5728.303	-43.15	-13	Pass	9000
12000	20000	1	RMS	19851.981	-31.38	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.9	-13	Pass	601
0.15	30	0.01	RMS	0.61	-48.27	-13	Pass	2985
30	1000	0.1	RMS	896.889	-54.04	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43.3	-13	Pass	830
1830	1920	1	RMS	1850.85	22.46	60	Pass	601
1920	3000	1	RMS	2767.785	-38.57	-13	Pass	1080
3000	12000	1	RMS	12000	-45.22	-13	Pass	9000
12000	20000	1	RMS	19845.981	-31.14	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.5	-13	Pass	2985
30	1000	0.1	RMS	907.991	-54.1	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.46	-13	Pass	830
1830	1920	1	RMS	1864.2	22.87	60	Pass	601
1920	3000	1	RMS	2766.784	-38.61	-13	Pass	1080
3000	12000	1	RMS	11973.997	-45.28	-13	Pass	9000
12000	20000	1	RMS	19845.981	-31.3	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.76	-13	Pass	2985
30	1000	0.1	RMS	907.39	-54.22	-13	Pass	9700
1000	1830	1	RMS	1824.994	-43.43	-13	Pass	830
1830	1920	1	RMS	1850.85	20.99	60	Pass	601
1920	3000	1	RMS	2766.784	-38.59	-13	Pass	1080
3000	12000	1	RMS	11989.999	-45.3	-13	Pass	9000
12000	20000	1	RMS	19854.982	-31.36	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.19	-13	Pass	2985
30	1000	0.1	RMS	908.191	-54.16	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.46	-13	Pass	830
1830	1920	1	RMS	1864.2	21.68	60	Pass	601
1920	3000	1	RMS	2768.786	-38.57	-13	Pass	1080
3000	12000	1	RMS	11994.999	-45.22	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.03	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.88	-13	Pass	2985
30	1000	0.1	RMS	949.595	-54.1	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.45	-13	Pass	830
1830	1920	1	RMS	1873.35	22.92	60	Pass	601
1920	3000	1	RMS	2766.784	-38.64	-13	Pass	1080
3000	12000	1	RMS	11994.999	-45.2	-13	Pass	9000
12000	20000	1	RMS	19844.981	-31.45	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.58	-13	Pass	2985
30	1000	0.1	RMS	991.999	-54.17	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.46	-13	Pass	830
1830	1920	1	RMS	1886.7	22.54	60	Pass	601
1920	3000	1	RMS	2766.784	-38.55	-13	Pass	1080
3000	12000	1	RMS	11966.996	-45.19	-13	Pass	9000
12000	20000	1	RMS	19845.981	-31.24	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.41	-13	Pass	2985
30	1000	0.1	RMS	913.791	-54.26	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.43	-13	Pass	830
1830	1920	1	RMS	1873.35	22.33	60	Pass	601
1920	3000	1	RMS	2764.782	-38.59	-13	Pass	1080
3000	12000	1	RMS	11988.999	-45.28	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.26	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.1	-13	Pass	2985
30	1000	0.1	RMS	900.09	-54.22	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.47	-13	Pass	830
1830	1920	1	RMS	1886.7	22.58	60	Pass	601
1920	3000	1	RMS	2764.782	-38.62	-13	Pass	1080
3000	12000	1	RMS	11994.999	-45.25	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.37	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.55	-13	Pass	2985
30	1000	0.1	RMS	974.097	-54.26	-13	Pass	9700
1000	1830	1	RMS	1816.984	-43.44	-13	Pass	830
1830	1920	1	RMS	1895.85	22.43	60	Pass	601
1920	3000	1	RMS	2769.787	-38.54	-13	Pass	1080
3000	12000	1	RMS	5687.299	-44.19	-13	Pass	9000
12000	20000	1	RMS	19848.981	-31.2	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.03	-13	Pass	601
0.15	30	0.01	RMS	0.61	-47.83	-13	Pass	2985
30	1000	0.1	RMS	889.189	-53.89	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.47	-13	Pass	830
1830	1920	1	RMS	1909.2	22.63	60	Pass	601
1920	3000	1	RMS	2769.787	-38.58	-13	Pass	1080
3000	12000	1	RMS	5727.303	-43.12	-13	Pass	9000
12000	20000	1	RMS	19847.981	-31.33	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	601
0.15	30	0.01	RMS	0.16	-48.5	-13	Pass	2985
30	1000	0.1	RMS	937.194	-54.15	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.46	-13	Pass	830
1830	1920	1	RMS	1895.85	20.7	60	Pass	601
1920	3000	1	RMS	2766.784	-38.66	-13	Pass	1080
3000	12000	1	RMS	11999	-45.13	-13	Pass	9000
12000	20000	1	RMS	19840.98	-31.25	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.49	-13	Pass	2985
30	1000	0.1	RMS	927.493	-54.32	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.42	-13	Pass	830
1830	1920	1	RMS	1909.2	21.44	60	Pass	601
1920	3000	1	RMS	2768.786	-38.58	-13	Pass	1080
3000	12000	1	RMS	5727.303	-44.33	-13	Pass	9000
12000	20000	1	RMS	19842.98	-31.29	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.41	-13	Pass	601
0.15	30	0.01	RMS	0.61	-48.4	-13	Pass	2985
30	1000	0.1	RMS	907.09	-54.32	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.5	-13	Pass	830
1830	1920	1	RMS	1851.15	22.16	60	Pass	601
1920	3000	1	RMS	2761.779	-38.6	-13	Pass	1080
3000	12000	1	RMS	11988.999	-45.21	-13	Pass	9000
12000	20000	1	RMS	19845.981	-31.37	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.18	-13	Pass	2985
30	1000	0.1	RMS	928.893	-54.14	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.45	-13	Pass	830
1830	1920	1	RMS	1868.85	22.8	60	Pass	601
1920	3000	1	RMS	2769.787	-38.52	-13	Pass	1080
3000	12000	1	RMS	11993.999	-45.22	-13	Pass	9000
12000	20000	1	RMS	19850.981	-31.29	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.65	-13	Pass	2985
30	1000	0.1	RMS	915.491	-54.21	-13	Pass	9700
1000	1830	1	RMS	1827.998	-43.48	-13	Pass	830
1830	1920	1	RMS	1851.15	21.45	60	Pass	601
1920	3000	1	RMS	2770.788	-38.65	-13	Pass	1080
3000	12000	1	RMS	11996	-45.31	-13	Pass	9000
12000	20000	1	RMS	19847.981	-31.28	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.29	-13	Pass	601
0.15	30	0.01	RMS	0.61	-49.07	-13	Pass	2985
30	1000	0.1	RMS	872.587	-54.35	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.43	-13	Pass	830
1830	1920	1	RMS	1868.85	22.34	60	Pass	601
1920	3000	1	RMS	2767.785	-38.56	-13	Pass	1080
3000	12000	1	RMS	11999	-45.2	-13	Pass	9000
12000	20000	1	RMS	19846.981	-31.21	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.12	-13	Pass	601
0.15	30	0.01	RMS	0.61	-48.95	-13	Pass	2985
30	1000	0.1	RMS	938.194	-54.17	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.46	-13	Pass	830
1830	1920	1	RMS	1871.1	23.17	60	Pass	601
1920	3000	1	RMS	2769.787	-38.59	-13	Pass	1080
3000	12000	1	RMS	11963.996	-45.21	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.19	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.4	-13	Pass	601
0.15	30	0.01	RMS	0.61	-49.32	-13	Pass	2985
30	1000	0.1	RMS	987.799	-54.27	-13	Pass	9700
1000	1830	1	RMS	1825.995	-43.49	-13	Pass	830
1830	1920	1	RMS	1888.95	22.38	60	Pass	601
1920	3000	1	RMS	2769.787	-38.54	-13	Pass	1080
3000	12000	1	RMS	11982.998	-45.1	-13	Pass	9000
12000	20000	1	RMS	19849.981	-31.22	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.02	-13	Pass	2985
30	1000	0.1	RMS	918.592	-54.38	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.44	-13	Pass	830
1830	1920	1	RMS	1871.1	21.89	60	Pass	601
1920	3000	1	RMS	2767.785	-38.59	-13	Pass	1080
3000	12000	1	RMS	11992.999	-45.11	-13	Pass	9000
12000	20000	1	RMS	19846.981	-31.23	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.36	-13	Pass	2985
30	1000	0.1	RMS	895.489	-54.04	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.46	-13	Pass	830
1830	1920	1	RMS	1888.95	21.24	60	Pass	601
1920	3000	1	RMS	2768.786	-38.62	-13	Pass	1080
3000	12000	1	RMS	12000	-45.17	-13	Pass	9000
12000	20000	1	RMS	19841.98	-31.38	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.36	-13	Pass	2985
30	1000	0.1	RMS	887.488	-54.11	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.45	-13	Pass	830
1830	1920	1	RMS	1891.05	22.44	60	Pass	601
1920	3000	1	RMS	2765.783	-38.6	-13	Pass	1080
3000	12000	1	RMS	11974.997	-45.23	-13	Pass	9000
12000	20000	1	RMS	19850.981	-31.12	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.35	-13	Pass	601
0.15	30	0.01	RMS	0.61	-47.8	-13	Pass	2985
30	1000	0.1	RMS	912.591	-54.4	-13	Pass	9700
1000	1830	1	RMS	1830	-43.42	-13	Pass	830
1830	1920	1	RMS	1908.9	22.54	60	Pass	601
1920	3000	1	RMS	2768.786	-38.62	-13	Pass	1080
3000	12000	1	RMS	5726.303	-43.84	-13	Pass	9000
12000	20000	1	RMS	19844.981	-31.37	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-47.27	-13	Pass	2985
30	1000	0.1	RMS	915.991	-54.01	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.45	-13	Pass	830
1830	1920	1	RMS	1891.05	21.64	60	Pass	601
1920	3000	1	RMS	2769.787	-38.61	-13	Pass	1080
3000	12000	1	RMS	11971.997	-45.21	-13	Pass	9000
12000	20000	1	RMS	19851.981	-31.31	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48	-13	Pass	2985
30	1000	0.1	RMS	914.291	-53.96	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.47	-13	Pass	830
1830	1920	1	RMS	1908.9	21.85	60	Pass	601
1920	3000	1	RMS	2767.785	-38.6	-13	Pass	1080
3000	12000	1	RMS	5726.303	-44.56	-13	Pass	9000
12000	20000	1	RMS	19850.981	-31.31	-13	Pass	8000



END