

Antenna Specification

Specifications

Summary

ITEM	SPEC.	
Frequency	2.4GHz	
Center Frequency	2402 MHz	0.48 dBi
	2442 MHz	1.08 dBi
	2484 MHz	1.04dBi
MAX. GAIN	1.08 dBi	

ITEM	SPEC.	
Frequency	5 GHz	
Center Frequency	5150 MHz	2.46 dBi
	5300 MHz	2.80 dBi
	5500 MHz	1.74 dBi
	5800 MHz	1.35 dBi
MAX. GAIN	2.80 dBi	

天线类型/ANT Type: FPC


天线型号/ ANT Model: A50ANT3

制造商/Manufactory:


YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.

No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China




天线尺寸/ANT Size(Unit:mm)




2402MHz





2D daily chart (X->Y;X->Z;Y->Z)




2442MHz




2D daily chart (X->Y;X->Z;Y->Z)








2484MHz




2D daily chart (X->Y;X->Z;Y->Z)






Point Values	Minimum Gain (dBi)	Maximum Gain (dBi)	Average Gain (dBi)
Frequency (MHz)			
2402	-23.0384	0.47517	-2.59614
2442	-19.6168	1.08489	-1.98143
2484	-15.2790	1.03719	-1.97176

5150MHz




2D daily chart (X->Y;X->Z;Y->Z)









5300MHz





2D daily chart (X->Y;X->Z;Y->Z)




5500MHz




2D daily chart (X->Y;X->Z;Y->Z)








5800MHz



2D daily chart (X->Y;X->Z;Y->Z)



Point Values	Minimum Gain (dBi)	Maximum Gain (dBi)	Average Gain (dBi)
Frequency (MHz)			
5150	-12.4244	2.46162	-1.66457
5300	-17.5480	2.80336	-2.00894
5500	-18.4085	1.74115	-2.54234
5800	-14.7952	1.35286	-3.01166