


Report Number :TERF2409002610ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5732.53	Peak	54.65	0.33	54.98	88.20	-33.22
5919.80	Average	44.20	0.87	45.07	68.20	-23.13
5965.00	Peak	95.05	0.98	96.03	-	-
5965.00	Average	86.11	0.98	87.09	-	-
7215.96	Peak	52.95	4.87	57.82	88.20	-30.38
7248.47	Average	43.23	4.93	48.16	68.20	-20.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax40 RU 242/61
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5710.78	Peak	55.27	0.30	55.57	88.20	-32.63
5898.30	Average	43.92	0.82	44.74	68.20	-23.46
5965.00	Peak	99.23	0.98	100.21	-	-
5965.00	Average	90.22	0.98	91.20	-	-
7227.22	Average	43.20	4.88	48.08	68.20	-20.12
7243.22	Peak	53.67	4.92	58.59	88.20	-29.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11ax40 RU 242/61
 Test Frequency :5965 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-07
 Temp./Humi. :22.5°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5889.55	Peak	54.50	0.79	55.29	88.20	-32.91
5916.55	Average	44.16	0.87	45.03	68.20	-23.17
5965.00	Peak	95.50	0.98	96.48	-	-
5965.00	Average	87.04	0.98	88.02	-	-
7246.72	Peak	52.90	4.92	57.82	88.20	-30.38
7249.47	Average	43.17	4.93	48.10	68.20	-20.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax40 RU Full
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5869.55	Peak	54.15	0.71	54.86	88.20	-33.34
5902.05	Average	43.73	0.83	44.56	68.20	-23.64
7085.00	Peak	92.15	4.50	96.65	-	-
7085.00	Average	82.75	4.50	87.25	-	-
7147.21	Peak	53.55	4.70	58.25	88.20	-29.95
7239.22	Average	43.27	4.92	48.19	68.20	-20.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax40 RU Full
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5914.55	Peak	53.78	0.87	54.65	88.20	-33.55
5920.55	Average	44.01	0.87	44.88	68.20	-23.32
7085.00	Peak	92.04	4.50	96.54	-	-
7085.00	Average	82.61	4.50	87.11	-	-
7204.96	Peak	53.04	4.85	57.89	88.20	-30.31
7220.22	Average	43.23	4.87	48.10	68.20	-20.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax40 RU 242/62
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5839.79	Peak	54.25	0.60	54.85	88.20	-33.35
5892.30	Average	43.77	0.80	44.57	68.20	-23.63
7085.00	Peak	91.55	4.50	96.05	-	-
7085.00	Average	82.89	4.50	87.39	-	-
7186.46	Peak	52.96	4.80	57.76	88.20	-30.44
7194.96	Average	43.37	4.83	48.20	68.20	-20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax40 RU 242/62
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5894.30	Average	44.07	0.81	44.88	68.20	-23.32
5917.05	Peak	53.42	0.86	54.28	88.20	-33.92
7085.00	Peak	89.91	4.50	94.41	-	-
7085.00	Average	81.56	4.50	86.06	-	-
7174.96	Peak	53.92	4.78	58.70	88.20	-29.50
7234.47	Average	43.09	4.90	47.99	68.20	-20.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5762.03	Peak	54.66	0.39	55.05	88.20	-33.15
5906.80	Average	43.93	0.84	44.77	68.20	-23.43
5985.00	Peak	94.04	1.02	95.06	-	-
5985.00	Average	84.28	1.02	85.30	-	-
7186.21	Peak	53.20	4.79	57.99	88.20	-30.21
7243.47	Average	43.35	4.92	48.27	68.20	-19.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5875.55	Peak	54.65	0.72	55.37	88.20	-32.83
5884.80	Average	43.90	0.76	44.66	68.20	-23.54
5985.00	Peak	89.83	1.02	90.85	-	-
5985.00	Average	80.57	1.02	81.59	-	-
7199.71	Peak	52.80	4.84	57.64	88.20	-30.56
7230.47	Average	43.17	4.90	48.07	68.20	-20.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax80 RU 484/65
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5892.05	Peak	54.12	0.80	54.92	88.20	-33.28
5904.30	Average	43.83	0.84	44.67	68.20	-23.53
5985.00	Peak	91.40	1.02	92.42	-	-
5985.00	Average	82.56	1.02	83.58	-	-
7190.21	Peak	53.07	4.81	57.88	88.20	-30.32
7249.22	Average	43.13	4.93	48.06	68.20	-20.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax80 RU 484/65
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5792.79	Peak	54.41	0.49	54.90	88.20	-33.30
5912.30	Average	44.21	0.86	45.07	68.20	-23.13
5985.00	Peak	91.76	1.02	92.78	-	-
5985.00	Average	81.54	1.02	82.56	-	-
7228.72	Average	43.16	4.89	48.05	68.20	-20.15
7244.22	Peak	52.92	4.92	57.84	88.20	-30.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax80 RU Full
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5837.29	Peak	53.98	0.58	54.56	88.20	-33.64
5885.05	Average	43.79	0.76	44.55	68.20	-23.65
7025.00	Peak	90.53	4.20	94.73	-	-
7025.00	Average	81.69	4.20	85.89	-	-
7144.21	Peak	53.23	4.70	57.93	88.20	-30.27
7242.97	Average	43.17	4.92	48.09	68.20	-20.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax80 RU Full
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5884.30	Peak	54.44	0.76	55.20	88.20	-33.00
5900.30	Average	44.34	0.83	45.17	68.20	-23.03
7025.00	Peak	87.07	4.20	91.27	-	-
7025.00	Average	78.13	4.20	82.33	-	-
7159.71	Peak	53.13	4.73	57.86	88.20	-30.34
7227.22	Average	43.15	4.88	48.03	68.20	-20.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5654.77	Peak	54.17	0.06	54.23	88.20	-33.97
5852.04	Average	44.01	0.63	44.64	68.20	-23.56
7025.00	Peak	91.72	4.20	95.92	-	-
7025.00	Average	81.71	4.20	85.91	-	-
7208.96	Peak	53.72	4.86	58.58	88.20	-29.62
7241.72	Average	43.34	4.91	48.25	68.20	-19.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5848.29	Peak	55.01	0.62	55.63	88.20	-32.57
5896.80	Average	43.89	0.82	44.71	68.20	-23.49
7025.00	Peak	92.17	4.20	96.37	-	-
7025.00	Average	82.78	4.20	86.98	-	-
7134.20	Peak	53.99	4.67	58.66	88.20	-29.54
7249.22	Average	43.10	4.93	48.03	68.20	-20.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU Full
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5838.04	Peak	55.57	0.60	56.17	88.20	-32.03
5925.00	Average	45.06	0.88	45.94	68.20	-22.26
6025.00	Peak	94.62	1.12	95.74	-	-
6025.00	Average	84.19	1.12	85.31	-	-
7184.46	Peak	53.05	4.80	57.85	88.20	-30.35
7249.72	Average	43.34	4.93	48.27	68.20	-19.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU Full
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5864.55	Peak	54.48	0.69	55.17	88.20	-33.03
5907.05	Average	44.11	0.84	44.95	68.20	-23.25
6025.00	Peak	91.15	1.12	92.27	-	-
6025.00	Average	80.77	1.12	81.89	-	-
7190.46	Peak	53.94	4.81	58.75	88.20	-29.45
7240.72	Average	43.15	4.91	48.06	68.20	-20.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU 996/67
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5662.02	Peak	54.55	0.10	54.65	88.20	-33.55
5921.55	Average	43.92	0.87	44.79	68.20	-23.41
6025.00	Peak	93.99	1.12	95.11	-	-
6025.00	Average	83.85	1.12	84.97	-	-
7149.96	Peak	53.45	4.71	58.16	88.20	-30.04
7247.72	Average	43.29	4.93	48.22	68.20	-19.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU 996/67
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5816.29	Peak	53.95	0.55	54.50	88.20	-33.70
5920.55	Average	43.79	0.87	44.66	68.20	-23.54
6025.00	Peak	91.11	1.12	92.23	-	-
6025.00	Average	81.54	1.12	82.66	-	-
7194.21	Peak	52.68	4.83	57.51	88.20	-30.69
7217.22	Average	43.27	4.87	48.14	68.20	-20.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU Full
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5857.04	Peak	54.36	0.65	55.01	88.20	-33.19
5877.30	Average	43.96	0.73	44.69	68.20	-23.51
6985.00	Peak	90.31	4.00	94.31	-	-
6985.00	Average	80.25	4.00	84.25	-	-
7171.46	Peak	54.08	4.77	58.85	88.20	-29.35
7187.71	Average	43.50	4.80	48.30	68.20	-19.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU Full
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5781.29	Peak	55.15	0.44	55.59	88.20	-32.61
5903.80	Average	44.02	0.84	44.86	68.20	-23.34
6985.00	Peak	83.65	4.00	87.65	-	-
6985.00	Average	74.04	4.00	78.04	-	-
7215.46	Peak	53.49	4.87	58.36	88.20	-29.84
7247.97	Average	43.20	4.93	48.13	68.20	-20.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU 996/67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5817.54	Peak	53.99	0.56	54.55	88.20	-33.65
5905.55	Average	43.75	0.84	44.59	68.20	-23.61
6985.00	Peak	91.10	4.00	95.10	-	-
6985.00	Average	81.13	4.00	85.13	-	-
7245.97	Average	43.09	4.93	48.02	68.20	-20.18
7249.47	Peak	53.24	4.93	58.17	88.20	-30.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU 996/67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5888.55	Average	44.01	0.78	44.79	68.20	-23.41
5913.55	Peak	53.76	0.87	54.63	88.20	-33.57
6985.00	Peak	85.48	4.00	89.48	-	-
6985.00	Average	76.79	4.00	80.79	-	-
7239.72	Peak	53.16	4.91	58.07	88.20	-30.13
7246.97	Average	43.11	4.92	48.03	68.20	-20.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU 996/S67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5820.79	Peak	53.71	0.56	54.27	88.20	-33.93
5913.80	Average	43.76	0.87	44.63	68.20	-23.57
6985.00	Peak	86.57	4.00	90.57	-	-
6985.00	Average	77.52	4.00	81.52	-	-
7232.47	Peak	52.86	4.89	57.75	88.20	-30.45
7237.47	Average	43.25	4.90	48.15	68.20	-20.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11ax160 RU 996/S67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5853.04	Average	44.04	0.63	44.67	68.20	-23.53
5870.55	Peak	54.59	0.71	55.30	88.20	-32.90
6985.00	Peak	84.63	4.00	88.63	-	-
6985.00	Average	75.05	4.00	79.05	-	-
7213.96	Peak	53.50	4.87	58.37	88.20	-29.83
7248.22	Average	43.11	4.93	48.04	68.20	-20.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU Full
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5854.79	Peak	54.06	0.55	54.61	88.20	-33.59
5898.55	Average	43.75	0.82	44.57	68.20	-23.63
5955.00	Peak	94.03	0.85	94.88	-	-
5955.00	Average	84.13	0.85	84.98	-	-
7227.22	Peak	52.94	4.74	57.68	88.20	-30.52
7249.97	Average	43.10	4.83	47.93	68.20	-20.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU Full
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5894.30	Average	43.69	0.80	44.49	68.20	-23.71
5924.30	Peak	54.52	0.83	55.35	88.20	-32.85
5955.00	Peak	92.21	0.85	93.06	-	-
5955.00	Average	82.05	0.85	82.90	-	-
7193.46	Peak	53.98	4.64	58.62	88.20	-29.58
7234.22	Average	43.18	4.77	47.95	68.20	-20.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5955 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-24
 Temp./Humi. :24.3°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5819.54	Peak	54.10	0.46	54.56	88.20	-33.64
5899.55	Average	43.79	0.83	44.62	68.20	-23.58
5955.00	Peak	92.57	0.85	93.42	-	-
5955.00	Average	85.39	0.85	86.24	-	-
7216.71	Peak	53.23	4.71	57.94	88.20	-30.26
7243.47	Average	43.23	4.80	48.03	68.20	-20.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 26/0
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5891.80	Peak	53.20	0.78	53.98	88.20	-34.22
5900.05	Average	43.56	0.83	44.39	68.20	-23.81
5955.00	Peak	86.77	0.85	87.62	-	-
5955.00	Average	79.38	0.85	80.23	-	-
7231.97	Average	43.22	4.77	47.99	68.20	-20.21
7245.72	Peak	53.10	4.81	57.91	88.20	-30.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 52/37
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5909.80	Average	43.83	0.84	44.67	68.20	-23.53
5922.05	Peak	53.84	0.83	54.67	88.20	-33.53
5955.00	Peak	94.36	0.85	95.21	-	-
5955.00	Average	85.18	0.85	86.03	-	-
7218.72	Peak	53.12	4.70	57.82	88.20	-30.38
7249.22	Average	43.14	4.83	47.97	68.20	-20.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 52/37
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5806.54	Peak	54.59	0.42	55.01	88.20	-33.19
5885.55	Average	43.73	0.73	44.46	68.20	-23.74
5955.00	Peak	91.00	0.85	91.85	-	-
5955.00	Average	81.79	0.85	82.64	-	-
7153.21	Peak	53.12	4.61	57.73	88.20	-30.47
7249.47	Average	43.21	4.83	48.04	68.20	-20.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 106/53
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5871.05	Peak	53.99	0.66	54.65	88.20	-33.55
5898.30	Average	43.70	0.82	44.52	68.20	-23.68
5955.00	Peak	94.79	0.85	95.64	-	-
5955.00	Average	86.89	0.85	87.74	-	-
7197.46	Peak	53.48	4.63	58.11	88.20	-30.09
7247.72	Average	43.08	4.82	47.90	68.20	-20.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 106/53
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5594.51	Peak	54.84	-0.11	54.73	88.20	-33.47
5876.55	Average	43.81	0.68	44.49	68.20	-23.71
5955.00	Peak	86.08	0.85	86.93	-	-
5955.00	Average	76.87	0.85	77.72	-	-
7175.96	Peak	54.39	4.62	59.01	88.20	-29.19
7243.97	Average	43.05	4.81	47.86	68.20	-20.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5955 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-10-01
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5655.02	Peak	54.29	0.06	54.35	88.20	-33.85
5905.55	Average	43.77	0.84	44.61	68.20	-23.59
5955.00	Peak	83.41	0.95	84.36	-	-
5955.00	Average	75.40	0.95	76.35	-	-
7195.46	Peak	53.76	4.82	58.58	88.20	-29.62
7249.97	Average	43.02	4.93	47.95	68.20	-20.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5865.05	Peak	53.68	0.69	54.37	88.20	-33.83
5898.30	Average	43.73	0.82	44.55	68.20	-23.65
5955.00	Peak	81.19	0.95	82.14	-	-
5955.00	Average	73.70	0.95	74.65	-	-
7175.46	Peak	53.77	4.77	58.54	88.20	-29.66
7242.47	Average	43.19	4.91	48.10	68.20	-20.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5898.80	Average	43.79	0.83	44.62	68.20	-23.58
5900.80	Peak	53.78	0.83	54.61	88.20	-33.59
5955.00	Peak	84.18	0.95	85.13	-	-
5955.00	Average	75.62	0.95	76.57	-	-
7213.71	Peak	53.00	4.87	57.87	88.20	-30.33
7249.97	Average	43.07	4.93	48.00	68.20	-20.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5955 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5766.03	Peak	53.80	0.40	54.20	88.20	-34.00
5895.80	Average	43.72	0.81	44.53	68.20	-23.67
5955.00	Peak	81.00	0.95	81.95	-	-
5955.00	Average	73.50	0.95	74.45	-	-
7219.22	Peak	53.51	4.87	58.38	88.20	-29.82
7239.47	Average	43.24	4.91	48.15	68.20	-20.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU Full
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5801.79	Peak	53.67	0.41	54.08	88.20	-34.12
5899.80	Average	43.62	0.83	44.45	68.20	-23.75
7115.00	Peak	82.02	4.52	86.54	-	-
7115.00	Average	73.92	4.52	78.44	-	-
7125.00	Peak	73.57	4.54	78.11	88.20	-10.09
7125.00	Average	62.86	4.54	67.40	68.20	-0.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU Full
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5900.55	Average	43.63	0.83	44.46	68.20	-23.74
5920.55	Peak	54.42	0.83	55.25	88.20	-32.95
7115.00	Peak	77.87	4.52	82.39	-	-
7115.00	Average	68.80	4.52	73.32	-	-
7125.00	Peak	70.44	4.54	74.98	88.20	-13.22
7125.00	Average	57.85	4.54	62.39	68.20	-5.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :7115 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-24
 Temp./Humi. :24.3°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5644.02	Peak	54.61	0.03	54.64	88.20	-33.56
5894.55	Average	43.79	0.81	44.60	68.20	-23.60
7115.00	Peak	72.08	4.62	76.70	-	-
7115.00	Average	65.54	4.62	70.16	-	-
7125.00	Peak	65.99	4.64	70.63	88.20	-17.57
7125.00	Average	56.66	4.64	61.30	68.20	-6.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 26/8
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5869.55	Peak	53.90	0.71	54.61	88.20	-33.59
5909.30	Average	43.79	0.86	44.65	68.20	-23.55
7115.00	Peak	68.76	4.62	73.38	-	-
7115.00	Average	62.60	4.62	67.22	-	-
7125.00	Peak	62.12	4.64	66.76	88.20	-21.44
7125.00	Average	53.60	4.64	58.24	68.20	-9.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 52/40
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5891.05	Peak	54.15	0.79	54.94	88.20	-33.26
5903.30	Average	43.77	0.84	44.61	68.20	-23.59
7115.00	Peak	70.87	4.62	75.49	-	-
7115.00	Average	62.48	4.62	67.10	-	-
7125.00	Peak	61.07	4.64	65.71	88.20	-22.49
7125.00	Average	53.51	4.64	58.15	68.20	-10.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :7115 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-24
 Temp./Humi. :24.3°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5897.80	Average	43.85	0.82	44.67	68.20	-23.53
5902.05	Peak	53.30	0.83	54.13	88.20	-34.07
7115.00	Peak	67.87	4.62	72.49	-	-
7115.00	Average	59.83	4.62	64.45	-	-
7125.00	Peak	59.39	4.64	64.03	88.20	-24.17
7125.00	Average	50.99	4.64	55.63	68.20	-12.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5917.55	Average	43.73	0.87	44.60	68.20	-23.60
5923.30	Peak	54.06	0.88	54.94	88.20	-33.26
7115.00	Peak	67.74	4.62	72.36	-	-
7115.00	Average	59.67	4.62	64.29	-	-
7125.00	Peak	61.64	4.64	66.28	88.20	-21.92
7125.00	Average	53.58	4.64	58.22	68.20	-9.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5818.54	Peak	54.55	0.56	55.11	88.20	-33.09
5896.05	Average	43.85	0.81	44.66	68.20	-23.54
7115.00	Peak	65.43	4.62	70.05	-	-
7115.00	Average	56.89	4.62	61.51	-	-
7125.00	Peak	57.17	4.64	61.81	88.20	-26.39
7125.00	Average	51.11	4.64	55.75	68.20	-12.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5899.05	Average	43.72	0.83	44.55	68.20	-23.65
5922.80	Peak	53.41	0.88	54.29	88.20	-33.91
7115.00	Peak	71.36	4.62	75.98	-	-
7115.00	Average	63.34	4.62	67.96	-	-
7187.71	Peak	53.28	4.80	58.08	88.20	-30.12
7245.22	Average	43.19	4.92	48.11	68.20	-20.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5787.54	Peak	53.55	0.48	54.03	88.20	-34.17
5908.55	Average	43.79	0.86	44.65	68.20	-23.55
7115.00	Peak	67.44	4.62	72.06	-	-
7115.00	Average	60.56	4.62	65.18	-	-
7138.21	Peak	53.70	4.67	58.37	88.20	-29.83
7231.97	Average	43.18	4.90	48.08	68.20	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5901.30	Average	43.77	0.83	44.60	68.20	-23.60
5904.55	Peak	53.79	0.84	54.63	88.20	-33.57
7115.00	Peak	71.87	4.62	76.49	-	-
7115.00	Average	63.06	4.62	67.68	-	-
7125.00	Peak	64.40	4.64	69.04	88.20	-19.16
7125.00	Average	57.00	4.64	61.64	68.20	-6.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :7115 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5902.80	Average	43.78	0.84	44.62	68.20	-23.58
5912.05	Peak	54.53	0.86	55.39	88.20	-32.81
7115.00	Peak	69.73	4.62	74.35	-	-
7115.00	Average	60.32	4.62	64.94	-	-
7125.00	Peak	59.19	4.64	63.83	88.20	-24.37
7125.00	Average	51.99	4.64	56.63	68.20	-11.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be40 RU Full
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5657.52	Peak	54.06	-0.03	54.03	88.20	-34.17
5922.05	Average	43.77	0.83	44.60	68.20	-23.60
5965.00	Peak	95.21	0.88	96.09	-	-
5965.00	Average	86.51	0.88	87.39	-	-
7217.72	Peak	53.86	4.71	58.57	88.20	-29.63
7245.72	Average	43.09	4.81	47.90	68.20	-20.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be40 RU Full
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5842.04	Peak	54.16	0.50	54.66	88.20	-33.54
5901.80	Average	43.62	0.83	44.45	68.20	-23.75
5965.00	Peak	88.64	0.88	89.52	-	-
5965.00	Average	79.72	0.88	80.60	-	-
7245.72	Average	43.10	4.81	47.91	68.20	-20.29
7247.72	Peak	52.94	4.82	57.76	88.20	-30.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be40 RU 242_61
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5756.532	Peak	53.68	0.37	54.05	88.20	-34.15
5851.544	Average	44.28	0.63	44.91	68.20	-23.29
5965.000	Peak	96.32	0.98	97.30	-	-
5965.000	Average	86.85	0.98	87.83	-	-
7135.705	Peak	53.21	4.67	57.87	88.20	-30.33
7248.969	Average	43.35	4.93	48.28	68.20	-19.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be40 RU 242_61
Test Frequency :5965 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5907.801	Peak	54.98	0.85	55.82	88.20	-32.38
5924.803	Average	45.01	0.89	45.90	68.20	-22.30
5965.000	Peak	92.51	0.98	93.49	-	-
5965.000	Average	83.72	0.98	84.70	-	-
7182.710	Peak	53.76	4.79	58.55	88.20	-29.65
7249.969	Average	43.31	4.93	48.24	68.20	-19.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :7085 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-24
 Temp./Humi. :24.3°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5844.04	Peak	53.67	0.51	54.18	88.20	-34.02
5905.55	Average	43.60	0.83	44.43	68.20	-23.77
7085.00	Peak	93.47	4.40	97.87	-	-
7085.00	Average	84.25	4.40	88.65	-	-
7236.47	Peak	53.42	4.78	58.20	88.20	-30.00
7249.97	Average	43.08	4.83	47.91	68.20	-20.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be40 RU Full
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5863.05	Peak	54.44	0.61	55.05	88.20	-33.15
5887.55	Average	43.62	0.76	44.38	68.20	-23.82
7085.00	Peak	89.41	4.40	93.81	-	-
7085.00	Average	80.73	4.40	85.13	-	-
7224.72	Peak	53.19	4.74	57.93	88.20	-30.27
7247.22	Average	43.02	4.82	47.84	68.20	-20.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be40 RU 242_62
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5851.794	Average	44.89	0.63	45.52	68.20	-22.68
5913.802	Peak	54.57	0.86	55.43	88.20	-32.77
7085.000	Peak	95.49	4.50	99.98	-	-
7085.000	Average	86.38	4.50	90.88	-	-
7197.962	Peak	53.49	4.83	58.32	88.20	-29.88
7238.717	Average	43.37	4.91	48.28	68.20	-19.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be40 RU 242_62
Test Frequency :7085 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-07
Temp./Humi. :22.5°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5845.293	Peak	54.31	0.61	54.92	88.20	-33.28
5858.295	Average	44.37	0.65	45.03	68.20	-23.17
7085.000	Peak	96.97	4.50	101.47	-	-
7085.000	Average	87.60	4.50	92.10	-	-
7234.217	Peak	53.39	4.90	58.29	88.20	-29.91
7239.217	Average	43.26	4.91	48.17	68.20	-20.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU Full
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5924.55	Average	43.85	0.83	44.68	68.20	-23.52
5925.00	Peak	53.23	0.83	54.06	88.20	-34.14
5985.00	Peak	95.78	0.92	96.70	-	-
5985.00	Average	86.31	0.92	87.23	-	-
7168.46	Peak	53.29	4.62	57.91	88.20	-30.29
7243.97	Average	43.03	4.81	47.84	68.20	-20.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU Full
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5886.55	Peak	53.63	0.74	54.37	88.20	-33.83
5901.05	Average	43.64	0.83	44.47	68.20	-23.73
5985.00	Peak	90.68	0.92	91.60	-	-
5985.00	Average	81.87	0.92	82.79	-	-
7173.46	Peak	52.97	4.63	57.60	88.20	-30.60
7248.97	Average	43.00	4.83	47.83	68.20	-20.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5851.54	Peak	54.05	0.53	54.58	88.20	-33.62
5897.30	Average	43.94	0.81	44.75	68.20	-23.45
5985.00	Peak	96.41	0.92	97.33	-	-
5985.00	Average	85.99	0.92	86.91	-	-
7202.46	Peak	52.96	4.65	57.61	88.20	-30.59
7249.97	Average	42.93	4.83	47.76	68.20	-20.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5884.05	Peak	53.97	0.72	54.69	88.20	-33.51
5902.80	Average	43.82	0.83	44.65	68.20	-23.55
5985.00	Peak	88.72	0.92	89.64	-	-
5985.00	Average	79.66	0.92	80.58	-	-
7215.96	Peak	53.07	4.70	57.77	88.20	-30.43
7249.47	Average	42.97	4.83	47.80	68.20	-20.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11be80 RU 484+242MRU2
 Test Frequency :5985 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-10-01
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5877.05	Peak	53.47	0.73	54.20	88.20	-34.00
5914.05	Average	43.77	0.87	44.64	68.20	-23.56
5985.00	Peak	86.12	1.02	87.14	-	-
5985.00	Average	76.71	1.02	77.73	-	-
7203.21	Peak	52.65	4.85	57.50	88.20	-30.70
7246.47	Average	43.15	4.92	48.07	68.20	-20.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484+242MRU2
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5837.79	Peak	53.85	0.60	54.45	88.20	-33.75
5886.30	Average	43.88	0.77	44.65	68.20	-23.55
5985.00	Peak	78.64	1.02	79.66	-	-
5985.00	Average	70.03	1.02	71.05	-	-
7204.96	Peak	53.20	4.85	58.05	88.20	-30.15
7240.72	Average	43.17	4.91	48.08	68.20	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484+242MRU4
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5853.54	Peak	54.15	0.63	54.78	88.20	-33.42
5899.55	Average	43.70	0.83	44.53	68.20	-23.67
5985.00	Peak	87.03	1.02	88.05	-	-
5985.00	Average	77.01	1.02	78.03	-	-
7217.97	Peak	53.23	4.87	58.10	88.20	-30.10
7249.22	Average	43.14	4.93	48.07	68.20	-20.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484+242MRU4
Test Frequency :5985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5874.80	Peak	54.37	0.73	55.10	88.20	-33.10
5888.30	Average	43.73	0.78	44.51	68.20	-23.69
5985.00	Peak	79.62	1.02	80.64	-	-
5985.00	Average	70.53	1.02	71.55	-	-
7228.97	Average	43.20	4.89	48.09	68.20	-20.11
7229.47	Peak	52.46	4.90	57.36	88.20	-30.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU Full
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5724.03	Peak	55.91	0.22	56.13	88.20	-32.07
5895.55	Average	43.83	0.80	44.63	68.20	-23.57
7025.00	Peak	94.08	4.05	98.13	-	-
7025.00	Average	83.38	4.05	87.43	-	-
7176.71	Peak	53.33	4.62	57.95	88.20	-30.25
7245.72	Average	43.00	4.81	47.81	68.20	-20.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU Full
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5697.78	Peak	53.98	0.18	54.16	88.20	-34.04
5903.30	Average	43.67	0.83	44.50	68.20	-23.70
7025.00	Peak	90.38	4.05	94.43	-	-
7025.00	Average	81.54	4.05	85.59	-	-
7233.97	Peak	53.87	4.77	58.64	88.20	-29.56
7249.97	Average	42.93	4.83	47.76	68.20	-20.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5518.25	Peak	54.49	-0.18	54.31	88.20	-33.89
5886.30	Average	43.76	0.74	44.50	68.20	-23.70
7025.00	Peak	90.42	4.05	94.47	-	-
7025.00	Average	82.26	4.05	86.31	-	-
7237.72	Peak	53.30	4.79	58.09	88.20	-30.11
7248.72	Average	42.99	4.82	47.81	68.20	-20.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5785.54	Peak	54.24	0.37	54.61	88.20	-33.59
5904.55	Average	43.62	0.83	44.45	68.20	-23.75
7025.00	Peak	90.06	4.05	94.11	-	-
7025.00	Average	80.83	4.05	84.88	-	-
7165.46	Peak	53.62	4.61	58.23	88.20	-29.97
7222.22	Average	43.00	4.73	47.73	68.20	-20.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484+242MRU1
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5863.80	Peak	54.11	0.69	54.80	88.20	-33.40
5883.80	Average	43.76	0.76	44.52	68.20	-23.68
7025.00	Peak	80.42	4.20	84.62	-	-
7025.00	Average	71.25	4.20	75.45	-	-
7242.72	Peak	53.07	4.92	57.99	88.20	-30.21
7246.97	Average	43.07	4.92	47.99	68.20	-20.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484+242MRU1
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5792.29	Peak	53.69	0.48	54.17	88.20	-34.03
5915.30	Average	43.58	0.87	44.45	68.20	-23.75
7025.00	Peak	76.37	4.20	80.57	-	-
7025.00	Average	67.80	4.20	72.00	-	-
7210.21	Peak	53.02	4.86	57.88	88.20	-30.32
7237.47	Average	43.11	4.90	48.01	68.20	-20.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484+242MRU3
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5851.29	Peak	53.61	0.63	54.24	88.20	-33.96
5899.30	Average	43.71	0.83	44.54	68.20	-23.66
7025.00	Peak	78.29	4.20	82.49	-	-
7025.00	Average	69.96	4.20	74.16	-	-
7182.21	Peak	53.47	4.80	58.27	88.20	-29.93
7248.72	Average	43.12	4.93	48.05	68.20	-20.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be80 RU 484+242MRU3
Test Frequency :7025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-01
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5894.05	Average	43.70	0.81	44.51	68.20	-23.69
5919.30	Peak	54.40	0.87	55.27	88.20	-32.93
7025.00	Peak	77.55	4.20	81.75	-	-
7025.00	Average	67.66	4.20	71.86	-	-
7160.96	Peak	53.50	4.73	58.23	88.20	-29.97
7218.97	Average	43.21	4.87	48.08	68.20	-20.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU Full
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5874.30	Peak	55.87	0.68	56.55	88.20	-31.65
5925.00	Average	46.03	0.83	46.86	68.20	-21.34
6025.00	Peak	96.55	1.02	97.57	-	-
6025.00	Average	86.10	1.02	87.12	-	-
7221.22	Peak	53.71	4.72	58.43	88.20	-29.77
7239.47	Average	43.31	4.79	48.10	68.20	-20.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :6025 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-24
 Temp./Humi. :24.3°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5890.80	Peak	55.28	0.77	56.05	88.20	-32.15
5898.55	Average	44.47	0.82	45.29	68.20	-22.91
6025.00	Peak	93.23	1.02	94.25	-	-
6025.00	Average	83.25	1.02	84.27	-	-
7175.46	Peak	54.31	4.62	58.93	88.20	-29.27
7230.72	Average	43.66	4.76	48.42	68.20	-19.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996/67
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5862.795	Peak	54.18	0.60	54.78	88.20	-33.42
5900.300	Average	43.91	0.83	44.74	68.20	-23.46
6025.000	Peak	95.48	1.02	96.50	-	-
6025.000	Average	85.62	1.02	86.64	-	-
7160.208	Peak	53.59	4.61	58.21	88.20	-29.99
7230.466	Average	42.97	4.76	47.73	68.20	-20.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996/67
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5867.046	Peak	53.80	0.63	54.42	88.20	-33.78
5902.550	Average	43.63	0.83	44.46	68.20	-23.74
6025.000	Peak	87.50	1.02	88.52	-	-
6025.000	Average	79.69	1.02	80.71	-	-
7176.709	Peak	53.47	4.62	58.09	88.20	-30.11
7248.969	Average	42.94	4.83	47.77	68.20	-20.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU2
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5884.55	Peak	54.28	0.76	55.04	88.20	-33.16
5914.05	Average	43.77	0.87	44.64	68.20	-23.56
6025.00	Peak	82.07	1.12	83.19	-	-
6025.00	Average	72.78	1.12	73.90	-	-
7175.71	Peak	53.48	4.77	58.25	88.20	-29.95
7235.22	Average	43.06	4.90	47.96	68.20	-20.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU2
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5836.54	Peak	53.57	0.58	54.15	88.20	-34.05
5924.05	Average	43.84	0.88	44.72	68.20	-23.48
6025.00	Peak	80.88	1.12	82.00	-	-
6025.00	Average	72.63	1.12	73.75	-	-
7195.96	Average	43.25	4.82	48.07	68.20	-20.13
7212.21	Peak	53.12	4.85	57.97	88.20	-30.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER

Test Site :SAC 3

Operation Mode :802.11be160 RU 996+484+242MRU4

Test Date :2024-10-08

Test Frequency :6025 MHz


Temp./Humi. :24.5°C/66%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :NB Mode

Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5889.55	Peak	53.35	0.79	54.14	88.20	-34.06
5908.80	Average	43.66	0.86	44.52	68.20	-23.68
6025.00	Peak	83.72	1.12	84.84	-	-
6025.00	Average	73.25	1.12	74.37	-	-
7142.21	Peak	52.82	4.69	57.51	88.20	-30.69
7242.22	Average	43.03	4.91	47.94	68.20	-20.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU4
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5876.80	Peak	53.72	0.73	54.45	88.20	-33.75
5899.05	Average	43.71	0.83	44.54	68.20	-23.66
6025.00	Peak	77.42	1.12	78.54	-	-
6025.00	Average	67.83	1.12	68.95	-	-
7242.72	Peak	52.60	4.92	57.52	88.20	-30.68
7246.97	Average	43.11	4.92	48.03	68.20	-20.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU8
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5877.55	Peak	53.47	0.73	54.20	88.20	-34.00
5903.30	Average	43.78	0.84	44.62	68.20	-23.58
6025.00	Peak	83.22	1.12	84.34	-	-
6025.00	Average	73.14	1.12	74.26	-	-
7239.22	Average	43.08	4.92	48.00	68.20	-20.20
7244.97	Peak	53.13	4.92	58.05	88.20	-30.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER

Test Site :SAC 3

Operation Mode :802.11be160 RU 996+484+242MRU8

Test Date :2024-10-08

Test Frequency :6025 MHz


Temp./Humi. :24.5°C/66%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :NB Mode

Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5880.55	Peak	54.82	0.74	55.56	88.20	-32.64
5889.55	Average	43.81	0.79	44.60	68.20	-23.60
6025.00	Peak	79.64	1.12	80.76	-	-
6025.00	Average	69.26	1.12	70.38	-	-
7171.71	Peak	53.55	4.77	58.32	88.20	-29.88
7215.46	Average	43.18	4.87	48.05	68.20	-20.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU2
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5859.55	Peak	54.09	0.66	54.75	88.20	-33.45
5895.30	Average	43.88	0.81	44.69	68.20	-23.51
6025.00	Peak	81.27	1.12	82.39	-	-
6025.00	Average	71.58	1.12	72.70	-	-
7234.97	Average	43.05	4.90	47.95	68.20	-20.25
7235.72	Peak	53.37	4.90	58.27	88.20	-29.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU2
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5862.05	Peak	54.15	0.67	54.82	88.20	-33.38
5903.05	Average	43.93	0.84	44.77	68.20	-23.43
6025.00	Peak	79.52	1.12	80.64	-	-
6025.00	Average	70.35	1.12	71.47	-	-
7166.96	Peak	53.64	4.75	58.39	88.20	-29.81
7245.22	Average	43.22	4.92	48.14	68.20	-20.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU4
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5656.27	Peak	54.49	0.07	54.56	88.20	-33.64
5902.05	Average	43.86	0.83	44.69	68.20	-23.51
6025.00	Peak	81.63	1.12	82.75	-	-
6025.00	Average	72.33	1.12	73.45	-	-
7219.97	Average	43.18	4.87	48.05	68.20	-20.15
7249.22	Peak	53.45	4.93	58.38	88.20	-29.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU4
Test Frequency :6025 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5599.51	Peak	54.83	-0.11	54.72	88.20	-33.48
5901.05	Average	43.92	0.83	44.75	68.20	-23.45
6025.00	Peak	80.51	1.12	81.63	-	-
6025.00	Average	70.82	1.12	71.94	-	-
7143.96	Peak	53.35	4.70	58.05	88.20	-30.15
7249.97	Average	43.27	4.93	48.20	68.20	-20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU Full
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5893.05	Peak	55.27	0.79	56.06	88.20	-32.14
5899.05	Average	44.26	0.82	45.08	68.20	-23.12
6985.00	Peak	92.71	3.80	96.51	-	-
6985.00	Average	81.66	3.80	85.46	-	-
7165.46	Average	43.72	4.61	48.33	68.20	-19.87
7185.71	Peak	53.95	4.62	58.57	88.20	-29.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU Full
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5847.79	Peak	54.55	0.52	55.07	88.20	-33.13
5902.80	Average	46.05	0.83	46.88	68.20	-21.32
6985.00	Peak	88.52	3.80	92.32	-	-
6985.00	Average	79.92	3.80	83.72	-	-
7169.46	Average	45.46	4.62	50.08	68.20	-18.12
7208.21	Peak	53.88	4.67	58.55	88.20	-29.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996/67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5909.801	Average	43.59	0.83	44.42	68.20	-23.78
5924.553	Peak	53.68	0.84	54.52	88.20	-33.68
6985.000	Peak	90.80	3.80	94.60	-	-
6985.000	Average	82.38	3.80	86.18	-	-
7214.964	Peak	53.48	4.70	58.18	88.20	-30.02
7243.718	Average	42.92	4.81	47.73	68.20	-20.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996/67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5823.791	Peak	53.96	0.46	54.42	88.20	-33.78
5900.800	Average	43.70	0.83	44.53	68.20	-23.67
6985.000	Peak	86.81	3.80	90.61	-	-
6985.000	Average	76.92	3.80	80.72	-	-
7164.208	Peak	53.10	4.61	57.71	88.20	-30.49
7243.718	Average	43.01	4.81	47.82	68.20	-20.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996/S67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5882.55	Peak	53.36	0.72	54.08	88.20	-34.12
5920.55	Average	43.61	0.83	44.44	68.20	-23.76
6985.00	Peak	88.79	3.80	92.59	-	-
6985.00	Average	79.90	3.80	83.70	-	-
7142.71	Peak	52.93	4.59	57.52	88.20	-30.68
7240.72	Average	43.14	4.79	47.93	68.20	-20.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996/S67
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5675.02	Peak	54.14	0.07	54.21	88.20	-33.99
5906.30	Average	43.65	0.83	44.48	68.20	-23.72
6985.00	Peak	86.98	3.80	90.78	-	-
6985.00	Average	77.59	3.80	81.39	-	-
7195.21	Peak	53.20	4.63	57.83	88.20	-30.37
7195.46	Average	43.19	4.63	47.82	68.20	-20.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU1
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5856.04	Peak	53.68	0.64	54.32	88.20	-33.88
5897.30	Average	43.86	0.82	44.68	68.20	-23.52
6985.00	Peak	75.53	4.00	79.53	-	-
6985.00	Average	64.77	4.00	68.77	-	-
7201.71	Peak	53.05	4.84	57.89	88.20	-30.31
7235.97	Average	43.26	4.90	48.16	68.20	-20.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU1
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5863.55	Peak	53.76	0.68	54.44	88.20	-33.76
5906.30	Average	43.83	0.84	44.67	68.20	-23.53
6985.00	Peak	72.72	4.00	76.72	-	-
6985.00	Average	63.29	4.00	67.29	-	-
7126.70	Peak	52.93	4.64	57.57	88.20	-30.63
7237.22	Average	43.21	4.90	48.11	68.20	-20.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER

Test Site :SAC 3

Operation Mode :802.11be160 RU 996+484+242MRU2

Test Date :2024-10-08

Test Frequency :6985 MHz


Temp./Humi. :24.5°C/66%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :NB Mode

Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5841.29	Peak	53.84	0.60	54.44	88.20	-33.76
5906.30	Average	43.82	0.84	44.66	68.20	-23.54
6985.00	Peak	75.79	4.00	79.79	-	-
6985.00	Average	65.71	4.00	69.71	-	-
7240.72	Average	43.26	4.91	48.17	68.20	-20.03
7244.97	Peak	52.90	4.92	57.82	88.20	-30.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU2
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5868.05	Peak	54.03	0.70	54.73	88.20	-33.47
5892.05	Average	43.87	0.80	44.67	68.20	-23.53
6985.00	Peak	72.72	4.00	76.72	-	-
6985.00	Average	63.35	4.00	67.35	-	-
7208.96	Average	43.26	4.86	48.12	68.20	-20.08
7221.47	Peak	53.12	4.88	58.00	88.20	-30.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU4
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5859.55	Peak	53.78	0.66	54.44	88.20	-33.76
5877.55	Average	43.90	0.73	44.63	68.20	-23.57
6985.00	Peak	75.07	4.00	79.07	-	-
6985.00	Average	64.84	4.00	68.84	-	-
7202.71	Peak	52.73	4.85	57.58	88.20	-30.62
7241.22	Average	43.16	4.91	48.07	68.20	-20.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU4
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5852.54	Peak	54.51	0.63	55.14	88.20	-33.06
5897.55	Average	43.93	0.82	44.75	68.20	-23.45
6985.00	Peak	73.80	4.00	77.80	-	-
6985.00	Average	63.72	4.00	67.72	-	-
7212.96	Average	43.21	4.87	48.08	68.20	-20.12
7245.47	Peak	53.40	4.92	58.32	88.20	-29.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER

Test Site :SAC 3

Operation Mode :802.11be160 RU 996+484+242MRU5

Test Date :2024-10-08

Test Frequency :6985 MHz


Temp./Humi. :24.5°C/66%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :NB Mode

Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5843.29	Peak	54.11	0.61	54.72	88.20	-33.48
5916.55	Average	43.84	0.87	44.71	68.20	-23.49
6985.00	Peak	74.86	4.00	78.86	-	-
6985.00	Average	64.45	4.00	68.45	-	-
7183.46	Peak	52.89	4.79	57.68	88.20	-30.52
7246.47	Average	43.16	4.92	48.08	68.20	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER

Test Site :SAC 3

Operation Mode :802.11be160 RU 996+484+242MRU5

Test Date :2024-10-08

Test Frequency :6985 MHz


Temp./Humi. :24.5°C/66%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :NB Mode

Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5870.05	Peak	55.05	0.71	55.76	88.20	-32.44
5905.30	Average	43.85	0.84	44.69	68.20	-23.51
6985.00	Peak	73.42	4.00	77.42	-	-
6985.00	Average	63.77	4.00	67.77	-	-
7236.22	Peak	52.88	4.90	57.78	88.20	-30.42
7237.22	Average	43.18	4.90	48.08	68.20	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER

Test Site :SAC 3

Operation Mode :802.11be160 RU 996+484+242MRU7

Test Date :2024-10-08

Test Frequency :6985 MHz


Temp./Humi. :24.5°C/66%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :NB Mode

Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5847.54	Peak	54.60	0.62	55.22	88.20	-32.98
5898.05	Average	43.72	0.82	44.54	68.20	-23.66
6985.00	Peak	76.43	4.00	80.43	-	-
6985.00	Average	65.37	4.00	69.37	-	-
7204.21	Peak	53.98	4.85	58.83	88.20	-29.37
7247.47	Average	43.13	4.92	48.05	68.20	-20.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU7
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5841.04	Peak	54.79	0.60	55.39	88.20	-32.81
5894.55	Average	43.81	0.81	44.62	68.20	-23.58
6985.00	Peak	73.93	4.00	77.93	-	-
6985.00	Average	63.83	4.00	67.83	-	-
7209.21	Peak	53.57	4.86	58.43	88.20	-29.77
7233.47	Average	43.19	4.90	48.09	68.20	-20.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU8
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5828.54	Peak	54.61	0.57	55.18	88.20	-33.02
5915.80	Average	43.76	0.87	44.63	68.20	-23.57
6985.00	Peak	75.64	4.00	79.64	-	-
6985.00	Average	64.63	4.00	68.63	-	-
7213.71	Peak	53.18	4.87	58.05	88.20	-30.15
7238.22	Average	43.16	4.92	48.08	68.20	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484+242MRU8
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5922.30	Average	43.74	0.87	44.61	68.20	-23.59
5923.55	Peak	54.86	0.88	55.74	88.20	-32.46
6985.00	Peak	72.80	4.00	76.80	-	-
6985.00	Average	63.16	4.00	67.16	-	-
7200.46	Peak	54.05	4.84	58.89	88.20	-29.31
7208.96	Average	43.27	4.86	48.13	68.20	-20.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU1
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5856.04	Peak	53.75	0.64	54.39	88.20	-33.81
5911.80	Average	43.86	0.86	44.72	68.20	-23.48
6985.00	Peak	74.91	4.00	78.91	-	-
6985.00	Average	64.67	4.00	68.67	-	-
7133.95	Peak	52.93	4.67	57.60	88.20	-30.60
7243.72	Average	43.17	4.92	48.09	68.20	-20.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU1
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5908.05	Peak	54.27	0.85	55.12	88.20	-33.08
5912.30	Average	43.79	0.86	44.65	68.20	-23.55
6985.00	Peak	74.72	4.00	78.72	-	-
6985.00	Average	63.21	4.00	67.21	-	-
7204.96	Peak	54.78	4.85	59.63	88.20	-28.57
7240.72	Average	43.15	4.91	48.06	68.20	-20.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11be160 RU 996+484MRU2
 Test Frequency :6985 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-10-08
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5844.54	Peak	54.60	0.61	55.21	88.20	-32.99
5885.30	Average	43.91	0.76	44.67	68.20	-23.53
6985.00	Peak	77.55	4.00	81.55	-	-
6985.00	Average	67.19	4.00	71.19	-	-
7231.97	Peak	53.23	4.90	58.13	88.20	-30.07
7239.47	Average	43.17	4.91	48.08	68.20	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
 Operation Mode :802.11be160 RU 996+484MRU2
 Test Frequency :6985 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-10-08
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5901.30	Average	43.85	0.83	44.68	68.20	-23.52
5916.05	Peak	53.27	0.87	54.14	88.20	-34.06
6985.00	Peak	74.25	4.00	78.25	-	-
6985.00	Average	64.75	4.00	68.75	-	-
7216.21	Peak	54.08	4.87	58.95	88.20	-29.25
7243.22	Average	43.28	4.92	48.20	68.20	-20.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU3
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5872.05	Peak	54.18	0.72	54.90	88.20	-33.30
5915.30	Average	43.79	0.87	44.66	68.20	-23.54
6985.00	Peak	76.91	4.00	80.91	-	-
6985.00	Average	64.89	4.00	68.89	-	-
7168.71	Peak	55.49	4.75	60.24	88.20	-27.96
7239.47	Average	43.14	4.91	48.05	68.20	-20.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU3
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5889.05	Peak	53.87	0.79	54.66	88.20	-33.54
5893.80	Average	43.73	0.81	44.54	68.20	-23.66
6985.00	Peak	72.92	4.00	76.92	-	-
6985.00	Average	63.39	4.00	67.39	-	-
7141.96	Peak	53.46	4.69	58.15	88.20	-30.05
7233.72	Average	43.11	4.90	48.01	68.20	-20.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU4
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5883.55	Peak	53.38	0.75	54.13	88.20	-34.07
5897.05	Average	43.77	0.82	44.59	68.20	-23.61
6985.00	Peak	76.31	4.00	80.31	-	-
6985.00	Average	66.49	4.00	70.49	-	-
7215.46	Peak	53.31	4.87	58.18	88.20	-30.02
7218.97	Average	43.21	4.87	48.08	68.20	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be160 RU 996+484MRU4
Test Frequency :6985 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5896.55	Average	43.79	0.82	44.61	68.20	-23.59
5921.80	Peak	54.83	0.87	55.70	88.20	-32.50
6985.00	Peak	74.14	4.00	78.14	-	-
6985.00	Average	64.59	4.00	68.59	-	-
7234.72	Average	43.17	4.90	48.07	68.20	-20.13
7243.22	Peak	53.38	4.92	58.30	88.20	-29.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 2x996+484MRU2
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5796.037	Peak	53.87	0.50	54.37	88.20	-33.83
5879.797	Average	43.89	0.75	44.63	68.20	-23.57
6105.000	Peak	80.13	1.21	81.34	-	-
6105.000	Average	69.93	1.21	71.15	-	-
7227.466	Average	43.09	4.89	47.98	68.20	-20.22
7228.466	Peak	53.05	4.89	57.94	88.20	-30.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 2x996+484MRU2
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5806.038	Peak	54.38	0.52	54.90	88.20	-33.30
5884.798	Average	43.82	0.77	44.58	68.20	-23.62
6105.000	Peak	78.33	1.21	79.55	-	-
6105.000	Average	68.18	1.21	69.39	-	-
7225.966	Peak	53.49	4.89	58.38	88.20	-29.82
7246.218	Average	43.18	4.92	48.11	68.20	-20.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 2x996+484MRU6
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5844.29	Peak	53.77	0.61	54.38	88.20	-33.82
5903.30	Average	43.83	0.84	44.67	68.20	-23.53
6105.00	Peak	79.86	1.21	81.07	-	-
6105.00	Average	70.47	1.21	71.68	-	-
7219.22	Peak	52.60	4.87	57.47	88.20	-30.73
7249.72	Average	43.12	4.93	48.05	68.20	-20.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 2x996+484MRU6
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5650.02	Peak	54.26	0.04	54.30	88.20	-33.90
5897.30	Average	43.75	0.82	44.57	68.20	-23.63
6105.00	Peak	77.51	1.21	78.72	-	-
6105.00	Average	67.58	1.21	68.79	-	-
7196.46	Peak	53.96	4.83	58.79	88.20	-29.41
7232.22	Average	43.16	4.89	48.05	68.20	-20.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU2
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5860.30	Peak	54.68	0.66	55.34	88.20	-32.86
5894.55	Average	43.92	0.81	44.73	68.20	-23.47
6105.00	Peak	78.72	1.21	79.93	-	-
6105.00	Average	69.47	1.21	70.68	-	-
7211.21	Average	43.08	4.85	47.93	68.20	-20.27
7246.22	Peak	53.16	4.93	58.09	88.20	-30.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU2
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5819.04	Peak	54.27	0.56	54.83	88.20	-33.37
5898.55	Average	43.62	0.82	44.44	68.20	-23.76
6105.00	Peak	78.54	1.21	79.75	-	-
6105.00	Average	67.77	1.21	68.98	-	-
7231.72	Average	43.01	4.90	47.91	68.20	-20.29
7231.97	Peak	53.78	4.90	58.68	88.20	-29.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU8
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5592.76	Peak	54.36	-0.10	54.26	88.20	-33.94
5870.80	Average	43.89	0.71	44.60	68.20	-23.60
6105.00	Peak	81.02	1.21	82.23	-	-
6105.00	Average	70.39	1.21	71.60	-	-
7218.47	Peak	52.85	4.87	57.72	88.20	-30.48
7243.72	Average	42.91	4.92	47.83	68.20	-20.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:TERF2409002610ER
Operation Mode	:802.11be320 RU 3x996+484MRU8
Test Frequency	:6105 MHz
Test Mode	:Bandedge
EUT Pol	:NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5733.03	Peak	54.28	0.33	54.61	88.20	-33.59
5897.55	Average	43.60	0.82	44.42	68.20	-23.78
6105.00	Peak	77.74	1.21	78.95	-	-
6105.00	Average	67.35	1.21	68.56	-	-
7188.71	Peak	53.23	4.80	58.03	88.20	-30.17
7237.22	Average	43.03	4.90	47.93	68.20	-20.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996MRU2
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5851.79	Average	44.24	0.63	44.87	68.20	-23.33
5856.29	Peak	54.45	0.65	55.10	88.20	-33.10
6105.00	Peak	81.40	1.21	82.61	-	-
6105.00	Average	70.87	1.21	72.08	-	-
7217.72	Average	43.13	4.88	48.01	68.20	-20.19
7217.97	Peak	53.60	4.87	58.47	88.20	-29.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996MRU2
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5858.55	Peak	54.47	0.65	55.12	88.20	-33.08
5871.80	Average	43.80	0.72	44.52	68.20	-23.68
6105.00	Peak	77.62	1.21	78.83	-	-
6105.00	Average	67.30	1.21	68.51	-	-
7241.47	Average	43.16	4.91	48.07	68.20	-20.13
7247.97	Peak	53.02	4.93	57.95	88.20	-30.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996MRU4
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5870.30	Average	43.93	0.71	44.64	68.20	-23.56
5912.05	Peak	54.44	0.86	55.30	88.20	-32.90
6105.00	Peak	79.29	1.21	80.50	-	-
6105.00	Average	69.71	1.21	70.92	-	-
7224.97	Peak	53.21	4.89	58.10	88.20	-30.10
7248.97	Average	43.09	4.93	48.02	68.20	-20.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996MRU4
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.79	Peak	54.01	0.62	54.63	88.20	-33.57
5880.80	Average	43.70	0.74	44.44	68.20	-23.76
6105.00	Peak	78.39	1.21	79.60	-	-
6105.00	Average	67.86	1.21	69.07	-	-
7135.96	Peak	52.77	4.66	57.43	88.20	-30.77
7218.72	Average	43.04	4.87	47.91	68.20	-20.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU Full
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5919.55	Peak	54.01	0.83	54.84	88.20	-33.36
5925.00	Average	46.10	0.83	46.93	68.20	-21.27
6105.00	Peak	90.74	1.12	91.86	-	-
6105.00	Average	81.99	1.12	83.11	-	-
7207.71	Peak	52.08	4.67	56.75	88.20	-31.45
7246.72	Average	43.18	4.82	48.00	68.20	-20.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU Full
Test Frequency :6105 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5923.05	Peak	54.53	0.83	55.36	88.20	-32.84
5924.80	Average	45.67	0.83	46.50	68.20	-21.70
6105.00	Peak	89.80	1.12	90.92	-	-
6105.00	Average	79.69	1.12	80.81	-	-
7213.46	Peak	54.40	4.69	59.09	88.20	-29.11
7219.72	Average	43.22	4.71	47.93	68.20	-20.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU1
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5730.78	Peak	54.29	0.33	54.62	88.20	-33.58
5896.05	Average	43.68	0.81	44.49	68.20	-23.71
6905.00	Peak	74.48	3.63	78.11	-	-
6905.00	Average	63.65	3.63	67.28	-	-
7188.96	Peak	53.96	4.81	58.77	88.20	-29.43
7249.47	Average	43.09	4.93	48.02	68.20	-20.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU1
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5896.80	Average	43.68	0.82	44.50	68.20	-23.70
5914.05	Peak	54.26	0.87	55.13	88.20	-33.07
6905.00	Peak	71.92	3.63	75.55	-	-
6905.00	Average	62.65	3.63	66.28	-	-
7197.21	Peak	53.51	4.83	58.34	88.20	-29.86
7239.22	Average	43.07	4.92	47.99	68.20	-20.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU2
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5643.52	Peak	55.22	0.03	55.25	88.20	-32.95
5879.80	Average	43.67	0.74	44.41	68.20	-23.79
6905.00	Peak	74.97	3.63	78.60	-	-
6905.00	Average	63.87	3.63	67.50	-	-
7135.46	Peak	53.97	4.66	58.63	88.20	-29.57
7240.47	Average	43.10	4.91	48.01	68.20	-20.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU2
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5821.04	Peak	54.06	0.56	54.62	88.20	-33.58
5897.55	Average	43.63	0.82	44.45	68.20	-23.75
6905.00	Peak	72.05	3.63	75.68	-	-
6905.00	Average	61.69	3.63	65.32	-	-
7239.47	Peak	53.41	4.91	58.32	88.20	-29.88
7246.72	Average	43.01	4.92	47.93	68.20	-20.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU3
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5552.76	Peak	54.55	-0.06	54.49	88.20	-33.71
5886.55	Average	43.65	0.77	44.42	68.20	-23.78
6905.00	Peak	73.80	3.63	77.43	-	-
6905.00	Average	64.57	3.63	68.20	-	-
7234.47	Peak	53.26	4.90	58.16	88.20	-30.04
7242.97	Average	43.07	4.92	47.99	68.20	-20.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU3
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5901.55	Average	43.63	0.83	44.46	68.20	-23.74
5908.80	Peak	54.23	0.86	55.09	88.20	-33.11
6905.00	Peak	72.00	3.63	75.63	-	-
6905.00	Average	61.89	3.63	65.52	-	-
7208.21	Peak	53.64	4.86	58.50	88.20	-29.70
7249.47	Average	43.05	4.93	47.98	68.20	-20.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU4
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5718.53	Peak	54.22	0.32	54.54	88.20	-33.66
5895.80	Average	43.80	0.81	44.61	68.20	-23.59
6905.00	Peak	74.58	3.63	78.21	-	-
6905.00	Average	64.38	3.63	68.01	-	-
7237.22	Peak	52.67	4.90	57.57	88.20	-30.63
7249.72	Average	43.01	4.93	47.94	68.20	-20.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996+484MRU4
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5841.79	Peak	53.58	0.60	54.18	88.20	-34.02
5911.30	Average	43.70	0.86	44.56	68.20	-23.64
6905.00	Peak	72.01	3.63	75.64	-	-
6905.00	Average	62.02	3.63	65.65	-	-
7154.46	Peak	53.46	4.72	58.18	88.20	-30.02
7216.97	Average	43.11	4.87	47.98	68.20	-20.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996MRU1
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5583.76	Peak	55.06	-0.09	54.97	88.20	-33.23
5879.55	Average	43.57	0.74	44.31	68.20	-23.89
6905.00	Peak	74.24	3.63	77.87	-	-
6905.00	Average	64.03	3.63	67.66	-	-
7217.72	Peak	53.30	4.88	58.18	88.20	-30.02
7228.47	Average	43.06	4.89	47.95	68.20	-20.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996MRU1
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5885.55	Average	43.72	0.76	44.48	68.20	-23.72
5922.55	Peak	53.45	0.88	54.33	88.20	-33.87
6905.00	Peak	71.71	3.63	75.34	-	-
6905.00	Average	61.99	3.63	65.62	-	-
7197.46	Peak	53.48	4.83	58.31	88.20	-29.89
7230.47	Average	43.12	4.90	48.02	68.20	-20.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996MRU4
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5625.27	Peak	54.22	-0.03	54.19	88.20	-34.01
5884.55	Average	43.66	0.76	44.42	68.20	-23.78
6905.00	Peak	73.79	3.63	77.42	-	-
6905.00	Average	63.92	3.63	67.55	-	-
7221.72	Peak	52.75	4.88	57.63	88.20	-30.57
7242.47	Average	43.03	4.91	47.94	68.20	-20.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU 3x996MRU4
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-10-08
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5680.27	Peak	54.01	0.19	54.20	88.20	-34.00
5899.30	Average	43.68	0.83	44.51	68.20	-23.69
6905.00	Peak	72.31	3.63	75.94	-	-
6905.00	Average	61.92	3.63	65.55	-	-
7199.21	Peak	52.65	4.84	57.49	88.20	-30.71
7244.22	Average	43.05	4.92	47.97	68.20	-20.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU Full
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5886.55	Peak	53.27	0.74	54.01	88.20	-34.19
5916.80	Average	43.64	0.83	44.47	68.20	-23.73
6905.00	Peak	89.73	3.52	93.25	-	-
6905.00	Average	80.36	3.52	83.88	-	-
7199.21	Peak	53.34	4.64	57.98	88.20	-30.22
7243.72	Average	43.70	4.80	48.50	68.20	-19.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002610ER
Operation Mode :802.11be320 RU Full
Test Frequency :6905 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-24
Temp./Humi. :24.3°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5859.30	Peak	54.03	0.58	54.61	88.20	-33.59
5874.30	Average	43.77	0.68	44.45	68.20	-23.75
6905.00	Peak	86.30	3.52	89.82	-	-
6905.00	Average	76.05	3.52	79.57	-	-
7140.46	Peak	53.22	4.58	57.80	88.20	-30.40
7242.97	Average	43.47	4.80	48.27	68.20	-19.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

13 CONTENTION BASED PROTOCOL


13.1 Standard Applicable

Indoor access points, subordinate devices and client devices operating in the 5.925-7.125 GHz band (herein referred to as unlicensed devices) are required to use technologies that include a contention-based protocol to avoid co-channel interference with incumbent devices sharing the band. To ensure incumbent co-channel operations are detected in a technology-agnostic manner, unlicensed devices are required to detect co-channel radio frequency energy (energy detect) and avoid simultaneous transmission.

Unlicensed low-power indoor devices must detect co-channel radio frequency power that is at least -62 dBm or lower. Upon detection of energy in the band, unlicensed low power indoor devices must vacate the channel and stay off the channel as long as detected radio frequency power is equal to or greater than the threshold (-62 dBm). The -62 dBm (or lower) threshold is referenced to a 0 dBi antenna gain.

To ensure incumbent operations are reliably detected in the band, low power indoor devices must detect RF energy throughout their intended operating channel. For example, an 802.11 device that plans to transmit a 40 MHz- wide signal (on a primary 20 MHz channel and a secondary 20 MHz channel) must detect energy throughout the entire 40 MHz channel. Additionally, low-power indoor devices must detect co-channel energy with 90% or greater certainty

13.2 Test Setup



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

13.3 Measurement Procedure

1. Configure the EUT to transmit with a constant duty cycle.
2. Set the operating parameters of the EUT including power level, operating frequency, modulation and bandwidth.
3. Set the signal analyzer center frequency to the nominal EUT channel center frequency.
The span range of the signal analyzer shall be between two times and five times the OBW of the EUT. Connect the output port of the EUT to the signal analyzer, Ensure that the attenuator provides enough attenuation to not overload the signal analyzer receiver.
4. Using an AWGN signal source a 10 MHz-wide AWGN signal. Use Table 1 to determine the center frequency of the 10 MHz AWGN signal relative to the EUT's channel bandwidth and center frequency.
5. Set the AWGN signal power to an extremely low level (more than 20 dB below -62 dBm threshold). Connect the AWGN signal source, via splitter, to the signal analyzer and the EUT
6. Monitor the signal analyzer to verify if the AWGN signal has been detected and the EUT has ceased transmission. If the EUT continues to transmit, then incrementally increase the AWGN signal power level until the EUT stops transmitting
7. (Including all losses in the RF paths) Determine and record the AWGN signal power level (at the EUT's antenna port) at which the EUT ceased transmission. Repeat the procedure at least 10 times to verify the EUT can detect an AWGN signal with 90% (or better) level of certainty.
8. Refer to Table 1 to determine number of times the detection threshold testing needs to be repeated. If testing is required more than once, then go back to step 4, choose a different center frequency for the AWGN signal and repeat the process(as figure1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table 1. Criteria to determine number of times detection threshold test may be performed

If	Number of Tests	Placement of Incumbent Transmission
$BW_{EUT} \leq BW_{Inc}$	Once	Tune incumbent and EUT transmissions ($f_{c1} = f_{c2}$)
$BW_{Inc} < BW_{EUT} \leq 2BW_{Inc}$	Once	Incumbent transmission is contained within BW_{EUT}
$2BW_{Inc} < BW_{EUT} \leq 4BW_{Inc}$	Twice. Incumbent transmission is contained within BW_{EUT}	Incumbent transmission is located as closely as possible to the lower edge and upper edge, respectively, of the EUT channel
$BW_{EUT} > 4BW_{Inc}$	Three times	Incumbent transmission is located as closely as possible to the lower edge of the EUT channel, in the middle of EUT channel, and as closely as possible to the upper edge of the EUT channel




Figure 1. Two possible scenarios where a) center frequency of EUT transmission falls within incumbent's bandwidth, or b) outside of it

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

13.4 Measurement Result

13.4.1 CBP Detection

Contention Based Protocol																
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Adjusted Power (dBm)	Detection Trials (1=Detection, 0= No Detection)										Detection Probability (%)	Limit (%)
					1	2	3	4	5	6	7	8	9	10		
802.11be EHT20	5	6135	6135	-68.19	1	1	1	1	1	1	1	1	0	1	90	90
802.11be EHT320	5	6265	6110	-70.20	1	1	1	1	1	1	1	1	0	1	90	90
			6265	-68.02	1	1	1	1	1	1	1	1	1	1	100	90
			6420	-70.13	1	1	1	1	1	0	1	1	1	1	90	90
802.11be EHT20	6	6455	6455	-67.18	1	1	1	1	1	1	1	1	1	1	100	90
802.11be EHT320	6	6585	6430	-69.08	1	0	1	1	1	1	1	1	1	1	90	90
			6585	-67.12	1	1	1	1	1	1	1	1	1	1	100	90
			6740	-69.05	1	1	1	1	1	1	1	1	1	1	100	90
802.11be EHT20	7	6695	6695	-65.16	1	1	1	0	1	1	1	1	1	1	90	90
802.11be EHT320	7	6585	6430	-68.02	1	1	1	1	1	1	1	1	1	1	100	90
			6585	-66.14	1	1	1	1	1	1	1	1	1	1	100	90
			6740	-68.25	1	1	1	1	1	1	1	1	1	1	100	90
802.11be EHT20	8	7015	7015	-66.26	1	1	1	1	1	0	1	1	1	1	90	90
802.11be EHT320	8	6905	6750	-69.04	1	1	1	1	1	1	1	1	1	1	100	90
			6905	-67.12	1	1	1	1	1	1	1	1	1	1	100	90
			7060	-68.23	1	1	1	1	1	1	1	1	1	1	100	90

Note : Adjusted Power: Injected AWGN- min gain

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

13.4.2 CBP_Threshold_Level

Contention Based Protocol Threshold Level Verify								
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	5	6135	6135	-67.11	1.08	-68.19	-62	OFF
			6135	-68.11	1.08	-69.19	-62	Minimal
			6135	-72.11	1.08	-73.19	-62	ON
802.11be EHT320	5	6265	6110	-69.12	1.08	-70.20	-62	OFF
			6110	-70.12	1.08	-71.20	-62	Minimal
			6110	-72.12	1.08	-73.20	-62	ON
			6265	-66.94	1.08	-68.02	-62	OFF
			6265	-67.94	1.08	-69.02	-62	Minimal
			6265	-70.94	1.08	-72.02	-62	ON
			6420	-69.05	1.08	-70.13	-62	OFF
			6420	-70.05	1.08	-71.13	-62	Minimal
			6420	-71.05	1.08	-72.13	-62	ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contention Based Protocol Threshold Level Verify								
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	6	6455	6455	-66.64	0.54	-67.18	-62	OFF
			6455	-67.64	0.54	-68.18	-62	Minimal
			6455	-71.64	0.54	-72.18	-62	ON
802.11be EHT320	6	6585	6430	-68.54	0.54	-69.08	-62	OFF
			6430	-69.54	0.54	-70.08	-62	Minimal
			6430	-70.54	0.54	-71.08	-62	ON
			6585	-66.58	0.54	-67.12	-62	OFF
			6585	-67.58	0.54	-68.12	-62	Minimal
			6585	-69.58	0.54	-70.12	-62	ON
			6740	-68.51	0.54	-69.05	-62	OFF
			6740	-69.51	0.54	-70.05	-62	Minimal
			6740	-70.51	0.54	-71.05	-62	ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contention Based Protocol Threshold Level Verify								
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	7	6695	6695	-65.31	-0.15	-65.16	-62	OFF
			6695	-66.31	-0.15	-66.16	-62	Minimal
			6695	-72.31	-0.15	-72.16	-62	ON
802.11be EHT320	7	6585	6430	-68.17	-0.15	-68.02	-62	OFF
			6430	-69.17	-0.15	-69.02	-62	Minimal
			6430	-70.17	-0.15	-70.02	-62	ON
			6585	-66.29	-0.15	-66.14	-62	OFF
			6585	-67.29	-0.15	-67.14	-62	Minimal
			6585	-69.29	-0.15	-69.14	-62	ON
			6740	-68.40	-0.15	-68.25	-62	OFF
			6740	-69.40	-0.15	-69.25	-62	Minimal
			6740	-70.40	-0.15	-70.25	-62	ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contention Based Protocol Threshold Level Verify								
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	8	7015	7015	-66.37	-0.11	-66.26	-62	OFF
			7015	-67.37	-0.11	-67.26	-62	Minimal
			7015	-71.37	-0.11	-71.26	-62	ON
802.11be EHT320	8	6905	6750	-69.15	-0.11	-69.04	-62	OFF
			6750	-70.15	-0.11	-70.04	-62	Minimal
			6750	-72.15	-0.11	-72.04	-62	ON
			6905	-67.23	-0.11	-67.12	-62	OFF
			6905	-68.23	-0.11	-68.12	-62	Minimal
			6905	-71.23	-0.11	-71.12	-62	ON
			7060	-68.34	-0.11	-68.23	-62	OFF
			7060	-69.34	-0.11	-69.23	-62	Minimal
			7060	-72.34	-0.11	-72.23	-62	ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contention Based Protocol Threshold Level Verify								
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	5	6135	6135	-67.11	1.08	-68.19	-62	OFF
			6135	-68.11	1.08	-69.19	-62	Minimal
			6135	-72.11	1.08	-73.19	-62	ON
802.11be EHT320	5	6265	6110	-69.12	1.08	-70.20	-62	OFF
			6110	-70.12	1.08	-71.20	-62	Minimal
			6110	-72.12	1.08	-73.20	-62	ON
			6265	-66.94	1.08	-68.02	-62	OFF
			6265	-67.94	1.08	-69.02	-62	Minimal
			6265	-70.94	1.08	-72.02	-62	ON
			6420	-69.05	1.08	-70.13	-62	OFF
			6420	-70.05	1.08	-71.13	-62	Minimal
			6420	-71.05	1.08	-72.13	-62	ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contention Based Protocol Threshold Level Verify								
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	6	6455	6455	-66.64	0.54	-67.18	-62	OFF
			6455	-67.64	0.54	-68.18	-62	Minimal
			6455	-71.64	0.54	-72.18	-62	ON
802.11be EHT320	6	6585	6430	-68.54	0.54	-69.08	-62	OFF
			6430	-69.54	0.54	-70.08	-62	Minimal
			6430	-70.54	0.54	-71.08	-62	ON
			6585	-66.58	0.54	-67.12	-62	OFF
			6585	-67.58	0.54	-68.12	-62	Minimal
			6585	-69.58	0.54	-70.12	-62	ON
			6740	-68.51	0.54	-69.05	-62	OFF
			6740	-69.51	0.54	-70.05	-62	Minimal
			6740	-70.51	0.54	-71.05	-62	ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contention Based Protocol Threshold Level Verify								
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	7	6695	6695	-65.31	-0.15	-65.16	-62	OFF
			6695	-66.31	-0.15	-66.16	-62	Minimal
			6695	-72.31	-0.15	-72.16	-62	ON
802.11be EHT320	7	6585	6430	-68.17	-0.15	-68.02	-62	OFF
			6430	-69.17	-0.15	-69.02	-62	Minimal
			6430	-70.17	-0.15	-70.02	-62	ON
			6585	-66.29	-0.15	-66.14	-62	OFF
			6585	-67.29	-0.15	-67.14	-62	Minimal
			6585	-69.29	-0.15	-69.14	-62	ON
			6740	-68.40	-0.15	-68.25	-62	OFF
			6740	-69.40	-0.15	-69.25	-62	Minimal
			6740	-70.40	-0.15	-70.25	-62	ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contention Based Protocol Threshold Level Verify								
Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected AWGN (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status
802.11be EHT20	8	7015	7015	-66.37	-0.11	-66.26	-62	OFF
			7015	-67.37	-0.11	-67.26	-62	Minimal
			7015	-71.37	-0.11	-71.26	-62	ON
802.11be EHT320	8	6905	6750	-69.15	-0.11	-69.04	-62	OFF
			6750	-70.15	-0.11	-70.04	-62	Minimal
			6750	-72.15	-0.11	-72.04	-62	ON
			6905	-67.23	-0.11	-67.12	-62	OFF
			6905	-68.23	-0.11	-68.12	-62	Minimal
			6905	-71.23	-0.11	-71.12	-62	ON
			7060	-68.34	-0.11	-68.23	-62	OFF
			7060	-69.34	-0.11	-69.23	-62	Minimal
			7060	-72.34	-0.11	-72.23	-62	ON

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group

13.4.3 Incumbent_signal


802.11be_20MHz_6135MHz_AWGN:6135MHz




802.11be_20MHz_7015MHz_AWGN:7015MHz




802.11be_20MHz_6455MHz_AWGN:6455MHz




802.11be_320MHz_6265MHz(U-NII-5)_AWGN:6110MHz



802.11be_20MHz_6695MHz_AWGN:6695MHz



802.11be_320MHz_6265MHz(U-NII-5)_AWGN:6265MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11be_320MHz_6265MHz(U-NII-5)_AWGN:6420MHz




802.11be_320MHz_6585MHz(U-NII-6)_AWGN:6740MHz




802.11be_320MHz_6585MHz(U-NII-6)_AWGN:6430MHz




802.11be_320MHz_6585MHz(U-NII-7)_AWGN:6430MHz



802.11be_320MHz_6585MHz(U-NII-6)_AWGN:6585MHz



802.11be_320MHz_6585MHz(U-NII-7)_AWGN:6585MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11be_320MHz_6585MHz(U-NII-7)_AWGN:6740MHz




802.11be_320MHz_6905MHz(U-NII-8)_AWGN:7060MHz



802.11be_320MHz_6905MHz(U-NII-8)_AWGN:6750MHz



802.11be_320MHz_6905MHz(U-NII-8)_AWGN:6905MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14 DEMONSTRATION OF PROPER POWER ADJUSTMENT BASED ON ASSOCIATED AP

14.1 Standard Applicable

A client device may connect to a Standard Power AP with a maximum power level of 30 dBm EIRP. A client may also connect to a Low Power indoor AP, but the power level is limited to a maximum of 24 dBm EIRP. If a client has the flexibility to connect to both APs, verification is needed to show that it can distinguish between the two configurations, and then control the power levels accordingly.

14.2 Measurement Procedure

1. Connect equipment as shown in Figure 6 below.
2. Adjust Atten 2 to Std Power AP so as to facilitate error free communication with the Client (Atten 1 should be set to High on the RF path to the Low Power AP).
3. Configure the Client and APs so that they associate and start sending data (stream data). It is important that the client is configured to transmit at its highest power level. Initially, because the attenuation on Atten 1 is set high, the Client will only associate with the Std Power AP.
4. Verify transmission between Client and Std Power AP. Additional attenuators may be required to protect measurement equipment. Measure the Client RF power using any of the methods in C63.10 for NII devices. Note – if the client RF power has been certified to never operate above 24 dBm EIRP then this test is not necessary.
5. Gradually increase Atten 2 while at the same time decreasing Atten 1. This simulates the Client moving from outdoors to indoors. At some level of attenuation the Client should associate with the Low Power indoor AP. Verify transmission between Client and Low Power AP.
6. Measure the RF power of the Client device using the same method as in step 4. Verify the power is no more than 24 dBm EIRP.

Note – measuring Client RF power reliably from a directional coupler measurement port may be tricky. Due to coupling, some energy from the AP will show up on the measurement port. Signal isolation techniques on the measurement analyzer will need to be used.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Figure 6. Test setup for conducted testing

14.4 Measurement Result

N/A, Device only associates with indoor AP

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15 TRANSMISSION IN THE ABSENCE OF DATA

15.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

15.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

16 ANTENNA REQUIREMENT

16.1 Standard Applicable

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §§ 15.211, 15.213, 15.217, 15.219, 15.221, or § 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

16.2 Antenna Connected Construction:

The antenna complies with this requirement and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group