
Power Failure Alarm

User Manual






Please carefully read this user manual before using and installation

■ Product Features/How to Work

- When the power failure alarm detects a power outage for a furnace, fridge, deep freeze, aquarium, sump pump, etc at home, the device will loudly alarm and along with an LED light flash to alert you
- We upgraded the technology and increased the Max-alarm volume up to 120dB and allowed 3 levels of volume to adjust according to your needs, never miss any notification and protect life and property
- The alarm can remain for Max 12H under full power, when the circuit is re-energized and alarm will be released automatically, Or you can press the "Cancel Alarm Button" to stop the reminder
- The power failure alarm offers an extended socket on its surface, which
 can supply power to other household electrical, without occupying
 additional sockets.

Product Overview



Quick Start

- Quickly Cancel Alarm: press the "Cancel Alarm Button △" to cancel the alarm when you already get the notification and don't need reminder again
- Turn Off Device: under a power outage and long press "Power Button O" for 3s to turn off the device to protect its built-in battery life; once the circuit is re-energized the device will turn on automatically

■ After-Sales Support

Thanks for your support to us, we provide lifetime customer service, when you have any issue, NO NEED to return the product, just contect us and we will assist you immediately

- ☑ Email: support@satisure.com
- http://www.satisure.com/

印刷要求:

1, 材质:105g 双铜版纸, 双面印刷 2, 装订方式: 风琴折 3, 印刷方式: 黑白

4, 尺寸: 80X80mm 5, 特殊要求:/

日 期

2024.11.06

产品型号

L5FD

比例 1:1

签 名

曾发

设计

审核

	1 1	I A

日期

更改标识 更改人

A2

A1

版本

更改记录

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technic ian for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.