SPECIFICATIONS



Model 3750 GHOST™ HD16 GAME CAMERA



TRIGGER SPEED



INFARED ILLUMINATION



Pictures:	16MP Resolution
Videos:	1280x720 HD with Sound (MJPG)
Trigger Speed:	0.6s Photos
	1.0s Videos
Recovery Time:	Less than 2.0s
llumination:	850nm infrared XFINITY™ LED
Flash Range:	Up to 100-FT
Detection Range:	70-FT
Memory:	Micro SD up to 326B (not included)
Ports:	Mini USB 2.0; 6V External Power
Mounting:	Mounting Strap, ¼-20 Threaded Insert, or
	Adjustable Cable Lock (not included)
Power Supply:	x4 AA (not included); 6V DC Input
Battery Life:	*Varies based on settings & temperature
Operating	
Temperature:	-4° to 140° F (-20° C to 60° C)
Size:	3.15 x 3.86 x 1.96 inches
Weight:	0.3-lbs
IP Rating:	IP67
Warranty:	2-Year





WATER PROOF



.

SPECIFICATIONS



Model 3751 GHOST™ HD16 BLACK GAME CAMERA



TRIGGER SPEED



INFARED



Pictures:	16MP Resolution
Videos:	1280x720 HD with Sound (MJPG)
Trigger Speed:	0.6s Photos
	1.0s Videos
Recovery Time:	Less than 2.0s
llumination:	850nm infrared XFINITY™ LED
Flash Range:	Up to 80-FT
Detection Range:	78-FT
Memory:	Micro SD up to 32GB (not included)
Ports:	Mini USB 2.0; 6V External Power
Mounting:	Mounting Strap, ¼-20 Threaded Insert, or
	Adjustable Cable Lock (not included)
Power Supply:	x4 AA (not included)
Battery Life:	*Varies based on settings & temperature
Operating	
Temperature:	-4° to 140° F (-20° C to 60° C)
Size:	3.15 x 3.86 x 1.96 inches
Weight:	0.3-lbs
P Rating:	P67
Warranty:	2-Year





WATER PROOF



- 3-05 Memor Ports:

SPECIFICATIONS



GHOST™ HD20 GAME CAMERA

Model 3775

0,2 SEC. TRIGGER SPEED

BATTERY LIFE

Pictures:	20MP Resolution
/ideos:	1280x720 HD with Sound (MJPG)
Trigger Speed:	02s Photos
rigger speed.	0.6s Videos
Recovery Time:	Less than 1.0s
lumination:	850nm infrared XFINITY™ LED
lash Range:	Up to I20-FT
Detection Range:	90-FT
Memory:	Micro SD up to 128GB (not included)
Ports:	Mini USB 2.0; 6V External Power
Mounting:	Mounting Strap, ¼-20 Threaded Insert, or
	Adjustable Cable Lock (not included)
Power Supply:	x4 AA (not included); 6V DC Input
Battery Life:	*Varies based on settings & temperature
Operating	
Femperature:	-4° to 140° F (-20° C to 60° C)
Size:	3.15 x 3.86 x 1.96 inches
Neight:	0.3-lbs
P Rating:	P67
Warranty:	2-Year





WATER PROOF



TROUBLE SHOOTING AND FREQUENTLY ASKED QUESTIONS

TROUBLE SHOOTING

PROBLEM	SOLUTION
Firmware Updates	Stay up to date with the latest firmware to insure your model camera is performing to its upmost ability. Updates will appear periodically, and the process will take a few short minutes.
Limited Nighttime Range	The Ghost cameras have flash ranges ranging from 80-120 feet. If you are experiencing less than average nighttime photos we would suggest first looking into the position of the camera. Having a camera in an area with no backdrop will not give the LED's anything to reflect on creating a dark photo. We suggest placing the camera with some sort of backdrop behind it. (Trees, tall grass, hilliside). If that does not solve your issue we suggest next to look at your battery life. Poor battery life will compromise your cameras abilities. We suggest using Energizer Lithium batteries as they have enough amperage to handle the constant illumination.
False Triggers	Blank photos are described as False triggers. HAWK's Ghost ^w cameras have Ultra Sensor Technology that quickly recognizes game. Birds and vegetation are the main cause of false triggers, while you may not notice, the camera does. Clear the area where your camera is placed to insure on windy days that vegetation does not resemble a moving option and set off your camera. If you are still experiencing false triggers, reset to default settings and try your camera again.
Field Scan (Time Lapse) Not working properly.	Make sure that the stop and start times of Field Scan "A" and "B" do not overlap. (For example, do not set the start time of "B" to 9AM if the stop time of "A" is 11AM). When using Field Scan in video mode, the smallest interval time available is 5 min, to avoid potential overheating of the batteries and electronic components, which could cause operational failure or damage to the camera. In still photo mode, a 1 min. Interval can be set.
Camera stops taking images or won't take images	Please Make sure the SD card is inserted properly, If inserted properly, please check that the SD Card is not full. When full the camera will stop taking images.
Can't enter the APP Camera Settings page after trying to connect camera	Only cameras in green under camera list are within Bluetooth range to connect. If battery life is low, you may still see cameras in green but it will take a long time to connect. Please change batteries to solve this issue.
Additional Trouble shooting and FAQ's	View the Advanced Support section in the HAWK Sync App. Or contact Customer Service at 810-626-3026 or e-mail at <u>contact@hawkhunting.com</u> for assistance.

LIMITED WARRANTY*.

LIMITED TWO-YEAR WARRANTY. WE WARRANT THIS PRODUCT AGAINST ANY MANUFACTURER DEFECTS IN MATERIALS AND WORKMANSHIP FOR PERIOD OF TWO YEARS FROM DATE OF PURCHASE FROM AUTHORIZED RETAILER TO THE **ORIGINAL, REGISTERED OWNER**. WE WILL REPAIR OR REPLACE ANY PART FOUND DEFECTIVE IF THE UNIT CLAIMED TO BE DEFECTIVE IS RETURNED TO US POSTAGE PREPAID, WITHIN WARANTY PERIOD. CONTACT CUSTOMER SERVICE AT 810-626-3026 OR E-MAIL US AT <u>CONTACT@HAWKHUNTING.COM</u> FOR WARRANTY CLAIMS.

This warranty is void if any product has been subjected to misuse, abuse, neglect (including but not limited to improper maintenance or failure to follow instructions), improper storage, battery leakage, water damage caused by submersion, improper use, accident, modification, adjustment, repair by unauthorized person(s), cracked or broken housing from excess heat or impact/force, damaged caused by wild animals or if camera is not registered.

NO OTHER WARRANTIES WHETHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, SHALL APPLY TO THE PRODUCT.

LIMITATION OF LIABILITY

It is expressly understood that our liability for this product, whether due to breach of warranty, negligence, strict liability, or otherwise, is limited to repair of the product as stated above. We will not be liable for any other injury, loss, damage, or expense, whether direct or consequential, including but not limited to loss of use, income, profit, or damage to material from use of this product howsoever caused.

SERVICING YOUR PRODUCT:

If you need repairs or have warranty issues, contact Customer Service at 810-626-3026 or e-mail at <u>contact@hawkhunting.com</u> for assistance.

PLEASE NOTE:

We reserve the right to make substitutions on warranty coverage for any reason, including but not limited to available parts.

*Limited Warranty to the Original Owner.

**Original Owner may be responsible for shipping, handling and/or processing fees for replacement tree straps.

REGISTERING YOUR PRODUCT

To register and validate your Limited Warranty, please create an account and sync your Ghost^{IM} camera on the HAWK[®] SYNC^{IM} App and follow the instructions provided. If you have any issues or need assistance please contact a representative at HAWK Hunting.

HAWK^{*} Phone: 810-626-3026 Email: contact@hawkhunting.com Website: www.hawkhunting.com



Distributed By: HAWK Hunting, LLC 393 List St., Suite B, Frankenmuth, MI 48734 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. such modifications could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement.

To maintain compliance with FCC's RF exposure guidelines, this equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.